Eyal Leibovitz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2587033/publications.pdf

Version: 2024-02-01

516710 552781 48 701 16 26 citations g-index h-index papers 50 50 50 876 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Associations between body composition and prognosis of patients admitted because of acute pancreatitis: a retrospective study. European Journal of Clinical Nutrition, 2021, 75, 817-822.	2.9	3
2	Sex difference in the association between malnutrition and hypoglycemia in hospitalized patients. Minerva Endocrinology, 2021, 46, 303-308.	1.1	1
3	Association Between estimated GFR and Incident Hypoglycemia During Hospitalization. Nephrology, 2021, , .	1.6	2
4	Reduction of serum albumin in non-critically ill patients during hospitalization is associated with incident hypoglycaemia. Diabetes and Metabolism, 2020, 46, 27-32.	2.9	6
5	Prediction of Hypoglycemia During Admission of Non-Critically Ill Patients: Results from the MENU Study. Hormone and Metabolic Research, 2020, 52, 660-668.	1.5	3
6	Systemic Treatment With Glucocorticoids Is Associated With Incident Hypoglycemia and Mortality: A Historical Prospective Analysis. American Journal of Medicine, 2020, 133, 831-838.e1.	1.5	3
7	Hypoglycemia, Malnutrition and Body Composition. Advances in Experimental Medicine and Biology, 2020, 1307, 71-84.	1.6	8
8	Does Abdominoplasty Intensify the Metabolic Effect of Bariatric Surgery?. Israel Medical Association Journal, 2020, 22, 374-377.	0.1	0
9	Consumption of Nutrition Supplements Is Associated with Less Hypoglycemia during Admissionâ€"Results from the MENU Project. Nutrients, 2019, 11, 1832.	4.1	5
10	SUN-PO162: Sex Difference in the Association Between Malnutrition and Hypoglycemia in Hospitalized Patients. Clinical Nutrition, 2019, 38, S119-S120.	5.0	0
11	High-Intensity Statins Are Associated With Increased Incidence of Hypoglycemia During Hospitalization of Individuals Not Critically Ill. American Journal of Medicine, 2019, 132, 1305-1310.	1.5	6
12	Documented hypoglycemia is associated with poor short and long term prognosis among patients admitted to general internal medicine departments. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2019, 13, 222-226.	3.6	10
13	Malnutrition risk is associated with hypoglycemia among general population admitted to internal medicine units. Results from the MENU study. European Journal of Clinical Nutrition, 2018, 72, 888-893.	2.9	21
14	Visceral adiposity but not subcutaneous fat associated with improved outcome of patients with acute cholecystitis. Journal of Surgical Research, 2018, 225, 15-20.	1.6	6
15	Association of albumin and cholesterol levels with incidence of hypoglycaemia in people admitted to general internal medicine units. Diabetic Medicine, 2018, 35, 1735-1741.	2.3	12
16	Effects of Helicobacter Pylori Colonization/Infection on the Metabolic Profile of Obese Persons Undergoing Sleeve Gastrectomy Surgery for Weight Reduction. Israel Medical Association Journal, 2016, 18, 401-403.	0.1	1
17	Inter- and intra-rater reliability of digitally captured images of plate waste. Nutrition and Dietetics, 2014, 71, 284-288.	1.8	3
18	Screening for diabetes among in-patients admitted to internal medicine departments â€" Quality control survey. European Journal of Internal Medicine, 2013, 24, e97-e98.	2.2	0

#	Article	IF	CITATIONS
19	Malnutrition risk in newly hospitalized overweight and obese individuals: Mr NOI. European Journal of Clinical Nutrition, 2013, 67, 620-624.	2.9	28
20	Functional foods for weight management: Dietary Fiber $\hat{a} \in \hat{a}$ a systematic review. Functional Foods in Health and Disease, 2013, 3, 94.	0.6	4
21	Nurses and Nutrition: A Survey of Knowledge and Attitudes Regarding Nutrition Assessment and Care of Hospitalized Elderly Patients. Journal of Continuing Education in Nursing, 2013, 44, 357-364.	0.6	31
22	MEasuring Nutrition risk in hospitalized patients: MENU, a hospital-based prevalence survey. Israel Medical Association Journal, 2012, 14, 405-9.	0.1	20
23	Inactivation of endothelial proprotein convertase 5/6 decreases collagen deposition in the cardiovascular system: role of fibroblast autophagy. Journal of Molecular Medicine, 2011, 89, 1103-1111.	3.9	25
24	Functional foods in the treatment of type 2 diabetes: olive leaf extract, turmeric and fenugreek, a qualitative review. Functional Foods in Health and Disease, 2011, 1, 472.	0.6	22
25	Increased leukocyte adhesiveness/ aggregation in patients with recurrent TIA. Acta Neurologica Scandinavica, 2009, 96, 123-126.	2.1	4
26	Novel Drugs Targeting Hypertension: Renin Inhibitors and Beyond. Journal of Cardiovascular Pharmacology, 2007, 50, 3-8.	1.9	8
27	PPAR Activation: A New Target for the Treatment of Hypertension. Journal of Cardiovascular Pharmacology, 2007, 50, 120-125.	1.9	23
28	Vascular Elasticity of Systemic Lupus Erythematosus Patients Is Associated with Steroids and Hydroxychloroquine Treatment. Annals of the New York Academy of Sciences, 2007, 1108, 24-34.	3.8	45
29	Coagulation Markers Levels Measured during Acute Infection May Predict the Development of Long Term Cardio- and Cerebro-Vascular Events in Elderly Blood, 2007, 110, 3989-3989.	1.4	0
30	Long-Term Thyrotropin-Suppressive Therapy with Levothyroxine Impairs Small and Large Artery Elasticity and Increases Left Ventricular Mass in Patients with Thyroid Carcinoma. Thyroid, 2006, 16, 381-386.	4.5	61
31	Physicians underdiagnose and undertreat obesity in ishemic heart disease patients: data from the HOLEM Study Group. Israel Medical Association Journal, 2006, 8, 553-7.	0.1	0
32	Beyond guidelines: achieving the optimum in LDL cholesterol control. Current Opinion in Lipidology, 2005, 16, 635-639.	2.7	1
33	Cardiovascular risk assessment and treatment to target low density lipoprotein levels in hospitalized ischemic heart disease patients: results of the HOLEM study. Israel Medical Association Journal, 2005, 7, 355-9.	0.1	4
34	The Ashkelon Hypertension Detection and Control Program (AHDC Program): a community approach to reducing cardiovascular mortalityã†. Preventive Medicine, 2003, 37, 571-576.	3.4	19
35	Treatment with amlodipine andatorvastatin have additive effect in improvement of arterial compliance in hypertensive hyperlipidemic patients. American Journal of Hypertension, 2003, 16, 715-718.	2.0	46
36	Risk factor profile and achievement of treatment goals among hypertensive patients from the Israeli Blood Pressure Control (IBPC) program - initial cost utility analysis. Blood Pressure, 2003, 12, 225-231.	1.5	6

#	Article	IF	CITATIONS
37	Prolonged treatment with the at1 receptor blocker, valsartan, increases small and large artery compliance in uncomplicated essential hypertension. American Journal of Hypertension, 2002, 15, 1087-1091.	2.0	32
38	Treatment with atorvastatin improves small artery compliance in patients with severe hypercholesterolemia. American Journal of Hypertension, 2001, 14, 1096-1098.	2.0	55
39	Bezafibrate and simvastatin combination therapy for diabetic dyslipidaemia: efficacy and safety. Journal of Internal Medicine, 2000, 247, 563-569.	6.0	93
40	Specific in Vitro Proliferative Immune Responses and Lymphokine Production in Ethiopian Children with and without Tuberculosis. Infection, 2000, 28, 42-45.	4.7	8
41	The effect of gender on the management of risk factors in CVD patients. Atherosclerosis, 2000, 151, 271.	0.8	0
42	The appearance of Lâ€selectin ^{low} polymorphonuclear leukocytes in the circulating pool of peripheral blood during myocardial infarction correlates with neutrophilia and with the size of the infarct. Clinical Cardiology, 1999, 22, 721-726.	1.8	16
43	Stress in the emergency room: a simple leukocyte to glass adhesion test provides a diagnostic tool to differentiate between stress and infection/inflammation related leukocytosis. Stress and Health, 1999, 15, 183-188.	0.5	1
44	The leukocyte adhesiveness/aggregation test as an inflammation-related, plasma-dependent agglutination phenomenon. Scandinavian Journal of Clinical and Laboratory Investigation, 1998, 58, 593-601.	1.2	12
45	Serum basic fibroblast growth factor levels in patients with ischemic heart disease. International Journal of Cardiology, 1997, 59, 133-138.	1.7	32
46	Increased adhesiveness of white blood cells in patients with unstable angina: Additional evidence for an involvement of the immuneâ€inflammatory system. Clinical Cardiology, 1997, 20, 1017-1020.	1.8	6
47	Increased leukocyte adhesiveness/aggregation in patients with recurrent TIA. Acta Neurologica Scandinavica, 1997, 96, 123-6.	2.1	0
48	The pharmacokinetics and therapeutic efficacy of fleroxacin and pefloxacin in a rat abscess model. Journal of Antimicrobial Chemotherapy, 1989, 24, 375-385.	3.0	9