

Stergios Doumouchtsis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2588305/stergios-doumouchtsis-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

1,592
citations

21
h-index

35
g-index

137
ext. papers

1,958
ext. citations

2.6
avg, IF

4.99
L-index

#	Paper	IF	Citations
110	Outcome reporting in randomized controlled trials (RCTs) on the pharmacological management of idiopathic overactive bladder (OAB) in women; a systematic review for the development of core outcome sets (COS).. <i>International Urogynecology Journal</i> , 2022 , 1	2	
109	Impact of COVID-19 in gynaecological oncology care: a systematic rapid review. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 1	2.5	1
108	Evaluation of guidelines on the use of vaginal mesh implants for pelvic organ prolapse using the AGREE II instrument. <i>International Journal of Gynecology and Obstetrics</i> , 2021 , 154, 400-411	4	2
107	A meta-synthesis of qualitative literature on female chronic pelvic pain for the development of a core outcome set: a systematic review. <i>International Urogynecology Journal</i> , 2021 , 32, 1187-1194	2	2
106	Quality assessment of outcome reporting, publication characteristics and overall methodological quality in trials on synthetic mesh procedures for the treatment of pelvic organ prolapse for development of core outcome sets. <i>International Urogynecology Journal</i> , 2021 , 32, 2913-2919	2	1
105	Perineal Trauma 2021 , 153-158		
104	Patient-reported outcomes and outcome measures in childbirth perineal trauma research: a systematic review. <i>International Urogynecology Journal</i> , 2021 , 32, 1695-1706	2	2
103	Evaluation of clinical practice guidelines (CPG) on the management of female chronic pelvic pain (CPP) using the AGREE II instrument. <i>International Urogynecology Journal</i> , 2021 , 32, 2899-2912	2	3
102	Systematic review and appraisal of clinical practice guidelines on pelvic organ prolapse using the AGREE II tool. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1402-1413	2.3	2
101	A systematic review on reported outcomes and outcome measures in female idiopathic chronic pelvic pain for the development of a core outcome set. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 628-634	3.7	12
100	Developing Core Outcome Sets (COS) and Core Outcome Measures Sets (COMS) in Cosmetic Gynecological Interventions: Protocol for a Development and Usability Study. <i>JMIR Research Protocols</i> , 2021 , 10, e28032	2	1
99	Impact of COVID-19 on management of urogynaecology patients: a rapid review of the literature. <i>International Urogynecology Journal</i> , 2021 , 32, 2631-2646	2	3
98	Outcome reporting in trials on conservative interventions for pelvic organ prolapse: A systematic review for the development of a core outcome set. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 268, 100-109	2.4	
97	The role of obesity on urinary incontinence and anal incontinence in women: a review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 ,	3.7	1
96	Reversal of colpocleisis-A surgical technique for recurrent pelvic organ prolapse. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 ,		
95	A protocol for developing, disseminating, and implementing a core outcome set (COS) for childbirth pelvic floor trauma research. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 376	3.2	10
94	Appraisal of clinical practice guidelines on the management of obstetric perineal lacerations and care using the AGREE II instrument. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 247, 66-72	2.4	8

93	A multicenter, randomized trial comparing pelvic organ prolapse surgical treatment with native tissue and synthetic mesh: A 5-year follow-up study. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1002-1011 ^{2,3}		6
92	Risk factors for severe perineal trauma during childbirth: An updated meta-analysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 247, 94-100	2.4	12
91	A systematic review and meta-synthesis of qualitative studies on pelvic organ prolapse for the development of core outcome sets. <i>Neurourology and Urodynamics</i> , 2020 , 39, 880-889	2.3	13
90	An arm-based network meta-analysis on treatments for vulvar lichen sclerosus and a call for development of core outcome sets. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 542-550.e6 ⁴		5
89	A systematic review of reported outcomes and outcome measures in randomized trials evaluating surgical interventions for posterior vaginal prolapse to aid development of a core outcome set. <i>International Journal of Gynecology and Obstetrics</i> , 2020 , 148, 271-281	4	11
88	The profile of urinary biomarkers in overactive bladder. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2305-2313		1
87	An update of a former FIGO Working Group Report on Management of Posterior Compartment Prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2020 , 148, 135-144	4	6
86	A systematic review of reported outcomes and outcome measures in randomized controlled trials on apical prolapse surgery. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 145, 4-11	4	13
85	Variations in bladder pain syndrome/interstitial cystitis (IC) definitions, pathogenesis, diagnostics and treatment: a systematic review and evaluation of national and international guidelines. <i>International Urogynecology Journal</i> , 2019 , 30, 1795-1805	2	20
84	Biomarkers in the diagnosis and symptom assessment of patients with bladder pain syndrome: a systematic review. <i>International Urogynecology Journal</i> , 2019 , 30, 1785-1794	2	9
83	ICS debate article-childbirth, modes of delivery, and pelvic floor dysfunction-challenges in educating women about modes of delivery and granting an informed decision process. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2027-2030	2.3	
82	A systematic review on outcome reporting in randomised controlled trials on surgical interventions for female stress urinary incontinence: a call to develop a core outcome set. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 1417-1422	3.7	11
81	An animal experimental study on pubourethral ligament restoration with platelet rich plasma for the treatment of stress urinary incontinence. <i>Central European Journal of Urology</i> , 2019 , 72, 134-141	0.9	2
80	Perioperative changes in superficial pelvic organ prolapse quantification system measurements after prolapse surgery. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 145, 239-243	4	0
79	A protocol for developing, disseminating, and implementing a core outcome set for stress urinary incontinence. <i>Medicine (United States)</i> , 2019 , 98, e16876	1.8	6
78	Obstetric anal sphincter injury: a systematic review of information available on the internet. <i>International Urogynecology Journal</i> , 2019 , 30, 713-723	2	11
77	A systematic review on reporting outcomes and outcome measures in trials on synthetic mesh procedures for pelvic organ prolapse: Urgent action is needed to improve quality of research. <i>Neurourology and Urodynamics</i> , 2019 , 38, 509-524	2.3	20
76	Mesh-Free Laparoscopic High Uterosacral Ligament Suspension during Total Laparoscopic Hysterectomy for Uterine Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2018 , 25, 952-953	2.2	3

75	Do we need a core outcome set for childbirth perineal trauma research? A systematic review of outcome reporting in randomised trials evaluating the management of childbirth trauma. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 1522-1531	3.7	27
74	Fundamentals of urodynamic practice, based on International Continence Society good urodynamic practices recommendations. <i>Neurourology and Urodynamics</i> , 2018 , 37, S50-S60	2.3	37
73	Effect of body mass index on the incidence of perineal trauma. <i>International Journal of Gynecology and Obstetrics</i> , 2018 , 141, 166-170	4	10
72	A systematic review of outcome and outcome-measure reporting in randomised trials evaluating surgical interventions for anterior-compartment vaginal prolapse: a call to action to develop a core outcome set. <i>International Urogynecology Journal</i> , 2018 , 29, 1727-1745	2	26
71	A comparative study of obstetric anal sphincter injuries in vaginal deliveries of twins and singleton pregnancies. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2717-2723	2.3	
70	Evaluation and surgery for stress urinary incontinence: A FIGO working group report. <i>Neurourology and Urodynamics</i> , 2017 , 36, 518-528	2.3	28
69	Management of apical compartment prolapse (uterine and vault prolapse): A FIGO Working Group report. <i>Neurourology and Urodynamics</i> , 2017 , 36, 507-513	2.3	33
68	The impact of subcutaneous tissue suturing at caesarean section on wound complications: a meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1018-1025	3.7	14
67	Three-dimensional volume rendering of pelvic models and paraurethral masses based on MRI cross-sectional images. <i>International Urogynecology Journal</i> , 2017 , 28, 1579-1587	2	7
66	When is balloon tamponade more likely to arrest PPH?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1263	3.7	
65	Comparison between the Valsalva maneuver and intraoperative traction measurements in pelvic organ prolapse assessment. <i>International Journal of Gynecology and Obstetrics</i> , 2017 , 139, 358-362	4	4
64	A systematic review on vaginal laser therapy for treating stress urinary incontinence: Do we have enough evidence?. <i>International Urogynecology Journal</i> , 2017 , 28, 1445-1451	2	19
63	De novo overactive bladder following midurethral sling procedures: a systematic review of the literature and meta-analysis. <i>International Urogynecology Journal</i> , 2017 , 28, 1631-1638	2	19
62	Platelet rich plasma as a minimally invasive approach to uterine prolapse. <i>Medical Hypotheses</i> , 2017 , 104, 97-100	3.8	6
61	Are voiding parameters a marker for the severity of quality of life impairment in women with overactive bladder symptoms?. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1577-1581	2.3	0
60	Perioperative Complications of Cesarean Delivery Myomectomy: A Meta-analysis. <i>Obstetrics and Gynecology</i> , 2017 , 130, 1295-1303	4.9	22
59	Mode of Delivery and Perineal Trauma 2017 , 57-68		1
58	Healing Process and Complications 2017 , 195-211		0

57	Prediction, Risk Assessment, and Prevention of Childbirth Trauma 2017 , 249-270		
56	Polyacrylamide hydrogel (Bulkamid [®]) for stress urinary incontinence in women: a systematic review of the literature. <i>International Urogynecology Journal</i> , 2016 , 27, 367-75	2	40
55	The Impact of Underweight Status on the Prognosis of Ovarian Cancer Patients: A Meta-Analysis. <i>Nutrition and Cancer</i> , 2016 , 68, 918-25	2.8	9
54	Shoulder dystocia and associated manoeuvres as risk factors for perineal trauma. <i>International Urogynecology Journal</i> , 2016 , 27, 571-7	2	13
53	The use of vaginal mesh has no advantage over conventional surgery in the treatment of prolapse: AGAINST: There may be a role for the use of mesh. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 143	3.7	1
52	Restoration of the pubourethral ligament with platelet rich plasma for the treatment of stress urinary incontinence. <i>Medical Hypotheses</i> , 2016 , 90, 29-31	3.8	13
51	The surgical management of recurrent stress urinary incontinence: a systematic review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 568-76	3.8	13
50	The effect of bipolar electrocoagulation during ovarian cystectomy on ovarian reserve: a systematic review. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 620-8	6.4	18
49	Kielland [®] forceps: does it increase the risk of anal sphincter injuries? An observational study. <i>International Urogynecology Journal</i> , 2015 , 26, 1525-32	2	8
48	Levator ani muscle avulsion during childbirth: a risk prediction model. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 1155-63; discussion 1163	3.7	59
47	Menstrual and fertility outcomes following the surgical management of postpartum haemorrhage: a systematic review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 382-8	3.7	43
46	A historical perspective and evolution of our knowledge on the cardinal ligament. <i>Neurourology and Urodynamics</i> , 2014 , 33, 380-6	2.3	4
45	Challenges and current evidence on the management of bladder pain syndrome. <i>Neurourology and Urodynamics</i> , 2014 , 33, 1193-201	2.3	23
44	Perineal trauma in women undergoing vaginal delivery following intra-uterine fetal demise: a case-control analysis. <i>International Urogynecology Journal</i> , 2014 , 25, 61-4	2	5
43	Bony pelvis dimensions in women with and without stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2013 , 32, 37-42	2.3	10
42	Impact of menopausal status on the outcome of pelvic floor physiotherapy in women with urinary incontinence. <i>International Urogynecology Journal</i> , 2013 , 24, 2071-6	2	9
41	Are bony pelvis dimensions associated with levator ani defects? A case-control study. <i>International Urogynecology Journal</i> , 2013 , 24, 1377-83	2	9
40	Urogenital consequences in ageing women. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2013 , 27, 699-714	4.6	18

39	Continence outcomes following partial excision of vaginal mesh exposure after mid-urethral tape insertion. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013 , 167, 114-7	2.4	6
38	Isolated fallopian tube torsion: a rare variant of a common entity with successful laparoscopic detorsion. <i>Journal of Obstetrics and Gynaecology</i> , 2013 , 33, 318-9	1.3	3
37	Skill acquisition, credentialing, and maintenance of skills in surgical treatment of pelvic organ prolapse and urinary incontinence. <i>Clinical Obstetrics and Gynecology</i> , 2013 , 56, 238-46	1.7	3
36	Variation of distances from mid-urethra to the obturator foramen: an MRI study. <i>International Urogynecology Journal</i> , 2012 , 23, 1075-80	2	13
35	Evaluation of holmium laser for managing mesh/suture complications of continence surgery. <i>BJU International</i> , 2011 , 108, 1472-8	5.6	44
34	Contemporary therapy for the overactive bladder. <i>The Obstetrician and Gynaecologist</i> , 2011 , 13, 98-106	0.9	2
33	Prospective evaluation of combined local bupivacaine and steroid injections for the management of chronic vaginal and perineal pain. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 284, 681-5	2.5	21
32	Long-term outcomes of modified high uterosacral ligament vault suspension (HUSLS) at vaginal hysterectomy. <i>International Urogynecology Journal</i> , 2011 , 22, 577-84	2	10
31	Is it possible to reduce obstetrical brachial plexus palsy by optimal management of shoulder dystocia?. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1205, 135-43	6.5	14
30	Gallbladder perforation: an unusual indirect complication of pelvic organ prolapse surgery. <i>Journal of Obstetrics and Gynaecology</i> , 2010 , 30, 214-5	1.3	
29	Morbidly adherent placenta. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2010 , 20, 272-277	0.5	3
28	The morbidly adherent placenta: an overview of management options. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010 , 89, 1126-33	3.8	62
27	Evaluation of outpatient cystoscopy in urogynaecology. <i>Archives of Gynecology and Obstetrics</i> , 2009 , 279, 631-5	2.5	5
26	Einfluss der CTG-Berwachung auf das klinische Outcome. <i>Der Gynakologe</i> , 2009 , 42, 336-342	0.1	
25	A modified technique for the surgical correction of urethral diverticula using a porcine xenograft. <i>International Urogynecology Journal</i> , 2009 , 20, 117-20	2	8
24	Regulatory effect of parathyroid hormone on sRANKL-osteoprotegerin in hemodialysis patients with renal bone disease. <i>Therapeutic Apheresis and Dialysis</i> , 2009 , 13, 49-55	1.9	10
23	High uterosacral ligament vault suspension at vaginal hysterectomy: objective and subjective outcomes of a modified technique. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 539-44		8
22	Managing massive postpartum haemorrhage. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116, 1687-8	3.7	

21	Maternal eating disorders and offspring sex ratios at birth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 489-489	3.8	2
20	The surgical management of intractable postpartum hemorrhage. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 489-90; author reply 490-2	3.8	6
19	The effect of lead intoxication on endocrine functions. <i>Journal of Endocrinological Investigation</i> , 2009 , 32, 175-83	5.2	69
18	The impact of sex hormone changes on bone mineral deficit in chronic renal failure. <i>Endocrine Research</i> , 2009 , 34, 90-9	1.9	6
17	Outcomes, Recurrence Rates, and Postoperative Sexual Function After Secondary Vaginal Prolapse Surgery Using the Small Intestinal Submucosa Graft. <i>Journal of Pelvic Medicine & Surgery</i> , 2009 , 15, 151-156		1
16	Are all brachial plexus injuries caused by shoulder dystocia?. <i>Obstetrical and Gynecological Survey</i> , 2009 , 64, 615-23	2.4	56
15	Are voiding symptoms really associated with abnormal urodynamic voiding parameters in women?. <i>International Journal of Urology</i> , 2008 , 15, 1044-8	2.3	12
14	Head trauma after instrumental births. <i>Clinics in Perinatology</i> , 2008 , 35, 69-83, viii	2.8	42
13	Female voiding dysfunction. <i>Obstetrical and Gynecological Survey</i> , 2008 , 63, 519-26	2.4	5
12	Is Doppler planimetry a valid technique for the evaluation of postpartum urinary bladder volume?. <i>International Urogynecology Journal</i> , 2008 , 19, 1019-25	2	4
11	Associations between osteoprotegerin and femoral neck BMD in hemodialysis patients. <i>Journal of Bone and Mineral Metabolism</i> , 2008 , 26, 66-72	2.9	22
10	Management of postpartum hemorrhage by uterine balloon tamponade: prospective evaluation of effectiveness. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008 , 87, 849-55	3.8	44
9	The effect of sexual hormone abnormalities on proximal femur bone mineral density in hemodialysis patients and the possible role of RANKL. <i>Hemodialysis International</i> , 2008 , 12, 100-7	1.7	28
8	sRANKL/osteoprotegerin complex and biochemical markers in a cohort of male and female hemodialysis patients. <i>Journal of Endocrinological Investigation</i> , 2007 , 30, 762-6	5.2	22
7	Patient satisfaction with nurse-led telephone follow-up in women with lower urinary tract symptoms. <i>Journal of Telemedicine and Telecare</i> , 2007 , 13, 369-73	6.8	7
6	Systematic review of conservative management of postpartum hemorrhage: what to do when medical treatment fails. <i>Obstetrical and Gynecological Survey</i> , 2007 , 62, 540-7	2.4	236
5	"Veterinary" diagnosis of lead poisoning in pregnancy. <i>BMJ, The</i> , 2006 , 333, 1302-3	5.9	7
4	Head injuries after instrumental vaginal deliveries. <i>Current Opinion in Obstetrics and Gynecology</i> , 2006 , 18, 129-34	2.4	65

3 Instrumental Vaginal Deliveries 104-119

2 Perineal Trauma 138-144

1 Operative vaginal deliveries: indications, techniques and complications 93-103

1