

Chih-I Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2588327/chih-i-wu-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

7,223
citations

41
h-index

81
g-index

185
ext. papers

8,315
ext. citations

6.9
avg, IF

5.72
L-index

#	Paper	IF	Citations
174	Monolayer MoS ₂ heterojunction solar cells. <i>ACS Nano</i> , 2014 , 8, 8317-22	16.7	891
173	Highly Efficient Organic Blue Electrophosphorescent Devices Based on 3,6-Bis(triphenylsilyl)carbazole as the Host Material. <i>Advanced Materials</i> , 2006 , 18, 1216-1220	24	439
172	Monolayer MoSe ₂ grown by chemical vapor deposition for fast photodetection. <i>ACS Nano</i> , 2014 , 8, 8582-8597	16.7	413
171	Highly efficient visible light photocatalytic reduction of CO ₂ to hydrocarbon fuels by Cu-nanoparticle decorated graphene oxide. <i>Nano Letters</i> , 2014 , 14, 6097-103	11.5	254
170	An Exciplex Forming Host for Highly Efficient Blue Organic Light Emitting Diodes with Low Driving Voltage. <i>Advanced Functional Materials</i> , 2015 , 25, 361-366	15.6	224
169	Carbon-doped SnS nanostructure as a high-efficiency solar fuel catalyst under visible light. <i>Nature Communications</i> , 2018 , 9, 169	17.4	219
168	A flexible, stretchable and shape-adaptive approach for versatile energy conversion and self-powered biomedical monitoring. <i>Advanced Materials</i> , 2015 , 27, 3817-24	24	199
167	13% efficiency hybrid organic/silicon-nanowire heterojunction solar cell via interface engineering. <i>ACS Nano</i> , 2013 , 7, 10780-7	16.7	175
166	Using n- and p-Type Bi ₂ Te ₃ Topological Insulator Nanoparticles To Enable Controlled Femtosecond Mode-Locking of Fiber Lasers. <i>ACS Photonics</i> , 2015 , 2, 481-490	6.3	168
165	Ultralow contact resistance between semimetal and monolayer semiconductors. <i>Nature</i> , 2021 , 593, 211-214	30.7	154
164	Electronic structures and electron-injection mechanisms of cesium-carbonate-incorporated cathode structures for organic light-emitting devices. <i>Applied Physics Letters</i> , 2006 , 88, 152104	3.4	148
163	A direct and polymer-free method for transferring graphene grown by chemical vapor deposition to any substrate. <i>ACS Nano</i> , 2014 , 8, 1784-91	16.7	137
162	Probing surface band bending of surface-engineered metal oxide nanowires. <i>ACS Nano</i> , 2012 , 6, 9366-72	16.7	136
161	Hydroxynaphthylidene-derived group III metal chelates: wide band gap and deep blue analogues of green Alq ₃ (tris(8-hydroxyquinolate)aluminum) and their versatile applications for organic light-emitting diodes. <i>Journal of the American Chemical Society</i> , 2009 , 131, 763-77	16.4	135
160	Employing ambipolar oligofluorene as the charge-generation layer in time-of-flight mobility measurements of organic thin films. <i>Applied Physics Letters</i> , 2006 , 88, 064102	3.4	116
159	A paper-based electrode using a graphene dot/PEDOT:PSS composite for flexible solar cells. <i>Nano Energy</i> , 2017 , 36, 260-267	17.1	115
158	Soliton compression of the erbium-doped fiber laser weakly started mode-locking by nanoscale p-type Bi ₂ Te ₃ topological insulator particles. <i>Laser Physics Letters</i> , 2014 , 11, 055107	1.5	114

157	High density unaggregated Au nanoparticles on ZnO nanorod arrays function as efficient and recyclable photocatalysts for environmental purification. <i>Small</i> , 2013 , 9, 3169-82	11	103
156	Triphenylsilyl- and trityl-substituted carbazole-based host materials for blue electrophosphorescence. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 567-74	9.5	95
155	Mixed host organic light-emitting devices with low driving voltage and long lifetime. <i>Applied Physics Letters</i> , 2005 , 86, 103506	3.4	88
154	Electron affinity at aluminum nitride surfaces. <i>Applied Physics Letters</i> , 1998 , 73, 1346-1348	3.4	86
153	Economical low-light photovoltaics by using the Pt-free dye-sensitized solar cell with graphene dot/PEDOT:PSS counter electrodes. <i>Nano Energy</i> , 2015 , 18, 109-117	17.1	85
152	Ni-Nanocluster Modified Black TiO with Dual Active Sites for Selective Photocatalytic CO Reduction. <i>Small</i> , 2018 , 14, 1702928	11	80
151	Amino-Acid-Induced Preferential Orientation of Perovskite Crystals for Enhancing Interfacial Charge Transfer and Photovoltaic Performance. <i>Small</i> , 2017 , 13, 1604305	11	76
150	Application of F4TCNQ doped spiro-MeOTAD in high performance solid state dye sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 11689-94	3.6	74
149	Large AuAg Alloy Nanoparticles Synthesized in Organic Media Using a One-Pot Reaction: Their Applications for High-Performance Bulk Heterojunction Solar Cells. <i>Advanced Functional Materials</i> , 2012 , 22, 3975-3984	15.6	74
148	High-luminescence non-doped green OLEDs based on a 9,9-diarylfuorene-terminated 2,1,3-benzothiadiazole derivative. <i>Journal of Materials Chemistry</i> , 2009 , 19, 773-780		67
147	A high performance inverted organic light emitting diode using an electron transporting material with low energy barrier for electron injection. <i>Organic Electronics</i> , 2011 , 12, 1763-1767	3.5	65
146	Correlations of impedance/voltage characteristics and carrier mobility in organic light emitting diodes. <i>Organic Electronics</i> , 2012 , 13, 13-17	3.5	64
145	A solution-processed molybdenum oxide treated silver nanowire network: a highly conductive transparent conducting electrode with superior mechanical and hole injection properties. <i>Nanoscale</i> , 2015 , 7, 4572-9	7.7	61
144	Enhancing Optical Nonlinearity in a Nonstoichiometric SiN Waveguide for Cross-Wavelength All-Optical Data Processing. <i>ACS Photonics</i> , 2015 , 2, 1141-1154	6.3	58
143	Band Alignment of 2D Transition Metal Dichalcogenide Heterojunctions. <i>Advanced Functional Materials</i> , 2017 , 27, 1603756	15.6	55
142	Si-rich SiNx based Kerr switch enables optical data conversion up to 12 Gbit/s. <i>Scientific Reports</i> , 2015 , 5, 9611	4.9	54
141	Energy structures and chemical reactions at the Al ₂ O ₃ /SiO ₂ interfaces studied by synchrotron-radiation photoemission spectroscopy. <i>Applied Physics Letters</i> , 2005 , 87, 212108	3.4	53
140	Biodegradable Electronic Systems in 3D, Heterogeneously Integrated Formats. <i>Advanced Materials</i> , 2018 , 30, 1704955	24	52

139	Ultrahigh Responsivity and Detectivity Graphene-Perovskite Hybrid Phototransistors by Sequential Vapor Deposition. <i>Scientific Reports</i> , 2017 , 7, 46281	4.9	49
138	Electronic and chemical properties of molybdenum oxide doped hole injection layers in organic light emitting diodes. <i>Journal of Applied Physics</i> , 2009 , 105, 033717	2.5	46
137	Solution-processed transparent blue organic light-emitting diodes with graphene as the top cathode. <i>Scientific Reports</i> , 2015 , 5, 9693	4.9	45
136	New Molecular Donors with Dithienopyrrole as the Electron-Donating Group for Efficient Small-Molecule Organic Solar Cells. <i>Chemistry of Materials</i> , 2014 , 26, 4361-4367	9.6	45
135	A thermally cured 9,9-diarylfuorene-based triaryldiamine polymer displaying high hole mobility and remarkable ambient stability. <i>Journal of Materials Chemistry</i> , 2009 , 19, 3618		43
134	The roles of thermally evaporated cesium carbonate to enhance the electron injection in organic light emitting devices. <i>Journal of Applied Physics</i> , 2008 , 104, 113713	2.5	42
133	Formation of perfect ohmic contact at indium tin oxide/N,NQdi(naphthalene-1-yl)-N,NQdiphenyl-benzidine interface using ReO3. <i>Scientific Reports</i> , 2014 , 4, 3902	4.9	41
132	Rubidium-Carbonate-Doped 4,7-Diphenyl-1,10-phenanthroline Electron Transporting Layer for High-Efficiency p-i-n Organic Light Emitting Diodes. <i>Electrochemical and Solid-State Letters</i> , 2009 , 12, J8		38
131	Graphene Anodes and Cathodes: Tuning the Work Function of Graphene by Nearly 2 eV with an Aqueous Intercalation Process. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 17155-61	9.5	37
130	KSCN-induced Interfacial Dipole in Black TiO for Enhanced Photocatalytic CO Reduction. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 25186-25194	9.5	37
129	Highly Emissive Dinuclear Platinum(III) Complexes. <i>Journal of the American Chemical Society</i> , 2020 , 142, 7469-7479	16.4	36
128	Solution-processed hexaazatriphenylene hexacarbonitrile as a universal hole-injection layer for organic light-emitting diodes. <i>Organic Electronics</i> , 2013 , 14, 1204-1210	3.5	36
127	Strong optical nonlinearity of the nonstoichiometric silicon carbide. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 10164-10176	7.1	35
126	Transparent and Flexible Inorganic Perovskite Photonic Artificial Synapses with Dual-Mode Operation. <i>Advanced Functional Materials</i> , 2021 , 31, 2008259	15.6	34
125	Shape-Dependent Light Harvesting of 3D Gold Nanocrystals on Bulk Heterojunction Solar Cells: Plasmonic or Optical Scattering Effect?. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 7554-7564	3.8	31
124	Finite Silicon Atom Diffusion Induced Size Limitation on Self-Assembled Silicon Quantum Dots in Silicon-Rich Silicon Carbide. <i>Journal of the Electrochemical Society</i> , 2011 , 159, K35-K41	3.9	31
123	Electronic and chemical properties of cathode structures using 4,7-diphenyl-1,10-phenanthroline doped with rubidium carbonate as electron injection layers. <i>Journal of Applied Physics</i> , 2009 , 105, 113714	2.5	30
122	Aluminum, magnesium, and gold contacts to contamination free n-GaN surfaces. <i>Journal of Applied Physics</i> , 2001 , 89, 425-429	2.5	30

121	Atomic-Scale Structural and Chemical Characterization of Hexagonal Boron Nitride Layers Synthesized at the Wafer-Scale with Monolayer Thickness Control. <i>Chemistry of Materials</i> , 2017 , 29, 4700-4707	8.6	29
120	Boosting thin-film perovskite solar cell efficiency through vacuum-deposited sub-nanometer small-molecule electron interfacial layers. <i>Nano Energy</i> , 2017 , 38, 66-71	17.1	29
119	Ultrasensitive Photoresponsive Devices Based on Graphene/BiI ₃ van der Waals Epitaxial Heterostructures. <i>Advanced Functional Materials</i> , 2018 , 28, 1800179	15.6	28
118	Fabricating graphite nano-sheet powder by slow electrochemical exfoliation of large-scale graphite foil as a mode-locker for fiber lasers. <i>Optical Materials Express</i> , 2013 , 3, 1893	2.6	28
117	Enhancement of current injection in organic light emitting diodes with sputter treated molybdenum oxides as hole injection layers. <i>Applied Physics Letters</i> , 2011 , 98, 173302	3.4	28
116	An electron-transporting host material compatible with diverse triplet emitters used for highly efficient red- and green-electrophosphorescent devices. <i>Chemical Communications</i> , 2008 , 4956-8	5.8	27
115	Performance enhancement in inverted polymer photovoltaics with solution-processed MoO ₃ and air-plasma treatment for anode modification. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 109, 178-184	6.4	26
114	Characterization of the Ultrathin HfO_2 and Hf-Silicate Films Grown by Atomic Layer Deposition. <i>IEEE Transactions on Electron Devices</i> , 2007 , 54, 759-766	2.9	26
113	Enriching Si quantum dots in a Si-rich SiN _x matrix for strong (B) optical nonlinearity. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 1405-1413	7.1	24
112	Influences of evaporation temperature on electronic structures and electrical properties of molybdenum oxide in organic light emitting devices. <i>Journal of Applied Physics</i> , 2010 , 107, 053703	2.5	23
111	Morphological evolution of the poly(3-hexylthiophene)/[6,6]-phenyl-C61-butyric acid methyl ester, oxidation of the silver electrode, and their influences on the performance of inverted polymer solar cells with a sol-gel derived zinc oxide electron selective layer. <i>Thin Solid Films</i> , 2010 , 518, 4964-4969	2.2	23
110	Investigations of efficiency improvements in poly(3-hexylthiophene) based organic solar cells using calcium cathodes. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 3424-3427	6.4	22
109	Growing GaN LEDs on amorphous SiC buffer with variable C/Si compositions. <i>Scientific Reports</i> , 2016 , 6, 19757	4.9	22
108	High-efficiency small-molecule-based organic light emitting devices with solution processes and oxadiazole-based electron transport materials. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 10614-10622	2.5	21
107	High-Quality Conformal Homogeneous All-Vacuum Deposited CsPbCl ₃ Thin Films and Their UV Photodiode Applications. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 47054-47062	9.5	21
106	Correlation of energy band alignment and turn-on voltage in organic light emitting diodes. <i>Applied Physics Letters</i> , 2010 , 96, 013301	3.4	20
105	AlN films on GaN: Sources of error in the photoemission measurement of electron affinity. <i>Journal of Applied Physics</i> , 2001 , 89, 1991	2.5	20
104	Characterization of gadolinium oxide thin films with CF ₄ plasma treatment for resistive switching memory applications. <i>Applied Surface Science</i> , 2013 , 276, 497-501	6.7	19

103	Self-amplitude and self-phase modulation of the charcoal mode-locked erbium-doped fiber lasers. <i>Optics Express</i> , 2013 , 21, 25184-96	3.3	19
102	Near-Infrared Emission Induced by Shortened Pt-Pt Contact: Diplatinum(II) Complexes with Pyridyl Pyrimidinato Cyclometalates. <i>Inorganic Chemistry</i> , 2019 , 58, 13892-13901	5.1	18
101	Alternating current driven organic light emitting diodes using lithium fluoride insulating layers. <i>Scientific Reports</i> , 2014 , 4, 7559	4.9	18
100	Highly Sensitive GrapheneSemiconducting Polymer Hybrid Photodetectors with Millisecond Response Time. <i>ACS Photonics</i> , 2017 , 4, 2335-2344	6.3	18
99	Enhancement in current efficiency in organic light-emitting diodes with incorporation of subphthalocyanine. <i>Applied Physics Letters</i> , 2009 , 95, 133302	3.4	18
98	Low-Power MCU With Embedded ReRAM Buffers as Sensor Hub for IoT Applications. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2016 , 6, 247-257	5.2	18
97	Effects of Ga concentration and rapid thermal annealing on the structural, optoelectronic and photoluminescence properties of Ga-doped ZnO thin films. <i>Thin Solid Films</i> , 2016 , 605, 30-36	2.2	17
96	A Fully Transparent Resistive Memory for Harsh Environments. <i>Scientific Reports</i> , 2015 , 5, 15087	4.9	17
95	Formation of gap states and enhanced current injection efficiency in organic light emitting diodes incorporated with subphthalocyanine. <i>Organic Electronics</i> , 2010 , 11, 445-449	3.5	17
94	Self-assembled monolayer modification of silver sourceDrain electrodes for high-performance pentacene organic field-effect transistors. <i>Organic Electronics</i> , 2012 , 13, 593-598	3.5	16
93	Comprehensive study of medium-bandgap conjugated polymer merging a fluorinated quinoxaline with branched side chains for highly efficient and air-stable polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20203-20212	13	15
92	Single-layer organicInorganic-hybrid thin-film encapsulation for organic solar cells. <i>Journal Physics D: Applied Physics</i> , 2013 , 46, 435502	3	15
91	The effects of MoO ₃ treatment on inverted PBDTTT-C:PC71BM solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 119, 235-240	6.4	14
90	Enhancing the incorporation compatibility of molybdenum oxides in organic light emitting diodes with gap state formations. <i>Journal of Applied Physics</i> , 2013 , 114, 063710	2.5	14
89	Self-aggregated Si quantum dots in amorphous Si-rich SiC. <i>Journal of Non-Crystalline Solids</i> , 2012 , 358, 2126-2129	3.9	14
88	Enhancement of current injection in inverted organic light emitting diodes with thermal annealing. <i>Journal of Applied Physics</i> , 2010 , 108, 103714	2.5	14
87	Au nanoparticle modified GaN photoelectrode for photoelectrochemical hydrogen generation. <i>Electrochemistry Communications</i> , 2011 , 13, 530-533	5.1	14
86	Ultra-high sensitivity graphene photosensors. <i>Applied Physics Letters</i> , 2014 , 104, 041110	3.4	13

85	Improved corrosion resistance of GaN electrodes in NaCl electrolyte for photoelectrochemical hydrogen generation. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 14433-14439	6.7	13
84	Stabilization of hybrid perovskite CH ₃ NH ₃ PbI ₃ thin films by graphene passivation. <i>Nanoscale</i> , 2017 , 9, 19227-19235	7.4	13
83	Strategic Design of Three-Dimensional (3D) Urchin-Like PtNi Nanoalloys: How This Unique Nanostructure Boosts the Bulk Heterojunction Polymer Solar Cells Efficiency to 8.48%. <i>Chemistry of Materials</i> , 2014 , 26, 7029-7038	9.6	13
82	Cytotoxicity and in Vitro Degradation Kinetics of Foundry-Compatible Semiconductor Nanomembranes and Electronic Microcomponents. <i>ACS Nano</i> , 2018 , 12, 9721-9732	16.7	13
81	SiGeC Waveguide for All-Optical Data Switching. <i>ACS Photonics</i> , 2018 , 5, 2251-2260	6.3	12
80	Germanium-doped Metallic Ohmic Contacts in Black Phosphorus Field-Effect Transistors with Ultra-low Contact Resistance. <i>Scientific Reports</i> , 2017 , 7, 16857	4.9	12
79	Bridging donor-acceptor energy offset using organic dopants as energy ladders to improve open-circuit voltages in bulk-heterojunction solar cells. <i>Organic Electronics</i> , 2014 , 15, 3458-3464	3.5	12
78	Single-Layer Blue Electrophosphorescent Organic Light-Emitting Diodes Based on Small-Molecule Mixed Hosts: Comparison between the Solution and Vacuum Fabrication Processes. <i>Japanese Journal of Applied Physics</i> , 2013 , 52, 012101	1.4	12
77	Atomic-Layer Controlled Interfacial Band Engineering at Two-Dimensional Layered PtSe/Si Heterojunctions for Efficient Photoelectrochemical Hydrogen Production. <i>ACS Nano</i> , 2021 , 15, 4627-4635	16.7	12
76	High On-State Current in Chemical Vapor Deposited Monolayer MoS ₂ nFETs With Sn Ohmic Contacts. <i>IEEE Electron Device Letters</i> , 2021 , 42, 272-275	4.4	12
75	Can silicon carbide serve as a saturable absorber for passive mode-locked fiber lasers?. <i>Scientific Reports</i> , 2015 , 5, 16463	4.9	11
74	A Comparative Study on the Adsorption Behavior of Pentacene and Perfluoropentacene Molecules on Au(111) Surfaces. <i>Japanese Journal of Applied Physics</i> , 2013 , 52, 101601	1.4	11
73	Easy Access to NO ₂ -Containing Donor-Acceptor-Acceptor Electron Donors for High Efficiency Small-Molecule Organic Solar Cells. <i>ChemSusChem</i> , 2016 , 9, 1433-41	8.3	10
72	Semi-transparent Si-rich SiC _{1-x} photovoltaic solar cell grown by hydrogen-free PECVD. <i>RSC Advances</i> , 2014 , 4, 18397	3.7	10
71	Nano-Crystalline Silicon-Based Bottom Gate Thin-Film Transistor Grown by LTPECVD With Hydrogen-Free He Diluted SiH ₄ . <i>Journal of Display Technology</i> , 2013 , 9, 536-544		10
70	Two-Photon Absorption-Free Ultrafast Optical Switching in Carbon-Rich SiC _{1-x} Microring. <i>Advanced Materials Technologies</i> , 2017 , 2, 1700095	6.8	9
69	Stability improvement of organic light emitting diodes by the insertion of hole injection materials on the indium tin oxide substrate. <i>Journal of Applied Physics</i> , 2014 , 115, 124510	2.5	9
68	Improvements of electron injection efficiency using subphthalocyanine mixed with lithium fluoride in cathode structures of organic light emitting diodes. <i>Organic Electronics</i> , 2011 , 12, 562-565	3.5	9

67	Boosting photocatalytic CO ₂ reduction in a ZnS/ZnIn ₂ S ₄ heterostructure through strain-induced direct Z-scheme and a mechanistic study of molecular CO ₂ interaction thereon. <i>Nano Energy</i> , 2022 , 93, 106809	17.1	9
66	Metal-induced molecular diffusion in [6,6]-phenyl-C61-butyric acid methyl ester poly(3-hexylthiophene) based bulk-heterojunction solar cells. <i>Applied Physics Letters</i> , 2013 , 103, 183506	3.4	8
65	Influences of substitution on electronic structures of oligofluorenes. <i>Applied Physics Letters</i> , 2005 , 87, 242107	3.4	8
64	Realizing multi-functional all-optical data processing on nanoscale SiC waveguides. <i>Scientific Reports</i> , 2018 , 8, 14859	4.9	8
63	Semi-transparent silicon-rich silicon carbide photovoltaic solar cells. <i>RSC Advances</i> , 2015 , 5, 36262-36269	3.7	7
62	Catalytically solid-phase self-organization of nanoporous SnS with optical depolarizability. <i>Nanoscale</i> , 2016 , 8, 4579-87	7.7	7
61	Influence of Work Function of Carrier Transport Materials with Perovskite on Switchable Photovoltaic Phenomena. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 28668-28676	3.8	7
60	Comparison of light out-coupling enhancements in single-layer blue-phosphorescent organic light emitting diodes using small-molecule or polymer hosts. <i>Journal of Applied Physics</i> , 2013 , 114, 173106	2.5	7
59	Zero Dipole Formation at HfGdO/SiO ₂ Interface by Hf/Gd Dual-Sputtered Method. <i>Journal of the Electrochemical Society</i> , 2011 , 158, H502	3.9	7
58	The investigation of the diffusion length of cathode materials in organic light emitting devices through impedance characteristics. <i>Applied Physics Letters</i> , 2012 , 100, 173302	3.4	7
57	Two-dimensional dopant profiling by electrostatic force microscopy using carbon nanotube modified cantilevers. <i>Nanotechnology</i> , 2008 , 19, 325703	3.4	7
56	Rear interface engineering of hybrid organic-silicon nanowire solar cells via blade coating. <i>Optics Express</i> , 2016 , 24, A414-23	3.3	7
55	Spectroscopic studies of the physical origin of environmental aging effects on doped graphene. <i>Journal of Applied Physics</i> , 2016 , 119, 235301	2.5	7
54	Vertical 2D/3D Heterojunction of Tin Perovskites for Highly Efficient HTM-Free Perovskite Solar Cell. <i>ACS Applied Energy Materials</i> , 2021 , 4, 2041-2048	6.1	7
53	Enhancing the Catalytic Activity of Tri-iodide Reduction by Tuning the Surface Electronic Structure of PtPd Alloy Nanocrystals. <i>Journal of Physical Chemistry C</i> , 2019 ,	3.8	6
52	Direct large-area growth of graphene on silicon for potential ultra-low-friction applications and silicon-based technologies. <i>Nanotechnology</i> , 2020 , 31, 335602	3.4	6
51	Solution processable mixed-solvent exfoliated MoS ₂ nanosheets for efficient and robust organic light-emitting diodes. <i>AIP Advances</i> , 2018 , 8, 045006	1.5	6
50	Nearly warm white-light emission of silicon-rich amorphous silicon carbide. <i>RSC Advances</i> , 2015 , 5, 105239-105247	3.7	6

49	. <i>IEEE Photonics Journal</i> , 2012 , 4, 1351-1364	1.8	6
48	Effectiveness of tris(8-Hydroxyquinoline)aluminum doped with cesium-derivatives in organic light-emitting diodes. <i>Thin Solid Films</i> , 2010 , 518, 3942-3944	2.2	6
47	Through-Space Exciton Delocalization in Segregated HJ-Crystalline Molecular Aggregates. <i>Journal of Physical Chemistry A</i> , 2021 , 125, 943-953	2.8	6
46	An energy-efficient nonvolatile microprocessor considering software-hardware interaction for energy harvesting applications 2016 ,		5
45	All-Optical Cross-Absorption-Modulation Based Gb/s Switching With Silicon Quantum Dots. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2016 , 22, 57-69	3.8	5
44	Correlation of the electronic structure of an interconnection unit with the device performance of tandem organic solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 5450-5454	13	5
43	Effect of different p-dopants in an interconnection unit on the performance of tandem organic solar cells. <i>Organic Electronics</i> , 2014 , 15, 1805-1809	3.5	5
42	Low-Power and High-Reliability Gadolinium Oxide Resistive Switching Memory with Remote Ammonia Plasma Treatment. <i>Japanese Journal of Applied Physics</i> , 2013 , 52, 04CD07	1.4	5
41	SiC and Si Quantum Dots Co-Precipitated Si-Rich SiC Film with n- and p-Type Dopants Grown by Hydrogen-Free PECVD. <i>ECS Journal of Solid State Science and Technology</i> , 2013 , 2, N159-N164	2	5
40	Highly Transparent p-Type ZnO Thin Films Prepared by Non-Toxic Sol-Gel Process. <i>Electrochemical and Solid-State Letters</i> , 2012 , 15, H195		5
39	Forming-Free, Nonvolatile, and Flexible Resistive Random-Access Memory Using Bismuth Iodide/van der Waals Materials Heterostructures. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2001146	4.6	5
38	Enhancements in device efficiency of poly(3-hexylthiophene): [6,6]-phenyl C61-butyric acid methyl ester based solar cells with incorporation of bathocuproine. <i>Thin Solid Films</i> , 2012 , 520, 5413-5416	2.2	4
37	Optimization of polymer light emitting devices using TiOx electron transport layers and prism sheets. <i>Organic Electronics</i> , 2012 , 13, 2667-2670	3.5	4
36	A new model for optimization of organic light-emitting device by concurrent incorporation of electrical and optical simulations. <i>Journal of Applied Physics</i> , 2012 , 112, 084507	2.5	4
35	Indium tin oxide sol-gel precursor conversion process using the third harmonics of Nd:YAG laser. <i>Applied Surface Science</i> , 2011 , 257, 10042-10044	6.7	4
34	Tuning energy levels in magnesium modified Alq3. <i>Journal of Applied Physics</i> , 2011 , 109, 083541	2.5	4
33	Analytical solution to space charge limited currents with exponentially distributed traps. <i>Journal of Applied Physics</i> , 2008 , 104, 123706	2.5	4
32	Van der Waals Epitaxy of Horizontally Orientated Bismuth Iodide/Silicon Heterostructure for Nonvolatile Resistive-Switching Memory with Multistate Data Storage. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000630	4.6	4

31	The effects of fluorine-contained molecules on improving the polymer solar cell by curing the anomalous S-shaped I-V curve. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 6683-9	9.5	3
30	Delayed Charge Recombination by Open-Shell Organics: Its Application in Achieving Superb Photodetectors with Broadband (400–160 nm) Ultrahigh Sensitivity and Stability. <i>Advanced Optical Materials</i> , 2020 , 8, 1902179	8.1	3
29	Ge-Rich SiGe Mode-Locker for Erbium-Doped Fiber Lasers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018 , 24, 1-10	3.8	3
28	Effects of amorphous poly(3-hexylthiophene) on active-layer structure and solar cells performance. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016 , 54, 975-985	2.6	3
27	Stoichiometry detuned silicon carbide as an orange and white light band solid-state phosphor. <i>RSC Advances</i> , 2016 , 6, 7121-7128	3.7	3
26	Charge storage characteristics of nonvolatile memories with chemically-synthesized and vacuum-deposited gold nanoparticles. <i>Current Applied Physics</i> , 2015 , 15, 535-540	2.6	3
25	Interfacial Reactions and Doping in Organic Light Emitting Diodes Incorporated with Cesium-Based Compounds. <i>Electrochemical and Solid-State Letters</i> , 2010 , 13, H203		3
24	Investigations of electron-injection mechanisms and interfacial chemical reactions of Bphen doped with rubidium carbonate in OLEDs 2008 ,		3
23	Solution p-doped fluorescent polymers for enhanced charge transport of hybrid organic-silicon nanowire photovoltaics. <i>Organic Electronics</i> , 2016 , 34, 246-253	3.5	3
22	Enhanced Electrical Performance of Van der Waals Heterostructure. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2001850	4.6	3
21	A highly responsive hybrid photodetector based on all-inorganic 2D heterojunction consisting of Cs ₂ Pb(SCN) ₂ Br ₂ and MoS ₂ . <i>Chemical Engineering Journal</i> , 2021 , 422, 130112	14.7	3
20	A Facile, Fabric Compatible, and Flexible Borophene Nanocomposites for Self-Powered Smart Assistive and Wound Healing Applications. <i>Advanced Science</i> , 2021 , 9, 2201507	13.6	3
19	Improved efficiency of organic light-emitting diodes with self-assembled molybdenum oxide hole injection layers. <i>Journal of Applied Physics</i> , 2017 , 121, 195501	2.5	2
18	Investigating and optimizing charge transfer between graphene and metal by using double layer electrode and polymer-free transfer method. <i>Materials Research Express</i> , 2017 , 4, 065602	1.7	2
17	Surface modification of graphene using HBC-6ImBr in solution-processed OLEDs. <i>Journal of Applied Physics</i> , 2018 , 123, 024303	2.5	2
16	Flexible Electronics: Biodegradable Electronic Systems in 3D, Heterogeneously Integrated Formats (Adv. Mater. 11/2018). <i>Advanced Materials</i> , 2018 , 30, 1870077	24	2
15	Ultralow-contact-resistance graphene field-effect transistors fabricated with P-type solution doping. <i>Applied Physics Express</i> , 2018 , 11, 075102	2.4	2
14	The origins in the transformation of ambipolar to n-type pentacene-based organic field-effect transistors. <i>Organic Electronics</i> , 2014 , 15, 1759-1766	3.5	2

13	Interlayer Charge Transfer Coupled with Acoustic Phonon in Organic/Inorganic van der Waals Stacked Heterostructures: Self-Assembled Pt(II) Complex on a PtSe ₂ Monolayer. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 25538-25546	3.8	2
12	Ultrathin amorphous Ge film enabling stabilized femtosecond fiber laser pulsation. <i>Optics and Laser Technology</i> , 2021 , 136, 106761	4.2	2
11	Dielectric barrier discharge jet processed TiO ₂ nanoparticle layer for flexible perovskite solar cells. <i>Journal Physics D: Applied Physics</i> ,	3	2
10	Enhancement of Mobility and Modulation of Carrier Concentration in Graphene Field-Effect Transistors via Molecular Doping. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100748	4.6	2
9	Artificial Photosynthesis: Ni-Nanocluster Modified Black TiO ₂ with Dual Active Sites for Selective Photocatalytic CO ₂ Reduction (Small 2/2018). <i>Small</i> , 2018 , 14, 1870008	11	1
8	Data Retention Characterization of Gate-Injected Gold-Nanoparticle Non-Volatile Memory with Low-Damage CFPPlasma-Treated Blocking Oxide Layer. <i>Nanomaterials</i> , 2017 , 7,	5.4	1
7	Organic Electronics: An Exciplex Forming Host for Highly Efficient Blue Organic Light Emitting Diodes with Low Driving Voltage (Adv. Funct. Mater. 3/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 342-342	15.6	1
6	Hybrid polarity and carrier injection of gold and gadolinium oxide bi-nanocrystals structure. <i>Applied Physics Letters</i> , 2013 , 102, 083507	3.4	1
5	11.4: Highly Efficient Blue Organic Electrophosphorescent Devices Based on 3,6-Bis(triphenylsilyl)Carbazole as the Host Material. <i>Digest of Technical Papers SID International Symposium</i> , 2006 , 37, 139	0.5	1
4	Stray Field and Combined Effects on Device Miniaturization of the Magnetic Tunnel Junctions. <i>Journal Physics D: Applied Physics</i> ,	3	1
3	Organic Lead Halide Nanocrystals Providing an Ultra-Wide Color Gamut with Almost-Unity Photoluminescence Quantum Yield. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 25202-25213	9.5	1
2	Van Der Waals Epitaxy: Ultrasensitive Photoresponsive Devices Based on Graphene/Bil ₃ van der Waals Epitaxial Heterostructures (Adv. Funct. Mater. 23/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870160	15.6	0
1	Low-temperature electronic structures and intramolecular interaction of oligofluorenes studied by synchrotron photoemission spectroscopy. <i>Applied Physics Letters</i> , 2009 , 95, 083302	3.4	