

Minjie Wei

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2588338/minjie-wei-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28

papers

2,496

citations

16

h-index

31

g-index

31

ext. papers

3,635

ext. citations

12.3

avg, IF

4.62

L-index

#	Paper	IF	Citations
28	Recognition of RNA N-methyladenosine by IGF2BP proteins enhances mRNA stability and translation. <i>Nature Cell Biology</i> , 2018 , 20, 285-295	23.4	795
27	R-2HG Exhibits Anti-tumor Activity by Targeting FTO/mA/MYC/CEBPA Signaling. <i>Cell</i> , 2018 , 172, 90-105.e23	23.4	479
26	METTL14 Inhibits Hematopoietic Stem/Progenitor Differentiation and Promotes Leukemogenesis via mRNA mA Modification. <i>Cell Stem Cell</i> , 2018 , 22, 191-205.e9	18	476
25	Targeting FTO Suppresses Cancer Stem Cell Maintenance and Immune Evasion. <i>Cancer Cell</i> , 2020 , 38, 79-96.e11	24.3	145
24	HIF-2 α promotes conversion to a stem cell phenotype and induces chemoresistance in breast cancer cells by activating Wnt and Notch pathways. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 256	12.8	77
23	LNC942 promoting METTL14-mediated mA methylation in breast cancer cell proliferation and progression. <i>Oncogene</i> , 2020 , 39, 5358-5372	9.2	67
22	Long non-coding RNA LUCAT1/miR-5582-3p/TCF7L2 axis regulates breast cancer stemness via Wnt/ β -catenin pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 305	12.8	61
21	MiR-302a/b/c/d cooperatively sensitizes breast cancer cells to adriamycin via suppressing P-glycoprotein(P-gp) by targeting MAP/ERK kinase kinase 1 (MEKK1). <i>Journal of Experimental and Clinical Cancer Research</i> , 2016 , 35, 25	12.8	60
20	miR-302a/b/c/d cooperatively inhibit BCRP expression to increase drug sensitivity in breast cancer cells. <i>Gynecologic Oncology</i> , 2016 , 141, 592-601	4.9	44
19	lncRNA-Xist/miR-101-3p/KLF6/C/EBP β axis promotes TAM polarization to regulate cancer cell proliferation and migration. <i>Molecular Therapy - Nucleic Acids</i> , 2021 , 23, 536-551	10.7	36
18	The Hedgehog signalling pathway mediates drug response of MCF-7 mammosphere cells in breast cancer patients. <i>Clinical Science</i> , 2015 , 129, 809-22	6.5	35
17	Long noncoding RNA ZFAS1 promoting small nucleolar RNA-mediated 2HG-methylation via NOP58 recruitment in colorectal cancer. <i>Molecular Cancer</i> , 2020 , 19, 95	42.1	35
16	LncRNA SPRY4-IT1 regulates breast cancer cell stemness through competitively binding miR-6882-3p with TCF7L2. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 772-784	5.6	31
15	Hypoxia-inducible factor-2 α directly promotes BCRP expression and mediates the resistance of ovarian cancer stem cells to adriamycin. <i>Molecular Oncology</i> , 2019 , 13, 403-421	7.9	27
14	LncRNA HOTTIP facilitates the stemness of breast cancer via regulation of miR-148a-3p/WNT1 pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 6242-6252	5.6	18
13	Expression signature of six-snoRNA serves as novel non-invasive biomarker for diagnosis and prognosis prediction of renal clear cell carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 2215-2228	5.6	17
12	High PITX1 expression in lung adenocarcinoma patients is associated with DNA methylation and poor prognosis. <i>Pathology Research and Practice</i> , 2018 , 214, 2046-2053	3.4	15

11	Intrinsic adriamycin resistance in p53-mutated breast cancer is related to the miR-30c/FANCF/REV1-mediated DNA damage response. <i>Cell Death and Disease</i> , 2019 , 10, 666	9.8	12
10	Development of an IFN γ -response-related signature for predicting the survival of cutaneous melanoma. <i>Cancer Medicine</i> , 2020 , 9, 8186-8201	4.8	11
9	A five-mRNA signature associated with post-translational modifications can better predict recurrence and survival in cervical cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 6283-6297	5.6	10
8	Analysis of immune subtypes based on immunogenomic profiling identifies prognostic signature for cutaneous melanoma. <i>International Immunopharmacology</i> , 2020 , 89, 107162	5.8	8
7	LncRNA CBR3-AS1 regulates of breast cancer drug sensitivity as a competing endogenous RNA through the JNK1/MEK4-mediated MAPK signal pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 41	12.8	8
6	Integrative Analysis of DNA Methylation and Gene Expression to Determine Specific Diagnostic Biomarkers and Prognostic Biomarkers of Breast Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 529386	5.7	6
5	N6-methyladenosine reader IMP2 stabilizes the ZFAS1/OLA1 axis and activates the Warburg effect: implication in colorectal cancer. <i>Journal of Hematology and Oncology</i> , 2021 , 14, 188	22.4	6
4	Bioinformatic profiling identifies a platinum-resistant-related risk signature for ovarian cancer. <i>Cancer Medicine</i> , 2020 , 9, 1242-1253	4.8	6
3	NF- κ B-activated SPRY4-IT1 promotes cancer cell metastasis by downregulating TCEB1 mRNA via Staufen1-mediated mRNA decay. <i>Oncogene</i> , 2021 , 40, 4919-4929	9.2	6
2	Integrated microenvironment-associated genomic profiles identify LRRC15 mediating recurrent glioblastoma-associated macrophages infiltration. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 5534-5546	5.6	3
1	Immune-Related Long Non-coding RNA Constructs a Prognostic Signature of Ovarian Cancer.. <i>Biological Procedures Online</i> , 2021 , 23, 24	8.3	1