Matthew J Sweet

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2589331/matthew-j-sweet-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152	10,542	52	100
papers	citations	h-index	g-index
160	12,372 ext. citations	7	5.94
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
152	Inhibition of the master regulator of Listeria monocytogenes virulence enables bacterial clearance from spacious replication vacuoles in infected macrophages <i>PLoS Pathogens</i> , 2022 , 18, e1010166	7.6	O
151	An alternative downstream translation start site in the non-TIR adaptor Scimp enables selective amplification of CpG DNA responses in mouse macrophages <i>Immunology and Cell Biology</i> , 2022 ,	5	2
150	The transmembrane adaptor SCIMP recruits tyrosine kinase Syk to phosphorylate Toll-like receptors to mediate selective inflammatory outputs <i>Journal of Biological Chemistry</i> , 2022 , 101857	5.4	O
149	Disruption of the circadian clock component BMAL1 elicits an endocrine adaption impacting on insulin sensitivity and liver disease <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2200083119	11.5	1
148	Quantifying Regulated Mitochondrial Fission in Macrophages. <i>Methods in Molecular Biology</i> , 2022 , 281	-30.14	
147	Nicotinamide riboside attenuates age-associated metabolic and functional changes in hematopoietic stem cells. <i>Nature Communications</i> , 2021 , 12, 2665	17.4	7
146	Lipid droplets and the host-pathogen dynamic: FATal attraction?. Journal of Cell Biology, 2021, 220,	7.3	4
145	A sprinkle of salt in the pressure cooker of innate immunity and inflammation. <i>Immunology and Cell Biology</i> , 2021 , 99, 9-12	5	
144	An alloy of zinc and innate immunity: Galvanising host defence against infection. <i>Cellular Microbiology</i> , 2021 , 23, e13268	3.9	5
143	HDAC7 Inhibition by Phenacetyl and Phenylbenzoyl Hydroxamates. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 2186-2204	8.3	4
142	SCIMP is a spatiotemporal transmembrane scaffold for Erk1/2 to direct pro-inflammatory signaling in TLR-activated macrophages. <i>Cell Reports</i> , 2021 , 36, 109662	10.6	3
141	Transposon-triggered innate immune response confers cancer resistance to the blind mole rat. <i>Nature Immunology</i> , 2021 , 22, 1219-1230	19.1	8
140	Frontline Science: LPS-inducible SLC30A1 drives human macrophage-mediated zinc toxicity against intracellular Escherichia coli. <i>Journal of Leukocyte Biology</i> , 2021 , 109, 287-297	6.5	5
139	Modified horseshoe crab peptides target and kill bacteria inside host cells <i>Cellular and Molecular Life Sciences</i> , 2021 ,	10.3	3
138	Class IIa Histone Deacetylases Drive Toll-like Receptor-Inducible Glycolysis and Macrophage Inflammatory Responses via Pyruvate Kinase M2. <i>Cell Reports</i> , 2020 , 30, 2712-2728.e8	10.6	25
137	Mammalian lipid droplets are innate immune hubs integrating cell metabolism and host defense. <i>Science</i> , 2020 , 370,	33.3	82
136	Lipopolysaccharide promotes Drp1-dependent mitochondrial fission and associated inflammatory responses in macrophages. <i>Immunology and Cell Biology</i> , 2020 , 98, 528-539	5	16

(2017-2020)

Restriction of chronic Escherichia coli urinary tract infection depends upon 1 cell-derived interleukin-17, a deficiency of which predisposes to flagella-driven bacterial persistence. <i>FASEB Journal</i> , 2020 , 34, 14572-14587	0.9	7
SCIMP is a universal Toll-like receptor adaptor in macrophages. <i>Journal of Leukocyte Biology</i> , 2020 , 107, 251-262	6.5	8
Inhibitors of class I histone deacetylases attenuate thioacetamide-induced liver fibrosis in mice by suppressing hepatic type 2 inflammation. <i>British Journal of Pharmacology</i> , 2019 , 176, 3775-3790	8.6	13
Hyaluronan synthase 2-mediated hyaluronan production mediates Notch1 activation and liver fibrosis. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	42
Uropathogenic employs both evasion and resistance to subvert innate immune-mediated zinc toxicity for dissemination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 6341-6350	11.5	25
Variation in hemolysin A expression between uropathogenic isolates determines NLRP3-dependent -independent macrophage cell death and host colonization. <i>FASEB Journal</i> , 2019 , 33, 7437-7450	0.9	9
Minocycline Prevents the Development of Mechanical Allodynia in Mouse Models of Vincristine-Induced Peripheral Neuropathy. <i>Frontiers in Neuroscience</i> , 2019 , 13, 653	5.1	15
Complex Multilevel Control of Hemolysin Production by Uropathogenic Escherichia coli. <i>MBio</i> , 2019 , 10,	7.8	6
Group A streptococcal pharyngitis: Immune responses involved in bacterial clearance and GAS-associated immunopathologies. <i>Journal of Leukocyte Biology</i> , 2018 , 103, 193-213	6.5	20
Regulation of hemolysin in uropathogenic Escherichia coli fine-tunes killing of human macrophages. <i>Virulence</i> , 2018 , 9, 967-980	4.7	22
pTRAPs: Transmembrane adaptors in innate immune signaling. <i>Journal of Leukocyte Biology</i> , 2018 , 103, 1011	6.5	6
For when bacterial infections persist: Toll-like receptor-inducible direct antimicrobial pathways in macrophages. <i>Journal of Leukocyte Biology</i> , 2018 , 103, 35-51	6.5	32
Lysine Deacetylases and Regulated Glycolysis in Macrophages. <i>Trends in Immunology</i> , 2018 , 39, 473-488	14.4	37
Interleukin-1 Maturation Triggers Its Relocation to the Plasma Membrane for Gasdermin-D-Dependent and -Independent Secretion. <i>Cell Reports</i> , 2018 , 24, 1425-1433	10.6	149
Group A M1T1 Intracellular Infection of Primary Tonsil Epithelial Cells Dampens Levels of Secreted IL-8 Through the Action of SpyCEP. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018 , 8, 160	5.9	14
Noncanonical inflammasome signaling elicits gasdermin D-dependent neutrophil extracellular traps. <i>Science Immunology</i> , 2018 , 3,	28	225
Hepatic expression profiling identifies steatosis-independent and steatosis-driven advanced fibrosis genes. <i>JCI Insight</i> , 2018 , 3,	9.9	21
SCIMP is a transmembrane non-TIR TLR adaptor that promotes proinflammatory cytokine production from macrophages. <i>Nature Communications</i> , 2017 , 8, 14133	17.4	30
	SCIMP is a universal Toll-like receptor adaptor in macrophages. <i>Journal of Leukocyte Biology</i> , 2020, 107, 251-262 Inhibitors of class I histone deacetylases attenuate thioacetamide-induced liver fibrosis in mice by suppressing hepatic type 2 inflammation. <i>British Journal of Pharmacology</i> , 2019, 176, 3775-3790 Hyaluronan synthase 2-mediated hyaluronan production mediates Notch1 activation and liver fibrosis. <i>Science Translational Medicine</i> , 2019, 11, Uropathogenic employs both evasion and resistance to subvert innate immune-mediated zinc toxicity for dissemination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 6341-6350 Variation in hemolysin A expression between uropathogenic isolates determines NLRP3-dependent independent macrophage cell death and host colonization. <i>FASEB Journal</i> , 2019, 33, 7437-7450 Minocycline Prevents the Development of Mechanical Allodynia in Mouse Models of Vincristine-Induced Peripheral Neuropathy. <i>Frontiers in Neuroscience</i> , 2019, 13, 653 Complex Multilevel Control of Hemolysin Production by Uropathogenic Escherichia coli. <i>MBio</i> , 2019, 10, 10 Group A streptococcal pharyngitis: Immune responses involved in bacterial clearance and GAS-associated immunopathologies. <i>Journal of Leukocyte Biology</i> , 2018, 103, 193-213 Regulation of hemolysin in uropathogenic Escherichia coli fine-tunes killing of human macrophages. <i>Virulence</i> , 2018, 9, 967-980 pTRAPs: Transmembrane adaptors in innate immune signaling. <i>Journal of Leukocyte Biology</i> , 2018, 103, 1011 For when bacterial infections persist: Toll-like receptor-inducible direct antimicrobial pathways in macrophages. <i>Journal of Leukocyte Biology</i> , 2018, 103, 1011 For when bacterial infections persist: Toll-like receptor-inducible direct antimicrobial pathways in macrophages. <i>Journal of SpyCEP. Frontiers in Cellular and Infection Microbiology</i> , 2018, 39, 473-488 Interleukin-IlMaturation Triggers Its Relocation to the Plasma Membrane for Gasdermin-D-Dependent and -Independent Secret	SCIMP Is a universal Toll-like receptor adaptor in macrophages. Journal of Leukocyte Biology, 2020, 107, 251-262 Inhibitors of class I histone deacetylases attenuate thioacetamide-induced liver fibrosis in mice by suppressing hepatic type 2 inflammation. British Journal of Pharmacology, 2019, 176, 3775-3790 Hyaluronan synthase 2-mediated hyaluronan production mediates Notch1 activation and liver fibrosis. Science Translational Medicine, 2019, 11, 175 Uropathogenic employs both evasion and resistance to subvert innate immune-mediated zinc toxicity for dissemination. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 6341-6350 Variation in hemolysin A expression between uropathogenic isolates determines NLRP3-dependent independent macrophage cell death and host colonization. FASEB Journal, 2019, 33, 7437-7450 Minocycline Prevents the Development of Mechanical Allodynia in Mouse Models of Vincristine-Induced Peripheral Neuropathy. Frontiers in Neuroscience, 2019, 13, 653 Complex Multilevel Control of Hemolysin Production by Uropathogenic Escherichia coli. MBio, 2019 7.8 Complex Multilevel Control of Hemolysin Production by Uropathogenic Escherichia coli. MBio, 2019 7.8 Regulation of hemolysin in uropathogenic Escherichia coli fine-tunes killing of human macrophages. Virulence, 2018, 9, 967-980 PTRAPS: Transmembrane adaptors in innate immune signaling. Journal of Leukocyte Biology, 2018, 103, 193-213 6.5 Lysine Deacetylases and Regulated Glycolysis in Macrophages. Trends in Immunology, 2018, 39, 473-488 144 Interleukin-IlMaturation Triggers Its Relocation to the Plasma Membrane for Casdemin-D-Dependent and -Independent Secretion. Cell Reports, 2018, 24, 1425-1433 10.6 Group A M111 Intracellular Infection of Primary Tonsil Epithelial Cells Dampens Levels of Secreted IL-8 Through the Action of SpyCEP. Frontiers in Cellular and Infection Microbiology, 2018, 8, 160 Noncanonical inflammasome signaling elicits gasdermin D-dependent neutrophil extracellular traps.

117	Small GTPase Rab8a-recruited Phosphatidylinositol 3-Kinase Regulates Signaling and Cytokine Outputs from Endosomal Toll-like Receptors. <i>Journal of Biological Chemistry</i> , 2017 , 292, 4411-4422	5.4	39
116	An HDAC6 Inhibitor Confers Protection and Selectively Inhibits B-Cell Infiltration in DSS-Induced Colitis in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017 , 360, 140-151	4.7	21
115	Development of SH2 probes and pull-down assays to detect pathogen-induced, site-specific tyrosine phosphorylation of the TLR adaptor SCIMP. <i>Immunology and Cell Biology</i> , 2017 , 95, 564-570	5	6
114	Genome-Wide Discovery of Genes Required for Capsule Production by Uropathogenic. <i>MBio</i> , 2017 , 8,	7.8	29
113	In life there is death: How epithelial tissue barriers are preserved despite the challenge of apoptosis. <i>Tissue Barriers</i> , 2017 , 5, e1345353	4.3	12
112	The toll-like receptor 3 pathway in homeostasis, responses to injury and wound repair. <i>Seminars in Cell and Developmental Biology</i> , 2017 , 61, 22-30	7.5	27
111	The cytochrome bd-I respiratory oxidase augments survival of multidrug-resistant Escherichia coli during infection. <i>Scientific Reports</i> , 2016 , 6, 35285	4.9	34
110	TRIF-dependent TLR signaling, its functions in host defense and inflammation, and its potential as a therapeutic target. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 27-45	6.5	88
109	Strain- and host species-specific inflammasome activation, IL-1Irelease, and cell death in macrophages infected with uropathogenic Escherichia coli. <i>Mucosal Immunology</i> , 2016 , 9, 124-36	9.2	57
108	Using the MCoTI-II Cyclotide Scaffold To Design a Stable Cyclic Peptide Antagonist of SET, a Protein Overexpressed in Human Cancer. <i>Biochemistry</i> , 2016 , 55, 396-405	3.2	41
107	Histone deacetylases in monocyte/macrophage development, activation and metabolism: refining HDAC targets for inflammatory and infectious diseases. <i>Clinical and Translational Immunology</i> , 2016 , 5, e62	6.8	71
106	Differential Anti-inflammatory Activity of HDAC Inhibitors in Human Macrophages and Rat Arthritis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 356, 387-96	4.7	35
105	Salmonella employs multiple mechanisms to subvert the TLR-inducible zinc-mediated antimicrobial response of human macrophages. <i>FASEB Journal</i> , 2016 , 30, 1901-12	0.9	49
104	The E3 ubiquitin ligase RNF144B is LPS-inducible in human, but not mouse, macrophages and promotes inducible IL-1lexpression. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 155-61	6.5	9
103	Uropathogenic Escherichia coli Engages CD14-Dependent Signaling to Enable Bladder-Macrophage-Dependent Control of Acute Urinary Tract Infection. <i>Journal of Infectious Diseases</i> , 2016 , 213, 659-68	7	24
102	CRIg-expressing peritoneal macrophages are associated with disease severity in patients with cirrhosis and ascites. <i>JCI Insight</i> , 2016 , 1, e86914	9.9	32
101	Co-transcriptomic Analysis by RNA Sequencing to Simultaneously Measure Regulated Gene Expression in Host and Bacterial Pathogen. <i>Methods in Molecular Biology</i> , 2016 , 1390, 145-58	1.4	4
100	The murine neutrophil NLRP3 inflammasome is activated by soluble but not particulate or crystalline agonists. <i>European Journal of Immunology</i> , 2016 , 46, 1004-10	6.1	17

(2014-2016)

99	Receptor residence time trumps drug-likeness and oral bioavailability in determining efficacy of complement C5a antagonists. <i>Scientific Reports</i> , 2016 , 6, 24575	4.9	30
98	Innate immune perturbations, accumulating DAMPs and inflammasome dysregulation: A ticking time bomb in ageing. <i>Ageing Research Reviews</i> , 2015 , 24, 40-53	12	43
97	Deficient NLRP3 and AIM2 Inflammasome Function in Autoimmune NZB Mice. <i>Journal of Immunology</i> , 2015 , 195, 1233-41	5.3	28
96	TLR3 drives IRF6-dependent IL-23p19 expression and p19/EBI3 heterodimer formation in keratinocytes. <i>Immunology and Cell Biology</i> , 2015 , 93, 771-9	5	33
95	The co-transcriptome of uropathogenic Escherichia coli-infected mouse macrophages reveals new insights into host-pathogen interactions. <i>Cellular Microbiology</i> , 2015 , 17, 730-46	3.9	55
94	Histone Deacetylase Inhibitors Promote Mitochondrial Reactive Oxygen Species Production and Bacterial Clearance by Human Macrophages. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 60, 1521-9	5.9	33
93	The role of H4 flagella in Escherichia coli ST131 virulence. <i>Scientific Reports</i> , 2015 , 5, 16149	4.9	24
92	Deletion of Wntless in myeloid cells exacerbates liver fibrosis and the ductular reaction in chronic liver injury. <i>Fibrogenesis and Tissue Repair</i> , 2015 , 8, 19		22
91	HMGB1 binds to activated platelets via the receptor for advanced glycation end products and is present in platelet rich human coronary artery thrombi. <i>Thrombosis and Haemostasis</i> , 2015 , 114, 994-106	03	41
90	Inhibition of Histone Deacetylases Permits Lipopolysaccharide-Mediated Secretion of Bioactive IL-1 via a Caspase-1-Independent Mechanism. <i>Journal of Immunology</i> , 2015 , 195, 5421-31	5.3	30
89	Analysis of the N-terminal region of human MLKL, as well as two distinct MLKL isoforms, reveals new insights into necroptotic cell death. <i>Bioscience Reports</i> , 2015 , 36, e00291	4.1	14
88	Mechanism of bacterial interference with TLR4 signaling by Brucella Toll/interleukin-1 receptor domain-containing protein TcpB. <i>Journal of Biological Chemistry</i> , 2014 , 289, 654-68	5.4	47
87	Towards selective lysophospholipid GPCR modulators. <i>Trends in Pharmacological Sciences</i> , 2014 , 35, 219) -125 62	13
86	Protective role for Toll-like receptor-9 in the development of atherosclerosis in apolipoprotein E-deficient mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 516-25	9.4	61
85	The neutrophil NLRC4 inflammasome selectively promotes IL-1[maturation without pyroptosis during acute Salmonella challenge. <i>Cell Reports</i> , 2014 , 8, 570-82	10.6	252
84	Rab8a interacts directly with PI3KIto modulate TLR4-driven PI3K and mTOR signalling. <i>Nature Communications</i> , 2014 , 5, 4407	17.4	85
83	Recombinant Wnt3a and Wnt5a elicit macrophage cytokine production and tolerization to microbial stimulation via Toll-like receptor 4. <i>European Journal of Immunology</i> , 2014 , 44, 1480-90	6.1	26
82	Tumor cell-expressed SerpinB2 is present on microparticles and inhibits metastasis. <i>Cancer Medicine</i> , 2014 , 3, 500-13	4.8	29

81	Interferon regulatory factor 6 differentially regulates Toll-like receptor 2-dependent chemokine gene expression in epithelial cells. <i>Journal of Biological Chemistry</i> , 2014 , 289, 19758-68	5.4	25
80	Receptor-interacting protein kinase 4 and interferon regulatory factor 6 function as a signaling axis to regulate keratinocyte differentiation. <i>Journal of Biological Chemistry</i> , 2014 , 289, 31077-87	5.4	40
79	Senescent human hepatocytes express a unique secretory phenotype and promote macrophage migration. <i>World Journal of Gastroenterology</i> , 2014 , 20, 17851-62	5.6	37
78	Evolutionary Divergence in Human Versus Mouse Innate Immune Gene Regulation and Function 2014 , 115-155		
77	An mRNA atlas of G protein-coupled receptor expression during primary human monocyte/macrophage differentiation and lipopolysaccharide-mediated activation identifies targetable candidate regulators of inflammation. <i>Immunobiology</i> , 2013 , 218, 1345-53	3.4	33
76	Inflammatory responses induced by lipopolysaccharide are amplified in primary human monocytes but suppressed in macrophages by complement protein C5a. <i>Journal of Immunology</i> , 2013 , 191, 4308-10	6 ^{5.3}	60
75	Portal, but not lobular, macrophages express matrix metalloproteinase-9: association with the ductular reaction and fibrosis in chronic hepatitis C. <i>Liver International</i> , 2013 , 33, 569-79	7.9	35
74	Differences in the repertoire, regulation and function of Toll-like Receptors and inflammasome-forming Nod-like Receptors between human and mouse. <i>Current Opinion in Microbiology</i> , 2013 , 16, 303-10	7.9	33
73	Uropathogenic Escherichia coli virulence and innate immune responses during urinary tract infection. <i>Current Opinion in Microbiology</i> , 2013 , 16, 100-7	7.9	136
7²	Crystallization and X-ray diffraction analysis of the N-terminal domain of the Toll-like receptor signalling adaptor protein TRIF/TICAM-1. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2013 , 69, 766-70		4
71	Metal ions in macrophage antimicrobial pathways: emerging roles for zinc and copper. <i>Bioscience Reports</i> , 2013 , 33,	4.1	109
70	An antioxidant role for catecholate siderophores in Salmonella. <i>Biochemical Journal</i> , 2013 , 454, 543-9	3.8	39
69	Histone deacetylase 7 promotes Toll-like receptor 4-dependent proinflammatory gene expression in macrophages. <i>Journal of Biological Chemistry</i> , 2013 , 288, 25362-25374	5.4	61
68	The structure of the caspase recruitment domain of BinCARD reveals that all three cysteines can be oxidized. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013 , 69, 774-84		9
67	The TLR signalling adaptor TRIF/TICAM-1 has an N-terminal helical domain with structural similarity to IFIT proteins. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013 , 69, 2420-30		11
66	Cloning, expression, purification, crystallization and preliminary X-ray crystallographic analysis of the TIR domain from the Brucella melitensis TIR-domain-containing protein TcpB. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2013 , 69, 1167-70		1
65	The mammalian DUF59 protein Fam96a forms two distinct types of domain-swapped dimer. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2012 , 68, 637-48		20
64	Acute lipopolysaccharide priming boosts inflammasome activation independently of inflammasome sensor induction. <i>Immunobiology</i> , 2012 , 217, 1325-9	3.4	109

(2010-2012)

63	The mammalian PYHIN gene family: phylogeny, evolution and expression. <i>BMC Evolutionary Biology</i> , 2012 , 12, 140	3	131
62	HDAC inhibitors: modulating leukocyte differentiation, survival, proliferation and inflammation. <i>Immunology and Cell Biology</i> , 2012 , 90, 14-22	5	62
61	Conservation and divergence in Toll-like receptor 4-regulated gene expression in primary human versus mouse macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E944-53	11.5	212
60	Copper redistribution in murine macrophages in response to Salmonella infection. <i>Biochemical Journal</i> , 2012 , 444, 51-7	3.8	104
59	Towards isozyme-selective HDAC inhibitors for interrogating disease. <i>Current Topics in Medicinal Chemistry</i> , 2012 , 12, 1479-99	3	37
58	Macrophage secretory products induce an inflammatory phenotype in hepatocytes. <i>World Journal of Gastroenterology</i> , 2012 , 18, 1732-44	5.6	29
57	Intramacrophage survival of uropathogenic Escherichia coli: differences between diverse clinical isolates and between mouse and human macrophages. <i>Immunobiology</i> , 2011 , 216, 1164-71	3.4	49
56	Histone deacetylases as regulators of inflammation and immunity. <i>Trends in Immunology</i> , 2011 , 32, 335	-434.4	363
55	Macrophage activation and differentiation signals regulate schlafen-4 gene expression: evidence for Schlafen-4 as a modulator of myelopoiesis. <i>PLoS ONE</i> , 2011 , 6, e15723	3.7	50
54	LPS-induced cytokine production in human monocytes and macrophages. <i>Critical Reviews in Immunology</i> , 2011 , 31, 379-446	1.8	380
53	The immunostimulatory activity of phosphorothioate CpG oligonucleotides is affected by distal sequence changes. <i>Molecular Immunology</i> , 2011 , 48, 1027-34	4.3	12
52	Osteal macrophages promote in vivo intramembranous bone healing in a mouse tibial injury model. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 1517-32	6.3	303
51	Identification and characterization of a new family of cell-penetrating peptides: cyclic cell-penetrating peptides. <i>Journal of Biological Chemistry</i> , 2011 , 286, 36932-43	5.4	135
50	B cells do not take up bacterial DNA: an essential role for antigen in exposure of DNA to toll-like receptor-9. <i>Immunology and Cell Biology</i> , 2011 , 89, 517-25	5	12
49	Crystal structure of Toll-like receptor adaptor MAL/TIRAP reveals the molecular basis for signal transduction and disease protection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 14879-84	11.5	105
48	Dead cells certainly do matter, particularly when they can speak from the grave. <i>Journal of Leukocyte Biology</i> , 2010 , 88, 1065-1066	6.5	
47	The multi-copper-ion oxidase CueO of Salmonella enterica serovar Typhimurium is required for systemic virulence. <i>Infection and Immunity</i> , 2010 , 78, 2312-9	3.7	91
46	Differential effects of selective HDAC inhibitors on macrophage inflammatory responses to the Toll-like receptor 4 agonist LPS. <i>Journal of Leukocyte Biology</i> , 2010 , 87, 1103-14	6.5	142

45	Phosphoinositide 3-kinase Iregulates membrane fission of Golgi carriers for selective cytokine secretion. <i>Journal of Cell Biology</i> , 2010 , 190, 1053-65	7.3	50
44	A conserved distal segment of the mouse CSF-1 receptor promoter is required for maximal expression of a reporter gene in macrophages and osteoclasts of transgenic mice. <i>Journal of Leukocyte Biology</i> , 2010 , 87, 815-22	6.5	21
43	Development and characterization of new inhibitors of the human and mouse hematopoietic prostaglandin D(2) synthases. <i>Journal of Medicinal Chemistry</i> , 2010 , 53, 5536-48	8.3	17
42	Inhibitors selective for HDAC6 in enzymes and cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 7067-70	2.9	29
41	Colony-stimulating factor-1 (CSF-1) delivers a proatherogenic signal to human macrophages. <i>Journal of Leukocyte Biology</i> , 2009 , 85, 278-88	6.5	60
40	Selective induction of the Notch ligand Jagged-1 in macrophages by soluble egg antigen from Schistosoma mansoni involves ERK signalling. <i>Immunology</i> , 2009 , 127, 326-37	7.8	33
39	TLR9-independent effects of inhibitory oligonucleotides on macrophage responses to S. typhimurium. <i>Immunology and Cell Biology</i> , 2009 , 87, 218-25	5	11
38	The transcriptional network that controls growth arrest and differentiation in a human myeloid leukemia cell line. <i>Nature Genetics</i> , 2009 , 41, 553-62	36.3	356
37	Experimental and bioinformatic characterisation of the promoter region of the Marfan syndrome gene, FBN1. <i>Genomics</i> , 2009 , 94, 233-40	4.3	18
36	Beta-arrestin 2 is required for complement C1q expression in macrophages and constrains factor-independent survival. <i>Molecular Immunology</i> , 2009 , 47, 340-7	4.3	15
35	HIN-200 proteins regulate caspase activation in response to foreign cytoplasmic DNA. <i>Science</i> , 2009 , 323, 1057-60	33.3	659
34	Histone deacetylase inhibitors in inflammatory disease. <i>Current Topics in Medicinal Chemistry</i> , 2009 , 9, 309-19	3	157
33	Regulation of the endosomal SNARE protein syntaxin 7 by colony-stimulating factor 1 in macrophages. <i>Molecular and Cellular Biology</i> , 2008 , 28, 6149-59	4.8	20
32	Expression analysis of G Protein-Coupled Receptors in mouse macrophages. <i>Immunome Research</i> , 2008 , 4, 5		328
31	Histone deacetylase inhibitors decrease Toll-like receptor-mediated activation of proinflammatory gene expression by impairing transcription factor recruitment. <i>Immunology</i> , 2007 , 122, 596-606	7.8	138
30	Gpnmb is induced in macrophages by IFN-gamma and lipopolysaccharide and acts as a feedback regulator of proinflammatory responses. <i>Journal of Immunology</i> , 2007 , 178, 6557-66	5.3	148
29	Differential effects of CpG DNA on IFN-beta induction and STAT1 activation in murine macrophages versus dendritic cells: alternatively activated STAT1 negatively regulates TLR signaling in macrophages. <i>Journal of Immunology</i> , 2007 , 179, 3495-503	5.3	41
28	BAFF and MyD88 signals promote a lupuslike disease independent of T cells. <i>Journal of Experimental Medicine</i> , 2007 , 204, 1959-71	16.6	303

(2001-2007)

27	G-protein-coupled receptor expression, function, and signaling in macrophages. <i>Journal of Leukocyte Biology</i> , 2007 , 82, 16-32	6.5	81
26	PU.1 and ICSBP control constitutive and IFN-gamma-regulated Tlr9 gene expression in mouse macrophages. <i>Journal of Leukocyte Biology</i> , 2007 , 81, 1577-90	6.5	37
25	LPS regulates proinflammatory gene expression in macrophages by altering histone deacetylase expression. <i>FASEB Journal</i> , 2006 , 20, 1315-27	0.9	182
24	A CSF-1 receptor kinase inhibitor targets effector functions and inhibits pro-inflammatory cytokine production from murine macrophage populations. <i>FASEB Journal</i> , 2006 , 20, 1921-3	0.9	64
23	CpG DNA activates survival in murine macrophages through TLR9 and the phosphatidylinositol 3-kinase-Akt pathway. <i>Journal of Immunology</i> , 2006 , 177, 4473-80	5.3	56
22	Signal integration between IFNgamma and TLR signalling pathways in macrophages. <i>Immunobiology</i> , 2006 , 211, 511-24	3.4	236
21	Transcriptional network dynamics in macrophage activation. <i>Genomics</i> , 2006 , 88, 133-42	4.3	104
20	DNA motifs suppressing TLR9 responses. <i>Critical Reviews in Immunology</i> , 2006 , 26, 527-44	1.8	30
19	LPS regulates a set of genes in primary murine macrophages by antagonising CSF-1 action. <i>Immunobiology</i> , 2005 , 210, 97-107	3.4	43
18	Cutting edge: species-specific TLR9-mediated recognition of CpG and non-CpG phosphorothioate-modified oligonucleotides. <i>Journal of Immunology</i> , 2005 , 174, 605-8	5.3	115
17	Differences in macrophage activation by bacterial DNA and CpG-containing oligonucleotides. <i>Journal of Immunology</i> , 2005 , 175, 3569-76	5.3	66
16	T1/ST2an IL-1 receptor-like modulator of immune responses. <i>Cytokine and Growth Factor Reviews</i> , 2004 , 15, 87-95	17.9	135
15	The molecular basis for the lack of immunostimulatory activity of vertebrate DNA. <i>Journal of Immunology</i> , 2003 , 170, 3614-20	5.3	153
14	Genetic control of the innate immune response. <i>BMC Immunology</i> , 2003 , 4, 5	3.7	109
13	CSF-1 as a regulator of macrophage activation and immune responses. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2003 , 51, 169-77	4	37
12	Colony-stimulating factor-1 suppresses responses to CpG DNA and expression of toll-like receptor 9 but enhances responses to lipopolysaccharide in murine macrophages. <i>Journal of Immunology</i> , 2002 , 168, 392-9	5.3	85
11	Regulation of ST2L expression on T helper (Th) type 2 cells. <i>European Journal of Immunology</i> , 2001 , 31, 2979-85	6.1	16
10	Macrophages exposed continuously to lipopolysaccharide and other agonists that act via toll-like receptors exhibit a sustained and additive activation state. <i>BMC Immunology</i> , 2001 , 2, 11	3.7	93

9	A novel pathway regulating lipopolysaccharide-induced shock by ST2/T1 via inhibition of Toll-like receptor 4 expression. <i>Journal of Immunology</i> , 2001 , 166, 6633-9	5.3	220
8	CAT2-mediated l-arginine transport and nitric oxide production in activated macrophages. <i>Biochemical Journal</i> , 1999 , 340, 549-553	3.8	89
7	CAT2-mediated L-arginine transport and nitric oxide production in activated macrophages. <i>Biochemical Journal</i> , 1999 , 340, 549	3.8	37
6	The actions of bacterial DNA on murine macrophages. <i>Journal of Leukocyte Biology</i> , 1999 , 66, 542-8	6.5	30
5	IFN-gamma primes macrophage responses to bacterial DNA. <i>Journal of Interferon and Cytokine Research</i> , 1998 , 18, 263-71	3.5	70
4	Endotoxin signal transduction in macrophages. <i>Journal of Leukocyte Biology</i> , 1996 , 60, 8-26	6.5	605
3	Bacterial lipopolysaccharide confers resistance to G418, doxorubicin, and taxol in the murine macrophage cell line, RAW264. <i>Journal of Leukocyte Biology</i> , 1996 , 59, 280-6	6.5	9
2	Opposing actions of c-ets/PU.1 and c-myb protooncogene products in regulating the macrophage-specific promoters of the human and mouse colony-stimulating factor-1 receptor (c-fms) genes. <i>Journal of Experimental Medicine</i> , 1994 , 180, 2309-19	16.6	105
1	Effects of the tat and nef gene products of human immunodeficiency virus type 1 (HIV-1) on transcription controlled by the HIV-1 long terminal repeat and on cell growth in macrophages. <i>Journal of Virology</i> , 1993 , 67, 6956-64	6.6	34