

Stephen A Ashford

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/258967/stephen-a-ashford-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

599
citations

14
h-index

23
g-index

97
ext. papers

746
ext. citations

2.3
avg, IF

4.05
L-index

#	Paper	IF	Citations
69	Do randomised controlled trials evaluating functional outcomes following botulinum neurotoxin-A align with focal spasticity guidelines? A systematic review.. <i>Disability and Rehabilitation</i> , 2022 , 1-9	2.4	0
68	Prolonged disorders of consciousness: identification using the UK FIM + FAM and cohort analysis of outcomes from a UK national clinical database.. <i>Disability and Rehabilitation</i> , 2022 , 1-10	2.4	0
67	¶wanna live and not think about the future¶what place for advance care planning for people living with severe multiple sclerosis and their families? A qualitative study. <i>PLoS ONE</i> , 2022 , 17, e0265861	3.7	2
66	A consensus process to agree best practice for managing physical wellbeing in people with a prolonged disorder of consciousness. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021 , 57, 701-709	4.4	0
65	Investigating psychometric properties of the arm activity measure - Thai version (ArmA-TH) sub-scales using the Rasch model. <i>BMC Medical Research Methodology</i> , 2021 , 21, 46	4.7	
64	The Leg Activity measure, a new measure of passive and active function and impact on quality of life; informing goal setting and outcome evaluation in leg spasticity. <i>Disability and Rehabilitation</i> , 2021 , 43, 2366-2374	2.4	1
63	Assessing the effectiveness of upper-limb spasticity management using a structured approach to goal-setting and outcome measurement: First cycle results from the ULIS-III Study. <i>Journal of Rehabilitation Medicine</i> , 2021 , 53, jrm00133	3.4	1
62	Disability in Basic Activities of Daily Living Is Associated With Symptom Burden in Older People With Advanced Cancer or Chronic Obstructive Pulmonary Disease: AI¶Secondary Data Analysis. <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 1205-1214	4.8	5
61	Psychometric evaluation of the leg activity measure (LegA) for outcome measurement in people with brain injury and spasticity. <i>Disability and Rehabilitation</i> , 2021 , 43, 976-987	2.4	2
60	Early Identification, Intervention and Management of Post-stroke Spasticity: Expert Consensus Recommendations. <i>Journal of Central Nervous System Disease</i> , 2021 , 13, 11795735211036576	4.4	3
59	Longitudinal goal attainment with integrated upper limb spasticity management including repeat injections of botulinum toxin A: Findings from the prospective, observational Upper Limb International Spasticity (ULIS-III) cohort study. <i>Journal of Rehabilitation Medicine</i> , 2021 , 53, jrm00157	3.4	2
58	Psychometric properties of measures of upper limb activity performance in adults with and without spasticity undergoing neurorehabilitation-A systematic review. <i>PLoS ONE</i> , 2021 , 16, e0246288	3.7	1
57	Stratified management of hemiplegic shoulder pain using an integrated care pathway: an 18-year clinical cohort analysis. <i>Disability and Rehabilitation</i> , 2021 , 1-10	2.4	0
56	Relationships between prolonged physical and social isolation during the COVID-19 pandemic, reduced physical activity and disability in activities of daily living among people with advanced respiratory disease. <i>Chronic Respiratory Disease</i> , 2021 , 18, 14799731211035822	3	3
55	A synthesis and appraisal of clinical practice guidelines, consensus statements and Cochrane systematic reviews for the management of focal spasticity in adults and children. <i>Disability and Rehabilitation</i> , 2020 , 1-11	2.4	6
54	A realist review of advance care planning for people with multiple sclerosis and their families. <i>PLoS ONE</i> , 2020 , 15, e0240815	3.7	9
53	Goal-setting and attainment in prolonged disorders of consciousness - development of a structured approach. <i>Brain Injury</i> , 2020 , 34, 78-88	2.1	3

52	Trajectories of disability in activities of daily living in advanced cancer or respiratory disease: a systematic review. <i>Disability and Rehabilitation</i> , 2020 , 1-12	2.4	4
51	Enabling people with communication and cognitive impairments to provide feedback on service satisfaction: development and reliability testing of an adapted pictorial questionnaire. <i>International Journal of Therapy and Rehabilitation</i> , 2020 , 27, 1-15	0.4	
50	A realist review of advance care planning for people with multiple sclerosis and their families 2020 , 15, e0240815		
49	A realist review of advance care planning for people with multiple sclerosis and their families 2020 , 15, e0240815		
48	A realist review of advance care planning for people with multiple sclerosis and their families 2020 , 15, e0240815		
47	A realist review of advance care planning for people with multiple sclerosis and their families 2020 , 15, e0240815		
46	A realist review of advance care planning for people with multiple sclerosis and their families 2020 , 15, e0240815		
45	A realist review of advance care planning for people with multiple sclerosis and their families 2020 , 15, e0240815		
44	ULIS (Upper Limb International Spasticity), a 10-year Odyssey: An international, multicentric, longitudinal cohort of person-centered spasticity management in real-life practice. <i>The Journal of the International Society of Physical and Rehabilitation Medicine</i> , 2019 , 2, 138	0.6	1
43	Categorisation of goals set using Goal Attainment Scaling for treatment of leg spasticity: a multicentre analysis. <i>Disability and Rehabilitation</i> , 2019 , 41, 1925-1930	2.4	6
42	Spasticity management with botulinum toxin: A comparison of UK physiotherapy and rehabilitation medicine injectors. <i>International Journal of Therapy and Rehabilitation</i> , 2018 , 25, 215-222	0.4	
41	Development of a measure of therapy provision for spasticity management in the paretic lower limb - the Leg Therapy recording Schedule (LegTS). <i>Disability and Rehabilitation</i> , 2018 , 40, 479-485	2.4	1
40	Improving the Management of Post-Stroke Spasticity: Time for Action. <i>Journal of Rehabilitation Medicine Clinical Communications</i> , 2018 , 1, 1000004	0.2	3
39	Time to retreatment with botulinum toxin A in upper limb spasticity management: Upper limb international spasticity (ULIS)-III study interim analysis. <i>Toxicon</i> , 2018 , 156, S110-S111	2.8	4
38	Rasch analysis of the UK Functional Assessment Measure in patients with complex disability after stroke. <i>Journal of Rehabilitation Medicine</i> , 2018 ,	3.4	13
37	Preliminary evaluation of the reliability, validity and feasibility of the arm activity measure - Thai version (ArmA-TH) in cerebrovascular patients with upper limb hemiplegia. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 141	3	2
36	Poster 52: Botulinum Toxin A in Upper Limb Spasticity Management: Baseline Data from the Upper Limb International Spasticity (ULIS)-III Study. <i>PM and R</i> , 2018 , 10, S25-S25	2.2	
35	Poster 55: Relief of Spasticity-Related Pain with Botulinum Neurotoxin-A (BoNT-A) in Real Life Practice. Post-Hoc Analysis from a Large International Cohort Series. <i>PM and R</i> , 2018 , 10, S25-S26	2.2	

34	A comprehensive person-centered approach to adult spastic paresis: a consensus-based framework. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2018 , 54, 605-617	4.4	16
33	Conceptualization and Development of the Leg Activity Measure (LegA) for Patient and Carer Reported Assessment of Activity in the Paretic Leg. <i>Physiotherapy Research International</i> , 2017 , 22, e1660 ¹⁸		4
32	Validity, reliability and ease of use of the disabilities of arm, shoulder and hand questionnaire in adults following stroke. <i>Disability and Rehabilitation</i> , 2017 , 39, 2504-2511	2.4	16
31	Common goal areas in the treatment of upper limb spasticity: a multicentre analysis. <i>Clinical Rehabilitation</i> , 2016 , 30, 617-22	3.3	26
30	Rasch measurement: the Arm Activity measure (ArMA) passive function sub-scale. <i>Disability and Rehabilitation</i> , 2016 , 38, 384-90	2.4	6
29	Impact of integrated upper limb spasticity management including botulinum toxin A on patient-centred goal attainment: rationale and protocol for an international prospective, longitudinal cohort study (ULIS-III). <i>BMJ Open</i> , 2016 , 6, e011157	3	17
28	Correlations between spasticity, goal attainment, and global assessment of benefits in patients with upper limb spasticity treated with botulinum toxin A. <i>Toxicon</i> , 2016 , 123, S20-S21	2.8	
27	Factors influencing goal attainment in patients with post-stroke upper limb spasticity following treatment with botulinum toxin A in real-life clinical practice: sub-analyses from the Upper Limb International Spasticity (ULIS)-II Study. <i>Toxins</i> , 2015 , 7, 1192-205	4.9	11
26	A systematic review protocol to evaluate the psychometric properties of measures of function within adult neuro-rehabilitation. <i>Systematic Reviews</i> , 2015 , 4, 86	3	5
25	Goal setting, using goal attainment scaling, as a method to identify patient selected items for measuring arm function. <i>Physiotherapy</i> , 2015 , 101, 88-94	3	13
24	110. Factors influencing goal attainment in patients with poststroke upper limb spasticity following treatment with botulinum neurotoxin A in real-life clinical practice: subanalyses from the Upper Limb International Spasticity (ULIS)-II Study. <i>Toxicon</i> , 2015 , 93, S33-S34	2.8	
23	Patient engagement and satisfaction with goal planning: Impact on outcome from rehabilitation. <i>International Journal of Therapy and Rehabilitation</i> , 2015 , 22, 210-216	0.4	37
22	Systematic review of patient-reported outcome measures for functional performance in the lower limb. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 9-17	3.4	19
21	Serial measurement of Wessex Head Injury Matrix in the diagnosis of patients in vegetative and minimally conscious states: a cohort analysis. <i>BMJ Open</i> , 2015 , 5, e006051	3	14
20	Arm Activity measure (ArMA) application for recording functional gain following focal spasticity treatment. <i>International Journal of Therapy and Rehabilitation</i> , 2014 , 21, 10-17	0.4	11
19	Supplementary prescribing for spasticity management. <i>NursePrescribing</i> , 2014 , 12, 457-463		0
18	Conceptualisation and development of the arm activity measure (ArMA) for assessment of activity in the hemiparetic arm. <i>Disability and Rehabilitation</i> , 2013 , 35, 1513-8	2.4	28
17	Outcomes Related to Passive Function in a Cohort of Patients Treated With Botulinum Toxin A (Bont-A) for Post-Stroke Upper Limb Spasticity - ULIS II Study. <i>PM and R</i> , 2013 , 5, S235-S235	2.2	

16	Initial psychometric evaluation of the Arm Activity Measure (ArMA): a measure of activity in the hemiparetic arm. <i>Clinical Rehabilitation</i> , 2013 , 27, 728-40	3.3	41
15	Systematic review of upper-limb function measurement methods in botulinum toxin intervention for focal spasticity. <i>Physiotherapy Research International</i> , 2013 , 18, 178-89	1.8	22
14	NICE on rehabilitation. New guidelines on rehabilitation likely to restrict practices and stifle innovation. <i>BMJ, The</i> , 2013 , 347, f4876	5.9	2
13	Poster 14: Physical Therapy and Botulinum Toxin-A (BoNT-A) The Temporal Relationship Between Spasticity Reduction and Functional Gain. <i>PM and R</i> , 2010 , 2, S13-S14	2.2	2
12	Poster 19: Psychometric Evaluation of the Arm Activity Measure (ArMA) A Measure of Active and Passive Function in the Hemiparetic Arm. <i>PM and R</i> , 2010 , 2, S15-S16	2.2	
11	Poster 435: A UK Pilot for a Large International Prospective Cohort Analysis of the Use of Botulinum Toxin A (BoNT-A) in Upper Limb Spasticity. <i>PM and R</i> , 2010 , 2, S190-S191	2.2	
10	Management of shoulder and proximal upper limb spasticity using botulinum toxin and concurrent therapy interventions: a preliminary analysis of goals and outcomes. <i>Disability and Rehabilitation</i> , 2009 , 31, 220-6	2.4	27
9	Evaluation of functional outcome measures for the hemiparetic upper limb: a systematic review. <i>Journal of Rehabilitation Medicine</i> , 2008 , 40, 787-95	3.4	82
8	Serial injection of botulinum toxin for muscle imbalance due to regional spasticity in the upper limb. <i>Disability and Rehabilitation</i> , 2007 , 29, 1806-12	2.4	18
7	Goal attainment for spasticity management using botulinum toxin. <i>Physiotherapy Research International</i> , 2006 , 11, 24-34	1.8	74
6	Why is the functional independence measure used to identify some rehabilitation needs in stroke survivors when there are better tools?. <i>Physiotherapy Research International</i> , 2005 , 10, 57-8	1.8	
5	Client Health Education and Empowerment through Physiotherapy in Neurorehabilitation 2005 , 168-180		1
4	Serial Casting in New-born Infants for Correction of Soft Tissue Deformity Associated with Posterior Bowing of the Tibia. <i>Physiotherapy</i> , 2002 , 88, 148-152	3	
3	A comparison of the timing of muscle activity during sitting down compared to standing up. <i>Physiotherapy Research International</i> , 2000 , 5, 111-28	1.8	28
2	Management of a patient diagnosed as PVS. <i>Physiotherapy Research International</i> , 2000 , 5, 202-6	1.8	5
1	The Ageing Body Body Functions and Structures: Part 1120-145		1