

Jin-Hong Zhu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2590059/jin-hong-zhu-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

2,808
citations

27
h-index

48
g-index

125
ext. papers

3,217
ext. citations

4.6
avg, IF

5.16
L-index

#	Paper	IF	Citations
121	Association of the Asp312Asn and Lys751Gln polymorphisms in the XPD gene with the risk of non-Hodgkin's lymphoma: evidence from a meta-analysis. <i>Chinese Journal of Cancer</i> , 2015 , 34, 108-14		298
120	Relationships between transforming growth factor-beta1, myostatin, and decorin: implications for skeletal muscle fibrosis. <i>Journal of Biological Chemistry</i> , 2007 , 282, 25852-63	5.4	204
119	Decorin gene transfer promotes muscle cell differentiation and muscle regeneration. <i>Molecular Therapy</i> , 2007 , 15, 1616-22	11.7	99
118	Association of potentially functional variants in the XPG gene with neuroblastoma risk in a Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 1481-90	5.6	96
117	Resveratrol enhances the anti-tumor activity of the mTOR inhibitor rapamycin in multiple breast cancer cell lines mainly by suppressing rapamycin-induced AKT signaling. <i>Cancer Letters</i> , 2011 , 301, 168-76	7.9	90
116	Interaction between macrophages, TGF-beta1, and the COX-2 pathway during the inflammatory phase of skeletal muscle healing after injury. <i>Journal of Cellular Physiology</i> , 2008 , 214, 405-12	7	86
115	Follistatin improves skeletal muscle healing after injury and disease through an interaction with muscle regeneration, angiogenesis, and fibrosis. <i>American Journal of Pathology</i> , 2011 , 179, 915-30	5.8	83
114	Association of Common Genetic Variants in Pre-microRNAs and Neuroblastoma Susceptibility: A Two-Center Study in Chinese Children. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 11, 1-8	10.7	78
113	Improved muscle healing after contusion injury by the inhibitory effect of suramin on myostatin, a negative regulator of muscle growth. <i>American Journal of Sports Medicine</i> , 2008 , 36, 2354-62	6.8	76
112	Association of MTHFR C677T and A1298C polymorphisms with non-Hodgkin lymphoma susceptibility: evidence from a meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 6159	4.9	74
111	Prognostic implications of autophagy-associated gene signatures in non-small cell lung cancer. <i>Aging</i> , 2019 , 11, 11440-11462	5.6	74
110	Functional Polymorphisms at ERCC1/XPF Genes Confer Neuroblastoma Risk in Chinese Children. <i>EBioMedicine</i> , 2018 , 30, 113-119	8.8	65
109	The gene rs1042522 C>G polymorphism and neuroblastoma risk in Chinese children. <i>Aging</i> , 2017 , 9, 852-859	3.59	52
108	Genetic Variations of GWAS-Identified Genes and Neuroblastoma Susceptibility: a Replication Study in Southern Chinese Children. <i>Translational Oncology</i> , 2017 , 10, 936-941	4.9	42
107	Increased Expression of PHGDH and Prognostic Significance in Colorectal Cancer. <i>Translational Oncology</i> , 2016 , 9, 191-6	4.9	42
106	NFKB1 -94insertion/deletion ATTG polymorphism and cancer risk: Evidence from 50 case-control studies. <i>Oncotarget</i> , 2017 , 8, 9806-9822	3.3	42
105	Associations of PI3KR1 and mTOR polymorphisms with esophageal squamous cell carcinoma risk and gene-environment interactions in Eastern Chinese populations. <i>Scientific Reports</i> , 2015 , 5, 8250	4.9	38

104	High Expression of PHGDH Predicts Poor Prognosis in Non-Small Cell Lung Cancer. <i>Translational Oncology</i> , 2016 , 9, 592-599	4.9	38
103	Potentially functional polymorphisms in the LIN28B gene contribute to neuroblastoma susceptibility in Chinese children. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 1534-41	5.6	38
102	Evaluation of GWAS-identified SNPs at 6p22 with neuroblastoma susceptibility in a Chinese population. <i>Tumor Biology</i> , 2016 , 37, 1635-9	2.9	36
101	Associations between lncRNA polymorphisms and neuroblastoma risk in Chinese children. <i>Aging</i> , 2018 , 10, 481-491	5.6	36
100	BARD1 Gene Polymorphisms Confer Nephroblastoma Susceptibility. <i>EBioMedicine</i> , 2017 , 16, 101-105	8.8	35
99	Association between NER Pathway Gene Polymorphisms and Wilms Tumor Risk. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 12, 854-860	10.7	35
98	Association of BRCA2 N372H polymorphism with cancer susceptibility: a comprehensive review and meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 6791	4.9	31
97	LMO1 gene polymorphisms contribute to decreased neuroblastoma susceptibility in a Southern Chinese population. <i>Oncotarget</i> , 2016 , 7, 22770-8	3.3	30
96	The construction and analysis of the aberrant lncRNA-miRNA-mRNA network in non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2019 , 11, 1772-1778	2.6	29
95	The application of three-dimensional collagen-scaffolds seeded with myoblasts to repair skeletal muscle defects. <i>Journal of Biomedicine and Biotechnology</i> , 2011 , 2011, 812135		29
94	Association between the PARP1 Val762Ala polymorphism and cancer risk: evidence from 43 studies. <i>PLoS ONE</i> , 2014 , 9, e87057	3.7	27
93	Association between genetic variants in the gene and gastric cancer risk in a Southern Chinese population. <i>Aging</i> , 2016 , 8, 3311-3320	5.6	27
92	METTL14 Gene Polymorphisms Confer Neuroblastoma Susceptibility: An Eight-Center Case-Control Study. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 22, 17-26	10.7	27
91	Correlation between the genetic variants of base excision repair (BER) pathway genes and neuroblastoma susceptibility in eastern Chinese children. <i>Cancer Communications</i> , 2020 , 40, 641-646	9.4	27
90	Base Excision Repair Gene Polymorphisms and Wilms Tumor Susceptibility. <i>EBioMedicine</i> , 2018 , 33, 88-93	3.8	27
89	Contributions and prognostic values of m A RNA methylation regulators in non-small-cell lung cancer. <i>Journal of Cellular Physiology</i> , 2020 , 235, 6043-6057	7	26
88	Association studies of ERCC1 polymorphisms with lung cancer susceptibility: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e97616	3.7	25
87	Polymorphisms in the AKT1 and AKT2 genes and oesophageal squamous cell carcinoma risk in an Eastern Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 666-77	5.6	24

86	Association of and gene polymorphisms with Wilms tumor risk: a four-center case-control study. <i>Aging</i> , 2019 , 11, 1551-1563	5.6	24
85	The Association between GWAS-identified BARD1 Gene SNPs and Neuroblastoma Susceptibility in a Southern Chinese Population. <i>International Journal of Medical Sciences</i> , 2016 , 13, 133-8	3.7	24
84	Gene Polymorphisms Contribute to Colorectal Cancer Susceptibility: A Two-Stage Case-Control Study. <i>Journal of Cancer</i> , 2016 , 7, 1731-1739	4.5	24
83	rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. <i>Bioscience Reports</i> , 2018 , 38,	4.1	23
82	Association of XPC Gene Polymorphisms with Colorectal Cancer Risk in a Southern Chinese Population: A Case-Control Study and Meta-Analysis. <i>Genes</i> , 2016 , 7,	4.2	23
81	Genetic variants in the nucleotide excision repair pathway genes and gastric cancer susceptibility in a southern Chinese population. <i>Cancer Management and Research</i> , 2018 , 10, 765-774	3.6	20
80	The correlation between LIN28B gene potentially functional variants and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2018 , 32,	3	19
79	Association between gene Arg72Pro polymorphism and WilmsTumor risk in a Chinese population. <i>OncoTargets and Therapy</i> , 2017 , 10, 1149-1154	4.4	18
78	polymorphisms and neuroblastoma risk in Chinese children: a three-center case-control study. <i>Aging</i> , 2018 , 10, 808-818	5.6	18
77	XPG rs2296147 T>C polymorphism predicted clinical outcome in colorectal cancer. <i>Oncotarget</i> , 2016 , 7, 11724-32	3.3	17
76	gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018 , 10, 2944-2953	5.6	16
75	Polymorphisms in the XPC gene and gastric cancer susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2016 , 9, 5513-9	4.4	16
74	ALKBH5 gene polymorphisms and Wilms tumor risk in Chinese children: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23251	3	15
73	super-enhancer polymorphism rs2168101 G>T correlates with decreased neuroblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2018 , 9, 1592-1597	4.5	15
72	The association between the polymorphisms of TNF- α and non-Hodgkin lymphoma: a meta-analysis. <i>Tumor Biology</i> , 2014 , 35, 12509-17	2.9	14
71	MDM4 rs4245739 A > C polymorphism correlates with reduced overall cancer risk in a meta-analysis of 69477 subjects. <i>Oncotarget</i> , 2016 , 7, 71718-71726	3.3	14
70	LIN28A gene polymorphisms modify neuroblastoma susceptibility: A four-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 1059-1066	5.6	14
69	No association between MTR rs1805087 A > G polymorphism and non-Hodgkin lymphoma susceptibility: evidence from 11 486 subjects. <i>Leukemia and Lymphoma</i> , 2015 , 56, 763-7	1.9	13

68	Associations between gene polymorphisms and WilmsTumor susceptibility. <i>Oncotarget</i> , 2017 , 8, 50665-50672	13
67	The association between XPG polymorphisms and cancer susceptibility: Evidence from observational studies. <i>Medicine (United States)</i> , 2017 , 96, e7467	1.8 12
66	Association Between HACE1 Gene Polymorphisms and WilmsTumor Risk in a Chinese Population. <i>Cancer Investigation</i> , 2017 , 35, 633-638	2.1 12
65	Vanadate ingestion enhances the organization and collagen fibril diameters of rat healing medical collateral ligaments. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2006 , 14, 750-5	5.5 12
64	XPG gene polymorphisms and cancer susceptibility: evidence from 47 studies. <i>Oncotarget</i> , 2017 , 8, 37263-37272	13
63	Association between METTL3 gene polymorphisms and neuroblastoma susceptibility: A nine-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 9280-9286	5.6 11
62	rs6505162 C>A polymorphism contributes to decreased Wilms tumor risk. <i>Journal of Cancer</i> , 2018 , 9, 2460-2465	4.5 11
61	LIN28A gene polymorphisms confer Wilms tumour susceptibility: A four-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 7105-7110	5.6 11
60	The association between NQO1 Pro187Ser polymorphism and urinary system cancer susceptibility: a meta-analysis of 22 studies. <i>Cancer Investigation</i> , 2015 , 33, 39-40	2.1 11
59	Association of TP53 rs1042522 C>G and miR-34b/c rs4938723 T>C polymorphisms with hepatoblastoma susceptibility: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3182	3.5 10
58	Smoking and hOGG1 Ser326Cys polymorphism contribute to lung cancer risk: evidence from a meta-analysis. <i>Tumor Biology</i> , 2014 , 35, 1609-18	2.9 10
57	Comprehensive Analysis of the Immune Implication of Gene in Non-small Cell Lung Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 1132	5.3 10
56	YTHDC1 gene polymorphisms and hepatoblastoma susceptibility in Chinese children: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3249	3.5 10
55	Gene Variants Confer Hepatoblastoma Susceptibility: A Seven-Center Case-Control Study. <i>Molecular Therapy - Oncolytics</i> , 2020 , 18, 118-125	6.4 10
54	Lack of Associations between Gene Polymorphisms and Neuroblastoma Susceptibility in a Chinese Population. <i>BioMed Research International</i> , 2016 , 2016, 2932049	3 9
53	gene polymorphisms modify hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2020 , 11, 3512-3518	4.5 8
52	Association of three 8q24 polymorphisms with prostate cancer susceptibility: evidence from a meta-analysis with 50,854 subjects. <i>Scientific Reports</i> , 2015 , 5, 12069	4.9 8
51	Xeroderma pigmentosum complementation group D (XPD) gene polymorphisms contribute to bladder cancer risk: a meta-analysis. <i>Tumor Biology</i> , 2014 , 35, 3905-15	2.9 8

50	The association between NQO1 Pro187Ser polymorphism and bladder cancer susceptibility: a meta-analysis of 15 studies. <i>PLoS ONE</i> , 2015 , 10, e0116500	3.7	8
49	rs6090311 A>G polymorphism reduces Hepatoblastoma risk: Evidence from a seven-center case-control study. <i>Journal of Cancer</i> , 2020 , 11, 5129-5134	4.5	8
48	The association between RFC1 G80A polymorphism and cancer susceptibility: Evidence from 33 studies. <i>Journal of Cancer</i> , 2016 , 7, 144-52	4.5	8
47	Gene Polymorphisms Reduce Neuroblastoma Risk in Eastern Chinese Children: A Three-Center Case-Control Study. <i>Frontiers in Oncology</i> , 2018 , 8, 468	5.3	8
46	The contribution of WTAP gene variants to Wilms tumor susceptibility. <i>Gene</i> , 2020 , 754, 144839	3.8	7
45	Polymorphisms and Neuroblastoma Risk in Chinese Children: A Three-Center Case-Control Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 5736175	6.7	7
44	rs8173 G>C Polymorphism Decreases Wilms Tumor Risk in Chinese Children. <i>Journal of Oncology</i> , 2019 , 2019, 9074908	4.5	7
43	Association of Interleukin-10 -3575T>A and -1082A>G polymorphisms with non-Hodgkin lymphoma susceptibility: a comprehensive review and meta-analysis. <i>Molecular Genetics and Genomics</i> , 2015 , 290, 2063-73	3.1	7
42	Functional FGFR4 Gly388Arg polymorphism contributes to cancer susceptibility: Evidence from meta-analysis. <i>Oncotarget</i> , 2017 , 8, 25300-25309	3.3	7
41	promoter del1518 polymorphism and cancer risk: evidence from 22,931 subjects. <i>OncoTargets and Therapy</i> , 2017 , 10, 3773-3780	4.4	6
40	gene rs11037575 C>T polymorphism confers neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017 , 10, 1969-1975	4.4	6
39	Common variations within gene and neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017 , 10, 703-709	4.4	6
38	Overexpression of FIBCD1 Is Predictive of Poor Prognosis in Gastric Cancer. <i>American Journal of Clinical Pathology</i> , 2018 , 149, 474-483	1.9	6
37	PSCA s2294008 C>T and rs2976392 G>A polymorphisms contribute to cancer susceptibility: evidence from published studies. <i>Genes and Cancer</i> , 2015 , 6, 254-264	2.9	6
36	gene associated polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Annals of Translational Medicine</i> , 2019 , 7, 475	3.2	6
35	UBE2T Contributes to the Prognosis of Esophageal Squamous Cell Carcinoma. <i>Pathology and Oncology Research</i> , 2021 , 27, 632531	2.6	6
34	Association between Gene Polymorphisms and Neuroblastoma Risk in Chinese Children: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2018 , 9, 535-539	4.5	6
33	UBE2T promotes autophagy via the p53/AMPK/mTOR signaling pathway in lung adenocarcinoma. <i>Journal of Translational Medicine</i> , 2021 , 19, 374	8.5	6

32	Lack of associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Bioscience Reports</i> , 2018 , 38,	4.1	5
31	gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2019 , 10, 4159-4164	4.5	5
30	Association of IL10 -819C>T and -592C>A Polymorphisms with Non-Hodgkin Lymphoma Susceptibility: Evidence from Published Studies. <i>Journal of Cancer</i> , 2015 , 6, 709-16	4.5	5
29	Identification of downstream signaling cascades of ACK1 and prognostic classifiers in non-small cell lung cancer. <i>Aging</i> , 2021 , 13, 4482-4502	5.6	5
28	LIG3 gene polymorphisms and risk of gastric cancer in a Southern Chinese population. <i>Gene</i> , 2019 , 705, 90-94	3.8	4
27	RSRC1 and CPZ gene polymorphisms with neuroblastoma susceptibility in Chinese children. <i>Gene</i> , 2018 , 662, 83-87	3.8	4
26	Investigation of association between LINC00673 rs11655237 C>T and Wilms tumor susceptibility. <i>Journal of Clinical Laboratory Analysis</i> , 2019 , 33, e22930	3	4
25	rs17655 G>C polymorphism associated with cancer risk: evidence from 60 studies. <i>Aging</i> , 2018 , 10, 1073-1088	4.688	4
24	gene rs751402 C>T polymorphism and cancer risk: Evidence from 22 publications. <i>Oncotarget</i> , 2017 , 8, 53613-53622	3.3	4
23	Super-Enhancer rs2168101 G>T Polymorphism Reduces Wilms Tumor Risk. <i>Journal of Cancer</i> , 2019 , 10, 1808-1813	4.5	3
22	Polymorphisms and Hepatoblastoma Susceptibility: A Five-Center Case-Control Study. <i>Pharmacogenomics and Personalized Medicine</i> , 2020 , 13, 51-57	2.1	3
21	Association of MYC gene polymorphisms with neuroblastoma risk in Chinese children: A four-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3190	3.5	3
20	Association of miR-34b/c rs4938723 and TP53 Arg72Pro Polymorphisms with Neuroblastoma Susceptibility: Evidence from Seven Centers. <i>Translational Oncology</i> , 2019 , 12, 1282-1288	4.9	3
19	MYCN gene polymorphisms and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2019 , 33, e22988	3	3
18	Combined inhibition of ACK1 and AKT shows potential toward targeted therapy against KRAS-mutant non-small-cell lung cancer. <i>Bosnian Journal of Basic Medical Sciences</i> , 2021 , 21, 198-207	3.3	3
17	Prediction of prognosis and immunotherapy response with a robust immune-related lncRNA pair signature in lung adenocarcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1	7.4	3
16	Association between PHOX2B gene rs28647582 T>C polymorphism and Wilms tumor susceptibility. <i>Bioscience Reports</i> , 2019 , 39,	4.1	3
15	Association between NER pathway gene polymorphisms and neuroblastoma risk in an eastern Chinese population. <i>Molecular Therapy - Oncolytics</i> , 2021 , 20, 3-11	6.4	3

14	rs7973450 A>G increases neuroblastoma risk in Chinese children: a four-center case-control study. <i>OncoTargets and Therapy</i> , 2019 , 12, 7289-7295	4.4	2
13	Association of and polymorphisms with neuroblastoma risk in Eastern Chinese population: a three-center case-control study. <i>Bioscience Reports</i> , 2019 , 39,	4.1	2
12	The association of and gene polymorphisms with Wilms tumor risk in Chinese children. <i>Journal of Cancer</i> , 2020 , 11, 804-809	4.5	2
11	Gene rs8756 A>C Polymorphism Reduces Neuroblastoma Risk in Chinese Children: A Four-Center Case-Control Study. <i>OncoTargets and Therapy</i> , 2020 , 13, 465-472	4.4	2
10	rs11752942 A>G polymorphism decreases neuroblastoma risk in Chinese children. <i>Cell Cycle</i> , 2020 , 19, 2367-2372	4.7	2
9	YTHDC1 gene polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Gene</i> , 2021 , 783, 145571	3.8	2
8	polymorphisms and hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2021 , 12, 1373-1378	4.3	2
7	Polymorphisms in METTL3 gene and hepatoblastoma risk in Chinese children: A seven-center case-control study. <i>Gene</i> , 2021 , 800, 145834	3.8	2
6	Gene rs3738067 A>G Polymorphism Decreases Neuroblastoma Risk in Chinese Children: Evidence From an Eight-Center Case-Control Study.. <i>Frontiers in Medicine</i> , 2021 , 8, 797195	4.9	1
5	METTL14 gene polymorphisms decrease Wilms tumor susceptibility in Chinese children. <i>BMC Cancer</i> , 2021 , 21, 1294	4.8	1
4	Development of immune gene pair-based signature predictive of prognosis and immunotherapy in esophageal cancer. <i>Annals of Translational Medicine</i> , 2021 , 9, 1591	3.2	1
3	Integrated analysis of immune infiltration in esophageal carcinoma as prognostic biomarkers.. <i>Annals of Translational Medicine</i> , 2021 , 9, 1697	3.2	0
2	H19 gene polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Molecular Genetics & Genomic Medicine</i> , 2021 , 9, e1584	2.3	0
1	Association of Gene Polymorphisms with WilmsTumor Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2019 , 2019, 3518149	4.5	