Jin-Hong Zhu

List of Publications by Year in Descending Order

121 papers	2,808 citations	27 h-index	48 g-index
125 ext. papers	3,217 ext. citations	4.6 avg, IF	5.16 L-index

#	Paper	IF	Citations
121	Gene rs3738067 A>G Polymorphism Decreases Neuroblastoma Risk in Chinese Children: Evidence From an Eight-Center Case-Control Study.. *Frontiers in Medicine*, **2021**, 8, 797195	4.9	1
120	Combined inhibition of ACK1 and AKT shows potential toward targeted therapy against KRAS-mutant non-small-cell lung cancer. *Bosnian Journal of Basic Medical Sciences*, **2021**, 21, 198-207	3.3	3
119	Integrated analysis of immune infiltration in esophageal carcinoma as prognostic biomarkers.. *Annals of Translational Medicine*, **2021**, 9, 1697	3.2	0
118	METTL14 gene polymorphisms decrease Wilms tumor susceptibility in Chinese children. *BMC Cancer*, **2021**, 21, 1294	4.8	1
117	Prediction of prognosis and immunotherapy response with a robust immune-related lncRNA pair signature in lung adenocarcinoma. *Cancer Immunology, Immunotherapy*, **2021**, 1	7.4	3
116	Development of immune gene pair-based signature predictive of prognosis and immunotherapy in esophageal cancer. *Annals of Translational Medicine*, **2021**, 9, 1591	3.2	1
115	Association between NER pathway gene polymorphisms and neuroblastoma risk in an eastern Chinese population. *Molecular Therapy - Oncolytics*, **2021**, 20, 3-11	6.4	3
114	UBE2T Contributes to the Prognosis of Esophageal Squamous Cell Carcinoma. *Pathology and Oncology Research*, **2021**, 27, 632531	2.6	6
113	YTHDC1 gene polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. *Gene*, **2021**, 783, 145571	3.8	2
112	Identification of downstream signaling cascades of ACK1 and prognostic classifiers in non-small cell lung cancer. *Aging*, **2021**, 13, 4482-4502	5.6	5
111	H19 gene polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. *Molecular Genetics & Genomic Medicine*, **2021**, 9, e1584	2.3	0
110	polymorphisms and hepatoblastoma susceptibility in Chinese children. *Journal of Cancer*, **2021**, 12, 1373-1378	4.3	2
109	UBE2T promotes autophagy via the p53/AMPK/mTOR signaling pathway in lung adenocarcinoma. *Journal of Translational Medicine*, **2021**, 19, 374	8.5	6
108	Polymorphisms in METTL3 gene and hepatoblastoma risk in Chinese children: A seven-center case-control study. *Gene*, **2021**, 800, 145834	3.8	2
107	The contribution of WTAP gene variants to Wilms tumor susceptibility. *Gene*, **2020**, 754, 144839	3.8	7
106	Association of TP53 rs1042522 C>G and miR-34b/c rs4938723 T>C polymorphisms with hepatoblastoma susceptibility: A seven-center case-control study. *Journal of Gene Medicine*, **2020**, 22, e3182	3.5	10
105	Association between METTL3 gene polymorphisms and neuroblastoma susceptibility: A nine-centre case-control study. *Journal of Cellular and Molecular Medicine*, **2020**, 24, 9280-9286	5.6	11

104	Polymorphisms and Hepatoblastoma Susceptibility: A Five-Center Case-Control Study. *Pharmacogenomics and Personalized Medicine*, **2020**, 13, 51-57	2.1	3
103	ALKBH5 gene polymorphisms and Wilms tumor risk in Chinese children: A five-center case-control study. *Journal of Clinical Laboratory Analysis*, **2020**, 34, e23251	3	15
102	Contributions and prognostic values of m A RNA methylation regulators in non-small-cell lung cancer. *Journal of Cellular Physiology*, **2020**, 235, 6043-6057	7	26
101	The association of and gene polymerphisms with Wilms tumor risk in Chinese children. *Journal of Cancer*, **2020**, 11, 804-809	4.5	2
100	Gene rs8756 A>C Polymorphism Reduces Neuroblastoma Risk in Chinese Children: A Four-Center Case-Control Study. *OncoTargets and Therapy*, **2020**, 13, 465-472	4.4	2
99	Association of MYC gene polymorphisms with neuroblastoma risk in Chinese children: A four-center case-control study. *Journal of Gene Medicine*, **2020**, 22, e3190	3.5	3
98	gene polymorphisms modify hepatoblastoma susceptibility in Chinese children. *Journal of Cancer*, **2020**, 11, 3512-3518	4.5	8
97	LIN28A gene polymorphisms modify neuroblastoma susceptibility: A four-centre case-control study. *Journal of Cellular and Molecular Medicine*, **2020**, 24, 1059-1066	5.6	14
96	METTL14 Gene Polymorphisms Confer Neuroblastoma Susceptibility: An Eight-Center Case-Control Study. *Molecular Therapy - Nucleic Acids*, **2020**, 22, 17-26	10.7	27
95	Comprehensive Analysis of the Immune Implication of Gene in Non-small Cell Lung Cancer. *Frontiers in Oncology*, **2020**, 10, 1132	5.3	10
94	YTHDC1 gene polymorphisms and hepatoblastoma susceptibility in Chinese children: A seven-center case-control study. *Journal of Gene Medicine*, **2020**, 22, e3249	3.5	10
93	Gene Variants Confer Hepatoblastoma Susceptibility: A Seven-Center Case-Control Study. *Molecular Therapy - Oncolytics*, **2020**, 18, 118-125	6.4	10
92	rs6090311 A>G polymorphism reduces Hepatoblastoma risk: Evidence from a seven-center case-control study. *Journal of Cancer*, **2020**, 11, 5129-5134	4.5	8
91	Correlation between the genetic variants of base excision repair (BER) pathway genes and neuroblastoma susceptibility in eastern Chinese children. *Cancer Communications*, **2020**, 40, 641-646	9.4	27
90	rs11752942 A>G polymorphism decreases neuroblastoma risk in Chinese children. *Cell Cycle*, **2020**, 19, 2367-2372	4.7	2
89	rs7973450 A>G increases neuroblastoma risk in Chinese children: a four-center case-control study. *OncoTargets and Therapy*, **2019**, 12, 7289-7295	4.4	2
88	Super-Enhancer rs2168101 G>T Polymorphism Reduces Wilms Tumor Risk. *Journal of Cancer*, **2019**, 10, 1808-1813	4.5	3
87	Association of and polymorphisms with neuroblastoma risk in Eastern Chinese population: a three-center case-control study. *Bioscience Reports*, **2019**, 39,	4.1	2

86	Association of Gene Polymorphisms with WilmsTTumor Susceptibility in Chinese Children. *Journal of Oncology*, **2019**, 2019, 3518149	4.5	
85	LIG3 gene polymorphisms and risk of gastric cancer in a Southern Chinese population. *Gene*, **2019**, 705, 90-94	3.8	4
84	gene polymorphisms and neuroblastoma susceptibility in Chinese children. *Journal of Cancer*, **2019**, 10, 4159-4164	4.5	5
83	Polymorphisms and Neuroblastoma Risk in Chinese Children: A Three-Center Case-Control Study. *Oxidative Medicine and Cellular Longevity*, **2019**, 2019, 5736175	6.7	7
82	Association of miR-34b/c rs4938723 and TP53 Arg72Pro Polymorphisms with Neuroblastoma Susceptibility: Evidence from Seven Centers. *Translational Oncology*, **2019**, 12, 1282-1288	4.9	3
81	LIN28A gene polymorphisms confer Wilms tumour susceptibility: A four-centre case-control study. *Journal of Cellular and Molecular Medicine*, **2019**, 23, 7105-7110	5.6	11
80	MYCN gene polymorphisms and Wilms tumor susceptibility in Chinese children. *Journal of Clinical Laboratory Analysis*, **2019**, 33, e22988	3	3
79	The construction and analysis of the aberrant lncRNA-miRNA-mRNA network in non-small cell lung cancer. *Journal of Thoracic Disease*, **2019**, 11, 1772-1778	2.6	29
78	Investigation of association between LINC00673 rs11655237 C>T and Wilms tumor susceptibility. *Journal of Clinical Laboratory Analysis*, **2019**, 33, e22930	3	4
77	rs8173 G>C Polymorphism Decreases Wilms Tumor Risk in Chinese Children. *Journal of Oncology*, **2019**, 2019, 9074908	4.5	7
76	Association of and gene polymorphisms with Wilms tumor risk: a four-center case-control study. *Aging*, **2019**, 11, 1551-1563	5.6	24
75	Prognostic implications of autophagy-associated gene signatures in non-small cell lung cancer. *Aging*, **2019**, 11, 11440-11462	5.6	74
74	gene associated polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. *Annals of Translational Medicine*, **2019**, 7, 475	3.2	6
73	Association between PHOX2B gene rs28647582 T>C polymorphism and Wilms tumor susceptibility. *Bioscience Reports*, **2019**, 39,	4.1	3
72	rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. *Bioscience Reports*, **2018**, 38,	4.1	23
71	Overexpression of FIBCD1 Is Predictive of Poor Prognosis in Gastric Cancer. *American Journal of Clinical Pathology*, **2018**, 149, 474-483	1.9	6
70	RSRC1 and CPZ gene polymorphisms with neuroblastoma susceptibility in Chinese children. *Gene*, **2018**, 662, 83-87	3.8	4
69	Lack of associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. *Bioscience Reports*, **2018**, 38,	4.1	5

68	Functional Polymorphisms at ERCC1/XPF Genes Confer Neuroblastoma Risk in Chinese Children. *EBioMedicine*, **2018**, 30, 113-119	8.8	65
67	The correlation between LIN28B gene potentially functional variants and Wilms tumor susceptibility in Chinese children. *Journal of Clinical Laboratory Analysis*, **2018**, 32,	3	19
66	rs6505162 C>A polymorphism contributes to decreased Wilms tumor risk. *Journal of Cancer*, **2018**, 9, 2460-2465	4.5	11
65	Genetic variants in the nucleotide excision repair pathway genes and gastric cancer susceptibility in a southern Chinese population. *Cancer Management and Research*, **2018**, 10, 765-774	3.6	20
64	super-enhancer polymorphism rs2168101 G>T correlates with decreased neuroblastoma risk in Chinese children. *Journal of Cancer*, **2018**, 9, 1592-1597	4.5	15
63	Association of Common Genetic Variants in Pre-microRNAs and Neuroblastoma Susceptibility: A Two-Center Study in Chinese Children. *Molecular Therapy - Nucleic Acids*, **2018**, 11, 1-8	10.7	78
62	Associations between lncRNA polymorphisms and neuroblastoma risk in Chinese children. *Aging*, **2018**, 10, 481-491	5.6	36
61	polymorphisms and neuroblastoma risk in Chinese children: a three-center case-control study. *Aging*, **2018**, 10, 808-818	5.6	18
60	rs17655 G>C polymorphism associated with cancer risk: evidence from 60 studies. *Aging*, **2018**, 10, 1073-1088	5.6	4
59	gene polymorphisms and risk of neuroblastoma in Chinese children. *Aging*, **2018**, 10, 2944-2953	5.6	16
58	Gene Polymorphisms Reduce Neuroblastoma Risk in Eastern Chinese Children: A Three-Center Case-Control Study. *Frontiers in Oncology*, **2018**, 8, 468	5.3	8
57	Association between Gene Polymorphisms and Neuroblastoma Risk in Chinese Children: A Two-Center Case-Control Study. *Journal of Cancer*, **2018**, 9, 535-539	4.5	6
56	Association between NER Pathway Gene Polymorphisms and Wilms Tumor Risk. *Molecular Therapy - Nucleic Acids*, **2018**, 12, 854-860	10.7	35
55	Base Excision Repair Gene Polymorphisms and Wilms Tumor Susceptibility. *EBioMedicine*, **2018**, 33, 88-93	8.8	27
54	BARD1 Gene Polymorphisms Confer Nephroblastoma Susceptibility. *EBioMedicine*, **2017**, 16, 101-105	8.8	35
53	Genetic Variations of GWAS-Identified Genes and Neuroblastoma Susceptibility: a Replication Study in Southern Chinese Children. *Translational Oncology*, **2017**, 10, 936-941	4.9	42
52	promoter del1518 polymorphism and cancer risk: evidence from 22,931 subjects. *OncoTargets and Therapy*, **2017**, 10, 3773-3780	4.4	6
51	gene rs11037575 C>T polymorphism confers neuroblastoma susceptibility in a Southern Chinese population. *OncoTargets and Therapy*, **2017**, 10, 1969-1975	4.4	6

50	Common variations within gene and neuroblastoma susceptibility in a Southern Chinese population. *OncoTargets and Therapy*, **2017**, 10, 703-709	4.4	6
49	Association between gene Arg72Pro polymorphism and WilmsTtumor risk in a Chinese population. *OncoTargets and Therapy*, **2017**, 10, 1149-1154	4.4	18
48	The gene rs1042522 C>G polymorphism and neuroblastoma risk in Chinese children. *Aging*, **2017**, 9, 852-859	5.5	52
47	The association between XPG polymorphisms and cancer susceptibility: Evidence from observational studies. *Medicine (United States)*, **2017**, 96, e7467	1.8	12
46	Association Between HACE1 Gene Polymorphisms and WilmsTTumor Risk in a Chinese Population. *Cancer Investigation*, **2017**, 35, 633-638	2.1	12
45	NFKB1 -94insertion/deletion ATTG polymorphism and cancer risk: Evidence from 50 case-control studies. *Oncotarget*, **2017**, 8, 9806-9822	3.3	42
44	Functional FGFR4 Gly388Arg polymorphism contributes to cancer susceptibility: Evidence from meta-analysis. *Oncotarget*, **2017**, 8, 25300-25309	3.3	7
43	XPG gene polymorphisms and cancer susceptibility: evidence from 47 studies. *Oncotarget*, **2017**, 8, 37263-37277	3.3	12
42	Associations between gene polymorphisms and WilmsTtumor susceptibility. *Oncotarget*, **2017**, 8, 50665-50672	3.3	13
41	gene rs751402 C>T polymorphism and cancer risk: Evidence from 22 publications. *Oncotarget*, **2017**, 8, 53613-53622	3.3	4
40	Evaluation of GWAS-identified SNPs at 6p22 with neuroblastoma susceptibility in a Chinese population. *Tumor Biology*, **2016**, 37, 1635-9	2.9	36
39	Increased Expression of PHGDH and Prognostic Significance in Colorectal Cancer. *Translational Oncology*, **2016**, 9, 191-6	4.9	42
38	Polymorphisms in the AKT1 and AKT2 genes and oesophageal squamous cell carcinoma risk in an Eastern Chinese population. *Journal of Cellular and Molecular Medicine*, **2016**, 20, 666-77	5.6	24
37	Association between genetic variants in the gene and gastric cancer risk in a Southern Chinese population. *Aging*, **2016**, 8, 3311-3320	5.6	27
36	MDM4 rs4245739 A > C polymorphism correlates with reduced overall cancer risk in a meta-analysis of 69477 subjects. *Oncotarget*, **2016**, 7, 71718-71726	3.3	14
35	XPG rs2296147 T>C polymorphism predicted clinical outcome in colorectal cancer. *Oncotarget*, **2016**, 7, 11724-32	3.3	17
34	LMO1 gene polymorphisms contribute to decreased neuroblastoma susceptibility in a Southern Chinese population. *Oncotarget*, **2016**, 7, 22770-8	3.3	30
33	Association of XPC Gene Polymorphisms with Colorectal Cancer Risk in a Southern Chinese Population: A Case-Control Study and Meta-Analysis. *Genes*, **2016**, 7,	4.2	23

32	The association between RFC1 G80A polymorphism and cancer susceptibility: Evidence from 33 studies. *Journal of Cancer*, **2016**, 7, 144-52	4.5	8
31	The Association between GWAS-identified BARD1 Gene SNPs and Neuroblastoma Susceptibility in a Southern Chinese Population. *International Journal of Medical Sciences*, **2016**, 13, 133-8	3.7	24
30	Polymorphisms in the XPC gene and gastric cancer susceptibility in a Southern Chinese population. *OncoTargets and Therapy*, **2016**, 9, 5513-9	4.4	16
29	Lack of Associations between Gene Polymorphisms and Neuroblastoma Susceptibility in a Chinese Population. *BioMed Research International*, **2016**, 2016, 2932049	3	9
28	Gene Polymorphisms Contribute to Colorectal Cancer Susceptibility: A Two-Stage Case-Control Study. *Journal of Cancer*, **2016**, 7, 1731-1739	4.5	24
27	High Expression of PHGDH Predicts Poor Prognosis in Non-Small Cell Lung Cancer. *Translational Oncology*, **2016**, 9, 592-599	4.9	38
26	Association of potentially functional variants in the XPG gene with neuroblastoma risk in a Chinese population. *Journal of Cellular and Molecular Medicine*, **2016**, 20, 1481-90	5.6	96
25	Potentially functional polymorphisms in the LIN28B gene contribute to neuroblastoma susceptibility in Chinese children. *Journal of Cellular and Molecular Medicine*, **2016**, 20, 1534-41	5.6	38
24	Association of the Asp312Asn and Lys751Gln polymorphisms in the XPD gene with the risk of non-Hodgkin's lymphoma: evidence from a meta-analysis. *Chinese Journal of Cancer*, **2015**, 34, 108-14		298
23	No association between MTR rs1805087 A > G polymorphism and non-Hodgkin lymphoma susceptibility: evidence from 11 486 subjects. *Leukemia and Lymphoma*, **2015**, 56, 763-7	1.9	13
22	Association of three 8q24 polymorphisms with prostate cancer susceptibility: evidence from a meta-analysis with 50,854 subjects. *Scientific Reports*, **2015**, 5, 12069	4.9	8
21	Associations of PI3KR1 and mTOR polymorphisms with esophageal squamous cell carcinoma risk and gene-environment interactions in Eastern Chinese populations. *Scientific Reports*, **2015**, 5, 8250	4.9	38
20	Association of IL10 -819C>T and -592C>A Polymorphisms with Non-Hodgkin Lymphoma Susceptibility: Evidence from Published Studies. *Journal of Cancer*, **2015**, 6, 709-16	4.5	5
19	Association of Interleukin-10 -3575T>A and -1082A>G polymorphisms with non-Hodgkin lymphoma susceptibility: a comprehensive review and meta-analysis. *Molecular Genetics and Genomics*, **2015**, 290, 2063-73	3.1	7
18	The association between NQO1 Pro187Ser polymorphism and urinary system cancer susceptibility: a meta-analysis of 22 studies. *Cancer Investigation*, **2015**, 33, 39-40	2.1	11
17	The association between NQO1 Pro187Ser polymorphism and bladder cancer susceptibility: a meta-analysis of 15 studies. *PLoS ONE*, **2015**, 10, e0116500	3.7	8
16	PSCA s2294008 C>T and rs2976392 G>A polymorphisms contribute to cancer susceptibility: evidence from published studies. *Genes and Cancer*, **2015**, 6, 254-264	2.9	6
15	Association of MTHFR C677T and A1298C polymorphisms with non-Hodgkin lymphoma susceptibility: evidence from a meta-analysis. *Scientific Reports*, **2014**, 4, 6159	4.9	74

14	Association of BRCA2 N372H polymorphism with cancer susceptibility: a comprehensive review and meta-analysis. *Scientific Reports*, **2014**, 4, 6791	4.9	31
13	Smoking and hOGG1 Ser326Cys polymorphism contribute to lung cancer risk: evidence from a meta-analysis. *Tumor Biology*, **2014**, 35, 1609-18	2.9	10
12	Association studies of ERCC1 polymorphisms with lung cancer susceptibility: a systematic review and meta-analysis. *PLoS ONE*, **2014**, 9, e97616	3.7	25
11	The association between the polymorphisms of TNF-α and non-Hodgkin lymphoma: a meta-analysis. *Tumor Biology*, **2014**, 35, 12509-17	2.9	14
10	Xeroderma pigmentosum complementation group D (XPD) gene polymorphisms contribute to bladder cancer risk: a meta-analysis. *Tumor Biology*, **2014**, 35, 3905-15	2.9	8
9	Association between the PARP1 Val762Ala polymorphism and cancer risk: evidence from 43 studies. *PLoS ONE*, **2014**, 9, e87057	3.7	27
8	Follistatin improves skeletal muscle healing after injury and disease through an interaction with muscle regeneration, angiogenesis, and fibrosis. *American Journal of Pathology*, **2011**, 179, 915-30	5.8	83
7	Resveratrol enhances the anti-tumor activity of the mTOR inhibitor rapamycin in multiple breast cancer cell lines mainly by suppressing rapamycin-induced AKT signaling. *Cancer Letters*, **2011**, 301, 168-76	9.9	90
6	The application of three-dimensional collagen-scaffolds seeded with myoblasts to repair skeletal muscle defects. *Journal of Biomedicine and Biotechnology*, **2011**, 2011, 812135		29
5	Improved muscle healing after contusion injury by the inhibitory effect of suramin on myostatin, a negative regulator of muscle growth. *American Journal of Sports Medicine*, **2008**, 36, 2354-62	6.8	76
4	Interaction between macrophages, TGF-beta1, and the COX-2 pathway during the inflammatory phase of skeletal muscle healing after injury. *Journal of Cellular Physiology*, **2008**, 214, 405-12	7	86
3	Relationships between transforming growth factor-beta1, myostatin, and decorin: implications for skeletal muscle fibrosis. *Journal of Biological Chemistry*, **2007**, 282, 25852-63	5.4	204
2	Decorin gene transfer promotes muscle cell differentiation and muscle regeneration. *Molecular Therapy*, **2007**, 15, 1616-22	11.7	99
1	Vanadate ingestion enhances the organization and collagen fibril diameters of rat healing medical collateral ligaments. *Knee Surgery, Sports Traumatology, Arthroscopy*, **2006**, 14, 750-5	5.5	12