

# Kaj Sparle Christensen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2590511/publications.pdf>

Version: 2024-02-01

55  
papers

2,103  
citations

304368

22  
h-index

243296

44  
g-index

57  
all docs

57  
docs citations

57  
times ranked

2509  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mental disorders in primary care: prevalence and co-morbidity among disorders. Results from the Functional Illness in Primary care (FIP) study. <i>Psychological Medicine</i> , 2005, 35, 1175-1184.	2.7	214
2	A New, Empirically Established Hypochondriasis Diagnosis. <i>American Journal of Psychiatry</i> , 2004, 161, 1680-1691.	4.0	178
3	The Outcome of Health Anxiety in Primary Care. A Two-Year Follow-up Study on Health Care Costs and Self-Rated Health. <i>PLoS ONE</i> , 2010, 5, e9873.	1.1	169
4	A brief case-finding questionnaire for common mental disorders: the CMDQ. <i>Family Practice</i> , 2005, 22, 448-457.	0.8	136
5	The Patients'™ Illness Perceptions and the Use of Primary Health Care. <i>Psychosomatic Medicine</i> , 2005, 67, 997-1005.	1.3	120
6	The Association Between Perceived Stress and Mortality Among People With Multimorbidity: A Prospective Population-Based Cohort Study. <i>American Journal of Epidemiology</i> , 2016, 184, 199-210.	1.6	119
7	The construct validity of the Perceived Stress Scale. <i>Journal of Psychosomatic Research</i> , 2016, 84, 22-30.	1.2	114
8	Do illness perceptions predict health outcomes in primary care patients? A 2-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2007, 62, 129-138.	1.2	106
9	The Uncertain Consultation and Patient Satisfaction: The Impact of Patients'™ Illness Perceptions and a Randomized Controlled Trial on the Training of Physicians'™ Communication Skills. <i>Psychosomatic Medicine</i> , 2005, 67, 897-905.	1.3	85
10	Clinimetric Criteria for Patient-Reported Outcome Measures. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 222-232.	4.0	84
11	A new questionnaire to identify bodily distress in primary care: The "BDS checklist"™. <i>Journal of Psychosomatic Research</i> , 2015, 78, 536-545.	1.2	78
12	Development and validation of a self-efficacy questionnaire (SE-12) measuring the clinical communication skills of health care professionals. <i>BMC Medical Education</i> , 2016, 16, 272.	1.0	61
13	Prevalence of depression, quality of life and antidepressant treatment in the Danish General Suburban Population Study. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 507-512.	0.7	60
14	Diagnosis of depressed young people in primary health care—a validation of HSCL-10. <i>Family Practice</i> , 2011, 28, 233-237.	0.8	54
15	Incidence of medically treated depression in Denmark among individuals 15–44 years old: a comprehensive overview based on population registers. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 548-557.	2.2	44
16	Diagnosis of somatisation: effect of an educational intervention in a cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2003, 53, 917-22.	0.7	43
17	Psychological and social problems in primary care patients - general practitioners'™ assessment and classification. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 43-49.	0.6	34
18	The FIP study: a randomised, controlled trial of screening and recognition of psychiatric disorders. <i>British Journal of General Practice</i> , 2003, 53, 758-63.	0.7	34

#	ARTICLE	IF	CITATIONS
19	Case-finding and risk-group screening for depression in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2011, 29, 80-84.	0.6	31
20	Screening for common mental disorders: who will benefit? Results from a randomised clinical trial. <i>Family Practice</i> , 2005, 22, 428-434.	0.8	28
21	Mental health status and risk of new cardiovascular events or death in patients with myocardial infarction: a population-based cohort study. <i>BMJ Open</i> , 2013, 3, e003045.	0.8	26
22	Barriers and facilitators to using a web-based tool for diagnosis and monitoring of patients with depression: a qualitative study among Danish general practitioners. <i>BMC Health Services Research</i> , 2018, 18, 503.	0.9	25
23	Sexual behaviour among young Danes aged 15-29 years: a cross-sectional study of core indicators. <i>Sexually Transmitted Infections</i> , 2015, 91, 171-177.	0.8	23
24	Initiation and cessation of mental healthcare after mental health screening in primary care: a prospective cohort study. <i>BMC Family Practice</i> , 2018, 19, 176.	2.9	22
25	Construct and criterion validity of patient-reported outcomes (PROs) for depression: A clinimetric comparison. <i>Journal of Affective Disorders</i> , 2021, 283, 30-35.	2.0	18
26	Screening for depression: Rasch analysis of the structural validity of the PHQ-9 in acutely injured trauma survivors. <i>Journal of Psychosomatic Research</i> , 2017, 97, 18-22.	1.2	17
27	Diagnosis of depressed young people—criterion validity of WHO-5 and HSCL-6 in Denmark and Norway. <i>Family Practice</i> , 2015, 32, 359-363.	0.8	16
28	The construct validity of the Major Depression Inventory: A Rasch analysis of a self-rating scale in primary care. <i>Journal of Psychosomatic Research</i> , 2017, 97, 70-81.	1.2	13
29	The criterion validity of the web-based Major Depression Inventory when used on clinical suspicion of depression in primary care. <i>Clinical Epidemiology</i> , 2017, Volume 9, 355-365.	1.5	12
30	Cross-cultural validity of the WHO-5 Well-Being Index and Euthymia Scale: A clinimetric analysis. <i>Journal of Affective Disorders</i> , 2022, 311, 276-283.	2.0	12
31	Exploring Functional Impairment in Light of Prolonged Grief Disorder: A Prospective, Population-Based Cohort Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 537674.	1.3	11
32	A clinimetric analysis of the euthymia, resilience, and positive mental health scales. <i>Journal of Affective Disorders</i> , 2021, 294, 71-76.	2.0	11
33	Identifying depression among adolescents using three key questions: a validation study in primary care. <i>British Journal of General Practice</i> , 2016, 66, e65-e70.	0.7	10
34	Diagnosing depression in primary care: a Rasch analysis of the major depression inventory. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 105-112.	0.6	10
35	Collaborative care for depression and anxiety disorders: results and lessons learned from the Danish cluster-randomized Collabri trials. <i>BMC Family Practice</i> , 2020, 21, 234.	2.9	10
36	Maternal depression and primary healthcare use for children: a population-based cohort study in Denmark. <i>British Journal of General Practice</i> , 2019, 69, e182-e189.	0.7	9

#	ARTICLE	IF	CITATIONS
37	Diagnosing depression in primary care: a Rasch analysis of the Major Depression Inventory. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 256-263.	0.6	8
38	Chlamydia trachomatis infection in young adults – association with concurrent partnerships and short gap length between partners. <i>Infectious Diseases</i> , 2015, 47, 838-845.	1.4	7
39	Collaborative care for depression in general practice: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 344.	0.7	7
40	Diagnosis of depression among adolescents – a clinical validation study of key questions and questionnaire. <i>BMC Family Practice</i> , 2007, 8, 41.	2.9	6
41	Maternal depression and childhood injury risk: A population-based cohort study in Denmark. <i>Brain and Behavior</i> , 2021, 11, e02029.	1.0	5
42	Clinimetric properties of the Smoking Abstinence Expectancies Questionnaire. <i>Addictive Behaviors</i> , 2021, 123, 107061.	1.7	5
43	Rasch analysis of the structural validity of the anxiety symptom scale in the lolland-falster health study. <i>Journal of Affective Disorders</i> , 2022, 303, 58-63.	2.0	5
44	Mental health assessment in health checks of participants aged 30–49 years: A large-scale cohort study. <i>Preventive Medicine Reports</i> , 2018, 9, 72-79.	0.8	4
45	Insufficient classification of anaemia in general practice: a Danish register-based observational study. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 364-372.	0.6	3
46	Mental health screening may prove effective in primary care. <i>British Journal of General Practice</i> , 2005, 55, 967.	0.7	3
47	Diagnosing depression. <i>British Journal of General Practice</i> , 2007, 57, 835-6; author reply 836.	0.7	3
48	Factors associated with non-initiation of mental healthcare after detection of poor mental health at a scheduled health check: a cohort study. <i>BMJ Open</i> , 2020, 10, e037731.	0.8	3
49	Functional somatic symptoms in youths in general practice: A cross-sectional study on prevalence, clinical management and perceived burden. <i>Journal of Psychosomatic Research</i> , 2022, 156, 110765.	1.2	3
50	Construct validity of the Smoker Complaint Scale: A clinimetric analysis using Item Response Theory (IRT) models. <i>Addictive Behaviors</i> , 2021, 117, 106849.	1.7	2
51	Improving the precision of depression diagnosis in general practice: a cluster-randomized trial. <i>BMC Family Practice</i> , 2021, 22, 88.	2.9	1
52	Maternal depression and non-specific health complaints in the offspring: a cross-sectional study in Danish primary care. <i>British Journal of General Practice</i> , 2021, 71, e105-e112.	0.7	1
53	A comment. <i>Scandinavian Journal of Gastroenterology</i> , 2006, 41, 995-995.	0.6	0
54	Factors associated with non-initiation of mental healthcare after detection of poor mental health at a scheduled health check: a cohort study. <i>BMJ Open</i> , 2020, 10, e037731.	0.8	0

#	ARTICLE	IF	CITATIONS
55	The Hopkins Symptom Checklist (SCL-90-R): A Patient-Reported Outcome Measure in Parkinsonâ€™s Disease. Journal of Geriatric Psychiatry and Neurology, 2021, , 089198872110600.	1.2	0