

Oxana Kotova

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2591841/oxana-kotova-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

1,586
citations

22
h-index

39
g-index

54
ext. papers

1,746
ext. citations

4.5
avg, IF

4.53
L-index

#	Paper	IF	Citations
53	Fluorescent 4-amino-1,8-naphthalimide Tröger's bases possessing conjugated 4-amino-1,8-naphthalimide moieties and their potential fullerenes Host-Guest complexes. <i>Results in Chemistry</i> , 2021 , 3, 100128	2.1	2
52	Fluorescent 4-amino-1,8-naphthalimide Tröger's bases (TBNaps) possessing (orthogonal) 'β-amino acids', esters and di-peptides and their solvent dependent photophysical properties. <i>Organic and Biomolecular Chemistry</i> , 2021 , 19, 6817-6833	3.9	1
51	Aggregation induced emission (AIE) active 4-amino-1,8-naphthalimide-Tröger's base for the selective sensing of chemical explosives in competitive aqueous media. <i>Chemical Communications</i> , 2020 , 56, 2562-2565	5.8	32
50	Fluorescent supramolecular hierarchical self-assemblies from glycosylated 4-amino- and 4-bromo-1,8-naphthalimides. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 3475-3480	3.9	8
49	Luminescent lanthanide (Eu(III)) cross-linked supramolecular metallo co-polymeric hydrogels: the effect of ligand symmetry. <i>Chemical Communications</i> , 2019 , 55, 1754-1757	5.8	18
48	The effect of the linker size in C-symmetrical chiral ligands on the self-assembly formation of luminescent triple-stranded di-metallic Eu(III) helicates in solution. <i>Dalton Transactions</i> , 2018 , 47, 12308-12317	4.3	23
47	Recent advances in the development of luminescent lanthanide-based supramolecular polymers and soft materials. <i>Dalton Transactions</i> , 2018 , 47, 16377-16387	4.3	30
46	White-light emission from discrete heterometallic lanthanide-directed self-assembled complexes in solution. <i>Chemical Science</i> , 2017 , 8, 3419-3426	9.4	44
45	Surface-Modified Gold Nanoparticles Possessing Two-Channel Responsive Eu/Tb Cyclen Complexes as Luminescent Logic Gate Mimics. <i>ChemPhysChem</i> , 2017 , 18, 1746-1751	3.2	18
44	Supramolecular Chemistry: A Toolkit for Soft Functional Materials and Organic Particles. <i>Chem</i> , 2017 , 3, 764-811	16.2	91
43	Exploring the Effect of Ligand Structural Isomerism in Langmuir-Blodgett Films of Chiral Luminescent Eu(III) Self-Assemblies. <i>Chemistry - A European Journal</i> , 2016 , 22, 9709-23	4.8	16
42	Healable luminescent self-assembly supramolecular metallogels possessing lanthanide (Eu/Tb) dependent rheological and morphological properties. <i>Journal of the American Chemical Society</i> , 2015 , 137, 1983-92	16.4	174
41	Cross-Linking the Fibers of Supramolecular Gels Formed from a Tripodal Terpyridine Derived Ligand with d-Block Metal Ions. <i>Inorganic Chemistry</i> , 2015 , 54, 7735-41	5.1	33
40	Magnetic luminescent material based on silver doped lanthanum manganite and europium salts with 1,10-phenanthroline. <i>Russian Chemical Bulletin</i> , 2015 , 64, 219-223	1.7	1
39	The application of chiroptical spectroscopy (circular dichroism) in quantifying binding events in lanthanide directed synthesis of chiral luminescent self-assembly structures. <i>Chemical Science</i> , 2015 , 6, 457-471	9.4	40
38	Lanthanide-functionalized nanoparticles as MRI and luminescent probes for sensing and/or imaging applications. <i>Inorganic Chemistry</i> , 2014 , 53, 1867-79	5.1	103
37	Synthesis, structural, photophysical and electrochemical studies of various d-metal complexes of btp [2,6-bis(1,2,3-triazol-4-yl)pyridine] ligands that give rise to the formation of metallo-supramolecular gels. <i>Dalton Transactions</i> , 2014 , 43, 196-209	4.3	42

36	Chemical nano-gardens: growth of salt nanowires from supramolecular self-assembly gels. <i>ACS Nano</i> , 2013 , 7, 4838-45	16.7	46
35	Probing the effects of ligand isomerism in chiral luminescent lanthanide supramolecular self-assemblies: a europium "Trinity Sliotar" study. <i>Chemistry - A European Journal</i> , 2013 , 19, 16181-6	4.8	42
34	Novel terbium luminescent complexes with o-phosphorylated phenolate ligands. <i>Inorganic Chemistry Communication</i> , 2012 , 20, 73-76	3.1	17
33	Molecular structures of 3d metal complexes with various Schiff bases studied by gas-phase electron diffraction and quantum-chemical calculations. <i>Journal of Molecular Structure</i> , 2012 , 1012, 151-161	3.4	19
32	Mass spectrometric study of the vaporization of N,N'-o-phenylene-bis(salicylideneimine) nickel(II), copper(II), and zinc(II) and N,N'-ethylene-bis(salicylaldimine) zinc(II) complexes. <i>Russian Journal of Physical Chemistry A</i> , 2012 , 86, 816-824	0.7	
31	Reactive chemical vapour deposition (RCVD) of non-volatile terbium aromatic carboxylate thin films. <i>Journal of Materials Chemistry</i> , 2012 , 22, 4897		14
30	Synthesis of luminescent homo-dinuclear cationic lanthanide cyclen complexes bearing amide pendant arms through the use of copper catalysed (1,3-Huisgen, CuAAC) click chemistry. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 314-22	3.9	25
29	New trick for an old ligand! The sensing of Zn(II) using a lanthanide based ternary Yb(III)-cyclen-8-hydroxyquinoline system as a dual emissive probe for displacement assay. <i>Inorganic Chemistry</i> , 2012 , 51, 10158-68	5.1	88
28	Europium-Directed Self-Assembly of a Luminescent Supramolecular Gel from a Tripodal Terpyridine-Based Ligand. <i>Angewandte Chemie</i> , 2012 , 124, 7320-7324	3.6	25
27	Europium-directed self-assembly of a luminescent supramolecular gel from a tripodal terpyridine-based ligand. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 7208-12	16.4	160
26	Reactive Chemical Vapor Deposition Method as New Approach for Obtaining Electroluminescent Thin Film Materials. <i>Advances in Materials Science and Engineering</i> , 2012 , 2012, 1-9	1.5	8
25	Sensing of biologically relevant d-metal ions using a Eu(III)-cyclen based luminescent displacement assay in aqueous pH 7.4 buffered solution. <i>Chemical Communications</i> , 2011 , 47, 6810-2	5.8	51
24	Study of the electronic structure of Al(III) and Zn(II) complexes with organic ligands by quantum chemistry and photoelectron spectroscopy methods. <i>Journal of Surface Investigation</i> , 2011 , 5, 11-16	0.5	
23	Molecular structure of N,N'-o-phenylene-bis(salicylideneimine)copper(II) studied by gas-phase electron diffraction and quantum-chemical calculations. <i>Structural Chemistry</i> , 2011 , 22, 441-448	1.8	14
22	Low temperature X-ray diffraction analysis, electronic density distribution and photophysical properties of bidentate N,O-donor salicylaldehyde Schiff bases and zinc complexes in solid state. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011 , 218, 117-129	4.7	24
21	Photo- and electroluminescent properties of zinc(II) complexes with tetradentate Schiff bases, derivatives of salicylic aldehyde. <i>Optics and Spectroscopy (English Translation of Optika i Spektroskopiya)</i> , 2010 , 108, 463-465	0.7	14
20	Mass spectrometric study of the overheated vapor over nickel(II), Copper(II), and Zinc(II) N,N'-Ethylenebis(salicylaldimine) complexes. <i>Russian Journal of Inorganic Chemistry</i> , 2010 , 55, 421-426	1.5	1
19	Structure of a zinc(II) N,N'-ethylene-bis(acetylacetonimine) molecule, ZnO ₂ N ₂ C ₁₂ H ₁₈ , according to gas electron diffraction data and quantum chemical calculations. <i>Journal of Structural Chemistry</i> , 2010 , 51, 23-31	0.9	4

18	Geometric and electronic structure of an N,N'-ethylene-bis(salicylaldiminato) zinc(II) molecule, ZnO ₂ N ₂ C ₁₆ H ₁₄ . <i>Journal of Structural Chemistry</i> , 2010 , 51, 223-230	0.9	4
17	Molecular structure of N,N'-o-phenylene-bis(salicylideneaminato)zinc(II), Zn(saloph), according to gas-phase electron diffraction and quantum-chemical calculations. <i>Journal of Molecular Structure</i> , 2010 , 978, 178-186	3.4	7
16	New Helical Zinc Complexes with Schiff Base Derivatives of β -Diketonates or β -Keto Esters and Ethylenediamine. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 3467-3474	2.3	18
15	Theoretical study of structure and electronic absorption spectra of some Schiff bases and their zinc complexes. <i>Inorganic Chemistry</i> , 2009 , 48, 11123-30	5.1	50
14	Synthesis of mixed-ligand alkali earth element dipivaloylmethanates with o-phenanthroline. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2009 , 35, 793-797	1.6	2
13	IR Spectra of N,N'-Ethylene-Bis(salicylaldiminates) and N,N'-ethylene-Bis(acetylacetoniminates) of Ni(II), Cu(II), and Zn(II). <i>Russian Journal of Physical Chemistry A</i> , 2009 , 83, 2255-2265	0.7	14
12	OLEDs based on some mixed-ligand terbium carboxylates and zinc complexes with tetradentate Schiff bases: Mechanisms of electroluminescence degradation. <i>Synthetic Metals</i> , 2009 , 159, 625-631	3.6	22
11	Direct laser desorption/ionization mass spectrometry characterization of some aromatic lanthanide carboxylates. <i>Journal of Alloys and Compounds</i> , 2008 , 451, 410-413	5.7	2
10	Dimeric lanthanide hexafluoroacetylacetonate adducts with 4-cyanopyridine-N-oxide. <i>Journal of Alloys and Compounds</i> , 2008 , 451, 414-417	5.7	10
9	Zinc(II) complexes with Schiff bases derived from ethylenediamine and salicylaldehyde: the synthesis and photoluminescent properties. <i>Russian Chemical Bulletin</i> , 2008 , 57, 1880-1889	1.7	48
8	Luminescence instability of films and new organic light-emitting diodes based on zinc complexes with tetradentate Schiff bases: Influence of heating and laser irradiation. <i>Journal of Russian Laser Research</i> , 2008 , 29, 497-503	0.7	2
7	Role of the ancillary ligand N,N-dimethylaminoethanol in the sensitization of Eu(III) and Tb(III) luminescence in dimeric beta-diketonates. <i>Journal of Physical Chemistry A</i> , 2008 , 112, 3614-26	2.8	98
6	Gas-phase synthesis of terbium and lutetium carboxylates. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 1878-1884	1.5	12
5	Gas-phase synthesis of lanthanide(III) benzoates Ln(Bz) ₃ (Ln = La, Tb, Lu). <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2007 , 33, 454-457	1.6	12
4	Two-diode organic light amplifiers/converters and peculiarities of photocurrent multiplication. <i>Synthetic Metals</i> , 2006 , 156, 624-632	3.6	4
3	Influence of heteroligand complexation on the thermal, photoluminescent, and film-forming properties of some aromatic terbium(III) carboxylates. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2006 , 32, 901-909	1.6	18
2	The topography of organic light-emitting diode-component functional layers as studied by atomic force microscopy. <i>Mendeleev Communications</i> , 2004 , 14, 155-157	1.9	2
1	Electroluminescent properties of the mixed-ligand complex of terbium salicylate with triphenylphosphine oxide. <i>Synthetic Metals</i> , 2004 , 141, 225-230	3.6	31

