

# Justin A Bishop

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2592149/publications.pdf>

Version: 2024-02-01

140  
papers

4,861  
citations

87888

38  
h-index

114465

63  
g-index

142  
all docs

142  
docs citations

142  
times ranked

5039  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Microsecretory adenocarcinoma of the skin harboring recurrent <i>SS18</i> fusions: A cutaneous analog to a newly described salivary gland tumor. <i>Journal of Cutaneous Pathology</i> , 2023, 50, 134-139.           | 1.3 | 3         |
| 2  | An Imaging Biomarker of Tumor-Infiltrating Lymphocytes to Risk-Stratify Patients With HPV-Associated Oropharyngeal Cancer. <i>Journal of the National Cancer Institute</i> , 2022, 114, 609-617.                      | 6.3 | 23        |
| 3  | Clinical and Biologic Characteristics and Outcomes in Young and Middle-Aged Patients With Laryngeal Cancer: A Retrospective Cohort Analysis. <i>Otolaryngology - Head and Neck Surgery</i> , 2022, , 019459982110737. | 1.9 | 1         |
| 4  | Frankly Invasive Carcinoma Ex-intraductal Carcinoma: Expanding on an Emerging and Perplexing Concept in Salivary Gland Tumor Pathology. <i>Head and Neck Pathology</i> , 2022, 16, 657-669.                           | 2.6 | 9         |
| 5  | Unclassified Neuroendocrine Tumor with a Novel CHD4::AFF2 Fusion: Expanding the Family of AFF2-Rearranged Head and Neck Malignancies. <i>Head and Neck Pathology</i> , 2022, 16, 928-933.                             | 2.6 | 3         |
| 6  | Update from the 5th Edition of the World Health Organization Classification of Head and Neck Tumors: Nasal Cavity, Paranasal Sinuses and Skull Base. <i>Head and Neck Pathology</i> , 2022, 16, 1-18.                 | 2.6 | 36        |
| 7  | Low-grade non-intestinal-type sinonasal adenocarcinoma: a histologically distinctive but molecularly heterogeneous entity. <i>Modern Pathology</i> , 2022, 35, 1160-1167.   | 5.5 | 10        |
| 8  | Cervical Lymph Node Metastases from Central Nervous System Tumors: A Systematic Review. <i>Cancer Management and Research</i> , 2022, Volume 14, 1099-1111.   | 1.9 | 2         |
| 9  | Teratocarcinoma-Like and Adamantinoma-Like Head and Neck Neoplasms Harboring NAB2::STAT6: Unusual Variants of Solitary Fibrous Tumor or Novel Tumor Entities?. <i>Head and Neck Pathology</i> , 2022, 16, 746-754.    | 2.6 | 9         |
| 10 | Searching Full-Text Anatomic Pathology Reports Using Business Intelligence Software. <i>Journal of Pathology Informatics</i> , 2022, 13, 100014.  | 1.7 | 4         |
| 11 | Limited sinonasal <i>Rosai-Dorfman</i> disease presenting as chronic sinusitis. <i>Histopathology</i> , 2022, 81, 99-107.   | 2.9 | 1         |
| 12 | Sinonasal Tumors With Neuroepithelial Differentiation (Olfactory Carcinoma). <i>American Journal of Surgical Pathology</i> , 2022, 46, 1025-1035.   | 3.7 | 19        |
| 13 | Diagnostic Value of MAML2 Rearrangements in Mucoepidermoid Carcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4322.  | 4.1 | 7         |
| 14 | Salivary Intraductal Carcinoma Arising within Intraparotid Lymph Node: A Report of 4 Cases with Identification of a Novel STRN-ALK Fusion. <i>Head and Neck Pathology</i> , 2021, 15, 179-185.                        | 2.6 | 25        |
| 15 | Oncocytic intraductal carcinoma of salivary glands: a distinct variant with <i>TRIM33</i> and <i>BRAF</i> V600E mutations. <i>Histopathology</i> , 2021, 79, 338-346.   | 2.9 | 34        |
| 16 | Low Molecular Weight Cytokeratin Immunohistochemistry Reveals That Most Salivary Gland Warthin Tumors and Lymphadenomas Arise in Intraparotid Lymph Nodes. <i>Head and Neck Pathology</i> , 2021, 15, 438-442.        | 2.6 | 10        |
| 17 | Immunohistochemistry surrogates for molecular alterations: A new paradigm in salivary gland tumor cytopathology?. <i>Cancer Cytopathology</i> , 2021, 129, 102-103.   | 2.4 | 4         |
| 18 | NUT Carcinoma in a Patient with Unusually Long Survival and False Negative FISH Results. <i>Head and Neck Pathology</i> , 2021, 15, 698-703.  | 2.6 | 7         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Primary and Secondary/ Metastatic Salivary Duct Carcinoma Presenting within the Sinonasal Tract. Head and Neck Pathology, 2021, 15, 769-779.  | 2.6 | 6         |
| 20 | Emerging Entities and New Diagnostic Markers for Head and Neck Soft Tissue and Bone Tumors. Advances in Anatomic Pathology, 2021, 28, 139-149.  | 4.3 | 0         |
| 21 | Salivary Mucinous Adenocarcinoma Is a Histologically Diverse Single Entity With Recurrent AKT1 E17K Mutations. American Journal of Surgical Pathology, 2021, 45, 1337-1347.   | 3.7 | 31        |
| 22 | Sialadenoma Papilliferum. Surgical Pathology Clinics, 2021, 14, 43-51.  | 1.7 | 9         |
| 23 | Updates on "Under the Radar" Salivary Gland Tumors. Surgical Pathology Clinics, 2021, 14, xi.   | 1.7 | 0         |
| 24 | High-grade Transformation/Dedifferentiation in Salivary Gland Carcinomas: Occurrence Across Subtypes and Clinical Significance. Advances in Anatomic Pathology, 2021, 28, 107-118.  | 4.3 | 44        |
| 25 | Sclerosing Polycystic Adenoma. Surgical Pathology Clinics, 2021, 14, 17-24.   | 1.7 | 7         |
| 26 | SWI/SNF-deficient head and neck neoplasms: An overview. Seminars in Diagnostic Pathology, 2021, 38, 175-182.  | 1.5 | 24        |
| 27 | Radiation Therapy After Surgical Resection Improves Outcomes for Patients With Recurrent Pleomorphic Adenoma. Advances in Radiation Oncology, 2021, 6, 100674.  | 1.2 | 3         |
| 28 | Middle Ear "Adenoma" a Neuroendocrine Tumor with Predominant L Cell Differentiation. Endocrine Pathology, 2021, 32, 433-441.  | 9.0 | 15        |
| 29 | DEK-AFF2 Carcinoma of the Sinonasal Region and Skull Base. American Journal of Surgical Pathology, 2021, 45, 1682-1693.   | 3.7 | 47        |
| 30 | Microsecretory Adenocarcinoma of Salivary Glands: An Expanded Series of 24 Cases. Head and Neck Pathology, 2021, 15, 1192-1201.   | 2.6 | 29        |
| 31 | High-Risk Cutaneous Squamous Cell Carcinoma of the Head and Neck: A Clinical Review. Annals of Surgical Oncology, 2021, 28, 9009-9030.  | 1.5 | 7         |
| 32 | Extracapsular extension, pathologic node status, and adjuvant treatment in primary surgery patients with human papillomavirus<scp>-mediated</scp> oropharyngeal cancer: National h<scp>ospital-based</scp> retrospective cohort analysis. Head and Neck, 2021, 43, 3345-3363. | 2.0 | 2         |
| 33 | Myeloid Cells Are Enriched in Tonsillar Crypts, Providing Insight into the Viral Tropism of Human Papillomavirus. American Journal of Pathology, 2021, 191, 1774-1786.  | 3.8 | 7         |
| 34 | IDK what's next for IDC: The unfolding saga of intraductal carcinoma of salivary glands. Cancer Cytopathology, 2021, 129, 926-927.  | 2.4 | 1         |
| 35 | SS18 Break-Apart Fluorescence In Situ Hybridization is a Practical and Effective Method for Diagnosing Microsecretory Adenocarcinoma of Salivary Glands. Head and Neck Pathology, 2021, 15, 723-726.  | 2.6 | 22        |
| 36 | The Myoepithelial Cells of Salivary Intercalated Duct-type Intraductal Carcinoma Are Neoplastic. American Journal of Surgical Pathology, 2021, 45, 507-515.   | 3.7 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | MYB RNA In Situ Hybridization Facilitates Sensitive and Specific Diagnosis of Adenoid Cystic Carcinoma Regardless of Translocation Status. American Journal of Surgical Pathology, 2021, 45, 488-497.  | 3.7 | 26        |
| 38 | The Decline of Salivary Adenocarcinoma Not Otherwise Specified as a Tumor Entity. American Journal of Surgical Pathology, 2021, 45, 753-764.   | 3.7 | 15        |
| 39 | Prognostic impact of matted lymphadenopathy in patients with oropharyngeal squamous cell carcinoma treated with definitive chemoradiotherapy. Oral Oncology, 2021, 123, 105623.  | 1.5 | 2         |
| 40 | Inter-observer Variability in the Diagnosis of Proliferative Verrucous Leukoplakia: Clinical Implications for Oral and Maxillofacial Surgeon Understanding: A Collaborative Pilot Study. Head and Neck Pathology, 2020, 14, 156-165.                         | 2.6 | 18        |
| 41 | Low Molecular Weight Cytokeratin Immunostaining for Extrafollicular Reticulum Cells is an Effective Means of Separating Salivary Gland Tumor-Associated Lymphoid Proliferation from True Lymph Node Involvement. Head and Neck Pathology, 2020, 14, 593-597. | 2.6 | 11        |
| 42 | Sclerosing Polycystic Adenosis of Salivary Glands: A Neoplasm Characterized by PI3K Pathway Alterations More Correctly Named Sclerosing Polycystic Adenoma. Head and Neck Pathology, 2020, 14, 630-636.  | 2.6 | 54        |
| 43 | Variability of CD34 Expression in Sinonasal Glomangiopericytoma: A Potential Diagnostic Pitfall. Head and Neck Pathology, 2020, 14, 459-464.   | 2.6 | 6         |
| 44 | Don't stop the champions of research now: a brief history of head and neck pathology developments. Human Pathology, 2020, 95, 1-23.  | 2.0 | 7         |
| 45 | Salivary Sialadenoma Papilliferum Consists of Two Morphologically, Immunophenotypically, and Genetically Distinct Subtypes. Head and Neck Pathology, 2020, 14, 489-496.  | 2.6 | 25        |
| 46 | SMARCB1 (INI-1)-Deficient Adenocarcinoma of the Sinonasal Tract: A Potentially Under-Recognized form of Sinonasal Adenocarcinoma with Occasional Yolk Sac Tumor-Like Features. Head and Neck Pathology, 2020, 14, 465-472.                                   | 2.6 | 44        |
| 47 | Poorly differentiated neuroendocrine carcinoma of the head and neck: human papillomavirus tumour status/p16 status and impact on overall survival. Histopathology, 2020, 76, 581-591.  | 2.9 | 8         |
| 48 | Transcriptionally Active HPV and Targetable EGFR Mutations in Sinonasal Inverted Papilloma. American Journal of Surgical Pathology, 2020, 44, 340-346.   | 3.7 | 26        |
| 49 | SMARCA4-Deficient Thoracic Sarcomatoid Tumors Represent Primarily Smoking-Related Undifferentiated Carcinomas Rather Than Primary Thoracic Sarcomas. Journal of Thoracic Oncology, 2020, 15, 231-247.  | 1.1 | 172       |
| 50 | Expression of Programmed Cell Death Ligand 1 and Associated Lymphocyte Infiltration in Olfactory Neuroblastoma. World Neurosurgery, 2020, 135, e187-e193.  | 1.3 | 19        |
| 51 | Sinonasal Undifferentiated Carcinoma (SNUC): From an Entity to Morphologic Pattern and Back Again—A Historical Perspective. Advances in Anatomic Pathology, 2020, 27, 51-60.   | 4.3 | 42        |
| 52 | p16 Immunoexpression in sinonasal and nasopharyngeal adenoid cystic carcinomas: a potential pitfall in ruling out HPV-related multiphenotypic sinonasal carcinoma. Histopathology, 2020, 77, 989-993.  | 2.9 | 15        |
| 53 | Recurrent DICER1 Hotspot Mutations in Malignant Thyroid Gland Teratomas. American Journal of Surgical Pathology, 2020, 44, 826-833.  | 3.7 | 39        |
| 54 | Recurrent Loss of SMARCA4 in Sinonasal Teratocarcinosarcoma. American Journal of Surgical Pathology, 2020, 44, 1331-1339.  | 3.7 | 64        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Histologic Classification and Molecular Signature of Polymorphous Adenocarcinoma (PAC) and Cribriform Adenocarcinoma of Salivary Gland (CASC). American Journal of Surgical Pathology, 2020, 44, 545-552.                                | 3.7  | 39        |
| 56 | Palatine Tonsilloliths and <i>Actinomyces</i> : A Multi-Institutional Study of Adult Patients Undergoing Tonsillectomy. Otolaryngology - Head and Neck Surgery, 2020, 163, 743-749.  | 1.9  | 3         |
| 57 | Lymphoepithelial Carcinoma of Salivary Gland EBV-association in Endemic versus Non-Endemic Patients: A Report of 16 Cases. Head and Neck Pathology, 2020, 14, 1001-1012.   | 2.6  | 21        |
| 58 | Bronchoscopic management of a primary endobronchial salivary epithelial-myoepithelial carcinoma: A case report. Respiratory Medicine Case Reports, 2020, 30, 101083.   | 0.4  | 2         |
| 59 | Malignant teratomas of the thyroid gland: clinico-radiologic and cytomorphologic features of a rare entity. Journal of the American Society of Cytopathology, 2020, 9, 221-231.  | 0.5  | 12        |
| 60 | Pediatric Warthin-like Mucoepidermoid Carcinoma: Report of Two Cases with One Persistent/Recurrent as Conventional Mucoepidermoid Carcinoma. Head and Neck Pathology, 2020, 14, 923-928.   | 2.6  | 7         |
| 61 | HPV-related carcinoma of the oropharynx: challenges on small biopsy specimens. Journal of the American Society of Cytopathology, 2020, 9, 359-368.   | 0.5  | 3         |
| 62 | Biphenotypic Branchioma: A Better Name Than Ectopic Hamartomatous Thymoma for a Neoplasm with HRAS Mutation. Head and Neck Pathology, 2020, 14, 884-888.   | 2.6  | 10        |
| 63 | Detection of Lymph Node Metastases by Ultra-pH-Sensitive Polymeric Nanoparticles. Theranostics, 2020, 10, 3340-3350.   | 10.0 | 19        |
| 64 | Stromal Hedgehog pathway activation by IHH suppresses lung adenocarcinoma growth and metastasis by limiting reactive oxygen species. Oncogene, 2020, 39, 3258-3275.  | 5.9  | 16        |
| 65 | Soft Tissue Special Issue: Adamantinoma-Like Ewing Sarcoma of the Head and Neck: A Practical Review of a Challenging Emerging Entity. Head and Neck Pathology, 2020, 14, 59-69.  | 2.6  | 47        |
| 66 | Low-grade Apocrine Intraductal Carcinoma: Expanding the Morphologic and Molecular Spectrum of an Enigmatic Salivary Gland Tumor. Head and Neck Pathology, 2020, 14, 869-875.   | 2.6  | 31        |
| 67 | Variable Expression of S100 Protein in Sinonasal Malignant Mucosal Melanoma: A Potential Diagnostic Pitfall. Head and Neck Pathology, 2020, 14, 929-935.   | 2.6  | 7         |
| 68 | Parathyroid cancer: An update. Cancer Treatment Reviews, 2020, 86, 102012.   | 7.7  | 58        |
| 69 | Developing Classifications of Laryngeal Dysplasia: The Historical Basis. Advances in Therapy, 2020, 37, 2667-2677.   | 2.9  | 15        |
| 70 | SMARCA4-deficient Sinonasal Carcinoma. American Journal of Surgical Pathology, 2020, 44, 703-710.  | 3.7  | 90        |
| 71 | Head and Neck Mesenchymal Neoplasms With GLI1 Gene Alterations. American Journal of Surgical Pathology, 2020, 44, 729-737.   | 3.7  | 46        |
| 72 | Computerized features of spatial interplay of tumor-infiltrating lymphocytes predict disease recurrence in p16+ oropharyngeal squamous cell carcinoma: A multisite validation study.. Journal of Clinical Oncology, 2020, 38, 6559-6559. | 1.6  | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Biphenotypic Sinonasal Sarcoma a Newly Recognized Sinonasal Neoplasm: Case Report and Review of the Literature. Journal of Neurological Surgery, Part B: Skull Base, 2020, 81, .  | 0.8 | 0         |
| 74 | Additional Surgery for Occult Risk Factors After Lobectomy in Solitary Thyroid Nodules is Predicted by Cytopathology Classification and Tumor Size. Endocrine Practice, 2020, 26, 754-760.  | 2.1 | 0         |
| 75 | Consistent LEF-1 and MYB Immunohistochemical Expression in Human Papillomavirus-Related Multiphenotypic Sinonasal Carcinoma: A Potential Diagnostic Pitfall. Head and Neck Pathology, 2019, 13, 220-224.  | 2.6 | 17        |
| 76 | Update on Neuroendocrine Carcinomas of the Larynx. American Journal of Clinical Pathology, 2019, 152, 686-700.  | 0.7 | 19        |
| 77 | GLI1-amplifications expand the spectrum of soft tissue neoplasms defined by GLI1 gene fusions. Modern Pathology, 2019, 32, 1617-1626.   | 5.5 | 70        |
| 78 | Submucosal Masses of the Right Upper Lip. JAMA Otolaryngology - Head and Neck Surgery, 2019, 145, 385.  | 2.2 | 0         |
| 79 | Spindle-cell variant of ameloblastic carcinoma: a report of 3 cases and demonstration of epithelial-mesenchymal transition in tumor progression. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2019, 128, e113-e121.                              | 0.4 | 12        |
| 80 | Extraneural metastatic anaplastic ependymoma: a systematic review and a report of metastases to bilateral parotid glands. Neuro-Oncology Practice, 2019, 7, 218-227.  | 1.6 | 7         |
| 81 | The HTN3-MSANTD3 Fusion Gene Defines a Subset of Acinic Cell Carcinoma of the Salivary Gland. American Journal of Surgical Pathology, 2019, 43, 489-496.  | 3.7 | 52        |
| 82 | Microsecretory Adenocarcinoma. American Journal of Surgical Pathology, 2019, 43, 1023-1032.   | 3.7 | 66        |
| 83 | NCOA4-RET and TRIM27-RET Are Characteristic Gene Fusions in Salivary Intraductal Carcinoma, Including Invasive and Metastatic Tumors. American Journal of Surgical Pathology, 2019, 43, 1303-1313.  | 3.7 | 82        |
| 84 | Well-differentiated Neuroendocrine Carcinoma of the Larynx: Confusion of Terminology and Uncertainty of Early Studies. Advances in Anatomic Pathology, 2019, 26, 246-250.   | 4.3 | 7         |
| 85 | Secretory Carcinoma of the Thyroid Gland: Report of a Highly Aggressive Case Clinically Mimicking Undifferentiated Carcinoma and Review of the Literature. Head and Neck Pathology, 2019, 13, 562-572.  | 2.6 | 18        |
| 86 | SOX10 Immunoeexpression in Basaloid Squamous Cell Carcinomas: A Diagnostic Pitfall for Ruling out Salivary Differentiation. Head and Neck Pathology, 2019, 13, 543-547.   | 2.6 | 27        |
| 87 | Data Set for the Reporting of Carcinomas of the Nasal Cavity and Paranasal Sinuses: Explanations and Recommendations of the Guidelines From the International Collaboration on Cancer Reporting. Archives of Pathology and Laboratory Medicine, 2019, 143, 424-431. | 2.5 | 4         |
| 88 | Salivary Secretory Carcinoma With a Novel ETV6-MET Fusion. American Journal of Surgical Pathology, 2018, 42, 1121-1126.   | 3.7 | 96        |
| 89 | Immunohistochemical Detection and Molecular Characterization of IDH-mutant Sinonasal Undifferentiated Carcinomas. American Journal of Surgical Pathology, 2018, 42, 1067-1075.  | 3.7 | 52        |
| 90 | Human Papillomavirus-Related Multiphenotypic Sinonasal Carcinoma: A Case Report Documenting the Potential for Very Late Tumor Recurrence. Head and Neck Pathology, 2018, 12, 623-628.   | 2.6 | 34        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | INSM1 is a Sensitive and Specific Marker of Neuroendocrine Differentiation in Head and Neck Tumors. American Journal of Surgical Pathology, 2018, 42, 665-671.   | 3.7  | 114       |
| 92  | Usefulness of NKX2.2 Immunohistochemistry for Distinguishing Ewing Sarcoma from Other Sinonasal Small Round Blue Cell Tumors. Head and Neck Pathology, 2018, 12, 89-94.  | 2.6  | 41        |
| 93  | The PD-1 and PD-L1 pathway in recurrent respiratory papillomatosis. Laryngoscope, 2018, 128, E27-E32.  | 2.0  | 31        |
| 94  | The Role of Molecular Testing in the Differential Diagnosis of Salivary Gland Carcinomas. American Journal of Surgical Pathology, 2018, 42, e11-e27.   | 3.7  | 154       |
| 95  | Recurrent RET Gene Rearrangements in Intraductal Carcinomas of Salivary Gland. American Journal of Surgical Pathology, 2018, 42, 442-452.  | 3.7  | 91        |
| 96  | Genomic analysis identifies frequent deletions of Dystrophin in olfactory neuroblastoma. Nature Communications, 2018, 9, 5410.   | 12.8 | 30        |
| 97  | Human papillomavirus-related multiphenotypic sinonasal carcinoma: An emerging tumor type with a unique microscopic appearance and a paradoxical clinical behaviour. Oral Oncology, 2018, 87, 17-20.  | 1.5  | 30        |
| 98  | Ectomesenchymal Chondromyxoid Tumor. American Journal of Surgical Pathology, 2018, 42, 1297-1305.  | 3.7  | 60        |
| 99  | Molecular Profiling of Salivary Gland Intraductal Carcinoma Revealed a Subset of Tumors Harboring NCOA4-RET and Novel TRIM27-RET Fusions. American Journal of Surgical Pathology, 2018, 42, 1445-1455.   | 3.7  | 91        |
| 100 | Polymorphous adenocarcinoma of the salivary glands: reappraisal and update. European Archives of Oto-Rhino-Laryngology, 2018, 275, 1681-1695.  | 1.6  | 42        |
| 101 | Discovery and development of differentially methylated regions in human papillomavirus-related oropharyngeal squamous cell carcinoma. International Journal of Cancer, 2018, 143, 2425-2436.   | 5.1  | 35        |
| 102 | New evidence-based guideline for HPV testing in head and neck cancers. Journal of the American Society of Cytopathology, 2018, 7, 282-286.   | 0.5  | 2         |
| 103 | Biphenotypic sinonasal sarcoma: demographics, clinicopathological characteristics, molecular features, and prognosis of a recently described entity. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 473, 615-626. | 2.8  | 37        |
| 104 | HEY1 is expressed independent of NOTCH1 and is associated with poor prognosis in head and neck squamous cell carcinoma. Oral Oncology, 2018, 82, 168-175.  | 1.5  | 12        |
| 105 | HPV RNA CISH score identifies two prognostic groups in a p16 positive oropharyngeal squamous cell carcinoma population. Modern Pathology, 2018, 31, 1645-1652.   | 5.5  | 13        |
| 106 | Whole-Exome Sequencing of Salivary Gland Mucoepidermoid Carcinoma. Clinical Cancer Research, 2017, 23, 283-288.  | 7.0  | 70        |
| 107 | Sinonasal adamantinoma-like Ewing sarcoma: A case report. Pathology Research and Practice, 2017, 213, 422-426.   | 2.3  | 21        |
| 108 | Favorable Swallowing Outcomes following Vagus Nerve Sacrifice for Vagal Schwannoma Resection. Otolaryngology - Head and Neck Surgery, 2017, 156, 329-333.  | 1.9  | 3         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | HPV-related carcinomas of the head and neck: morphologic features, variants, and practical considerations for the surgical pathologist. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 295-307. | 2.8 | 29        |
| 110 | HPV-related Multiphenotypic Sinonasal Carcinoma. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1690-1701.   | 3.7 | 153       |
| 111 | Role of SATB2 in distinguishing the site of origin in glandular lesions of the bladder/urinary tract. <i>Human Pathology</i> , 2017, 67, 152-159.   | 2.0 | 18        |
| 112 | Identification of novel biomarker and therapeutic target candidates for diagnosis and treatment of follicular carcinoma. <i>Journal of Proteomics</i> , 2017, 166, 59-67.   | 2.4 | 20        |
| 113 | Non-invasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP). <i>Journal of the American Society of Cytopathology</i> , 2017, 6, 211-216.  | 0.5 | 1         |
| 114 | Mortality Risk Stratification by Combining <i>BRAF</i> V600E and <i>TERT</i> Promoter Mutations in Papillary Thyroid Cancer. <i>JAMA Oncology</i> , 2017, 3, 202.   | 7.1 | 217       |
| 115 | Mammary Analog Secretory Carcinoma (MASC) Involving the Thyroid Gland: A Report of the First 3 Cases. <i>Head and Neck Pathology</i> , 2017, 11, 124-130.   | 2.6 | 48        |
| 116 | Regarding Bocklage et al. "Regarding Dettloff et al. Mammary Analog Secretory Carcinoma (MASC) Involving the Thyroid Gland: A Report of First 3 Cases" <i>Head and Neck Pathology</i> , 2017, 11, 266-267.  | 2.6 | 1         |
| 117 | Epigenetically upregulated WIPF1 plays a major role in <i>BRAF</i> V600E-promoted papillary thyroid cancer aggressiveness. <i>Oncotarget</i> , 2017, 8, 900-914.  | 1.8 | 12        |
| 118 | Follicular dendritic cell sarcoma of the head and neck: Case report, literature review, and pooled analysis of 97 cases. <i>Head and Neck</i> , 2016, 38, E2241-9.  | 2.0 | 45        |
| 119 | Human papillomavirus detection in a "Digital" age. <i>Cancer</i> , 2016, 122, 1502-1504.  | 4.1 | 2         |
| 120 | The utility of STAT6 and ALDH1 expression in the differential diagnosis of solitary fibrous tumor versus prostate-specific stromal neoplasms. <i>Human Pathology</i> , 2016, 54, 184-188.   | 2.0 | 31        |
| 121 | Biphenotypic sinonasal sarcoma: an expanded immunoprofile including consistent nuclear $\beta$ -catenin positivity and absence of SOX10 expression. <i>Human Pathology</i> , 2016, 55, 44-50.   | 2.0 | 80        |
| 122 | The Bethesda System for Reporting Thyroid Cytopathology: proposed modifications and updates for the second edition from an international panel. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 245-251.                               | 0.5 | 23        |
| 123 | Problematic Differential Diagnoses in Paranasal Sinus Tumor Histopathology. <i>Current Otorhinolaryngology Reports</i> , 2016, 4, 229-238.  | 0.5 | 0         |
| 124 | Cytopathologic characteristics of SMARCB1 (INI1) deficient sinonasal carcinoma: A potential diagnostic pitfall. <i>Diagnostic Cytopathology</i> , 2016, 44, 700-703.  | 1.0 | 20        |
| 125 | Profound Hematuria in a Toddler Yields an Unusual Diagnosis. <i>Urology Case Reports</i> , 2016, 6, 39-41.  | 0.3 | 0         |
| 126 | Whole-Genome Sequencing of Salivary Gland Adenoid Cystic Carcinoma. <i>Cancer Prevention Research</i> , 2016, 9, 265-274.   | 1.5 | 80        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Newly Described Tumor Entities in Sinonasal Tract Pathology. Head and Neck Pathology, 2016, 10, 23-31.  | 2.6  | 58        |
| 128 | Association of <i>BRAF</i> <sup>V600E</sup> Mutation and MicroRNA Expression with Central Lymph Node Metastases in Papillary Thyroid Cancer: A Prospective Study from Four Endocrine Surgery Centers. Thyroid, 2016, 26, 532-542. | 4.5  | 50        |
| 129 | Serum Antibodies to HPV16 Early Proteins Warrant Investigation as Potential Biomarkers for Risk Stratification and Recurrence of HPV-Associated Oropharyngeal Cancer. Cancer Prevention Research, 2016, 9, 135-141.               | 1.5  | 40        |
| 130 | Low-Grade Fibromyxoid Sarcoma of the Head and Neck: A Clinicopathologic Series and Review of the Literature. Head and Neck Pathology, 2016, 10, 161-166.  | 2.6  | 46        |
| 131 | Adamantinoma-like Ewing Family Tumors of the Head and Neck. American Journal of Surgical Pathology, 2015, 39, 1267-1274.  | 3.7  | 133       |
| 132 | <i>MYB</i> rearrangement and clinicopathologic characteristics in head and neck adenoid cystic carcinoma. Laryngoscope, 2015, 125, E292-9.  | 2.0  | 59        |
| 133 | Cleaved NOTCH1 Expression Pattern in Head and Neck Squamous Cell Carcinoma Is Associated with NOTCH1 Mutation, HPV Status, and High-Risk Features. Cancer Prevention Research, 2015, 8, 287-295.                                  | 1.5  | 43        |
| 134 | HPV-related squamous cell carcinoma of the head and neck: An update on testing in routine pathology practice. Seminars in Diagnostic Pathology, 2015, 32, 344-351.  | 1.5  | 99        |
| 135 | Detection of somatic mutations and HPV in the saliva and plasma of patients with head and neck squamous cell carcinomas. Science Translational Medicine, 2015, 7, 293ra104.   | 12.4 | 372       |
| 136 | Correlation of gene methylation in surgical margin imprints with locoregional recurrence in head and neck squamous cell carcinoma. Cancer, 2015, 121, 1957-1965.  | 4.1  | 40        |
| 137 | A subset of prostatic basal cell carcinomas harbor the MYB rearrangement of adenoid cystic carcinoma. Human Pathology, 2015, 46, 1204-1208.   | 2.0  | 34        |
| 138 | Xenograft Model for Therapeutic Drug Testing in Recurrent Respiratory Papillomatosis. Annals of Otology, Rhinology and Laryngology, 2015, 124, 110-115.   | 1.1  | 14        |
| 139 | Human papillomavirus status of head and neck cancer as determined in cytologic specimens using the hybrid-capture 2 assay. Oral Oncology, 2014, 50, 600-604.  | 1.5  | 32        |
| 140 | Unmasking MASC: Bringing to Light the Unique Morphologic, Immunohistochemical and Genetic Features of the Newly Recognized Mammary Analogue Secretory Carcinoma of Salivary Glands. Head and Neck Pathology, 2013, 7, 35-39.      | 2.6  | 123       |