
Amany Ibrahim Mohamed Mohamed At

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2594020/publications.pdf

Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The prevalence and the clinical profile of metabolic syndrome in children and adolescents with Type 1 diabetes. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2019, 13, 1723-1726. | 3.6 | 12 |
| 2 | ls Neck Circumference an Indicator for Metabolic Complication of Childhood Obesity?. Open Access Macedonian Journal of Medical Sciences, 2015, 3, 26-31. | 0.2 | 9 |
| 3 | Neck Circumference as a Predictor of Adiposity among Healthy and Obese Children. Open Access Macedonian Journal of Medical Sciences, 2015, 3, 558-562. | 0.2 | 9 |
| 4 | Assessment of health-related quality of life in Egyptian adolescents with type 1 diabetes: DEMPU survey. Journal of Pediatric Endocrinology and Metabolism, 2017, 30, 277-283. | 0.9 | 8 |
| 5 | Sanjad Sakati Syndrome: Case reports from Egypt. The Gazette of the Egyptian Paediatric Association, 2017, 65, 6-9. | 0.4 | 7 |
| 6 | Impact of cytotoxin-associated gene A of Helicobacter pylori strains on microalbuminuria in type 2 diabetes. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2010, 21, 694-700. | 0.3 | 6 |
| 7 | <i>CYP21A2</i> genetic profile in 14 Egyptian children with suspected congenital adrenal hyperplasia: a diagnostic challenge. Annals of the New York Academy of Sciences, 2018, 1415, 11-20. | 3.8 | 5 |
| 8 | Prevalence and pattern of dyslipidemia in an Egyptian children and adolescents with type 1 diabetes. The Gazette of the Egyptian Paediatric Association, 2021, 69, . | 0.4 | 5 |
| 9 | Neck circumference as a novel screening method for estimating fat distribution and metabolic complications in obese children. The Gazette of the Egyptian Paediatric Association, 2015, 63, 91-97. | 0.4 | 4 |
| 10 | Cutaneous manifestations among Egyptian children and adolescents with type 1 diabetes. The Gazette of the Egyptian Paediatric Association, 2016, 64, 44-49. | 0.4 | 4 |
| 11 | Waist-to-height ratio as a clinical predictor for cardiovascular risks and insulin resistance in children and adolescents with exogenous obesity. The Gazette of the Egyptian Paediatric Association, 2021, 69, . | 0.4 | 2 |
| 12 | Association of protein tyrosine phosphatase non receptor type 22 (PTPN22) C1858T gene polymorphism with type 1 diabetes mellitus in Egyptian children cohort. The Gazette of the Egyptian Paediatric Association, 2015, 63, 75-79. | 0.4 | 1 |
| 13 | Iron therapy and anthropometry: A case-control study among iron deficient preschool children. The Gazette of the Egyptian Paediatric Association, 2017, 65, 95-100. | 0.4 | 1 |
| 14 | Serum Dipeptidyl peptidase-4 level is related to adiposity in type 1 diabetic adolescents. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2020, 14, 609-614. | 3.6 | 1 |
| 15 | Clinical characteristics and precipitating factor(s) associated with diabetic ketoacidosis presentation in children with newly diagnosed diabetes. Clinical Diabetology, 2020, 9, 286-292. | 0.6 | 1 |
| 16 | Growth in infants with congenital adrenal hyperplasia due to 21-hydroxylase deficiency: An analysis of the factors affecting height. The Gazette of the Egyptian Paediatric Association, 2013, 61, 57-62. | 0.4 | 0 |