

Li-Ming Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2594912/publications.pdf>

Version: 2024-02-01

34
papers

635
citations

567281

15
h-index

642732

23
g-index

36
all docs

36
docs citations

36
times ranked

813
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Efficacy and safety of bevacizumab combined with <sc>EGFR&TlKs</sc> in advanced non&small cell lung cancer: A meta&analysis. <i>Thoracic Cancer</i> , 2022, 13, 31-37. | 1.9 | 5 |
| 2 | Prognostic Factors in Stage IV Colorectal Cancer Patients With Resection of Liver and/or Pulmonary Metastases: A Population-Based Cohort Study. <i>Frontiers in Oncology</i> , 2022, 12, 850937. | 2.8 | 10 |
| 3 | Impact of perioperative allogeneic blood transfusion on the long-term prognosis of patients with different stage tumors after radical resection for hepatocellular carcinoma. <i>European Journal of Surgical Oncology</i> , 2021, 47, 620-627. | 1.0 | 7 |
| 4 | Differences of intraoperative outcomes and postoperative complications between intrahepatic cholangiocarcinoma and colorectal liver metastasis in different surgical methods. <i>Translational Cancer Research</i> , 2021, 10, 4020-4032. | 1.0 | 4 |
| 5 | Anlotinib in the treatment of advanced hepatocellular carcinoma: an open-label phase II study (ALTER-0802 study). <i>Hepatology International</i> , 2021, 15, 621-629. | 4.2 | 27 |
| 6 | Serum microRNAs predict response of patients with chronic hepatitis B to antiviral therapy. <i>International Journal of Infectious Diseases</i> , 2021, 108, 37-44. | 3.3 | 7 |
| 7 | Prognostic and predictive significance of the tumor microenvironment in hepatocellular carcinoma. <i>Cancer Biomarkers</i> , 2021, 32, 99-110. | 1.7 | 7 |
| 8 | Phase 2 Study of Adjuvant Radiotherapy Following Narrow&Margin Hepatectomy in Patients With HCC. <i>Hepatology</i> , 2021, 74, 2595-2604. | 7.3 | 43 |
| 9 | Clinical and functional significance of CHK1-S, an alternatively spliced isoform of the CHK1 gene, in hepatocellular carcinoma. <i>Journal of Cancer</i> , 2020, 11, 1792-1799. | 2.5 | 3 |
| 10 | Postoperative adjuvant treatment strategy for hepatocellular carcinoma with microvascular invasion: a non-randomized interventional clinical study. <i>BMC Cancer</i> , 2020, 20, 614. | 2.6 | 24 |
| 11 | The combination of preoperative D-dimer and CA19-9 predicts lymph node metastasis and survival in intrahepatic cholangiocarcinoma patients after curative resection. <i>Annals of Translational Medicine</i> , 2020, 8, 192-192. | 1.7 | 9 |
| 12 | Adjuvant radiotherapy in central hepatocellular carcinoma after narrow-margin hepatectomy: A 10-year real-world evidence. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020, 32, 645-653. | 2.2 | 14 |
| 13 | Prognostic value of the controlling nutritional status (CONUT) score in intrahepatic cholangiocarcinoma patients especially who had long-time alcohol consumption. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2020, 67, 323-331. | 1.4 | 11 |
| 14 | Enhanced recovery after surgery strategy for cirrhosis patients undergoing hepatectomy: experience in a single research center. <i>Annals of Surgical Treatment and Research</i> , 2020, 98, 224. | 1.0 | 8 |
| 15 | Possible local treatment for liver metastases of adenoid cystic carcinoma (ACC): single-centre experience and literature review. <i>Translational Cancer Research</i> , 2020, 9, 4573-4582. | 1.0 | 0 |
| 16 | Hypervascular hepatic mass in a patient with breast cancer. <i>Turkish Journal of Gastroenterology</i> , 2020, 31, 825-828. | 1.1 | 0 |
| 17 | Post-surgical resection prognostic value of combined OPN, MMP7, and PSG9 plasma biomarkers in hepatocellular carcinoma. <i>Frontiers of Medicine</i> , 2019, 13, 250-258. | 3.4 | 16 |
| 18 | Model&based three&dimensional texture analysis of contrast&enhanced magnetic resonance imaging as a potential tool for preoperative prediction of microvascular invasion in hepatocellular carcinoma. <i>Oncology Letters</i> , 2019, 18, 720-732. | 1.8 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Nomogram to Assist in Surgical Plan for Hepatocellular Carcinoma: a Prediction Model for Microvascular Invasion. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 2372-2382. | 1.7 | 34 |
| 20 | High Beclin-1 and ARID1A expression correlates with poor survival and high recurrence in intrahepatic cholangiocarcinoma: a histopathological retrospective study. <i>BMC Cancer</i> , 2019, 19, 213. | 2.6 | 17 |
| 21 | <p>Optimal postoperative adjuvant treatment strategy for HBV-related hepatocellular carcinoma with microvascular invasion: a propensity score analysis</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 1237-1247. | 2.0 | 21 |
| 22 | Regional Ischemic Preconditioning Has Clinical Value in Cirrhotic HCC Through MAPK Pathways. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 1767-1777. | 1.7 | 4 |
| 23 | Surgical outcomes of hand-assisted laparoscopic liver resection vs. open liver resection: A retrospective propensity score-matched cohort study. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2019, 31, 818-824. | 2.2 | 5 |
| 24 | Benefit of adjuvant radiotherapy following narrow-margin hepatectomy in patients with intrahepatic cholangiocarcinoma that adhere to major vessels. <i>Cancer Management and Research</i> , 2018, Volume 10, 3973-3981. | 1.9 | 20 |
| 25 | Multi-omics study revealing the complexity and spatial heterogeneity of tumor-infiltrating lymphocytes in primary liver carcinoma. <i>Oncotarget</i> , 2017, 8, 34844-34857. | 1.8 | 31 |
| 26 | Postoperative adjuvant radiotherapy is associated with improved survival in hepatocellular carcinoma with microvascular invasion. <i>Oncotarget</i> , 2017, 8, 79971-79981. | 1.8 | 46 |
| 27 | Hepatocellular adenoma with malignant transformation in male patients with non-cirrhotic livers. <i>Chinese Journal of Cancer</i> , 2015, 34, 217-24. | 4.9 | 11 |
| 28 | Survival benefit with <sc>IMRT</sc> following narrowâ€margin hepatectomy in patients with hepatocellular carcinoma close to major vessels. <i>Liver International</i> , 2015, 35, 2603-2610. | 3.9 | 49 |
| 29 | Three-dimensional morphometric analysis for hepatectomy of centrally located hepatocellular carcinoma: A pilot study. <i>World Journal of Gastroenterology</i> , 2015, 21, 4607-4619. | 3.3 | 18 |
| 30 | Circulating miR-19a and miR-205 in Serum May Predict the Sensitivity of Luminal A Subtype of Breast Cancer Patients to Neoadjuvant Chemotherapy with Epirubicin Plus Paclitaxel. <i>PLoS ONE</i> , 2014, 9, e104870. | 2.5 | 66 |
| 31 | Adjuvant Radiotherapy in Centrally Located Hepatocellular Carcinomas after Hepatectomy with Narrow Margin (<1 cm): A Prospective Randomized Study. <i>Journal of the American College of Surgeons</i> , 2014, 218, 381-392. | 0.5 | 55 |
| 32 | Diagnosis and Therapy of Primary Hepatic Neuroendocrine Carcinoma: Clinical Analysis of 10 Cases. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 2541-2546. | 1.2 | 17 |
| 33 | Clinical analysis of 21 cases of primary breast malignant lymphoma. <i>Chinese Journal of Clinical Oncology</i> , 2005, 2, 675-678. | 0.0 | 2 |
| 34 | Different effects of selenium on cyclic AMP metabolism in hepatoma cells and normal liver cells. <i>Biological Trace Element Research</i> , 1983, 5, 9-16. | 3.5 | 14 |