
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2595317/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Switching from originator infliximab to biosimilar CT-P13 compared with maintained treatment with originator infliximab (NOR-SWITCH): a 52-week, randomised, double-blind, non-inferiority trial. Lancet, The, 2017, 389, 2304-2316.	13.7	666
2	Clinical course during the first 10 years of ulcerative colitis: results from a population-based inception cohort (IBSEN Study). Scandinavian Journal of Gastroenterology, 2009, 44, 431-440.	1.5	628
3	Clinical Course in Crohn's Disease: Results of a Norwegian Population-Based Ten-Year Follow-Up Study. Clinical Gastroenterology and Hepatology, 2007, 5, 1430-1438.	4.4	617
4	Incidence and Prevalence of Primary Biliary Cirrhosis, Primary Sclerosing Cholangitis, and Autoimmune Hepatitis in a Norwegian Population. Scandinavian Journal of Gastroenterology, 1998, 33, 99-103.	1.5	457
5	Gluten induces an intestinal cytokine response strongly dominated by interferon gamma in patients with celiac disease. Gastroenterology, 1998, 115, 551-563.	1.3	430
6	Association of NOD2 (CARD 15) genotype with clinical course of Crohn's disease: a cohort study. Lancet, The, 2002, 359, 1661-1665.	13.7	397
7	Assessment of Disease Activity in Ulcerative Colitis by Faecal Calprotectin, a Novel Granulocyte Marker Protein. Digestion, 1997, 58, 176-180.	2.3	333
8	C-reactive protein: a predictive factor and marker of inflammation in inflammatory bowel disease. Results from a prospective population-based study. Gut, 2008, 57, 1518-1523.	12.1	331
9	Bone mineral density is reduced in patients with Crohn's disease but not in patients with ulcerative colitis: a population based study Gut, 1997, 40, 313-319.	12.1	237
10	Ulcerative colitis and clinical course: Results of a 5-year population-based follow-up study (the IBSEN) Tj ETQq0 0	0 [gBT /O	verlock 10 Tf 228
11	Clinical course in Crohn's disease: Results of a five-year population-based follow-up study (the IBSEN) Tj ETQq1 1	0.784314 1.5	rgBT /Overld
12	Health-related Quality of Life in Patients with Inflammatory Bowel Disease Measured with the Short Form-36: Psychometric Assessments and a Comparison with General Population Norms. Inflammatory Bowel Diseases, 2005, 11, 909-918.	1.9	190
13	Consecutive Fecal Calprotectin Measurements to Predict Relapse in Patients with Ulcerative Colitis Receiving Infliximab Maintenance Therapy, Inflammatory Bowel Diseases, 2013, 19, 2111-2117.	1.9	178

14	Vitamin D Status, Parathyroid Hormone and Bone Mineral Density in Patients with Inflammatory Bowel Disease. Scandinavian Journal of Gastroenterology, 2002, 37, 192-199.	1.5	169
15	Relationship between sick leave, unemployment, disability, and health-related quality of life in patients with inflammatory bowel disease. Inflammatory Bowel Diseases, 2006, 12, 402-412.	1.9	168
16	Prevalence of Sclerosing Cholangitis Detected by Magnetic Resonance Cholangiography in Patients With Long-term Inflammatory Bowel Disease. Gastroenterology, 2016, 151, 660-669.e4.	1.3	162
17	Body Composition in Patients With Inflammatory Bowel Disease: A Population-Based Study. American Journal of Gastroenterology, 2003, 98, 1556-1562.	0.4	128

18Healthâ€related quality of life in patients with inflammatory bowel disease five years after the initial
diagnosis. Scandinavian Journal of Gastroenterology, 2004, 39, 365-373.1.5126

JÃ,RGEN JAHNSEN

#	Article	IF	CITATIONS
19	Humoral and cellular immune responses to two and three doses of SARS-CoV-2 vaccines in rituximab-treated patients with rheumatoid arthritis: a prospective, cohort study. Lancet Rheumatology, The, 2022, 4, e177-e187.	3.9	122
20	Change of diagnosis during the first five years after onset of inflammatory bowel disease: Results of a prospective follow-up study (the IBSEN Study). Scandinavian Journal of Gastroenterology, 2006, 41, 1037-1043.	1.5	111
21	Biosimilar infliximab (CT-P13) in the treatment of inflammatory bowel disease: A Norwegian observational study. Expert Review of Gastroenterology and Hepatology, 2015, 9, 45-52.	3.0	100
22	A Randomized Trial of a Transglutaminase 2 Inhibitor for Celiac Disease. New England Journal of Medicine, 2021, 385, 35-45.	27.0	98
23	Longâ€ŧerm prognosis of patients with alcoholic liver cirrhosis: a 15â€year followâ€up study of 100 Norwegian patients admitted to one unit. Scandinavian Journal of Gastroenterology, 2004, 39, 858-863.	1.5	89
24	Course of disease, drug treatment and health-related quality of life in patients with inflammatory bowel disease 5 years after initial diagnosis. European Journal of Gastroenterology and Hepatology, 2005, 17, 1037-1045.	1.6	87
25	Longâ€ŧerm efficacy and safety of biosimilar infliximab (CTâ€P13) after switching from originator infliximab: open″abel extension of the NORâ€SWITCH trial. Journal of Internal Medicine, 2019, 285, 653-669.	6.0	87
26	Effect of Therapeutic Drug Monitoring vs Standard Therapy During Infliximab Induction on Disease Remission in Patients With Chronic Immune-Mediated Inflammatory Diseases. JAMA - Journal of the American Medical Association, 2021, 325, 1744.	7.4	83
27	Tetramerâ€visualized glutenâ€specific CD4+ T cells in blood as a potential diagnostic marker for coeliac disease without oral gluten challenge. United European Gastroenterology Journal, 2014, 2, 268-278.	3.8	79
28	Vitamin D deficiency in inflammatory bowel disease: prevalence and predictors in a Norwegian outpatient population. Scandinavian Journal of Gastroenterology, 2017, 52, 100-106.	1.5	79
29	Bone mineral density in patients with inflammatory bowel disease: A populationâ€based prospective twoâ€year followâ€up study. Scandinavian Journal of Gastroenterology, 2004, 39, 145-153.	1.5	78
30	Effect of Therapeutic Drug Monitoring vs Standard Therapy During Maintenance Infliximab Therapy on Disease Control in Patients With Immune-Mediated Inflammatory Diseases. JAMA - Journal of the American Medical Association, 2021, 326, 2375.	7.4	78
31	Fecal calprotectin variability in Crohn's disease. Inflammatory Bowel Diseases, 2010, 16, 1091-1092.	1.9	65
32	Secondary Hyperparathyroidism, Vitamin D Sufficiency, and Serum Calcium 5ÂYears After Gastric Bypass and Duodenal Switch. Obesity Surgery, 2013, 23, 384-390.	2.1	62
33	Plasma Cells Are the Most Abundant Gluten Peptide MHC-expressing Cells in Inflamed Intestinal Tissues FromÂPatients With Celiac Disease. Gastroenterology, 2019, 156, 1428-1439.e10.	1.3	61
34	Heterogeneity of intraepithelial lymphocytes in refractory sprue: potential implications of CD30 expression. Gut, 2002, 51, 372-378.	12.1	60
35	<p>Fecal microbiota profiles in treatment-naïve pediatric inflammatory bowel disease – associations with disease phenotype, treatment, and outcome</p> . Clinical and Experimental Gastroenterology, 2019, Volume 12, 37-49.	2.3	58
36	The Future of Biosimilars: Maximizing Benefits Across Immune-Mediated Inflammatory Diseases. Drugs, 2020, 80, 99-113.	10.9	58

#	Article	IF	CITATIONS
37	Systemic Inflammation in Preclinical Ulcerative Colitis. Gastroenterology, 2021, 161, 1526-1539.e9.	1.3	58
38	Interferon-Î ³ -Secreting T Cells Localize to the Epithelium in Coeliac Disease. Scandinavian Journal of Immunology, 2002, 56, 652-664.	2.7	57
39	Relationships between inflammatory bowel disease and perinatal factors: Both maternal and paternal disease are related to preterm birth of offspring. Inflammatory Bowel Diseases, 2010, 16, 847-855.	1.9	56
40	Patients with Crohn's disease experience reduced general health and vitality in the chronic stage: Ten-year results from the IBSEN study. Journal of Crohn's and Colitis, 2012, 6, 441-453.	1.3	55
41	The Association Between Water Supply and Inflammatory Bowel Disease Based on a 1990-1993 Cohort Study in Southeastern Norway. American Journal of Epidemiology, 2008, 168, 1065-1072.	3.4	53
42	Fatigue in a population-based cohort of patients with inflammatory bowel disease 20 years after diagnosis: The IBSEN study. Scandinavian Journal of Gastroenterology, 2017, 52, 351-358.	1.5	52
43	Pediatric Inflammatory Bowel Disease in Southeastern Norway: A Five-Year Follow-Up Study. Digestion, 2004, 70, 226-230.	2.3	48
44	Predictive Value of Serologic Markers in a Population-based Norwegian Cohort with Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2009, 15, 406-414.	1.9	48
45	Restricted VH/VL usage and limited mutations in gluten-specific IgA of coeliac disease lesion plasma cells. Nature Communications, 2014, 5, 4041.	12.8	46
46	Incidence of hypophosphatemia in patients with inflammatory bowel disease treated with ferric carboxymaltose or iron isomaltoside. Alimentary Pharmacology and Therapeutics, 2019, 50, 397-406.	3.7	46
47	Direct cloning and tetramer staining to measure the frequency of intestinal glutenâ€reactive T cells in celiac disease. European Journal of Immunology, 2013, 43, 2605-2612.	2.9	45
48	Density of CD163 ⁺ CD11c ⁺ Dendritic Cells Increases and CD103 ⁺ Dendritic Cells Decreases in the Coeliac Lesion. Scandinavian Journal of Immunology, 2011, 74, 186-194.	2.7	44
49	Combination of Biological Agents in Moderate to Severe Pediatric Inflammatory Bowel Disease: A Case Series and Review of the Literature. Paediatric Drugs, 2020, 22, 409-416.	3.1	41
50	Mortality and causes of death in Crohn's disease: results from 20â€years of follow-up in the IBSEN study. Gut, 2014, 63, 771-775.	12.1	39
51	Serum proteomic profiling at diagnosis predicts clinical course, and need for intensification of treatment in inflammatory bowel disease. Journal of Crohn's and Colitis, 2021, 15, 699-708.	1.3	36
52	Health-related Quality of Life in Patients with Inflammatory Bowel Disease 20 Years After Diagnosis. Inflammatory Bowel Diseases, 2016, 22, 1679-1687.	1.9	35
53	A role for CCL28–CCR3 in T-cell homing to the human upper airway mucosa. Mucosal Immunology, 2015, 8, 107-114.	6.0	34
54	The INSPIRE study: Do personality traits predict general quality of life (Short form-36) in distressed patients with ulcerative colitis and Crohn's disease?. Scandinavian Journal of Gastroenterology, 2008, 43, 1505-1513.	1.5	33

#	Article	IF	CITATIONS
55	Familial aggregation in Crohn's disease and ulcerative colitis in a Norwegian population-based cohort followed for ten years. Journal of Crohn's and Colitis, 2009, 3, 92-99.	1.3	31
56	Fibromyalgia and chronic widespread pain in patients with inflammatory bowel disease: a cross sectional population survey. Journal of Rheumatology, 2001, 28, 590-4.	2.0	31
57	Immunogenicity and Safety of Standard and <scp>Thirdâ€Dose SARS</scp> – <scp>CoV</scp> â€2 Vaccination in Patients Receiving Immunosuppressive Therapy. Arthritis and Rheumatology, 2022, 74, 1321-1332.	5.6	31
58	Evaluation of the Cross-reactivity of Antidrug Antibodies to CT-P13 and Infliximab Reference Product (Remicade): An Analysis Using Immunoassays Tagged with Both Agents. BioDrugs, 2017, 31, 223-237.	4.6	30
59	Therapeutic drug monitoring of infliximab compared to standard clinical treatment with infliximab: study protocol for a randomised, controlled, open, parallel-group, phase IV study (the NOR-DRUM) Tj ETQq1 1 0.7	8 4.8 14 rg	B B Øverlock
60	Outcome of Ulcerative Colitis 20 Years after Diagnosis in a Prospective Population-based Inception Cohort from South-Eastern Norway, the IBSEN Study. Journal of Crohn's and Colitis, 2021, 15, 969-979.	1.3	29
61	Clustering in time of familial IBD separates ulcerative colitis from Crohn's disease. Inflammatory Bowel Diseases, 2009, 15, 1867-1874.	1.9	28
62	Experience with Biosimilar Infliximab (Remsima®) in Norway. Digestive Diseases, 2017, 35, 83-90.	1.9	28
63	Clinical experience with infliximab biosimilar Remsima (CT-P13) in inflammatory bowel disease patients. Therapeutic Advances in Gastroenterology, 2016, 9, 322-329.	3.2	27
64	Fatigue is not associated with vitamin D deficiency in inflammatory bowel disease patients. World Journal of Gastroenterology, 2018, 24, 3293-3301.	3.3	27
65	Validity, Reliability, and Responsiveness of the Brief Pain Inventory in Inflammatory Bowel Disease. Canadian Journal of Gastroenterology and Hepatology, 2016, 2016, 1-10.	1.9	26
66	Occurrence of hepatoxicicty and elevated liver enzymes in a Crohn's disease patient treated with infliximab. Inflammatory Bowel Diseases, 2007, 13, 1584-1586.	1.9	25
67	Longevity, clonal relationship, and transcriptional program of celiac disease–specific plasma cells. Journal of Experimental Medicine, 2021, 218, .	8.5	25
68	Geographic distribution and ecological studies of inflammatory bowel disease in southeastern Norway in 1990–1993. Inflammatory Bowel Diseases, 2008, 14, 984-991.	1.9	24
69	Similar Responses of Intestinal T Cells From Untreated Children and Adults With Celiac Disease to Deamidated Gluten Epitopes. Gastroenterology, 2017, 153, 787-798.e4.	1.3	24
70	Simultaneous purification of DNA and RNA from microbiota in a single colonic mucosal biopsy. BMC Research Notes, 2016, 9, 328.	1.4	22
71	Ultrasound Measurements of Calcaneus for Estimation of Skeletal Status in Patients with Inflammatory Bowel Disease. Scandinavian Journal of Gastroenterology, 1999, 34, 790-797.	1.5	20
72	Relationships of serum 25â€hydroxyvitamin D, ionized calcium and parathyroid hormone after obesity surgery. Clinical Endocrinology, 2018, 88, 372-379.	2.4	20

#	Article	IF	CITATIONS
73	Faecal microbiota signatures of IBD and their relation to diagnosis, disease phenotype, inflammation, treatment escalation and anti-TNF response in a European Multicentre Study (IBD-Character). Scandinavian Journal of Gastroenterology, 2020, 55, 1146-1156.	1.5	20
74	Patients' perceptions of faecal calprotectin testing in inflammatory bowel disease: results from a prospective multicentre patient-based survey*. Scandinavian Journal of Gastroenterology, 2018, 53, 1437-1442.	1.5	19
75	Plasmacytoid dendritic cells are scarcely represented in the human gut mucosa and are not recruited to the celiac lesion. Mucosal Immunology, 2013, 6, 985-992.	6.0	17
76	The prevalence and transcriptional activity of the mucosal microbiota of ulcerative colitis patients. Scientific Reports, 2018, 8, 17278.	3.3	17
77	Characterisation of the Circulating Transcriptomic Landscape in Inflammatory Bowel Disease Provides Evidence for Dysregulation of Multiple Transcription Factors Including NFE2, SPI1, CEBPB, and IRF2. Journal of Crohn's and Colitis, 2022, 16, 1255-1268.	1.3	17
78	Discontinuation of Infliximab Therapy in Patients with Crohnâ \in ${}^{\mathrm{Ms}}$ s Disease. , 2022, 1, .		17
79	Ranitidine Bismuth Citrate With Clarithromycin Given Twice Daily Effectively Eradicates Helicobacter pylori and Heals Duodenal Ulcers. American Journal of Gastroenterology, 1998, 93, 380-385.	0.4	16
80	Whole Blood Profiling of T-cell-Derived microRNA Allows the Development of Prognostic models in Inflammatory Bowel Disease. Journal of Crohn's and Colitis, 2020, 14, 1724-1733.	1.3	16
81	A high-affinity human TCR-like antibody detects celiac disease gluten peptide–MHC complexes and inhibits T cell activation. Science Immunology, 2021, 6, .	11.9	15
82	Comparative efficacy and safety of infliximab and vedolizumab therapy in patients with inflammatory bowel disease: a systematic review and meta-analysis. BMC Gastroenterology, 2022, 22, .	2.0	15
83	Mortality and Causes of Death in Ulcerative Colitis. Inflammatory Bowel Diseases, 2016, 22, 141-145.	1.9	14
84	Self-esteem in patients with inflammatory bowel disease. Quality of Life Research, 2020, 29, 1839-1846.	3.1	14
85	Clinical Practice of Adalimumab and Infliximab Biosimilar Treatment in Adult Patients With Crohn's Disease. Inflammatory Bowel Diseases, 2021, 27, 106-122.	1.9	14
86	Pain may be an important factor to consider in inflammatory bowel disease patients troubled by fatigue. United European Gastroenterology Journal, 2017, 5, 687-693.	3.8	13
87	Bowel Damage in Patients With Long-term Crohn's Disease, Assessed by Magnetic Resonance Enterography and the Lémann Index. Clinical Gastroenterology and Hepatology, 2018, 16, 75-82.e5.	4.4	13
88	Determinants of optimal bowel function in ileal pouch-anal anastomosis – physiological differences contributing to pouch function. Scandinavian Journal of Gastroenterology, 2018, 53, 8-14.	1.5	13
89	On the immune response to barley in celiac disease: Biased and public Tâ€cell receptor usage to a barley unique and immunodominant gluten epitope. European Journal of Immunology, 2020, 50, 256-269.	2.9	13
90	The Impact of Spondyloarthritis and Joint Symptoms on Health-Related Quality of Life and Fatigue in IBD Patients. Results From a Population-Based Inception Cohort (20-Year Follow-up in the Ibsen Study). Inflammatory Bowel Diseases, 2020, 26, 114-124.	1.9	12

#	Article	IF	CITATIONS
91	Risk factors for antiâ€drug antibody formation to infliximab: Secondary analyses of a randomised controlled trial. Journal of Internal Medicine, 2022, 292, 477-491.	6.0	12
92	Attention deficit and hyperactivity disorder symptoms respond to gluten-free diet in patients with coeliac disease. Scandinavian Journal of Gastroenterology, 2019, 54, 571-576.	1.5	11
93	Efficacy and Safety of CT-P13 in Inflammatory Bowel Disease after Switching from Originator Infliximab: Exploratory Analyses from the NOR-SWITCH Main and Extension Trials. BioDrugs, 2020, 34, 681-694.	4.6	10
94	Pathogenic T Cells in Celiac Disease Change Phenotype on Gluten Challenge: Implications for Tâ€Cellâ€Directed Therapies. Advanced Science, 2021, 8, e2102778.	11.2	10
95	Relationships Between Vitamin D Status and PTH over 5 Years After Roux-en-Y Gastric Bypass: a Longitudinal Cohort Study. Obesity Surgery, 2020, 30, 3426-3434.	2.1	9
96	Pain Severity and Vitamin D Deficiency in IBD Patients. Nutrients, 2020, 12, 26.	4.1	8
97	AB0442â€Long-term safety and efficacy of biosimilar infliximab (CT-P13) after switching from originator infliximab: results from the 26-week open label extension of a norwegian randomised trial. , 2018, , .		8
98	Treatment and outcome of gastrointestinal bleeding due to peptic ulcers and erosions – (BLUE study). Scandinavian Journal of Gastroenterology, 2022, 57, 8-15.	1.5	8
99	OP0017â€THERAPEUTIC DRUG MONITORING COMPARED TO STANDARD TREATMENT OF PATIENTS STARTING INFLIXIMAB THERAPY: RESULTS FROM A MULTICENTRE RANDOMISED TRIAL OF 400 PATIENTS. Annals of the Rheumatic Diseases, 2020, 79, 12-12.	0.9	7
100	Phenotypeâ€Based Isolation of Antigenâ€5pecific CD4 ⁺ T Cells in Autoimmunity: A Study of Celiac Disease. Advanced Science, 2022, 9, e2104766.	11.2	7
101	OP022 Proximity extension assay based proteins show immune cell specificity and can diagnose and predict outcomes in inflammatory bowel diseases: IBD Character study. Journal of Crohn's and Colitis, 2017, 11, S13-S13.	1.3	6
102	Assessment of Bowel Inflammation and Strictures by Magnetic Resonance Enterography in Long-term Crohn's Disease. Journal of Crohn's and Colitis, 2019, 13, 607-614.	1.3	5
103	Gastrointestinal bleeding due to peptic ulcers and erosions – a prospective observational study (BLUE) Tj ETQq	1 1 0.7843 1.5	314 rgBT /0
104	Mucosal Gene Transcript Signatures in Treatment NaÃ ⁻ ve Inflammatory Bowel Disease: A Comparative Analysis of Disease to Symptomatic and Healthy Controls in the European IBD-Character Cohort. Clinical and Experimental Gastroenterology, 2022, Volume 15, 5-25.	2.3	5
105	Photodynamic Effects with 5-Aminolevulinic Acid on Cytokines and Exosomes in Human Peripheral Blood Mononuclear Cells. Biomedicines, 2022, 10, 232.	3.2	4
106	P208 Chronic fatigue in patients with inflammatory bowel disease is associated with lower health–related quality of life, low self-esteem, increased anxiety and depression. Journal of Crohn's and Colitis, 2018, 12, S204-S205.	1.3	2
107	Hypophosphatemia after high-dose intravenous iron treatment in patients with inflammatory bowel disease: Mechanisms and possible clinical impact. World Journal of Gastroenterology, 2021, 27, 2039-2053.	3.3	2
108	FRI0140â€Individualised infliximab treatment: a treatment strategy based on therapeutic drug		2

JÃ,RGEN JAHNSEN

#	Article	IF	CITATIONS
109	The multidimensional fatigue inventory (MFI-20): psychometrical testing in a Norwegian sample of inflammatory bowel disease (IBD) patients. Scandinavian Journal of Gastroenterology, 2022, , 1-7.	1.5	2
110	OP09 Proactive Therapeutic Drug Monitoring is superior to standard treatment during maintenance therapy with infliximab; results from a 52-week multicentre randomised trial of 450 patients; the NOR-DRUM B study. Journal of Crohn's and Colitis, 2022, 16, i010-i010.	1.3	2
111	THU0354â€Disease worsening and safety in patients switching from originator infliximab to biosimilar infliximab (CT-P13) in the randomized nor-switch-study: explorative analysis in SPA patients. , 2017, , .		1
112	Efficacy of infliximab biosimilars in patients with Crohn's disease – Authors' reply. Lancet, The, 2017, 390, 2436.	13.7	1
113	FRI0182â€Disease worsening and safety in patients switching from originator infliximab to biosimilar infliximab (CT-P13) in the nor-switch study: explorative analysis of RA patients. , 2017, , .		1
114	Editorial: awareness and prevention of intravenous ironâ€induced hypophosphataemia. Authors' reply. Alimentary Pharmacology and Therapeutics, 2019, 50, 610-611.	3.7	1
115	Editorial: improving precision of iron deficiency diagnosis in inflammatory bowel disease. Alimentary Pharmacology and Therapeutics, 2020, 52, 400-400.	3.7	1
116	P696 Genetic predisposition to infliximab immunogenicity in patients with immune-mediated inflammatory diseases – secondary analyses from a randomised clinical trial. Journal of Crohn's and Colitis, 2022, 16, i594-i595.	1.3	1
117	P605 Immunogenicity and safety of standard and third dose SARS-CoV-2 vaccination in patients with immune-mediated inflammatory diseases; a prospective cohort study. Journal of Crohn's and Colitis, 2022, 16, i537-i538.	1.3	1
118	Therapeutic Drug Monitoring vs Standard Therapy During Maintenance Infliximab Therapy and Control of Immune-Mediated Inflammatory Diseases—Reply. JAMA - Journal of the American Medical Association, 2022, 327, 1506.	7.4	1
119	THU0700â€Immunogenicity in patients switching from stable originator infliximab treatment to CT-P13: analyses across six diseases from the 52-week randomized nor-switch study. , 2017, , .		0
120	P061 Epigenetic alterations at diagnosis predict susceptibility, prognosis and treatment escalation in in inflammatory bowel disease – IBD Character. Journal of Crohn's and Colitis, 2017, 11, S108-S108.	1.3	0
121	P788 Microbiota related disease activity and distribution in subgroups of inflammatory bowel disease. Journal of Crohn's and Colitis, 2017, 11, S483-S484.	1.3	0
122	P250 Use of complementary and alternative medicine is associated with chronic fatigue and lower health-related quality of life in patients with inflammatory bowel disease 20 years after diagnosis: results from the IBSEN study. Journal of Crohn's and Colitis, 2019, 13, S221-S222.	1.3	0
123	P723 Incidence of hypophosphatemia in patients with inflammatory bowel disease treated with iron isomaltoside or ferric carboxymaltose: results of a prospective cluster randomised cohort study. Journal of Crohn's and Colitis, 2019, 13, S482-S483.	1.3	0
124	OP0301â€RISK FACTORS FOR ANTI-INFLIXIMAB ANTIBODY FORMATION: RESULTS FROM THE RANDOMISED CONTROLLED NOR-DRUM A TRIAL. Annals of the Rheumatic Diseases, 2021, 80, 185.2-185.	0.9	0
125	P636 Work disability after 20 years with Inflammatory Bowel Disease - results from the IBSEN study. Journal of Crohn's and Colitis, 2022, 16, i555-i555.	1.3	0
126	DOP73 A comparative efficacy and safety analysis of subcutaneous infliximab and vedolizumab in patients with Crohn's Disease and Ulcerative Colitis. Journal of Crohn's and Colitis, 2022, 16, i116-i117.	1.3	0

#	Article	IF	CITATIONS
127	P467 Therapeutic drug monitoring of biologics in Inflammatory Bowel Disease: Nordic survey on implementation and barriers in clinical practice. Journal of Crohn's and Colitis, 2022, 16, i441-i441.	1.3	Ο
128	Duodenal ulcer healing rates in a one-year follow-up study with ranitidine bismuth citrate and antibiotics. Hepato-Gastroenterology, 2001, 48, 1641-7.	0.5	0
129	Abstract OT2-19-01: Presurgical treatment with ribociclib and letrozole in patients with locally advanced breast cancer: The NEOLETRIB study. Cancer Research, 2022, 82, OT2-19-01-OT2-19-01.	0.9	0