

Chulhee Choi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/259535/chulhee-choi-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

5,310
citations

42
h-index

69
g-index

146
ext. papers

6,096
ext. citations

5.9
avg, IF

5.6
L-index

#	Paper	IF	Citations
138	Therapeutic exosomes for various human diseases: Special issue of BMB Reports in 2022. <i>BMB Reports</i> , 2022 , 55, 1-2	5.5	0
137	Targeted Delivery of Exosomes Armed with Anti-Cancer Therapeutics.. <i>Membranes</i> , 2022 , 12,	3.8	5
136	Strategies for Targeted Delivery of Exosomes to the Brain: Advantages and Challenges.. <i>Pharmaceutics</i> , 2022 , 14,	6.4	3
135	Manufacturing Therapeutic Exosomes: from Bench to Industry.. <i>Molecules and Cells</i> , 2022 , 45, 284-290	3.5	4
134	Quantitative Biodistribution and Pharmacokinetics Study of GMP-Grade Exosomes Labeled with 89Zr Radioisotope in Mice and Rats. <i>Pharmaceutics</i> , 2022 , 14, 1118	6.4	2
133	Biodistribution and Pharmacokinetics of Liposomes and Exosomes in a Mouse Model of Sepsis. <i>Pharmaceutics</i> , 2021 , 13,	6.4	9
132	Extracellular vesicles in kidneys and their clinical potential in renal diseases. <i>Kidney Research and Clinical Practice</i> , 2021 , 40, 194-207	3.6	2
131	Biodistribution of Exosomes and Engineering Strategies for Targeted Delivery of Therapeutic Exosomes. <i>Tissue Engineering and Regenerative Medicine</i> , 2021 , 18, 499-511	4.5	14
130	Extra-domain B of fibronectin as an alternative target for drug delivery and a cancer diagnostic and prognostic biomarker for malignant glioma. <i>Theranostics</i> , 2021 , 11, 941-957	12.1	4
129	The emerging role of exosomes as novel therapeutics: Biology, technologies, clinical applications, and the next. <i>American Journal of Reproductive Immunology</i> , 2021 , 85, e13329	3.8	22
128	Exosome-based delivery of super-repressor $\text{I}\kappa\text{B}\alpha$ ameliorates kidney ischemia-reperfusion injury. <i>Kidney International</i> , 2021 , 100, 570-584	9.9	12
127	Exosomal delivery of NF- κ B inhibitor delays LPS-induced preterm birth and modulates fetal immune cell profile in mouse models. <i>Science Advances</i> , 2021 , 7,	14.3	19
126	Exosome-based delivery of super-repressor $\text{I}\kappa\text{B}\alpha$ relieves sepsis-associated organ damage and mortality. <i>Science Advances</i> , 2020 , 6, eaaz6980	14.3	58
125	Cyclic-recombinase-reporter mouse model to determine exosome communication and function during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 502.e1-502.e12	6.4	41
124	Mesenchymal Stem Cell-Derived Extracellular Vesicles as Therapeutics and as a Drug Delivery Platform. <i>Stem Cells Translational Medicine</i> , 2019 , 8, 880-886	6.9	69
123	Blockade of integrin β attenuates human pancreatic cancer via inhibition of EGFR signalling. <i>Scientific Reports</i> , 2019 , 9, 2793	4.9	9
122	Ginsenoside F1 suppresses astrocytic senescence-associated secretory phenotype. <i>Chemico-Biological Interactions</i> , 2018 , 283, 75-83	5	26

121	Blood flow characteristics of diabetic patients with complications detected by optical measurement. <i>BioMedical Engineering OnLine</i> , 2018 , 17, 25	4.1	9
120	MCP-1 and MIP-3 β Secreted from Necrotic Cell-Treated Glioblastoma Cells Promote Migration/Infiltration of Microglia. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 1332-1346	3.9	12
119	Induction of neuronal activation by femtosecond-pulsed laser irradiation and its potential application for amyloid- β -induced toxicity assessment. <i>Journal of Biophotonics</i> , 2017 , 10, 311-319	3.1	2
118	Oncopression: gene expression compendium for cancer with matched normal tissues. <i>Bioinformatics</i> , 2017 , 33, 2068-2070	7.2	12
117	Autocrine DUSP28 signaling mediates pancreatic cancer malignancy via regulation of PDGF-A. <i>Scientific Reports</i> , 2017 , 7, 12760	4.9	15
116	Rapid and quantitative measurement of cell adhesion and migration activity by time-series analysis on biomimetic topography. <i>Biotechnology and Bioprocess Engineering</i> , 2017 , 22, 107-113	3.1	3
115	Robust method for identification of prognostic gene signatures from gene expression profiles. <i>Scientific Reports</i> , 2017 , 7, 16926	4.9	5
114	Ginsenoside Rg3 Prevents Oxidative Stress-Induced Astrocytic Senescence and Ameliorates Senescence Paracrine Effects on Glioblastoma. <i>Molecules</i> , 2017 , 22,	4.8	21
113	Application of Ultrashort-Pulsed Lasers for Optical Manipulation of Biological Functions 2017 , 717-729		2
112	SoxF Transcription Factors Are Positive Feedback Regulators of VEGF Signaling. <i>Circulation Research</i> , 2016 , 119, 839-52	15.7	39
111	Exosome engineering for efficient intracellular delivery of soluble proteins using optically reversible protein-protein interaction module. <i>Nature Communications</i> , 2016 , 7, 12277	17.4	287
110	Principal component analysis of dynamic fluorescence images for diagnosis of diabetic vasculopathy. <i>Journal of Biomedical Optics</i> , 2016 , 21, 46003	3.5	12
109	Protopanaxatirol type ginsenoside Re promotes cyclic growth of hair follicles via inhibiting transforming growth factor β signaling cascades. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 470, 924-9	3.4	11
108	Combined inhibition of vascular endothelial growth factor receptor signaling with temozolomide enhances cytotoxicity against human glioblastoma cells via downregulation of Neuropilin-1. <i>Journal of Neuro-Oncology</i> , 2016 , 128, 29-34	4.8	7
107	H3K27 Demethylase JMJD3 Employs the NF- κ B and BMP Signaling Pathways to Modulate the Tumor Microenvironment and Promote Melanoma Progression and Metastasis. <i>Cancer Research</i> , 2016 , 76, 161-70	10.1	69
106	Extracellular vesicles as novel carriers for therapeutic molecules. <i>BMB Reports</i> , 2016 , 49, 585-586	5.5	15
105	Three-dimensional label-free imaging and quantification of lipid droplets in live hepatocytes. <i>Scientific Reports</i> , 2016 , 6, 36815	4.9	72
104	Prolonged silencing of diacylglycerol acyltransferase-1 induces a dedifferentiated phenotype in human liver cells. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 38-47	5.6	2

103	Ginsenoside 20(S)-Protopanaxadiol Suppresses Viability of Human Glioblastoma Cells via Down-regulation of Cell Adhesion Proteins and Cell-cycle Arrest. <i>Anticancer Research</i> , 2016 , 36, 925-32	2.3	8
102	Tapered microtract array platform for antimigratory drug screening of human glioblastoma multiforme. <i>Advanced Healthcare Materials</i> , 2015 , 4, 405-11	10.1	14
101	Characterization of CD8(+)CD57(+) T cells in patients with acute myocardial infarction. <i>Cellular and Molecular Immunology</i> , 2015 , 12, 466-73	15.4	43
100	Label-free characterization of white blood cells by measuring 3D refractive index maps. <i>Biomedical Optics Express</i> , 2015 , 6, 3865-75	3.5	94
99	Blockade of dual-specificity phosphatase 28 decreases chemo-resistance and migration in human pancreatic cancer cells. <i>Scientific Reports</i> , 2015 , 5, 12296	4.9	23
98	Optogenetic control of cell signaling pathway through scattering skull using wavefront shaping. <i>Scientific Reports</i> , 2015 , 5, 13289	4.9	30
97	Evaluation of drug-targetable genes by defining modes of abnormality in gene expression. <i>Scientific Reports</i> , 2015 , 5, 13576	4.9	7
96	Identification of novel trans-crosstalk between histone modifications via genome-wide analysis of maximal deletion effect. <i>Genes and Genomics</i> , 2015 , 37, 693-701	2.1	1
95	Vascular Proteomics Reveal Novel Proteins Involved in SMC Phenotypic Change: OLR1 as a SMC Receptor Regulating Proliferation and Inflammatory Response. <i>PLoS ONE</i> , 2015 , 10, e0133845	3.7	5
94	Cytosolic irradiation of femtosecond laser induces mitochondria-dependent apoptosis-like cell death via intrinsic reactive oxygen cascades. <i>Scientific Reports</i> , 2015 , 5, 8231	4.9	14
93	Principal component analysis of indocyanine green fluorescence dynamics for diagnosis of vascular diseases 2015 ,		2
92	The mitochondrial fusion-related proteins Mfn2 and OPA1 are transcriptionally induced during differentiation of bone marrow progenitors to immature dendritic cells. <i>Molecules and Cells</i> , 2015 , 38, 89-94	3.5	16
91	Application of Ultrashort-Pulsed Lasers for Optical Manipulation of Biological Functions 2015 , 1-10		
90	Transcriptional regulation of adrenomedullin by oncostatin M in human astrogloma cells: implications for tumor invasion and migration. <i>Scientific Reports</i> , 2014 , 4, 6444	4.9	10
89	Identification of phenotype deterministic genes using systemic analysis of transcriptional response. <i>Scientific Reports</i> , 2014 , 4, 4413	4.9	2
88	A method for generating a mouse model of stroke: evaluation of parameters for blood flow, behavior, and survival [corrected]. <i>Experimental Neurobiology</i> , 2014 , 23, 104-14	4	23
87	Phenotypic modulation of primary vascular smooth muscle cells by short-term culture on micropatterned substrate. <i>PLoS ONE</i> , 2014 , 9, e88089	3.7	52
86	Common-path diffraction optical tomography for investigation of three-dimensional structures and dynamics of biological cells. <i>Optics Express</i> , 2014 , 22, 10398-407	3.3	75

85	Optical induction of muscle contraction at the tissue scale through intrinsic cellular amplifiers. <i>Journal of Biophotonics</i> , 2014 , 7, 597-606	3.1	6
84	Application of dynamic indocyanine green perfusion imaging for evaluation of vasoactive effect of acupuncture: a preliminary follow-up study on normal healthy volunteers. <i>Medical Devices: Evidence and Research</i> , 2014 , 7, 17-21	1.5	2
83	Tumor-conditioned Gr-1(+)CD11b(+) myeloid cells induce angiogenesis through the synergistic action of CCL2 and CXCL16 in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 443, 1218-25	3.4	14
82	Mutant ubiquitin UBB+1 induces mitochondrial fusion by destabilizing mitochondrial fission-specific proteins and confers resistance to oxidative stress-induced cell death in astrocytic cells. <i>PLoS ONE</i> , 2014 , 9, e99937	3.7	11
81	Enhancement of the photocytotoxic efficiency of sub-12 nm therapeutic polymeric micelles with increased co-localisation in mitochondria. <i>Chemical Communications</i> , 2013 , 49, 11476-8	5.8	5
80	Endothelial progenitor cells from human dental pulp-derived iPS cells as a therapeutic target for ischemic vascular diseases. <i>Biomaterials</i> , 2013 , 34, 8149-60	15.6	45
79	Application of femtosecond-pulsed lasers for direct optical manipulation of biological functions. <i>Annalen Der Physik</i> , 2013 , 525, 205-214	2.6	12
78	Fluorescent microscopy beyond diffraction limits using speckle illumination and joint support recovery. <i>Scientific Reports</i> , 2013 , 3, 2075	4.9	52
77	Vascular endothelial growth factor-angiopoietin chimera with improved properties for therapeutic angiogenesis. <i>Circulation</i> , 2013 , 127, 424-34	16.7	47
76	Symmetry analysis of time to peak parameter of indocyanine green dynamics 2013 ,		2
75	Mutant ubiquitin attenuates interleukin-1 β and tumor necrosis factor- β induced pro-inflammatory signaling in human astrocytic cells. <i>PLoS ONE</i> , 2013 , 8, e67891	3.7	8
74	Downregulation of OPA3 is responsible for transforming growth factor- β induced mitochondrial elongation and F-actin rearrangement in retinal pigment epithelial ARPE-19 cells. <i>PLoS ONE</i> , 2013 , 8, e63495	3.7	11
73	Reliable permeability assay system in a microfluidic device mimicking cerebral vasculatures. <i>Biomedical Microdevices</i> , 2012 , 14, 1141-8	3.7	91
72	Blockade of VEGF-A suppresses tumor growth via inhibition of autocrine signaling through FAK and AKT. <i>Cancer Letters</i> , 2012 , 318, 221-5	9.9	29
71	Mitofusin 1 inhibits an apoptosis-associated amino-terminal conformational change in Bax, but not its mitochondrial translocation, in a GTPase-dependent manner. <i>Cancer Letters</i> , 2012 , 323, 62-68	9.9	9
70	Noninvasive optical measurement of cerebral blood flow in mice using molecular dynamics analysis of indocyanine green. <i>PLoS ONE</i> , 2012 , 7, e48383	3.7	19
69	Endoplasmic reticulum-specific BH3-only protein BNIP1 induces mitochondrial fragmentation in a Bcl-2- and Drp1-dependent manner. <i>Journal of Cellular Physiology</i> , 2012 , 227, 3027-35	7	19
68	Hepatitis C virus infection enhances TNF β induced cell death via suppression of NF- κ B. <i>Hepatology</i> , 2012 , 56, 831-40	11.2	60

67	Hyaluronic acid promotes angiogenesis by inducing RHAMM-TGF β receptor interaction via CD44-PKC <i>Molecules and Cells</i> , 2012 , 33, 563-74	3.5	101
66	Optical modulation of astrocyte network using ultrashort pulsed laser 2012 ,		3
65	Contribution of mitochondrial network dynamics to intracellular ROS signaling. <i>Communicative and Integrative Biology</i> , 2012 , 5, 81-3	1.7	13
64	Soluble tumor necrosis factor-related apoptosis-inducing ligand after percutaneous coronary intervention: a potential biomarker for vascular remodeling. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 292-3	1.9	1
63	Pirfenidone inhibits transforming growth factor- β -induced fibrogenesis by blocking nuclear translocation of Smads in human retinal pigment epithelial cell line ARPE-19. <i>Molecular Vision</i> , 2012 , 18, 1010-20	2.3	71
62	Constitutive Expression of MAP Kinase Phosphatase-1 Confers Multi-drug Resistance in Human Glioblastoma Cells. <i>Cancer Research and Treatment</i> , 2012 , 44, 195-201	5.2	19
61	Hydrophoretic high-throughput selection of platelets in physiological shear-stress range. <i>Lab on A Chip</i> , 2011 , 11, 413-8	7.2	55
60	Stromal vascular fraction from adipose tissue forms profound vascular network through the dynamic reassembly of blood endothelial cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 1141-50	9.4	109
59	Differential dependency of human cancer cells on vascular endothelial growth factor-mediated autocrine growth and survival. <i>Cancer Letters</i> , 2011 , 309, 145-50	9.9	27
58	Peroxiredoxin II is an essential antioxidant enzyme that prevents the oxidative inactivation of VEGF receptor-2 in vascular endothelial cells. <i>Molecular Cell</i> , 2011 , 44, 545-58	17.6	95
57	Blockade of vascular endothelial growth factor sensitizes tumor-associated vasculatures to angiolytic therapy with a high-frequency ultrashort pulsed laser. <i>Microvascular Research</i> , 2011 , 82, 141-6	3.7	8
56	Mitochondrial network determines intracellular ROS dynamics and sensitivity to oxidative stress through switching inter-mitochondrial messengers. <i>PLoS ONE</i> , 2011 , 6, e23211	3.7	138
55	Segmental analysis of indocyanine green pharmacokinetics for the reliable diagnosis of functional vascular insufficiency. <i>Journal of Biomedical Optics</i> , 2011 , 16, 030504	3.5	16
54	Minimally invasive molecular delivery into the brain using optical modulation of vascular permeability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 9256-61	11.5	42
53	Dynamic fluorescence imaging for multiparametric measurement of tumor vasculature. <i>Journal of Biomedical Optics</i> , 2011 , 16, 046008	3.5	38
52	Optical control of urinary bladder contraction using femtosecond-pulsed laser 2011 ,		1
51	Non-invasive optical modulation of local vascular permeability 2011 ,		1
50	Label-free optical activation of astrocyte in vivo. <i>Journal of Biomedical Optics</i> , 2011 , 16, 075003	3.5	16

49	The WNT antagonist Dickkopf2 promotes angiogenesis in rodent and human endothelial cells. <i>Journal of Clinical Investigation</i> , 2011 , 121, 1882-93	15.9	78
48	Label-free optical control of arterial contraction. <i>Journal of Biomedical Optics</i> , 2010 , 15, 015006	3.5	12
47	Trichostatin A enhances proliferation and migration of vascular smooth muscle cells by downregulating thioredoxin 1. <i>Cardiovascular Research</i> , 2010 , 85, 241-9	9.9	25
46	Assessment of peripheral tissue perfusion by optical dynamic fluorescence imaging and nonlinear regression modeling 2010 ,		1
45	Unsorted human adipose tissue-derived stem cells promote angiogenesis and myogenesis in murine ischemic hindlimb model. <i>Microvascular Research</i> , 2010 , 80, 310-6	3.7	40
44	Aqueous extract of the medicinal plant <i>Patrinia villosa</i> Juss. induces angiogenesis via activation of focal adhesion kinase. <i>Microvascular Research</i> , 2010 , 80, 303-9	3.7	28
43	Dynamic fluorescence imaging of indocyanine green for reliable and sensitive diagnosis of peripheral vascular insufficiency. <i>Microvascular Research</i> , 2010 , 80, 552-5	3.7	47
42	Application of novel dynamic optical imaging for evaluation of peripheral tissue perfusion. <i>International Journal of Cardiology</i> , 2010 , 145, e99-101	3.2	22
41	Delineating role of ubiquitination on nuclear factor-kappa B pathway by a computational modeling approach. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 391, 33-7	3.4	5
40	Long-term treatment of farnesyltransferase inhibitor FTI-277 induces neurotoxicity of hippocampal neurons from rat embryo in a ROS-dependent manner. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 403, 91-6	3.4	2
39	Efficient differentiation of human pluripotent stem cells into functional CD34+ progenitor cells by combined modulation of the MEK/ERK and BMP4 signaling pathways. <i>Blood</i> , 2010 , 116, 5762-72	2.2	91
38	Optic atrophy 3 as a protein of the mitochondrial outer membrane induces mitochondrial fragmentation. <i>Cellular and Molecular Life Sciences</i> , 2010 , 67, 2839-50	10.3	50
37	Quantitative analysis of peripheral tissue perfusion using spatiotemporal molecular dynamics. <i>PLoS ONE</i> , 2009 , 4, e4275	3.7	45
36	Protective role of cytosolic 2-cys peroxiredoxin in the TNF-alpha-induced apoptotic death of human cancer cells. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 1162-71	7.8	15
35	Hydrophoretic sorting of micrometer and submicrometer particles using anisotropic microfluidic obstacles. <i>Analytical Chemistry</i> , 2009 , 81, 50-5	7.8	58
34	Microfluidic self-sorting of mammalian cells to achieve cell cycle synchrony by hydrophoresis. <i>Analytical Chemistry</i> , 2009 , 81, 1964-8	7.8	81
33	Oxidative stress-induced necrotic cell death via mitochondria-dependent burst of reactive oxygen species. <i>Current Neurovascular Research</i> , 2009 , 6, 213-22	1.8	96
32	Proapoptotic ginsenosides compound K and Rh enhance Fas-induced cell death of human astrocytoma cells through distinct apoptotic signaling pathways. <i>Cancer Research and Treatment</i> , 2009 , 41, 36-44	5.2	29

31	Differential regulation of c-Jun N-terminal kinase and NF-kappaB pathway by caffeic acid phenethyl ester in astroglial and monocytic cells. <i>Journal of Neurochemistry</i> , 2008 , 105, 557-64	6	9
30	Therapeutic effect of magnesium lithospermate B on neointimal formation after balloon-induced vascular injury. <i>European Journal of Pharmacology</i> , 2008 , 586, 226-33	5.3	36
29	Hydrogen peroxide enhances TRAIL-induced cell death through up-regulation of DR5 in human astrocytic cells. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 372, 870-4	3.4	26
28	TRAIL induces MMP-9 expression via ERK activation in human astrocytoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 377, 195-9	3.4	15
27	Multiplex analysis of cytokines in the serum and cerebrospinal fluid of patients with Alzheimer's disease by color-coded bead technology. <i>Journal of Clinical Neurology (Korea)</i> , 2008 , 4, 84-8	1.7	54
26	Sheathless focusing of microbeads and blood cells based on hydrophoresis. <i>Small</i> , 2008 , 4, 634-41	11	81
25	Peroxisome proliferator activated receptor gamma agonists suppress TNFalpha-induced ICAM-1 expression by endothelial cells in a manner potentially dependent on inhibition of reactive oxygen species. <i>Immunology Letters</i> , 2008 , 117, 63-9	4.1	31
24	Requirement of caspases and p38 MAPK for TRAIL-mediated ICAM-1 expression by human astroglial cells. <i>Immunology Letters</i> , 2008 , 117, 168-73	4.1	6
23	Differential regulation of c-Jun N-terminal kinase and NF-B pathway by caffeic acid phenethyl ester in astroglial and monocytic cells. <i>Journal of Neurochemistry</i> , 2008 , 080306024921096-???	6	
22	N-acetyl cysteine and caffeic acid phenethyl ester sensitize astrocytoma cells to Fas-mediated cell death in a redox-dependent manner. <i>Cancer Letters</i> , 2007 , 257, 79-86	9.9	19
21	Ginsenosides compound K and Rh(2) inhibit tumor necrosis factor-alpha-induced activation of the NF-kappaB and JNK pathways in human astroglial cells. <i>Neuroscience Letters</i> , 2007 , 421, 37-41	3.3	106
20	Divergent effect of proteasome inhibition on interleukin-1beta and tumor necrosis factor alpha signaling in human astroglial cells. <i>FEBS Letters</i> , 2007 , 581, 4691-6	3.8	7
19	Continuous blood cell separation by hydrophoretic filtration. <i>Lab on A Chip</i> , 2007 , 7, 1532-8	7.2	161
18	Role of NADPH oxidase 4 in lipopolysaccharide-induced proinflammatory responses by human aortic endothelial cells. <i>Cardiovascular Research</i> , 2006 , 72, 447-55	9.9	161
17	Reciprocal association between visceral obesity and adiponectin: in healthy premenopausal women. <i>International Journal of Cardiology</i> , 2005 , 101, 385-90	3.2	41
16	Regulation of PDGF signalling and vascular remodelling by peroxiredoxin II. <i>Nature</i> , 2005 , 435, 347-53	50.4	349
15	Caspase-1 mediates Fas-induced apoptosis and is up-regulated by interferon-gamma in human astrocytoma cells. <i>Journal of Neuro-Oncology</i> , 2004 , 67, 167-76	4.8	19
14	Reactive oxygen species mediate chloroquine-induced expression of chemokines by human astroglial cells. <i>Glia</i> , 2004 , 47, 9-20	9	62

13	Fas ligand/Fas system in the brain: regulator of immune and apoptotic responses. <i>Brain Research Reviews</i> , 2004 , 44, 65-81		210
12	Chloroquine induces activation of nuclear factor-kappaB and subsequent expression of pro-inflammatory cytokines by human astroglial cells. <i>Journal of Neurochemistry</i> , 2003 , 84, 1266-74	6	39
11	Induction of intercellular adhesion molecule-1 by Fas ligation: proinflammatory roles of Fas in human astroglia cells. <i>Neuroscience Letters</i> , 2003 , 352, 21-4	3.3	18
10	Induction of intercellular adhesion molecule-1 by Fas ligation: proinflammatory roles of Fas in human astroglia cells. <i>Neuroscience Letters</i> , 2003 , 352, 21-21	3.3	
9	Fas engagement increases expression of interleukin-6 in human glioma cells. <i>Journal of Neuro-Oncology</i> , 2002 , 56, 13-9	4.8	50
8	Tumor necrosis factor-related apoptosis-inducing ligand induces caspase-dependent interleukin-8 expression and apoptosis in human astroglia cells. <i>Molecular and Cellular Biology</i> , 2002 , 22, 724-36	4.8	107
7	CXC chemokine receptor 4 expression and function in human astroglia cells. <i>Journal of Immunology</i> , 2001 , 166, 2695-704	5.3	98
6	Diffusion-weighted image and MR spectroscopic analysis of a case of MELAS with repeated attacks. <i>Yonsei Medical Journal</i> , 2001 , 42, 128-33	3	23
5	Oncostatin M regulation of interleukin-6 expression in astrocytes: biphasic regulation involving the mitogen-activated protein kinases ERK1/2 and p38. <i>Journal of Neurochemistry</i> , 2000 , 75, 563-75	6	66
4	Transient improvement of pyruvate metabolism after coenzyme Q therapy in Kearns-Sayre syndrome: MRS study. <i>Yonsei Medical Journal</i> , 2000 , 41, 676-9	3	10
3	ICAM-1-induced expression of proinflammatory cytokines in astrocytes: involvement of extracellular signal-regulated kinase and p38 mitogen-activated protein kinase pathways. <i>Journal of Immunology</i> , 2000 , 165, 4658-66	5.3	123
2	Differential regulation and function of Fas expression on glial cells. <i>Journal of Immunology</i> , 2000 , 164, 1277-85	5.3	115
1	The effect of long-term levodopa therapy on depression level in de novo patients with Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2000 , 172, 12-6	3.2	30