Shpend Elezi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2598522/publications.pdf

Version: 2024-02-01

430874 276875 7,128 44 18 41 h-index citations g-index papers 45 45 45 7460 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. European Heart Journal, 2020, 41, 407-477.	2.2	4,210
2	Predictive Factors of Restenosis After Coronary Stent Placement. Journal of the American College of Cardiology, 1997, 30, 1428-1436.	2.8	612
3	Diabetes mellitus and the clinical and angiographic outcome after coronary stent placement. Journal of the American College of Cardiology, 1998, 32, 1866-1873.	2.8	444
4	Vessel Size and Long-Term Outcome After Coronary Stent Placement. Circulation, 1998, 98, 1875-1880.	1.6	433
5	Influence of lesion length on restenosis after coronary stent placement. American Journal of Cardiology, 1999, 83, 1617-1622.	1.6	194
6	Intracoronary Stenting and Risk for Major Adverse Cardiac Events During the First Month. Circulation, 1998, 98, 104-111.	1.6	168
7	Pl ^A Polymorphism of Platelet Glycoprotein IIIa and Risk of Restenosis After Coronary Stent Placement. Circulation, 1999, 99, 1005-1010.	1.6	153
8	Influence of stent design on 1-year outcome after coronary stent placement: A randomized comparison of five stent types in 1,147 unselected patients. Catheterization and Cardiovascular Interventions, 2000, 50, 290-297.	1.7	121
9	Prognostic Value of the Modified American College of Cardiology/American Heart Association Stenosis Morphology Classification for Long-Term Angiographic and Clinical Outcome After Coronary Stent Placement. Circulation, 1999, 100, 1285-1290.	1.6	116
10	Vessel Size and Outcome After Coronary Drug-Eluting Stent Placement. Journal of the American College of Cardiology, 2006, 48, 1304-1309.	2.8	87
11	Interlesion Dependence of the Risk for Restenosis in Patients With Coronary Stent Placement in Multiple Lesions. Circulation, 1998, 97, 2396-2401.	1.6	83
12	Influence of Balloon Pressure During Stent Placement in Native Coronary Arteries on Early and Late Angiographic and Clinical Outcome. Circulation, 1999, 100, 918-923.	1.6	69
13	Clinical and angiographic follow-up after balloon angioplasty with provisional stenting for coronary in-stent restenosis. Catheterization and Cardiovascular Interventions, 1999, 48, 151-156.	1.7	63
14	Relationship between insulin resistance and left ventricular diastolic dysfunction in patients with impaired glucose tolerance and type 2 diabetes. International Journal of Cardiology, 2006, 110, 206-211.	1.7	56
15	Bimodal Distribution of Angiographic Measures of Restenosis Six Months After Coronary Stent Placement. Circulation, 1997, 96, 3880-3887.	1.6	47
16	Lipoprotein(a) and coronary thrombosis and restenosis after stent placement. Journal of the American College of Cardiology, 1999, 33, 1005-1012.	2.8	26
17	Predictors of exercise capacity in patients with chronic heart failure. Journal of Cardiovascular Medicine, 2011, 12, 223-225.	1.5	23
18	Comparison of drug-eluting balloon versus drug-eluting stent treatment of drug-eluting stent in-stent restenosis: A meta-analysis of available evidence. International Journal of Cardiology, 2016, 218, 126-135.	1.7	20

#	Article	IF	CITATIONS
19	Independent and incremental prognostic value of Doppler-derived left ventricular total isovolumic time in patients with systolic heart failure. International Journal of Cardiology, 2011, 148, 271-275.	1.7	18
20	Quality of life questionnaire predicts poor exercise capacity only in HFpEF and not in HFrEF. BMC Cardiovascular Disorders, 2017, 17, 268.	1.7	18
21	Clinical and angiographic outcome after stent placement for chronic coronary occlusion. American Journal of Cardiology, 1998, 82, 803-806.	1.6	17
22	Management and comorbidities of atrial fibrillation in patients admitted in cardiology service in Kosovo-a single-center study. Anatolian Journal of Cardiology, 2010, 10, 36-40.	0.4	16
23	Left ventricular asynchrony and raised filling pressure predict limited exercise performance assessed by 6Âminute walk test. International Journal of Cardiology, 2011, 146, 385-389.	1.7	14
24	Different determinants of exercise capacity in HFpEF compared to HFrEF. Cardiovascular Ultrasound, 2017, 15, 12.	1.6	12
25	Cost Analysis From Two Randomized Trials of Sirolimus-Eluting Stents Versus Paclitaxel-Eluting Stents in High-Risk Patients With Coronary Artery Disease. Journal of the American College of Cardiology, 2006, 48, 262-267.	2.8	11
26	Plasma matrix metalloproteinase-9 better predicts outcome than N-terminal protype-B natriuretic peptide in patients with systolic heart failure and a high prevalence of coronary artery disease. Biomedicine and Pharmacotherapy, 2010, 64, 339-342.	5.6	11
27	Predictors of mortality in medically treated patients with congestive heart failure of nonrheumatic etiology and reduced systolic function. European Journal of Internal Medicine, 2009, 20, 362-365.	2.2	10
28	Complete revascularization for patients with ST-segment elevation myocardial infarction and multivessel coronary artery disease. Coronary Artery Disease, 2018, 29, 204-215.	0.7	9
29	Ecocardiografia e teste de caminhada de 6 minutos na disfunção sistólica do ventrÃculo esquerdo. Arquivos Brasileiros De Cardiologia, 2009, 92, 121-34.	0.8	8
30	Independent and Incremental Value of Severely Enlarged Left Atrium in Risk Stratification of Very Elderly Patients With Chronic Systolic Heart Failure. Congestive Heart Failure, 2012, 18, 222-228.	2.0	7
31	Relationship of Plasma Adiponectin and Waist-hip Ratio with Coronary Artery Disease. Medicinski Arhiv = Medical Archives = Archives De Médecine, 2016, 70, 413.	0.9	7
32	Radial Access for Coronary Angiography Carries Fewer Complications Compared with Femoral Access: A Meta-Analysis of Randomized Controlled Trials. Journal of Clinical Medicine, 2021, 10, 2163.	2.4	6
33	Remission of High-Output Heart Failure after Surgical Repair of 30-Month Arteriovenous Femoral Fistula: Case Report. Heart Surgery Forum, 2005, 8, 118.	0.5	6
34	Non-insulin dependent diabetes as an independent predictor of asymptomatic left ventricular diastolic dysfunction. Croatian Medical Journal, 2005, 46, 225-31.	0.7	6
35	Plasma metalloproteinase-9 and restrictive filling pattern as major predictors of outcome in patients with ischemic cardiomyopathy. European Journal of Internal Medicine, 2012, 23, 616-620.	2.2	5
36	Long-Term Outcomes of Patients with Unprotected Left Main Coronary Artery Disease Treated with Percutaneous Angioplasty versus Bypass Grafting: A Meta-Analysis of Randomized Controlled Trials. Journal of Clinical Medicine, 2020, 9, 2231.	2.4	5

SHPEND ELEZI

#	Article	IF	CITATIONS
37	Adiponectin correlates with body mass index and to a lesser extent with left ventricular mass in dialysis patients. Cardiology Journal, 2018, 25, 501-511.	1.2	5
38	Coronary artery stent placement with postprocedural antiplatelet therapy in acute myocardial infarction. Coronary Artery Disease, 1998, 9, 577-582.	0.7	3
39	In-hospital mortality following acute myocardial infarction in Kosovo : A single center study. Annals of Saudi Medicine, 2008, 28, 430.	1.1	3
40	Left Ventricular Diastolic and Systolic Functions in Patients with Hypothyroidism. Medicina (Lithuania), 2020, 56, 524.	2.0	2
41	In-hospital mortality following acute myocardial infarction in Kosovo: a single center study. Annals of Saudi Medicine, 2008, 28, 430-434.	1.1	2
42	Gender related predictors of limited exercise capacity in heart failure. International Journal of Cardiology Heart $\&$ Vessels, 2013, 1, 11-16.	0.5	1
43	Diabetes Is the Strongest Predictor of Limited Exercise Capacity in Chronic Heart Failure and Preserved Ejection Fraction (HFpEF). Frontiers in Cardiovascular Medicine, 2022, 9, .	2.4	1
44	Prevalence of hypertension and diabetes in the population of Kosovo. Frontiers of Nursing, 2021, 8, 261-267.	0.3	0