## Shpend Elezi

## List of Publications by Citations

Source: https://exaly.com/author-pdf/2598522/shpend-elezi-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42
papers

4,357
citations

16
h-index

45
g-index

5,770
ext. papers

5.3
avg, IF

L-index

#	Paper	IF	Citations
42	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , <b>2020</b> , 41, 407-477	9.5	1835
41	Predictive factors of restenosis after coronary stent placement. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 30, 1428-36	15.1	544
40	Diabetes mellitus and the clinical and angiographic outcome after coronary stent placement. <i>Journal of the American College of Cardiology</i> , <b>1998</b> , 32, 1866-73	15.1	388
39	Vessel size and long-term outcome after coronary stent placement. Circulation, 1998, 98, 1875-80	16.7	375
38	Influence of lesion length on restenosis after coronary stent placement. <i>American Journal of Cardiology</i> , <b>1999</b> , 83, 1617-22	3	179
37	Intracoronary stenting and risk for major adverse cardiac events during the first month. <i>Circulation</i> , <b>1998</b> , 98, 104-11	16.7	140
36	PlA polymorphism of platelet glycoprotein IIIa and risk of restenosis after coronary stent placement. <i>Circulation</i> , <b>1999</b> , 99, 1005-10	16.7	139
35	Influence of stent design on 1-year outcome after coronary stent placement: a randomized comparison of five stent types in 1,147 unselected patients. <i>Catheterization and Cardiovascular Interventions</i> , <b>2000</b> , 50, 290-7	2.7	104
34	Prognostic value of the modified american college of Cardiology/American heart association stenosis morphology classification for long-term angiographic and clinical outcome after coronary stent placement. <i>Circulation</i> , <b>1999</b> , 100, 1285-90	16.7	101
33	Interlesion dependence of the risk for restenosis in patients with coronary stent placement in in multiple lesions. <i>Circulation</i> , <b>1998</b> , 97, 2396-401	16.7	77
32	Vessel size and outcome after coronary drug-eluting stent placement: results from a large cohort of patients treated with sirolimus- or paclitaxel-eluting stents. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 48, 1304-9	15.1	69
31	Influence of balloon pressure during stent placement in native coronary arteries on early and late angiographic and clinical outcome: A randomized evaluation of high-pressure inflation. <i>Circulation</i> , <b>1999</b> , 100, 918-23	16.7	61
30	Clinical and angiographic follow-up after balloon angioplasty with provisional stenting for coronary in-stent restenosis. <i>Catheterization and Cardiovascular Interventions</i> , <b>1999</b> , 48, 151-6	2.7	60
29	Relationship between insulin resistance and left ventricular diastolic dysfunction in patients with impaired glucose tolerance and type 2 diabetes. <i>International Journal of Cardiology</i> , <b>2006</b> , 110, 206-11	3.2	46
28	Bimodal distribution of angiographic measures of restenosis six months after coronary stent placement. <i>Circulation</i> , <b>1997</b> , 96, 3880-7	16.7	39
27	Lipoprotein(a) and coronary thrombosis and restenosis after stent placement. <i>Journal of the American College of Cardiology</i> , <b>1999</b> , 33, 1005-12	15.1	19
26	Comparison of drug-eluting balloon versus drug-eluting stent treatment of drug-eluting stent in-stent restenosis: A meta-analysis of available evidence. <i>International Journal of Cardiology</i> , <b>2016</b> , 218, 126-135	3.2	16

## (2008-2011)

25	Independent and incremental prognostic value of Doppler-derived left ventricular total isovolumic time in patients with systolic heart failure. <i>International Journal of Cardiology</i> , <b>2011</b> , 148, 271-5	3.2	15
24	Predictors of exercise capacity in patients with chronic heart failure. <i>Journal of Cardiovascular Medicine</i> , <b>2011</b> , 12, 223-5	1.9	15
23	Clinical and angiographic outcome after stent placement for chronic coronary occlusion. <i>American Journal of Cardiology</i> , <b>1998</b> , 82, 803-6, A9	3	14
22	Quality of life questionnaire predicts poor exercise capacity only in HFpEF and not in HFrEF. <i>BMC Cardiovascular Disorders</i> , <b>2017</b> , 17, 268	2.3	13
21	Management and comorbidities of atrial fibrillation in patients admitted in cardiology service in Kosovo-a single-center study. <i>Anatolian Journal of Cardiology</i> , <b>2010</b> , 10, 36-40		12
20	Plasma matrix metalloproteinase-9 better predicts outcome than N-terminal protype-B natriuretic peptide in patients with systolic heart failure and a high prevalence of coronary artery disease. <i>Biomedicine and Pharmacotherapy</i> , <b>2010</b> , 64, 339-42	7.5	11
19	Left ventricular asynchrony and raised filling pressure predict limited exercise performance assessed by 6 minute walk test. <i>International Journal of Cardiology</i> , <b>2011</b> , 146, 385-9	3.2	10
18	Different determinants of exercise capacity in HFpEF compared to HFrEF. <i>Cardiovascular Ultrasound</i> , <b>2017</b> , 15, 12	2.4	8
17	Predictors of mortality in medically treated patients with congestive heart failure of nonrheumatic etiology and reduced systolic function. <i>European Journal of Internal Medicine</i> , <b>2009</b> , 20, 362-5	3.9	8
16	Cost analysis from two randomized trials of sirolimus-eluting stents versus paclitaxel-eluting stents in high-risk patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 48, 262-7	15.1	8
15	Echocardiography and 6-minute walk test in left ventricular systolic dysfunction. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2009</b> , 92, 121-34	1.2	8
14	Complete revascularization for patients with ST-segment elevation myocardial infarction and multivessel coronary artery disease: a meta-analysis of randomized trials. <i>Coronary Artery Disease</i> , <b>2018</b> , 29, 204-215	1.4	7
13	Relationship of Plasma Adiponectin and Waist-hip Ratio with Coronary Artery Disease. <i>Medicinski Arhiv = Medical Archives = Archives De M</i> decine, <b>2016</b> , 70, 413-418	1.2	6
12	Independent and incremental value of severely enlarged left atrium in risk stratification of very elderly patients with chronic systolic heart failure. <i>Congestive Heart Failure</i> , <b>2012</b> , 18, 222-8		5
11	Plasma metalloproteinase-9 and restrictive filling pattern as major predictors of outcome in patients with ischemic cardiomyopathy. <i>European Journal of Internal Medicine</i> , <b>2012</b> , 23, 616-20	3.9	5
10	Non-insulin dependent diabetes as an independent predictor of asymptomatic left ventricular diastolic dysfunction. <i>Croatian Medical Journal</i> , <b>2005</b> , 46, 225-31	1.6	5
9	Coronary artery stent placement with postprocedural antiplatelet therapy in acute myocardial infarction. <i>Coronary Artery Disease</i> , <b>1998</b> , 9, 577-82	1.4	3
8	In-hospital mortality following acute myocardial infarction in Kosovo : A single center study. <i>Annals of Saudi Medicine</i> , <b>2008</b> , 28, 430	1.6	3

7	Adiponectin correlates with body mass index and to a lesser extent with left ventricular mass in dialysis patients. <i>Cardiology Journal</i> , <b>2018</b> , 25, 501-511	1.4	3
6	Remission of high-output heart failure after surgical repair of 30-month arteriovenous femoral fistula: case report. <i>Heart Surgery Forum</i> , <b>2005</b> , 8, E118-20	0.7	2
5	Left Ventricular Diastolic and Systolic Functions in Patients with Hypothyroidism. <i>Medicina</i> (Lithuania), <b>2020</b> , 56,	3.1	1
4	In-hospital mortality following acute myocardial infarction in Kosovo: a single center study. <i>Annals of Saudi Medicine</i> , <b>2008</b> , 28, 430-4	1.6	1
3	Radial Access for Coronary Angiography Carries Fewer Complications Compared with Femoral Access: A Meta-Analysis of Randomized Controlled Trials. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
2	Gender related predictors of limited exercise capacity in heart failure. <i>International Journal of Cardiology Heart &amp; Vessels</i> , <b>2013</b> , 1, 11-16		

Prevalence of hypertension and diabetes in the population of Kosovo. Frontiers of Nursing, 2021, 8, 261-267