## Vivian C Aguilar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2600206/publications.pdf

Version: 2024-02-01

687363 580821 25 695 13 25 citations h-index g-index papers 25 25 25 637 docs citations times ranked citing authors all docs

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Are there age-related changes in the measurements of the urethral sphincter complex in nulliparous women? A three-dimensional ultrasound assessment. International Urogynecology Journal, 2021, 32, 653-659.   | 1.4 | 1         |
| 2  | Levator ani defects in patients with stress urinary incontinence: three-dimensional endovaginal ultrasound assessment. International Urogynecology Journal, 2017, 28, 85-93.   | 1.4 | 6         |
| 3  | Dynamic assessment of sling function on transperineal ultrasound: does it correlate with outcomes 1 Ayear following surgery?. International Urogynecology Journal, 2017, 28, 857-864.  | 1.4 | 32        |
| 4  | Updates on the diagnostic tools for evaluation of pelvic floor disorders. Current Opinion in Obstetrics and Gynecology, 2017, 29, 458-464.   | 2.0 | 9         |
| 5  | Transobturator versus single incision slings: 1-year results of a randomized controlled trial. International Urogynecology Journal, 2017, 28, 461-467.   | 1.4 | 10        |
| 6  | De novo stress urinary incontinence after pelvic organ prolapse surgery in women without occult incontinence. International Urogynecology Journal, 2017, 28, 583-590.  | 1.4 | 52        |
| 7  | Are suburethral slings less successful in the elderly?. International Urogynecology Journal, 2017, 28, 553-559.  | 1.4 | 11        |
| 8  | Three-dimensional endovaginal ultrasound examination following injection of Macroplastique for stress urinary incontinence: outcomes based on location and periurethral distribution of the bulking agent. International Urogynecology Journal, 2013, 24, 1151-1159. | 1.4 | 23        |
| 9  | Repeat versus primary slings in patients with intrinsic sphincter deficiency. International Urogynecology Journal, 2013, 24, 963-968.  | 1.4 | 27        |
| 10 | Reattachment of the endopelvic fascia to the apex during anterior colporrhaphy: does the type of suture matter?. International Urogynecology Journal, 2013, 24, 141-145.   | 1.4 | 6         |
| 11 | Obliterative LeFort Colpocleisis in a Large Group of Elderly Women. Obstetrics and Gynecology, 2013, 121, 279-284.   | 2.4 | 76        |
| 12 | Endoscopic Transurethral Resection of Urethral Mesh Erosion With the Use of a Pediatric Nasal Speculum. Obstetrics and Gynecology, 2013, 121, 440-443.   | 2.4 | 9         |
| 13 | A Randomized Clinical Trial of the Impact of Local Estrogen on Postoperative Tissue Quality After Vaginal Reconstructive Surgery. Female Pelvic Medicine and Reconstructive Surgery, 2012, 18, 211-215.  | 1.1 | 39        |
| 14 | Predictors of Successful Salpingo-Oophorectomy at the Time of Vaginal Hysterectomy. Journal of Minimally Invasive Gynecology, 2012, 19, 58-62.   | 0.6 | 18        |
| 15 | Biologic grafts for cystocele repair: does concomitant midline fascial plication improve surgical outcomes?. International Urogynecology Journal, 2011, 22, 985-990.   | 1.4 | 6         |
| 16 | LeFort colpocleisis and stress incontinence: weighing the risk of voiding dysfunction with sling placement. International Urogynecology Journal, 2011, 22, 1357-1362.  | 1.4 | 26        |
| 17 | Primary versus recurrent prolapse surgery: differences in outcomes. International Urogynecology Journal, 2010, 21, 483-488.  | 1.4 | 19        |
| 18 | "Eyeball―POP-Q examination: shortcut or valid assessment tool?. International Urogynecology<br>Journal, 2010, 21, 1005-1009.   | 1.4 | 6         |

| #  | Article  | IF  | CITATION: |
|----|--|-----|-----------|
| 19 | Validation of a global pelvic floor symptom bother questionnaire. International Urogynecology<br>Journal, 2010, 21, 1129-1135.   | 1.4 | 48        |
| 20 | Combined trans- and periurethral injections of bulking agents for the treatment of intrinsic sphincter deficiency. International Urogynecology Journal, 2008, 19, 643-647.   | 1.4 | 14        |
| 21 | Long-term follow-up of a transvaginal Burch urethropexy for stress urinary incontinence. American Journal of Obstetrics and Gynecology, 2007, 197, 656.e1-656.e5.  | 1.3 | 2         |
| 22 | Pyometra necessitating hysterectomy after colpocleisis in an extremely elderly patient. International Urogynecology Journal, 2007, 18, 1109-1111.  | 1.4 | 9         |
| 23 | Suburethral sling treatment of occult stress incontinence and intrinsic sphincter deficiency in women with severe vaginal prolapse of the anterior vs posterior/apical compartment. American Journal of Obstetrics and Gynecology, 2005, 192, 1566-1572. | 1.3 | 14        |
| 24 | Patient satisfaction and changes in prolapse and urinary symptoms in women who were fitted successfully with a pessary for pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2004, 190, 1025-1029.                                   | 1.3 | 219       |
| 25 | Obstetrical Factors Governing the Etiopathogenesis of Lambdoid Synostosis. American Journal of Perinatology, 1998, 15, 281-286.  | 1.4 | 13        |