

Marcin Majka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2600235/publications.pdf>

Version: 2024-02-01

72
papers

3,314
citations

201575

27
h-index

149623

56
g-index

73
all docs

73
docs citations

73
times ranked

5088
citing authors

#	ARTICLE	IF	CITATIONS
1	Nuclear magnetic resonance footprint of Wharton Jelly mesenchymal stem cells death mechanisms and distinctive in-cell biophysical properties in vitro. <i>Journal of Cellular and Molecular Medicine</i> , 2022, 26, 1501-1514.	1.6	6
2	Selective Cytotoxicity of Complexes with N,N,N-Donor Dipodal Ligand in Tumor Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1802.	1.8	10
3	Enhancement of myogenic differentiation and inhibition of rhabdomyosarcoma progression by miR-28-3p and miR-193a-5p regulated by SNAIL. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 24, 888-904.	2.3	10
4	Myogenic Differentiation of iPS Cells Shows Different Efficiency in Simultaneous Comparison of Protocols. <i>Cells</i> , 2021, 10, 1671.	1.8	2
5	Progression and Differentiation of Alveolar Rhabdomyosarcoma Is Regulated by PAX7 Transcription Factor—Significance of Tumor Subclones. <i>Cells</i> , 2021, 10, 1870.	1.8	3
6	Highly Effective Protocol for Differentiation of Induced Pluripotent Stem Cells (iPS) into Melanin-Producing Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12787.	1.8	3
7	SNAIL Promotes Metastatic Behavior of Rhabdomyosarcoma by Increasing EZRIN and AKT Expression and Regulating MicroRNA Networks. <i>Cancers</i> , 2020, 12, 1870.	1.7	14
8	Origin of the Induced Pluripotent Stem Cells Affects Their Differentiation into Dopaminergic Neurons. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5705.	1.8	12
9	The Potential of Novel Chitosan-Based Scaffolds in Pelvic Organ Prolapse (POP) Treatment through Tissue Engineering. <i>Molecules</i> , 2020, 25, 4280.	1.7	5
10	Carbon Fibers as a New Type of Scaffold for Midbrain Organoid Development. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5959.	1.8	11
11	Genome Editing of the SNAIL1 Gene in Rhabdomyosarcoma: A Novel Model for Studies of Its Role. <i>Cells</i> , 2020, 9, 1095.	1.8	5
12	Mesenchymal stem cells as a multimodal treatment for nervous system diseases. <i>Stem Cells Translational Medicine</i> , 2020, 9, 1174-1189.	1.6	42
13	Use of 3D Organoids as a Model to Study Idiopathic Form of Parkinson's Disease. <i>International Journal of Molecular Sciences</i> , 2020, 21, 694.	1.8	58
14	Interplay among SNAIL Transcription Factor, MicroRNAs, Long Non-Coding RNAs, and Circular RNAs in the Regulation of Tumor Growth and Metastasis. <i>Cancers</i> , 2020, 12, 209.	1.7	47
15	AFM-based Analysis of Wharton's Jelly Mesenchymal Stem Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4351.	1.8	9
16	Regenerative Potential of the Product "CardioCell" Derived from the Wharton's Jelly Mesenchymal Stem Cells for Treating Hindlimb Ischemia. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4632.	1.8	12
17	Molecular and Functional Verification of Wharton's Jelly Mesenchymal Stem Cells (WJ-MSCs) Pluripotency. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1807.	1.8	36
18	The Pros and Cons of Mesenchymal Stem Cell-Based Therapies. <i>Cell Transplantation</i> , 2019, 28, 801-812.	1.2	281

#	ARTICLE	IF	CITATIONS
19	C-Met as a Key Factor Responsible for Sustaining Undifferentiated Phenotype and Therapy Resistance in Renal Carcinomas. <i>Cells</i> , 2019, 8, 272.	1.8	21
20	The Importance of HLA Assessment in "Off-the-Shelf" Allogeneic Mesenchymal Stem Cells Based-Therapies. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5680.	1.8	60
21	Secretion, migration and adhesion as key processes in the therapeutic activity of mesenchymal stem cells. <i>Acta Biochimica Polonica</i> , 2019, 66, 499-507.	0.3	9
22	Molecular mechanisms of epithelial to mesenchymal transition in tumor metastasis. <i>Acta Biochimica Polonica</i> , 2019, 66, 509-520.	0.3	56
23	Multiple Autologous Bone Marrow-Derived CD271+ Mesenchymal Stem Cell Transplantation Overcomes Drug-Resistant Epilepsy in Children. <i>Stem Cells Translational Medicine</i> , 2018, 7, 20-33.	1.6	30
24	SNAIL is a key regulator of alveolar rhabdomyosarcoma tumor growth and differentiation through repression of MYF5 and MYOD function. <i>Cell Death and Disease</i> , 2018, 9, 643.	2.7	23
25	Caffeic Acid Targets AMPK Signaling and Regulates Tricarboxylic Acid Cycle Anaplerosis while Metformin Downregulates HIF-1 α -Induced Glycolytic Enzymes in Human Cervical Squamous Cell Carcinoma Lines. <i>Nutrients</i> , 2018, 10, 841.	1.7	53
26	Caffeic Acid and Metformin Inhibit Invasive Phenotype Induced by TGF- β 1 in C-4I and HTB-35/SiHa Human Cervical Squamous Carcinoma Cells by Acting on Different Molecular Targets. <i>International Journal of Molecular Sciences</i> , 2018, 19, 266.	1.8	33
27	Introduction of Exogenous HSV-TK Suicide Gene Increases Safety of Keratinocyte-Derived Induced Pluripotent Stem Cells by Providing Genetic "Emergency Exit" Switch. <i>International Journal of Molecular Sciences</i> , 2018, 19, 197.	1.8	30
28	Blocking MET receptor signaling in multiple myeloma cells in vitro and in vivo. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 153-158.	0.6	1
29	Metformin and caffeic acid regulate metabolic reprogramming in human cervical carcinoma SiHa/HTB-35 cells and augment anticancer activity of Cisplatin via cell cycle regulation. <i>Food and Chemical Toxicology</i> , 2017, 106, 260-272.	1.8	37
30	Suicide gene therapy of rhabdomyosarcoma. <i>International Journal of Oncology</i> , 2017, 50, 597-605.	1.4	11
31	Concise Review: Mesenchymal Stem Cells in Cardiovascular Regeneration: Emerging Research Directions and Clinical Applications. <i>Stem Cells Translational Medicine</i> , 2017, 6, 1859-1867.	1.6	92
32	MCPIP1 Downregulation in Clear Cell Renal Cell Carcinoma Promotes Vascularization and Metastatic Progression. <i>Cancer Research</i> , 2017, 77, 4905-4920.	0.4	60
33	Caffeic Acid Expands Anti-Tumor Effect of Metformin in Human Metastatic Cervical Carcinoma HTB-34 Cells: Implications of AMPK Activation and Impairment of Fatty Acids De Novo Biosynthesis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 462.	1.8	49
34	Serum-resistant CpG-STAT3 decoy for targeting survival and immune checkpoint signaling in acute myeloid leukemia. <i>Blood</i> , 2016, 127, 1687-1700.	0.6	70
35	Quality of life assessment in female patients 2 and 4 years after muscle-derived cell transplants for stress urinary incontinence treatment.. <i>Ginekologia Polska</i> , 2016, 87, 183-189.	0.3	21
36	Targeting MET Receptor in Rhabdomyosarcoma: Rationale and Progress. <i>Current Drug Targets</i> , 2016, 18, 98-107.	1.0	12

#	ARTICLE	IF	CITATIONS
37	Assessment of frequency and severity of hypomagnesemia in patients with metastatic colorectal cancer treated with cetuximab, with a review of the literature. <i>Oncology Letters</i> , 2015, 10, 3749-3755.	0.8	12
38	The Analysis of the Relationship between Multiple Myeloma Cells and Their Microenvironment. <i>Journal of Cancer</i> , 2015, 6, 160-168.	1.2	12
39	Myocardial regeneration strategy using Wharton's jelly mesenchymal stem cells as an off-the-shelf "unlimited" therapeutic agent: results from the Acute Myocardial Infarction First-in-Man Study. <i>Postępy W Kardiologii Interwencyjnej</i> , 2015, 2, 100-107.	0.1	46
40	Continuous Improvement after Multiple Mesenchymal Stem Cell Transplantations in a Patient with Complete Spinal Cord Injury. <i>Cell Transplantation</i> , 2015, 24, 661-672.	1.2	63
41	MET receptor is a potential therapeutic target in high grade cervical cancer. <i>Oncotarget</i> , 2015, 6, 10086-10101.	0.8	15
42	Constitutive activation of MET signaling impairs myogenic differentiation of rhabdomyosarcoma and promotes its development and progression. <i>Oncotarget</i> , 2015, 6, 31378-31398.	0.8	25
43	Geldanamycin and Its Derivatives Inhibit the Growth of Myeloma Cells and Reduce the Expression of the MET Receptor. <i>Journal of Cancer</i> , 2014, 5, 480-490.	1.2	15
44	Efficient myoblast expansion for regenerative medicine use. <i>International Journal of Molecular Medicine</i> , 2014, 34, 83-91.	1.8	12
45	Preliminary Study of Autologous Bone Marrow Nucleated Cells Transplantation in Children With Spinal Cord Injury. <i>Stem Cells Translational Medicine</i> , 2014, 3, 395-404.	1.6	29
46	Autologous muscle-derived cells for the treatment of female stress urinary incontinence: A 2-year follow-up of a polish investigation. <i>Neurourology and Urodynamics</i> , 2014, 33, 324-330.	0.8	80
47	Downregulation of the CXCR4 receptor inhibits cervical carcinoma metastatic behavior in vitro and in vivo. <i>International Journal of Oncology</i> , 2014, 44, 1853-1860.	1.4	10
48	The strategy of fusion genes construction determines efficient expression of introduced transcription factors.. <i>Acta Biochimica Polonica</i> , 2014, 61, .	0.3	6
49	The strategy of fusion genes construction determines efficient expression of introduced transcription factors. <i>Acta Biochimica Polonica</i> , 2014, 61, 773-8.	0.3	4
50	Infarct Size Determines Myocardial Uptake of CD34 ⁺ Cells in the Peri-Infarct Zone. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 320-328.	1.3	35
51	Genetically modified adipose tissue-derived mesenchymal stem cells overexpressing CXCR4 display increased motility, invasiveness, and homing to bone marrow of NOD/SCID mice. <i>Experimental Hematology</i> , 2011, 39, 686-696.e4.	0.2	85
52	Randomized transcatheter delivery of CD34 ⁺ cells with perfusion versus stop-flow method in patients with recent myocardial infarction: Early cardiac retention of 99mTc-labeled cells activity. <i>Journal of Nuclear Cardiology</i> , 2011, 18, 104-116.	1.4	51
53	Differential expression of Snail1 transcription factor and Snail1-related genes in alveolar and embryonal rhabdomyosarcoma subtypes.. <i>Folia Histochemica Et Cytobiologica</i> , 2011, 48, 671-7.	0.6	10
54	Inhibition of rhabdomyosarcoma's metastatic behavior through downregulation of MET receptor signaling.. <i>Folia Histochemica Et Cytobiologica</i> , 2010, 47, 485-9.	0.6	17

#	ARTICLE	IF	CITATIONS
55	Intracoronary infusion of bone marrow-derived selected CD34+CXCR4+ cells and non-selected mononuclear cells in patients with acute STEMI and reduced left ventricular ejection fraction: results of randomized, multicentre Myocardial Regeneration by Intracoronary Infusion of Selected Population of Stem Cells in Acute Myocardial Infarction (REGENT) Trial. <i>European Heart Journal</i> , 2009, 30, 1313-1321.	1.0	427
56	Population of Rh123dim human keratinocytes form holoclones. <i>Open Life Sciences</i> , 2009, 4, 154-162.	0.6	1
57	Role of the Wnt/ β 2-catenin network in regulating hematopoiesis. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2008, 56, 257-266.	1.0	31
58	Early myocardial engraftment of autologous CD34+ cells administered transcronary via a physiological cell-delivery system. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 1929-1930.	3.3	3
59	Advantage of mesenchymal stem cells (MSC) expansion directly from purified bone marrow CD105+ and CD271+ cells.. <i>Folia Histochemica Et Cytobiologica</i> , 2008, 46, 307-14.	0.6	74
60	Inhibition of Rhabdomyosarcoma's Bone Marrow Metastasis through Blocking of MET Receptor Signaling.. <i>Blood</i> , 2007, 110, 1926-1926.	0.6	0
61	Evidence that platelet-derived microvesicles may transfer platelet-specific immunoreactive antigens to the surface of endothelial cells and CD34+ hematopoietic stem/ progenitor cells-implication for the pathogenesis of immune thrombocytopenias. <i>Folia Histochemica Et Cytobiologica</i> , 2007, 45, 27-32.	0.6	24
62	New GvHD Mouse Model for Assessing Both Acute and Chronic Phase of the Disease.. <i>Blood</i> , 2006, 108, 5166-5166.	0.6	0
63	Hematopoietic Allotransplant Studies in Complement Deficient Mice Reveal Beneficial Role of Innate Immunity in Ameliorating Consequences of GVHD.. <i>Blood</i> , 2006, 108, 5165-5165.	0.6	0
64	Different Sensitivity of Normal and Malignant Cells to HSP90 Inhibitors.. <i>Blood</i> , 2006, 108, 4377-4377.	0.6	0
65	SDF-1 alone and in co-operation with HGF regulates biology of human cervical carcinoma cells. <i>Folia Histochemica Et Cytobiologica</i> , 2006, 44, 155-64.	0.6	18
66	Mesenchymal stem cells: characteristics and clinical applications. <i>Folia Histochemica Et Cytobiologica</i> , 2006, 44, 215-30.	0.6	223
67	Unexpected Evidence That Dimethylsulphoxide (DMSO) Upregulates Expression of CXCR4 on Hematopoietic Stem/Progenitor Cells (HSPC), Increases Their Responsiveness to an SDF-1 Gradient and Enhances Homing to Bone Marrow.. <i>Blood</i> , 2005, 106, 1973-1973.	0.6	0
68	C-met Receptor as a Potential Target for the Treatment of Patients with Multiple Myeloma.. <i>Blood</i> , 2005, 106, 3395-3395.	0.6	0
69	Stem cell biology: a never ending quest for understanding. <i>Acta Biochimica Polonica</i> , 2005, 52, 353-8.	0.3	5
70	CXCR4's SDF-1 signaling is active in rhabdomyosarcoma cells and regulates locomotion, chemotaxis, and adhesion. <i>Blood</i> , 2002, 100, 2597-2606.	0.6	289
71	Numerous growth factors, cytokines, and chemokines are secreted by human CD34+ cells, myeloblasts, erythroblasts, and megakaryoblasts and regulate normal hematopoiesis in an autocrine/paracrine manner. <i>Blood</i> , 2001, 97, 3075-3085.	0.6	457
72	Metformin in Cervical Cancer: Metabolic Reprogramming. , 0, , .		0