

Zhenhai Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2600354/zhenhai-yang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

1,944
citations

24
h-index

41
g-index

88
ext. papers

2,377
ext. citations

8.9
avg, IF

4.93
L-index

#	Paper	IF	Citations
86	Optical management for back-contact perovskite solar cells with diverse structure designs. <i>Solar Energy</i> , 2022 , 236, 100-106	6.8	2
85	Single-crystalline TiO nanoparticles for stable and efficient perovskite modules.. <i>Nature Nanotechnology</i> , 2022 ,	28.7	13
84	50- μ m thick flexible dopant-free interdigitated-back-contact silicon heterojunction solar cells with front MoOx coatings for efficient antireflection and passivation. <i>Optics Express</i> , 2022 , 30, 21309	3.3	1
83	Twenty Percent Efficiency Crystalline Silicon Solar Cells with Solution-Processed Electron-Selective Contacts. <i>ACS Applied Energy Materials</i> , 2021 , 4, 3644-3650	6.1	3
82	Efficient Carrier Recombination in InGaN Pyramidal μ -LEDs Obtained through Selective Area Growth. <i>Photonics</i> , 2021 , 8, 157	2.2	
81	Rapid-Thermal-Annealing-Induced Passivation Degradation and Recovery of Polysilicon Passivated Contact with Czochralski and Cast Multicrystalline Silicon Substrates. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2021 , 218, 2100344	1.6	1
80	NiOx-Seeded Self-Assembled Monolayers as Highly Hole-Selective Passivating Contacts for Efficient Inverted Perovskite Solar Cells. <i>Solar Rrl</i> , 2021 , 5, 2100663	7.1	5
79	Edge effect in silicon solar cells with dopant-free interdigitated back-contacts. <i>Nano Energy</i> , 2020 , 74, 104893	17.1	4
78	Optical design and optimization for back-contact perovskite solar cells. <i>Solar Energy</i> , 2020 , 201, 84-91	6.8	20
77	Comparison of different types of interfacial oxides on hole-selective p+-poly-Si passivated contacts for high-efficiency c-Si solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 210, 110487	6.4	15
76	In-situ phosphorus-doped polysilicon prepared using rapid-thermal anneal (RTA) and its application for polysilicon passivated-contact solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 210, 110518	6.4	11
75	Ultrathin silicon oxide prepared by in-line plasma-assisted N2O oxidation (PANO) and the application for n-type polysilicon passivated contact. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 208, 110389	6.4	22
74	Rambutan-like hollow carbon spheres decorated with vacancy-rich nickel oxide for energy conversion and storage 2020 , 2, 122-130		50
73	Low-Temperature Oxidation-Processed Titanium Oxides as Dual-Functional Electron-Selective Passivation Contacts. <i>Solar Rrl</i> , 2020 , 4, 1900490	7.1	
72	Back-contact structures for optoelectronic devices: Applications and perspectives. <i>Nano Energy</i> , 2020 , 78, 105362	17.1	5
71	Stabilizing ECsPbI Perovskite via Phenylethylammonium for Efficient Solar Cells with Open-Circuit Voltage over 1.3V. <i>Small</i> , 2020 , 16, e2005246	11	24
70	A low-temperature TiO2/SnO2 electron transport layer for high-performance planar perovskite solar cells. <i>Science China Materials</i> , 2020 , 63, 207-215	7.1	16

69	Device physics of back-contact perovskite solar cells. <i>Energy and Environmental Science</i> , 2020 , 13, 1753-1765	3.5	30
68	Hard mask processing of 20% efficiency back-contacted silicon solar cells with dopant-free heterojunctions. <i>Nano Energy</i> , 2019 , 66, 104116	17.1	7
67	An Expanded Cox and Strack Method for Precise Extraction of Specific Contact Resistance of Transition Metal Oxide/n-Silicon Heterojunction. <i>IEEE Journal of Photovoltaics</i> , 2019 , 9, 1113-1120	3.7	19
66	Improvement of Surface Passivation of Tunnel Oxide Passivated Contact Structure by Thermal Annealing in Mixture of Water Vapor and Nitrogen Environment. <i>Solar Rrl</i> , 2019 , 3, 1900105	7.1	20
65	Study on High-Density Integration Resistive Random Access Memory Array From Multiphysics Perspective by Parallel Computing. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 1747-1753	2.9	9
64	Fully Coupled Electrothermal Simulation of Large RRAM Arrays in the "Thermal-House" <i>IEEE Access</i> , 2019 , 7, 3897-3908	3.5	5
63	Engineering of hole-selective contact for high-performance perovskite solar cell featuring silver back-electrode. <i>Journal of Materials Science</i> , 2019 , 54, 7789-7797	4.3	37
62	The role of transition region charges between dopant-free asymmetric heterocontacts in interdigitated back contact silicon heterojunction solar cells. <i>Solar Energy</i> , 2019 , 188, 1201-1208	6.8	3
61	Design Principles of Silicon Heterojunction Solar Cells with Dopant-Free Interdigitated Back Contacts. <i>Solar Rrl</i> , 2019 , 3, 1900230	7.1	6
60	Hole selective materials and device structures of heterojunction solar cells: Recent assessment and future trends. <i>APL Materials</i> , 2019 , 7, 110701	5.7	15
59	SnO2 surface defects tuned by (NH4)2S for high-efficiency perovskite solar cells. <i>Solar Energy</i> , 2019 , 194, 541-547	6.8	23
58	Design Principles of Silicon Heterojunction Solar Cells with Dopant-Free Interdigitated Back Contacts. <i>Solar Rrl</i> , 2019 , 3, 1970104	7.1	5
57	Omnidirectional whispering-gallery-mode lasing in GaN microdisk obtained by selective area growth on sapphire substrate. <i>Optics Express</i> , 2019 , 27, 16195-16205	3.3	4
56	Design and simulation of perovskite solar cells with Gaussian structured gradient-index optics. <i>Optics Letters</i> , 2019 , 44, 4865-4868	3	5
55	Parallel Simulation of Fully Coupled Electrothermal Processes in Large-Scale Phase-Change Memory Arrays. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 5117-5125	2.9	4
54	Enhanced perovskite crystallization by the polyvinylpyrrolidone additive for high efficiency solar cells. <i>Sustainable Energy and Fuels</i> , 2019 , 3, 3448-3454	5.8	6
53	GaN based UV-LEDs with Ni/Au Nanomeshes as Transparent p-type Electrodes. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019 , 216, 1800684	1.6	2
52	UV-Raman scattering of thin film Si with ultrathin silicon oxide tunnel contact for high efficiency crystal silicon solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 192, 154-160	6.4	20

51	Dual Functional Electron-Selective Contacts Based on Silicon Oxide/Magnesium: Tailoring Heterointerface Band Structures while Maintaining Surface Passivation. <i>Advanced Energy Materials</i> , 2018 , 8, 1702921	21.8	43
50	Heterojunction Hybrid Solar Cells by Formation of Conformal Contacts between PEDOT:PSS and Periodic Silicon Nanopyramid Arrays. <i>Small</i> , 2018 , 14, e1704493	11	24
49	Highly efficient non-fullerene polymer solar cells enabled by novel non-conjugated small-molecule cathode interlayers. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 6327-6334	13	35
48	Carrier Dynamics of Nanopillar Textured Ultrathin Si Film/PEDOT:PSS Heterojunction Solar Cell. <i>IEEE Journal of Photovoltaics</i> , 2018 , 8, 757-762	3.7	2
47	Achieving a Record Fill Factor for Silicon/Organic Hybrid Heterojunction Solar Cells by Using a Full-Area Metal Polymer Nanocomposite Top Electrode. <i>Advanced Functional Materials</i> , 2018 , 28, 1705425	15.6	20
46	Adsorption and co-adsorption of graphene oxide and Ni(II) on iron oxides: A spectroscopic and microscopic investigation. <i>Environmental Pollution</i> , 2018 , 233, 125-131	9.3	68
45	Carrier transport through the ultrathin silicon-oxide layer in tunnel oxide passivated contact (TOPCon) c-Si solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2018 , 187, 113-122	6.4	52
44	Realization of interdigitated back contact silicon solar cells by using dopant-free heterocontacts for both polarities. <i>Nano Energy</i> , 2018 , 50, 777-784	17.1	17
43	Electron-Selective Scandium Tunnel Oxide Passivated Contact for n-Type Silicon Solar Cells. <i>Solar Rrl</i> , 2018 , 2, 1800071	7.1	11
42	Heterojunction solar cells with asymmetrically carrier-selective contact structure of molybdenum-oxide/silicon/magnesium-oxide. <i>Solar Energy</i> , 2018 , 159, 704-709	6.8	55
41	Dopant-Free and Carrier-Selective Heterocontacts for Silicon Solar Cells: Recent Advances and Perspectives. <i>Advanced Science</i> , 2018 , 5, 1700547	13.6	70
40	Tunnel Oxide Magnesium as Electron-Selective Passivated Contact for n-type Silicon Solar Cell. <i>Solar Rrl</i> , 2018 , 2, 1800241	7.1	4
39	Double-Layered PEDOT:PSS Films Inducing Strong Inversion Layers in Organic/Silicon Hybrid Heterojunction Solar Cells. <i>ACS Applied Energy Materials</i> , 2018 , 1, 2874-2881	6.1	15
38	Over 16.7% Efficiency Organic-Silicon Heterojunction Solar Cells with Solution-Processed Dopant-Free Contacts for Both Polarities. <i>Advanced Functional Materials</i> , 2018 , 28, 1802192	15.6	44
37	Silicon/Organic Hybrid Solar Cells with 16.2% Efficiency and Improved Stability by Formation of Conformal Heterojunction Coating and Moisture-Resistant Capping Layer. <i>Advanced Materials</i> , 2017 , 29, 1606321	24	104
36	Optoelectronic Evaluation and Loss Analysis of PEDOT:PSS/Si Hybrid Heterojunction Solar Cells. <i>Nanoscale Research Letters</i> , 2017 , 12, 26	5	17
35	Tuning of the Contact Properties for High-Efficiency Si/PEDOT:PSS Heterojunction Solar Cells. <i>ACS Energy Letters</i> , 2017 , 2, 556-562	20.1	64
34	Synergistic effect of TiO ₂ hierarchical microspheres for high performance dye-sensitized solar cells. <i>Science China Chemistry</i> , 2017 , 60, 822-828	7.9	5

33	Macroscopic and spectroscopic studies of the enhanced scavenging of Cr(VI) and Se(VI) from water by titanate nanotube anchored nanoscale zero-valent iron. <i>Journal of Hazardous Materials</i> , 2017 , 336, 214-221	12.8	63
32	Optimizing ultrathin Ag films for high performance oxide-metal-oxide flexible transparent electrodes through surface energy modulation and template-stripping procedures. <i>Scientific Reports</i> , 2017 , 7, 44576	4.9	41
31	Polarity Control of GaN and Realization of GaN Schottky Barrier Diode Based on Lateral Polarity Structure. <i>IEEE Transactions on Electron Devices</i> , 2017 , 64, 4424-4429	2.9	10
30	Excellent Passivation of Silicon Surfaces by Thin Films of Electron-Beam-Processed Titanium Dioxide. <i>IEEE Journal of Photovoltaics</i> , 2017 , 7, 1551-1555	3.7	18
29	Tunable THz Multiband Frequency-Selective Surface Based on Hybrid Metal-Graphene Structures. <i>IEEE Nanotechnology Magazine</i> , 2017 , 16, 1132-1137	2.6	32
28	Photoinduced Field-Effect Passivation from Negative Carrier Accumulation for High-Efficiency Silicon/Organic Heterojunction Solar Cells. <i>ACS Nano</i> , 2017 , 11, 12687-12695	16.7	10
27	TiO ₂ Films from the Low-Temperature Oxidation of Ti as Passivating-Contact Layers for Si Heterojunction Solar Cells. <i>Solar Rrl</i> , 2017 , 1, 1700154	7.1	15
26	Opto-electric investigation for Si/organic heterojunction single-nanowire solar cells. <i>Scientific Reports</i> , 2017 , 7, 14575	4.9	14
25	Fully Coupled Multiphysics Simulation of Crosstalk Effect in Bipolar Resistive Random Access Memory. <i>IEEE Transactions on Electron Devices</i> , 2017 , 64, 3647-3653	2.9	19
24	Rear-Sided Passivation by SiN _x :H Dielectric Layer for Improved Si/PEDOT:PSS Hybrid Heterojunction Solar Cells. <i>Nanoscale Research Letters</i> , 2016 , 11, 310	5	3
23	TiO hierarchical sub-wavelength microspheres for high efficiency dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 32293-32301	3.6	9
22	High-Performance Black Multicrystalline Silicon Solar Cells by a Highly Simplified Metal-Catalyzed Chemical Etching Method. <i>IEEE Journal of Photovoltaics</i> , 2016 , 6, 888-893	3.7	17
21	Enhanced Photoelectrical Response of Hydrogenated Amorphous Silicon Single-Nanowire Solar Cells by Front-Opening Crescent Design. <i>Nanoscale Research Letters</i> , 2016 , 11, 233	5	11
20	Enhanced Electro-Optical Properties of Nanocone/Nanopillar Dual-Structured Arrays for Ultrathin Silicon/Organic Hybrid Solar Cell Applications. <i>Advanced Energy Materials</i> , 2016 , 6, 1501793	21.8	61
19	Ideal rear contact formed via employing a conjugated polymer for Si/PEDOT:PSS hybrid solar cells. <i>RSC Advances</i> , 2016 , 6, 16010-16017	3.7	29
18	Impact of key geochemical parameters on the attenuation of Pb(II) from water using a novel magnetic nanocomposite: fulvic acid-coated magnetite nanoparticles. <i>Desalination and Water Treatment</i> , 2016 , 57, 26063-26072		9
17	Hybrid Solar Cells: Enhanced Electro-Optical Properties of Nanocone/Nanopillar Dual-Structured Arrays for Ultrathin Silicon/Organic Hybrid Solar Cell Applications (Adv. Energy Mater. 8/2016). <i>Advanced Energy Materials</i> , 2016 , 6,	21.8	2
16	High Performance Dye-Sensitized Solar Cells with Enhanced Light-Harvesting Efficiency Based on Polyvinylpyrrolidone-Coated Au-TiO ₂ Microspheres. <i>ChemSusChem</i> , 2016 , 9, 720-7	8.3	14

15	High-Efficiency Silicon/Organic Heterojunction Solar Cells with Improved Junction Quality and Interface Passivation. <i>ACS Nano</i> , 2016 , 10, 11525-11531	16.7	65
14	Scattering effect of the high-index dielectric nanospheres for high performance hydrogenated amorphous silicon thin-film solar cells. <i>Scientific Reports</i> , 2016 , 6, 30503	4.9	27
13	Broadband and wide-angle light harvesting by ultra-thin silicon solar cells with partially embedded dielectric spheres. <i>Optics Letters</i> , 2016 , 41, 1329-32	3	22
12	Si/PEDOT:PSS Hybrid Solar Cells with Advanced Antireflection and Back Surface Field Designs. <i>Nanoscale Research Letters</i> , 2016 , 11, 356	5	11
11	Omnidirectional absorption enhancement of symmetry-broken crescent-deformed single-nanowire photovoltaic cells. <i>Nano Energy</i> , 2015 , 13, 9-17	17.1	23
10	Large-Area Nanosphere Self-Assembly by a Micro-Propulsive Injection Method for High Throughput Periodic Surface Nanotexturing. <i>Nano Letters</i> , 2015 , 15, 4591-8	11.5	158
9	Realization of 13.6% Efficiency on 20 μ m Thick Si/Organic Hybrid Heterojunction Solar Cells via Advanced Nanotexturing and Surface Recombination Suppression. <i>ACS Nano</i> , 2015 , 9, 6522-31	16.7	107
8	High-efficiency photon capturing in ultrathin silicon solar cells with front nanobowl texture and truncated-nanopyramid reflector. <i>Optics Letters</i> , 2015 , 40, 1077-80	3	30
7	Efficient light trapping in low aspect-ratio honeycomb nanobowl surface texturing for crystalline silicon solar cell applications. <i>Applied Physics Letters</i> , 2013 , 103, 253105	3.4	40
6	Realization of a General Method for Extracting Specific Contact Resistance of Silicon-Based Dopant-Free Heterojunctions. <i>Solar Rrl</i> ,2100394	7.1	0
5	Unlocking Voltage Potentials of Mixed-Halide Perovskite Solar Cells via Phase Segregation Suppression. <i>Advanced Functional Materials</i> ,2110698	15.6	8
4	Dual-functional carbon-doped polysilicon films for passivating contact solar cells: regulating physical contacts while promoting photoelectrical properties. <i>Energy and Environmental Science</i> ,	35.4	7
3	Optimization of Tunnel-Junction for Perovskite/Tunnel Oxide Passivated Contact (TOPCon) Tandem Solar Cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> ,2100562	1.6	2
2	ITO/SnO ₂ Interface Defect Passivation via Atomic Layer Deposited Al ₂ O ₃ for High-Efficiency Perovskite Solar Cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> ,2100406	1.6	2
1	Passivating Contact with Phosphorus-Doped Polycrystalline Silicon-Nitride with an Excellent Implied Open-Circuit Voltage of 745 mV and Its Application in 23.88% Efficiency TOPCon Solar Cells. <i>Solar Rrl</i> ,2100644	7.1	2