Eckhard Wolf

List of Publications by Citations

Source: https://exaly.com/author-pdf/2600819/eckhard-wolf-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 500
papers
 22,979
citations
 73
h-index
 130
g-index

 531
ext. papers
 25,926
ext. citations
 5.6
avg, IF
 6.44
L-index

| # | Paper | IF | Citations |
|-----|---|-------------------|-----------|
| 500 | CCR7 coordinates the primary immune response by establishing functional microenvironments in secondary lymphoid organs. <i>Cell</i> , 1999 , 99, 23-33 | 56.2 | 1889 |
| 499 | A putative chemokine receptor, BLR1, directs B cell migration to defined lymphoid organs and specific anatomic compartments of the spleen. <i>Cell</i> , 1996 , 87, 1037-47 | 56.2 | 975 |
| 498 | Genome-wide, large-scale production of mutant mice by ENU mutagenesis. <i>Nature Genetics</i> , 2000 , 25, 444-7 | 36.3 | 578 |
| 497 | Disruption of the CNTF gene results in motor neuron degeneration. <i>Nature</i> , 1993 , 365, 27-32 | 50.4 | 551 |
| 496 | Epigenetic marking correlates with developmental potential in cloned bovine preimplantation embryos. <i>Current Biology</i> , 2003 , 13, 1116-21 | 6.3 | 458 |
| 495 | A humanized version of Foxp2 affects cortico-basal ganglia circuits in mice. Cell, 2009, 137, 961-71 | 56.2 | 427 |
| 494 | Mitochondrial distribution and adenosine triphosphate content of bovine oocytes before and after in vitro maturation: correlation with morphological criteria and developmental capacity after in vitro fertilization and culture. <i>Biology of Reproduction</i> , 2001 , 64, 904-9 | 3.9 | 354 |
| 493 | Animal models of obesity and diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2018 , 14, 140-162 | 15.2 | 330 |
| 492 | The epidermal growth factor receptor ligands at a glance. <i>Journal of Cellular Physiology</i> , 2009 , 218, 460 |)- 6 ⁄ | 301 |
| 491 | Rapamycin extends murine lifespan but has limited effects on aging. <i>Journal of Clinical Investigation</i> , 2013 , 123, 3272-91 | 15.9 | 267 |
| 490 | Chimeric 2C10R4 anti-CD40 antibody therapy is critical for long-term survival of GTKO.hCD46.hTBM pig-to-primate cardiac xenograft. <i>Nature Communications</i> , 2016 , 7, 11138 | 17.4 | 227 |
| 489 | Efficient transgenesis in farm animals by lentiviral vectors. EMBO Reports, 2003, 4, 1054-60 | 6.5 | 220 |
| 488 | Genes involved in conceptus-endometrial interactions in ruminants: insights from reductionism and thoughts on holistic approaches. <i>Reproduction</i> , 2008 , 135, 165-79 | 3.8 | 205 |
| 487 | Specific subtypes of cutaneous mechanoreceptors require neurotrophin-3 following peripheral target innervation. <i>Neuron</i> , 1996 , 16, 287-95 | 13.9 | 203 |
| 486 | Consistent success in life-supporting porcine cardiac xenotransplantation. <i>Nature</i> , 2018 , 564, 430-433 | 50.4 | 197 |
| 485 | Fine mapping of genome activation in bovine embryos by RNA sequencing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 4139-44 | 11.5 | 195 |
| 484 | Transgenic pigs as models for translational biomedical research. <i>Journal of Molecular Medicine</i> , 2010 , 88, 653-64 | 5.5 | 182 |

(2007-2001)

| 483 | The Ca2+-binding proteins S100A8 and S100A9 are encoded by novel injury-regulated genes. Journal of Biological Chemistry, 2001 , 276, 35818-25 | 5.4 | 179 | |
|-----------------|---|---------------------|-----|--|
| 482 | Overexpression of insulin-like growth factor-binding protein-2 in transgenic mice reduces postnatal body weight gain. <i>Endocrinology</i> , 1999 , 140, 5488-96 | 4.8 | 178 | |
| 481 | Comprehensive galectin fingerprinting in a panel of 61 human tumor cell lines by RT-PCR and its implications for diagnostic and therapeutic procedures. <i>Journal of Cancer Research and Clinical Oncology</i> , 2001 , 127, 375-86 | 4.9 | 177 | |
| 480 | Embryo-induced transcriptome changes in bovine endometrium reveal species-specific and common molecular markers of uterine receptivity. <i>Reproduction</i> , 2006 , 132, 319-31 | 3.8 | 169 | |
| 479 | Introducing the German Mouse Clinic: open access platform for standardized phenotyping. <i>Nature Methods</i> , 2005 , 2, 403-4 | 21.6 | 148 | |
| 478 | Mitochondrial DNA heteroplasmy in cloned cattle produced by fetal and adult cell cloning. <i>Nature Genetics</i> , 2000 , 25, 255-7 | 36.3 | 147 | |
| 477 | The endometrium responds differently to cloned versus fertilized embryos. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 5681-6 | 11.5 | 143 | |
| 476 | Glucose intolerance and reduced proliferation of pancreatic beta-cells in transgenic pigs with impaired glucose-dependent insulinotropic polypeptide function. <i>Diabetes</i> , 2010 , 59, 1228-38 | 0.9 | 141 | |
| 475 | Monozygotic twin model reveals novel embryo-induced transcriptome changes of bovine endometrium in the preattachment period. <i>Biology of Reproduction</i> , 2006 , 74, 253-64 | 3.9 | 135 | |
| 474 | Targeted disruption of the Walker-Warburg syndrome gene Pomt1 in mouse results in embryonic lethality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 14 | 1 26:3 1 | 133 | |
| 473 | Adult cloning in cattle: potential of nuclei from a permanent cell line and from primary cultures. <i>Molecular Reproduction and Development</i> , 1999 , 54, 264-72 | 2.6 | 132 | |
| 472 | Interleukin-6 stimulates clonogenic growth of primary and metastatic human colon carcinoma cells. <i>Cancer Letters</i> , 2000 , 151, 31-8 | 9.9 | 131 | |
| 47 ¹ | Genetic modification of pigs as organ donors for xenotransplantation. <i>Molecular Reproduction and Development</i> , 2010 , 77, 209-21 | 2.6 | 128 | |
| 470 | Beyond wavy hairs: the epidermal growth factor receptor and its ligands in skin biology and pathology. <i>American Journal of Pathology</i> , 2008 , 173, 14-24 | 5.8 | 128 | |
| 469 | A key role for E-cadherin in intestinal homeostasis and Paneth cell maturation. <i>PLoS ONE</i> , 2010 , 5, e143 | 25 7 | 125 | |
| 468 | Generation of transgenic cattle by lentiviral gene transfer into oocytes. <i>Biology of Reproduction</i> , 2004 , 71, 405-9 | 3.9 | 125 | |
| 467 | Effects of long-term elevated serum levels of growth hormone on life expectancy of mice: lessons from transgenic animal models. <i>Mechanisms of Ageing and Development</i> , 1993 , 68, 71-87 | 5.6 | 120 | |
| 466 | Dominant-negative effects of a novel mutated Ins2 allele causes early-onset diabetes and severe beta-cell loss in Munich Ins2C95S mutant mice. <i>Diabetes</i> , 2007 , 56, 1268-76 | 0.9 | 116 | |

| 465 | Methylation reprogramming and chromosomal aneuploidy in in vivo fertilized and cloned rabbit preimplantation embryos. <i>Biology of Reproduction</i> , 2004 , 71, 340-7 | 3.9 | 115 |
|-----|---|------|-----|
| 464 | ER stress-mediated apoptosis in a new mouse model of osteogenesis imperfecta. <i>PLoS Genetics</i> , 2008 , 4, e7 | 6 | 111 |
| 463 | Tumor galectinology: insights into the complex network of a family of endogenous lectins. <i>Glycoconjugate Journal</i> , 2004 , 20, 227-38 | 3 | 110 |
| 462 | Epigenetic reprogramming in mammalian nuclear transfer. <i>Differentiation</i> , 2003 , 71, 91-113 | 3.5 | 109 |
| 461 | Uniformity of nucleosome preservation pattern in Mammalian sperm and its connection to repetitive DNA elements. <i>Developmental Cell</i> , 2014 , 30, 23-35 | 10.2 | 107 |
| 460 | Analysis of mammalian gene function through broad-based phenotypic screens across a consortium of mouse clinics. <i>Nature Genetics</i> , 2015 , 47, 969-978 | 36.3 | 106 |
| 459 | HLA-E/human beta2-microglobulin transgenic pigs: protection against xenogeneic human anti-pig natural killer cell cytotoxicity. <i>Transplantation</i> , 2009 , 87, 35-43 | 1.8 | 105 |
| 458 | Mouse phenotyping. <i>Methods</i> , 2011 , 53, 120-35 | 4.6 | 103 |
| 457 | Transgenic mouse models for studying the functions of insulin-like growth factor-binding proteins. <i>FASEB Journal</i> , 2000 , 14, 629-40 | 0.9 | 103 |
| 456 | Activities of the matrix metalloproteinase stromelysin-2 (MMP-10) in matrix degradation and keratinocyte organization in wounded skin. <i>Molecular Biology of the Cell</i> , 2004 , 15, 5242-54 | 3.5 | 101 |
| 455 | Xenografted islet cell clusters from INSLEA29Y transgenic pigs rescue diabetes and prevent immune rejection in humanized mice. <i>Diabetes</i> , 2012 , 61, 1527-32 | 0.9 | 100 |
| 454 | Cellular and Molecular Probing of Intact Human Organs. <i>Cell</i> , 2020 , 180, 796-812.e19 | 56.2 | 96 |
| 453 | Dystrophin-deficient pigs provide new insights into the hierarchy of physiological derangements of dystrophic muscle. <i>Human Molecular Genetics</i> , 2013 , 22, 4368-82 | 5.6 | 94 |
| 452 | Escherichia coli infection induces distinct local and systemic transcriptome responses in the mammary gland. <i>BMC Genomics</i> , 2010 , 11, 138 | 4.5 | 94 |
| 451 | Dynamic changes in messenger RNA profiles of bovine endometrium during the oestrous cycle. <i>Reproduction</i> , 2008 , 135, 225-40 | 3.8 | 94 |
| 450 | Epigenetic regulation of lentiviral transgene vectors in a large animal model. <i>Molecular Therapy</i> , 2006 , 13, 59-66 | 11.7 | 94 |
| 449 | Growth inhibition in giant growth hormone transgenic mice by overexpression of insulin-like growth factor-binding protein-2. <i>Endocrinology</i> , 2001 , 142, 1889-98 | 4.8 | 91 |
| 448 | Polyclonal anti-PrP auto-antibodies induced with dimeric PrP interfere efficiently with PrPSc propagation in prion-infected cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 18524-31 | 5.4 | 90 |

(2015-2016)

| 447 | Efficient production of multi-modified pigs for xenotransplantation by 'combineering', gene stacking and gene editing. <i>Scientific Reports</i> , 2016 , 6, 29081 | 4.9 | 89 |
|-----|--|--------------------|----|
| 446 | Peroxiredoxin 6 is a potent cytoprotective enzyme in the epidermis. <i>American Journal of Pathology</i> , 2006 , 169, 1194-205 | 5.8 | 89 |
| 445 | Genome activation in bovine embryos: review of the literature and new insights from RNA sequencing experiments. <i>Animal Reproduction Science</i> , 2014 , 149, 46-58 | 2.1 | 87 |
| 444 | Tissue-specific elevated genomic cytosine methylation levels are associated with an overgrowth phenotype of bovine fetuses derived by in vitro techniques. <i>Biology of Reproduction</i> , 2004 , 71, 217-23 | 3.9 | 87 |
| 443 | Regulation of ipsilateral and contralateral bovine oviduct epithelial cell function in the postovulation period: a transcriptomics approach. <i>Biology of Reproduction</i> , 2003 , 68, 1170-7 | 3.9 | 87 |
| 442 | Maturation of bovine oocytes in the presence of leptin improves development and reduces apoptosis of in vitro-produced blastocysts. <i>Biology of Reproduction</i> , 2005 , 73, 737-44 | 3.9 | 87 |
| 441 | A porcine model of familial adenomatous polyposis. <i>Gastroenterology</i> , 2012 , 143, 1173-1175.e7 | 13.3 | 86 |
| 440 | Efficient transgenesis in farm animals by lentiviral vectors. <i>EMBO Reports</i> , 2003 , 4, 1054-1058 | 6.5 | 83 |
| 439 | Nuclear transfer in cattle with non-transfected and transfected fetal or cloned transgenic fetal and postnatal fibroblasts. <i>Molecular Reproduction and Development</i> , 2001 , 60, 362-9 | 2.6 | 81 |
| 438 | Rabbit somatic cell cloning: effects of donor cell type, histone acetylation status and chimeric embryo complementation. <i>Reproduction</i> , 2007 , 133, 219-30 | 3.8 | 80 |
| 437 | Completion of the swine genome will simplify the production of swine as a large animal biomedical model. <i>BMC Medical Genomics</i> , 2012 , 5, 55 | 3.7 | 79 |
| 436 | Differential endometrial gene expression in pregnant and nonpregnant sows. <i>Biology of Reproduction</i> , 2010 , 83, 277-85 | 3.9 | 79 |
| 435 | Permanent neonatal diabetes in INS(C94Y) transgenic pigs. <i>Diabetes</i> , 2013 , 62, 1505-11 | 0.9 | 78 |
| 434 | Diabetes Mellitus-Induced Microvascular Destabilization in the Myocardium. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 131-143 | 15.1 | 77 |
| 433 | Generation and characterization of dickkopf3 mutant mice. <i>Molecular and Cellular Biology</i> , 2006 , 26, 23 | 17 . 26 | 77 |
| 432 | Pluripotent stem cellsmodel of embryonic development, tool for gene targeting, and basis of cell therapy. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2002 , 31, 169-86 | 1.1 | 76 |
| 431 | Induction of a senescent-like phenotype does not confer the ability of bovine immortal cells to support the development of nuclear transfer embryos. <i>Biology of Reproduction</i> , 2003 , 69, 301-9 | 3.9 | 76 |
| 430 | Pig-to-baboon heterotopic heart transplantationexploratory preliminary experience with pigs transgenic for human thrombomodulin and comparison of three costimulation blockade-based regimens. <i>Xenotransplantation</i> , 2015 , 22, 211-20 | 2.8 | 74 |

| 429 | Protein O-mannosylation is crucial for E-cadherin-mediated cell adhesion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 21024-9 | 11.5 | 73 |
|-----|--|------|----|
| 428 | Mitochondrial dysfunction and decrease in body weight of a transgenic knock-in mouse model for TDP-43. <i>Journal of Biological Chemistry</i> , 2014 , 289, 10769-10784 | 5.4 | 72 |
| 427 | Effects of genetic background, gender, and early environmental factors on isolation-induced ultrasonic calling in mouse pups: an embryo-transfer study. <i>Behavior Genetics</i> , 2008 , 38, 579-95 | 3.2 | 72 |
| 426 | Progress in Clinical Encapsulated Islet Xenotransplantation. <i>Transplantation</i> , 2016 , 100, 2301-2308 | 1.8 | 72 |
| 425 | Animal models of arrhythmia: classic electrophysiology to genetically modified large animals. <i>Nature Reviews Cardiology</i> , 2019 , 16, 457-475 | 14.8 | 71 |
| 424 | Heteroplasmy in bovine fetuses produced by intra- and inter-subspecific somatic cell nuclear transfer: neutral segregation of nuclear donor mitochondrial DNA in various tissues and evidence for recipient cow mitochondria in fetal blood. <i>Biology of Reproduction</i> , 2003 , 68, 159-66 | 3.9 | 71 |
| 423 | Accelerated growth and visceral lesions in transgenic mice expressing foreign genes of the growth hormone family: an overview. <i>Pediatric Nephrology</i> , 1991 , 5, 513-21 | 3.2 | 70 |
| 422 | Toxicity modelling of Plk1-targeted therapies in genetically engineered mice and cultured primary mammalian cells. <i>Nature Communications</i> , 2011 , 2, 395 | 17.4 | 67 |
| 421 | Comparison of the effects of early pregnancy with human interferon, alpha 2 (IFNA2), on gene expression in bovine endometrium. <i>Biology of Reproduction</i> , 2012 , 86, 46 | 3.9 | 67 |
| 420 | A bovine oviduct epithelial cell suspension culture system suitable for studying embryo-maternal interactions: morphological and functional characterization. <i>Reproduction</i> , 2006 , 132, 637-48 | 3.8 | 67 |
| 419 | Expression of synthetic cDNA sequences encoding human insulin-like growth factor-1 (IGF-1) in the mammary gland of transgenic rabbits. <i>Gene</i> , 1994 , 149, 351-5 | 3.8 | 67 |
| 418 | Systemic first-line phenotyping. <i>Methods in Molecular Biology</i> , 2009 , 530, 463-509 | 1.4 | 67 |
| 417 | Epigenetic alterations in longevity regulators, reduced life span, and exacerbated aging-related pathology in old father offspring mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E2348-E2357 | 11.5 | 65 |
| 416 | Distribution and expression of porcine endogenous retroviruses in multi-transgenic pigs generated for xenotransplantation. <i>Xenotransplantation</i> , 2009 , 16, 64-73 | 2.8 | 65 |
| 415 | Chimeric pigs following blastocyst injection of transgenic porcine primordial germ cells. <i>Molecular Reproduction and Development</i> , 1999 , 54, 244-54 | 2.6 | 65 |
| 414 | Requirement of the RNA-editing enzyme ADAR2 for normal physiology in mice. <i>Journal of Biological Chemistry</i> , 2011 , 286, 18614-22 | 5.4 | 64 |
| 413 | Efficient in vitro production of cat embryos in modified synthetic oviduct fluid medium: effects of season and ovarian status. <i>Biology of Reproduction</i> , 2001 , 65, 9-13 | 3.9 | 64 |
| 412 | Evidence for conserved DNA and histone H3 methylation reprogramming in mouse, bovine and rabbit zygotes. <i>Epigenetics and Chromatin</i> , 2008 , 1, 8 | 5.8 | 62 |

(2012-2007)

| 411 | Growth analysis of the mouse adrenal gland from weaning to adulthood: time- and gender-dependent alterations of cell size and number in the cortical compartment. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 293, E139-46 | 6 | 62 |
|-----|---|------|----|
| 410 | Physiologic systemic iron metabolism in mice deficient for duodenal Hfe. <i>Blood</i> , 2007 , 109, 4511-7 | 2.2 | 62 |
| 409 | CARP, a cardiac ankyrin repeat protein, is up-regulated during wound healing and induces angiogenesis in experimental granulation tissue. <i>American Journal of Pathology</i> , 2005 , 166, 303-12 | 5.8 | 62 |
| 408 | Factors influencing the efficiency of generating genetically engineered pigs by nuclear transfer: multi-factorial analysis of a large data set. <i>BMC Biotechnology</i> , 2013 , 13, 43 | 3.5 | 61 |
| 407 | eIF6 coordinates insulin sensitivity and lipid metabolism by coupling translation to transcription. <i>Nature Communications</i> , 2015 , 6, 8261 | 17.4 | 60 |
| 406 | Every-other-day feeding extends lifespan but fails to delay many symptoms of aging in mice. <i>Nature Communications</i> , 2017 , 8, 155 | 17.4 | 60 |
| 405 | Genetically engineered pig models for diabetes research. <i>Transgenic Research</i> , 2014 , 23, 27-38 | 3.3 | 60 |
| 404 | Leptin promotes meiotic progression and developmental capacity of bovine oocytes via cumulus cell-independent and -dependent mechanisms. <i>Biology of Reproduction</i> , 2007 , 76, 532-41 | 3.9 | 60 |
| 403 | Detection of collagens by multispectral optoacoustic tomography as an imaging biomarker for Duchenne muscular dystrophy. <i>Nature Medicine</i> , 2019 , 25, 1905-1915 | 50.5 | 60 |
| 402 | Changes of higher order chromatin arrangements during major genome activation in bovine preimplantation embryos. <i>Experimental Cell Research</i> , 2009 , 315, 2053-63 | 4.2 | 59 |
| 401 | Missing-in-metastasis MIM/MTSS1 promotes actin assembly at intercellular junctions and is required for integrity of kidney epithelia. <i>Journal of Cell Science</i> , 2011 , 124, 1245-55 | 5.3 | 59 |
| 400 | Increase of essential amino acids in the bovine uterine lumen during preimplantation development. <i>Reproduction</i> , 2011 , 141, 685-95 | 3.8 | 59 |
| 399 | Tissue-specific effects of in vitro fertilization procedures on genomic cytosine methylation levels in overgrown and normal sized bovine fetuses. <i>Biology of Reproduction</i> , 2006 , 75, 17-23 | 3.9 | 59 |
| 398 | Chromatin-remodeling factor SMARCD2 regulates transcriptional networks controlling differentiation of neutrophil granulocytes. <i>Nature Genetics</i> , 2017 , 49, 742-752 | 36.3 | 58 |
| 397 | Insulin-like growth factor (IGF)-I stimulates cell proliferation and induces IGF binding protein (IGFBP)-3 and IGFBP-5 gene expression in cultured growth plate chondrocytes via distinct signaling pathways. <i>Endocrinology</i> , 2005 , 146, 3096-104 | 4.8 | 58 |
| 396 | Mutation in the betaA3/A1-crystallin encoding gene Cryba1 causes a dominant cataract in the mouse. <i>Genomics</i> , 1999 , 62, 67-73 | 4.3 | 58 |
| 395 | Secretion of biologically active interferon tau by in vitro-derived bovine trophoblastic tissue. <i>Biology of Reproduction</i> , 1995 , 53, 1500-7 | 3.9 | 57 |
| 394 | Inactivation and inducible oncogenic mutation of p53 in gene targeted pigs. <i>PLoS ONE</i> , 2012 , 7, e43323 | 3.7 | 57 |

| 393 | MFAP4 Promotes Vascular Smooth Muscle Migration, Proliferation and Accelerates Neointima Formation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 122-33 | 9.4 | 56 |
|-----|--|------|----|
| 392 | Human insulin-like growth factor I (IGF-I) produced in the mammary glands of transgenic rabbits: yield, receptor binding, mitogenic activity, and effects on IGF-binding proteins. <i>Endocrinology</i> , 1997 , 138, 307-13 | 4.8 | 56 |
| 391 | OCT4/POU5F1 is required for NANOG expression in bovine blastocysts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 2770-2775 | 11.5 | 54 |
| 390 | Insulin-like growth factor-binding protein-2 (IGFBP-2) overexpression negatively regulates bone size and mass, but not density, in the absence and presence of growth hormone/IGF-I excess in transgenic mice. <i>Anatomy and Embryology</i> , 2002 , 206, 139-48 | | 54 |
| 389 | Bovine somatic cell nuclear transfer using recipient oocytes recovered by ovum pick-up: effect of maternal lineage of oocyte donors. <i>Biology of Reproduction</i> , 2002 , 66, 367-73 | 3.9 | 54 |
| 388 | Potential of fetal germ cells for nuclear transfer in cattle. <i>Molecular Reproduction and Development</i> , 1999 , 52, 421-6 | 2.6 | 54 |
| 387 | Cytochrome c oxidase subunit 4 isoform 2-knockout mice show reduced enzyme activity, airway hyporeactivity, and lung pathology. <i>FASEB Journal</i> , 2012 , 26, 3916-30 | 0.9 | 53 |
| 386 | Diabetic kidney lesions of GIPRdn transgenic mice: podocyte hypertrophy and thickening of the GBM precede glomerular hypertrophy and glomerulosclerosis. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 296, F819-29 | 4.3 | 53 |
| 385 | Insulin-like growth factor-binding protein-2 inhibits proliferation of human embryonic kidney fibroblasts and of IGF-responsive colon carcinoma cell lines. <i>FEBS Letters</i> , 1998 , 434, 329-34 | 3.8 | 53 |
| 384 | Expression of biologically active human TRAIL in transgenic pigs. <i>Transplantation</i> , 2005 , 80, 222-30 | 1.8 | 53 |
| 383 | First inducible transgene expression in porcine large animal models. <i>FASEB Journal</i> , 2012 , 26, 1086-99 | 0.9 | 52 |
| 382 | Oxalate-induced chronic kidney disease with its uremic and cardiovascular complications in C57BL/6 mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, F785-F795 | 4.3 | 51 |
| 381 | Regulatory sequences of the porcine THBD gene facilitate endothelial-specific expression of bioactive human thrombomodulin in single- and multitransgenic pigs. <i>Transplantation</i> , 2014 , 97, 138-47 | 1.8 | 51 |
| 380 | Postnatal overexpression of insulin-like growth factor II in transgenic mice is associated with adrenocortical hyperplasia and enhanced steroidogenesis. <i>Endocrinology</i> , 1999 , 140, 1537-43 | 4.8 | 51 |
| 379 | Composition of parental mitochondrial DNA in cloned bovine embryos. FEBS Letters, 1998, 426, 352-6 | 3.8 | 50 |
| 378 | Invasion of tumorigenic HT1080 cells is impeded by blocking or downregulating the 37-kDa/67-kDa laminin receptor. <i>Journal of Molecular Biology</i> , 2008 , 378, 530-9 | 6.5 | 50 |
| 377 | Nuclear transfer in mammals: recent developments and future perspectives. <i>Journal of Biotechnology</i> , 1998 , 65, 99-110 | 3.7 | 50 |
| 376 | Non-balanced mix of mitochondrial DNA in cloned cattle produced by cytoplast-blastomere fusion. <i>FEBS Letters</i> , 1998 , 426, 357-61 | 3.8 | 49 |

| 375 | Growth hormone inhibits apoptosis in in vitro produced bovine embryos. <i>Molecular Reproduction and Development</i> , 2002 , 61, 180-6 | 2.6 | 49 | |
|-----|--|------|----|--|
| 374 | Establishment of pluripotent cell lines from vertebrate speciespresent status and future prospects. <i>Cells Tissues Organs</i> , 1999 , 165, 220-36 | 2.1 | 49 | |
| 373 | Large-scale phenotyping of an accurate genetic mouse model of JNCL identifies novel early pathology outside the central nervous system. <i>PLoS ONE</i> , 2012 , 7, e38310 | 3.7 | 49 | |
| 372 | Identification of genetic elements in metabolism by high-throughput mouse phenotyping. <i>Nature Communications</i> , 2018 , 9, 288 | 17.4 | 48 | |
| 371 | Betacellulin overexpression in transgenic mice causes disproportionate growth, pulmonary hemorrhage syndrome, and complex eye pathology. <i>Endocrinology</i> , 2005 , 146, 5237-46 | 4.8 | 48 | |
| 370 | The clinical-chemical screen in the Munich ENU Mouse Mutagenesis Project: screening for clinically relevant phenotypes. <i>Mammalian Genome</i> , 2000 , 11, 543-6 | 3.2 | 48 | |
| 369 | Lack of Pur-alpha alters postnatal brain development and causes megalencephaly. <i>Human Molecular Genetics</i> , 2012 , 21, 473-84 | 5.6 | 46 | |
| 368 | Characterization of a mutation in the lens-specific MP70 encoding gene of the mouse leading to a dominant cataract. <i>Experimental Eye Research</i> , 2001 , 73, 867-76 | 3.7 | 46 | |
| 367 | Bovine endometrial metallopeptidases MMP14 and MMP2 and the metallopeptidase inhibitor TIMP2 participate in maternal preparation of pregnancy. <i>Molecular and Cellular Endocrinology</i> , 2011 , 332, 48-57 | 4.4 | 45 | |
| 366 | Cortical bone loss in androgen-deficient aged male rats is mainly caused by increased endocortical bone remodeling. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 694-704 | 6.3 | 45 | |
| 365 | Overexpression of insulin-like growth factor-II in mouse embryonic stem cells promotes myogenic differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 277, 631-8 | 3.4 | 45 | |
| 364 | Phenotypic comparison of common mouse strains developing high-fat diet-induced hepatosteatosis. <i>Molecular Metabolism</i> , 2013 , 2, 435-46 | 8.8 | 44 | |
| 363 | Overexpression of a dominant negative GIP receptor in transgenic mice results in disturbed postnatal pancreatic islet and beta-cell development. <i>Regulatory Peptides</i> , 2005 , 125, 103-17 | | 44 | |
| 362 | Cloned transgenic farm animals produce a bispecific antibody for T cell-mediated tumor cell killing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6858-63 | 11.5 | 44 | |
| 361 | Transcriptome analyses of bovine, porcine and equine endometrium during the pre-implantation phase. <i>Animal Reproduction Science</i> , 2012 , 134, 84-94 | 2.1 | 43 | |
| 360 | Evidence for estrogen-dependent uterine serpin (SERPINA14) expression during estrus in the bovine endometrial glandular epithelium and lumen. <i>Biology of Reproduction</i> , 2009 , 81, 795-805 | 3.9 | 43 | |
| 359 | Insulin-like growth factor I (IGF-I) and long R(3)IGF-I differently affect development and messenger ribonucleic acid abundance for IGF-binding proteins and type I IGF receptors in in vitro produced bovine embryos. <i>Endocrinology</i> , 2001 , 142, 1309-16 | 4.8 | 43 | |
| 358 | Coenzyme Q(10) in submicron-sized dispersion improves development, hatching, cell proliferation, and adenosine triphosphate content of in vitro-produced bovine embryos. <i>Biology of Reproduction</i> , 1999 , 61, 541-7 | 3.9 | 43 | |

| 357 | Clinical Chemistry Reference Intervals for C57BL/6J, C57BL/6N, and C3HeB/FeJ Mice (Mus musculus). <i>Journal of the American Association for Laboratory Animal Science</i> , 2016 , 55, 375-86 | 1.3 | 43 |
|-----|--|-----|----|
| 356 | Vessel Network Architecture of Adult Human Islets Promotes Distinct Cell-Cell Interactions In Situ and Is Altered After Transplantation. <i>Endocrinology</i> , 2017 , 158, 1373-1385 | 4.8 | 42 |
| 355 | Actions and interactions of progesterone and estrogen on transcriptome profiles of the bovine endometrium. <i>Physiological Genomics</i> , 2010 , 42A, 290-300 | 3.6 | 42 |
| 354 | Canine embryo-derived stem cells and models for human diseases. <i>Human Molecular Genetics</i> , 2008 , 17, R42-7 | 5.6 | 42 |
| 353 | Nuclear transfer and transgenesis in the pig. <i>Methods in Molecular Biology</i> , 2015 , 1222, 37-59 | 1.4 | 41 |
| 352 | Growth hormone receptor-deficient pigs resemble the pathophysiology of human Laron syndrome and reveal altered activation of signaling cascades in the liver. <i>Molecular Metabolism</i> , 2018 , 11, 113-128 | 8.8 | 41 |
| 351 | Growth hormone-related effects on apoptosis, mitosis, and expression of connexin 43 in bovine in vitro maturation cumulus-oocyte complexes. <i>Biology of Reproduction</i> , 2003 , 68, 1584-9 | 3.9 | 41 |
| 350 | Insulin-like growth factor-binding protein-5 inhibits growth and induces differentiation of mouse osteosarcoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 288, 435-42 | 3.4 | 41 |
| 349 | Gene expression profiling of bovine peripartal placentomes: detection of molecular pathways potentially involved in the release of foetal membranes. <i>Reproduction</i> , 2012 , 143, 85-105 | 3.8 | 40 |
| 348 | Cell arrest and cell death in mammalian preimplantation development: lessons from the bovine model. <i>PLoS ONE</i> , 2011 , 6, e22121 | 3.7 | 40 |
| 347 | Changing metabolic signatures of amino acids and lipids during the prediabetic period in a pig model with impaired incretin function and reduced tell mass. <i>Diabetes</i> , 2012 , 61, 2166-75 | 0.9 | 40 |
| 346 | What is the function of IGF-II in postnatal life? Answers from transgenic mouse models. <i>Growth Hormone and IGF Research</i> , 1998 , 8, 185-93 | 2 | 40 |
| 345 | Canine embryo-derived stem cellstoward clinically relevant animal models for evaluating efficacy and safety of cell therapies. <i>Stem Cells</i> , 2007 , 25, 1850-1 | 5.8 | 40 |
| 344 | Tissue Sampling Guides for Porcine Biomedical Models. <i>Toxicologic Pathology</i> , 2016 , 44, 414-20 | 2.1 | 39 |
| 343 | Insulin-like growth factor binding protein 2 (IGFBP-2) separates hypertrophic and hyperplastic effects of growth hormone (GH)/IGF-I excess on adrenocortical cells in vivo. <i>FASEB Journal</i> , 2002 , 16, 1721-31 | 0.9 | 39 |
| 342 | Loss of the actin remodeler Eps8 causes intestinal defects and improved metabolic status in mice. <i>PLoS ONE</i> , 2010 , 5, e9468 | 3.7 | 39 |
| 341 | Stage-specific proteome signatures in early bovine embryo development. <i>Journal of Proteome Research</i> , 2014 , 13, 4363-76 | 5.6 | 38 |
| 340 | Potential of primary kidney cells for somatic cell nuclear transfer mediated transgenesis in pig. BMC Biotechnology, 2012 , 12, 84 | 3.5 | 38 |

(2016-2007)

| 339 | The bioactive lipid sphingosylphosphorylcholine induces differentiation of mouse embryonic stem cells and human promyelocytic leukaemia cells. <i>Cellular Signalling</i> , 2007 , 19, 367-77 | 4.9 | 38 | |
|-----|---|------|----|--|
| 338 | Quantitative monitoring of pluripotency gene activation after somatic cloning in cattle. <i>Biology of Reproduction</i> , 2007 , 76, 983-91 | 3.9 | 38 | |
| 337 | Transgenic mice reveal novel activities of growth hormone in wound repair, angiogenesis, and myofibroblast differentiation. <i>Journal of Biological Chemistry</i> , 2004 , 279, 26674-84 | 5.4 | 38 | |
| 336 | Mitochondria and the success of somatic cell nuclear transfer cloning: from nuclear-mitochondrial interactions to mitochondrial complementation and mitochondrial DNA recombination. <i>Reproduction, Fertility and Development</i> , 2005 , 17, 69-83 | 1.8 | 38 | |
| 335 | Abnormal brain iron metabolism in Irp2 deficient mice is associated with mild neurological and behavioral impairments. <i>PLoS ONE</i> , 2014 , 9, e98072 | 3.7 | 37 | |
| 334 | Reprogramming of fibroblast nuclei in cloned bovine embryos involves major structural remodeling with both striking similarities and differences to nuclear phenotypes of in vitro fertilized embryos. <i>Nucleus</i> , 2014 , 5, 555-89 | 3.9 | 37 | |
| 333 | Stable production of human insulin-like growth factor 1 (IGF-1) in the milk of hemi- and homozygous transgenic rabbits over several generations. <i>Transgenic Research</i> , 1998 , 7, 437-47 | 3.3 | 37 | |
| 332 | Expression of dystrophin driven by the 1.35-kb MCK promoter ameliorates muscular dystrophy in fast, but not in slow muscles of transgenic mdx mice. <i>Molecular Therapy</i> , 2003 , 8, 80-9 | 11.7 | 37 | |
| 331 | Three novel Pax6 alleles in the mouse leading to the same small-eye phenotype caused by different consequences at target promoters. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 4671-83 | | 37 | |
| 330 | Growth hormone (GH)/GH receptor expression and GH-mediated effects during early bovine embryogenesis. <i>Biology of Reproduction</i> , 2001 , 64, 1826-34 | 3.9 | 37 | |
| 329 | Viable pigs after simultaneous inactivation of porcine MHC class I and three xenoreactive antigen genes GGTA1, CMAH and B4GALNT2. <i>Xenotransplantation</i> , 2020 , 27, e12560 | 2.8 | 37 | |
| 328 | Comparative aspects of rodent and nonrodent animal models for mechanistic and translational diabetes research. <i>Theriogenology</i> , 2016 , 86, 406-21 | 2.8 | 37 | |
| 327 | Efavirenz Causes Oxidative Stress, Endoplasmic Reticulum Stress, and Autophagy in Endothelial Cells. <i>Cardiovascular Toxicology</i> , 2016 , 16, 90-9 | 3.4 | 36 | |
| 326 | Expression of the vascular endothelial growth factor and its receptors and effects of VEGF during in vitro maturation of bovine cumulus-oocyte complexes (COC). <i>Molecular Reproduction and Development</i> , 2002 , 62, 29-36 | 2.6 | 36 | |
| 325 | Screening for dysmorphological abnormalitiesa powerful tool to isolate new mouse mutants. <i>Mammalian Genome</i> , 2000 , 11, 528-30 | 3.2 | 36 | |
| 324 | Innovations in phenotyping of mouse models in the German Mouse Clinic. <i>Mammalian Genome</i> , 2012 , 23, 611-22 | 3.2 | 35 | |
| 323 | Novel missense mutation of uromodulin in mice causes renal dysfunction with alterations in urea handling, energy, and bone metabolism. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F1391-8 | 4.3 | 35 | |
| 322 | Tailored Pig Models for Preclinical Efficacy and Safety Testing of Targeted Therapies. <i>Toxicologic Pathology</i> , 2016 , 44, 346-57 | 2.1 | 34 | |

| 321 | Holistic differential analysis of embryo-induced alterations in the proteome of bovine endometrium in the preattachment period. <i>Proteomics</i> , 2005 , 5, 2551-60 | 4.8 | 34 |
|---------------------------------|--|---------------------------------|----------------------|
| 320 | Dual fluorescent reporter pig for Cre recombination: transgene placement at the ROSA26 locus. <i>PLoS ONE</i> , 2014 , 9, e102455 | 3.7 | 34 |
| 319 | Progressive muscle proteome changes in a clinically relevant pig model of Duchenne muscular dystrophy. <i>Scientific Reports</i> , 2016 , 6, 33362 | 4.9 | 33 |
| 318 | A novel N-ethyl-N-nitrosourea-induced mutation in phospholipase CI causes inflammatory arthritis, metabolic defects, and male infertility in vitro in a murine model. <i>Arthritis and Rheumatism</i> , 2011 , 63, 1301-11 | | 33 |
| 317 | Karyoplast-cytoplast volume ratio in bovine nuclear transfer embryos: effect on developmental potential. <i>Molecular Reproduction and Development</i> , 1997 , 48, 332-8 | 2.6 | 33 |
| 316 | IGFBP-2 overexpression reduces the appearance of dysplastic aberrant crypt foci and inhibits growth of adenomas in chemically induced colorectal carcinogenesis. <i>International Journal of Cancer</i> , 2009 , 124, 2220-5 | 7.5 | 32 |
| 315 | The epidermal growth factor receptor and its ligands in female reproduction: insights from rodent models. <i>Cytokine and Growth Factor Reviews</i> , 2008 , 19, 173-81 | 17.9 | 32 |
| 314 | Pleiotropic effects in Eya3 knockout mice. <i>BMC Developmental Biology</i> , 2008 , 8, 118 | 3.1 | 32 |
| 313 | Nuclear-cytoplasmic interactions affect in utero developmental capacity, phenotype, and cellular metabolism of bovine nuclear transfer fetuses. <i>Biology of Reproduction</i> , 2004 , 70, 1196-205 | 3.9 | 32 |
| | | | |
| 312 | Transgenic Technology in Farm Animals Progress and Perspectives. <i>Experimental Physiology</i> , 2000 , 85, 615-625 | 2.4 | 32 |
| 312 | | 3.2 | 32 |
| • | 85, 615-625 | | |
| 311 | 85, 615-625 The large-scale Munich ENU-mouse-mutagenesis screen. <i>Mammalian Genome</i> , 2000 , 11, 507-10 Efficient generation of chimaeric mice using embryonic stem cells after long-term culture in the | 3.2 | 32 |
| 311 | 85, 615-625 The large-scale Munich ENU-mouse-mutagenesis screen. <i>Mammalian Genome</i> , 2000 , 11, 507-10 Efficient generation of chimaeric mice using embryonic stem cells after long-term culture in the presence of ciliary neurotrophic factor. <i>Transgenic Research</i> , 1994 , 3, 152-8 Mutation of the Na(+)-K(+)-2Cl(-) cotransporter NKCC2 in mice is associated with severe polyuria and a urea-selective concentrating defect without hyperreninemia. <i>American Journal of Physiology</i> - | 3.2 | 32 |
| 311 310 309 | The large-scale Munich ENU-mouse-mutagenesis screen. <i>Mammalian Genome</i> , 2000 , 11, 507-10 Efficient generation of chimaeric mice using embryonic stem cells after long-term culture in the presence of ciliary neurotrophic factor. <i>Transgenic Research</i> , 1994 , 3, 152-8 Mutation of the Na(+)-K(+)-2Cl(-) cotransporter NKCC2 in mice is associated with severe polyuria and a urea-selective concentrating defect without hyperreninemia. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 298, F1405-15 Microphthalmia, parkinsonism, and enhanced nociception in Pitx3 (416insG) mice. <i>Mammalian</i> | 3.2 3.3 4.3 | 32 32 31 |
| 311 310 309 308 | The large-scale Munich ENU-mouse-mutagenesis screen. <i>Mammalian Genome</i> , 2000 , 11, 507-10 Efficient generation of chimaeric mice using embryonic stem cells after long-term culture in the presence of ciliary neurotrophic factor. <i>Transgenic Research</i> , 1994 , 3, 152-8 Mutation of the Na(+)-K(+)-2Cl(-) cotransporter NKCC2 in mice is associated with severe polyuria and a urea-selective concentrating defect without hyperreninemia. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 298, F1405-15 Microphthalmia, parkinsonism, and enhanced nociception in Pitx3 (416insG) mice. <i>Mammalian Genome</i> , 2010 , 21, 13-27 | 3.2 3.3 4.3 | 32 32 31 31 |
| 311 310 309 308 307 | The large-scale Munich ENU-mouse-mutagenesis screen. <i>Mammalian Genome</i> , 2000 , 11, 507-10 Efficient generation of chimaeric mice using embryonic stem cells after long-term culture in the presence of ciliary neurotrophic factor. <i>Transgenic Research</i> , 1994 , 3, 152-8 Mutation of the Na(+)-K(+)-2Cl(-) cotransporter NKCC2 in mice is associated with severe polyuria and a urea-selective concentrating defect without hyperreninemia. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 298, F1405-15 Microphthalmia, parkinsonism, and enhanced nociception in Pitx3 (416insG) mice. <i>Mammalian Genome</i> , 2010 , 21, 13-27 Postnatally elevated levels of insulin-like growth factor (IGF)-II fail to rescue the dwarfism of IGF-I-deficient mice except kidney weight. <i>Endocrinology</i> , 2007 , 148, 441-51 Remodeling of donor nuclei, DNA-synthesis, and ploidy of bovine cumulus cell nuclear transfer | 3.2 3.3 4.3 3.2 4.8 | 32 31 31 31 |

(2018-2013)

| 303 | A broad phenotypic screen identifies novel phenotypes driven by a single mutant allele in Huntington's disease CAG knock-in mice. <i>PLoS ONE</i> , 2013 , 8, e80923 | 3.7 | 30 | |
|-----|--|------|----|--|
| 302 | High cortical bone mass phenotype in betacellulin transgenic mice is EGFR dependent. <i>Journal of Bone and Mineral Research</i> , 2009 , 24, 455-67 | 6.3 | 30 | |
| 301 | Metformin supports the antidiabetic effect of a sodium glucose cotransporter 2 inhibitor by suppressing endogenous glucose production in diabetic mice. <i>Diabetes</i> , 2015 , 64, 284-90 | 0.9 | 29 | |
| 300 | Highly sensitive saturation labeling reveals changes in abundance of cell cycle-associated proteins and redox enzyme variants during oocyte maturation in vitro. <i>Proteomics</i> , 2009 , 9, 550-64 | 4.8 | 29 | |
| 299 | Actions and interactions of growth hormone and insulin-like growth factor-II: body and organ growth of transgenic mice. <i>Transgenic Research</i> , 1997 , 6, 213-22 | 3.3 | 29 | |
| 298 | Developmental endothelial locus-1 modulates platelet-monocyte interactions and instant blood-mediated inflammatory reaction in islet transplantation. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 781-8 | 7 | 29 | |
| 297 | Mitochondrial Dysregulation Secondary to Endoplasmic Reticulum Stress in Autosomal Dominant Tubulointerstitial Kidney Disease - UMOD (ADTKD-UMOD). <i>Scientific Reports</i> , 2017 , 7, 42970 | 4.9 | 28 | |
| 296 | Functional compensation among HMGN variants modulates the DNase I hypersensitive sites at enhancers. <i>Genome Research</i> , 2015 , 25, 1295-308 | 9.7 | 28 | |
| 295 | Porcine models for studying complications and organ crosstalk in diabetes mellitus. <i>Cell and Tissue Research</i> , 2020 , 380, 341-378 | 4.2 | 28 | |
| 294 | Irp2 regulates insulin production through iron-mediated Cdkal1-catalyzed tRNA modification. <i>Nature Communications</i> , 2020 , 11, 296 | 17.4 | 28 | |
| 293 | Bezafibrate Improves Insulin Sensitivity and Metabolic Flexibility in STZ-Induced Diabetic Mice. <i>Diabetes</i> , 2016 , 65, 2540-52 | 0.9 | 28 | |
| 292 | Comparative and retrospective molecular analysis of Parapoxvirus (PPV) isolates. <i>Virus Research</i> , 2014 , 181, 11-21 | 6.4 | 28 | |
| 291 | The Munich MIDY Pig Biobank - A unique resource for studying organ crosstalk in diabetes. <i>Molecular Metabolism</i> , 2017 , 6, 931-940 | 8.8 | 28 | |
| 290 | Immune aspects of embryo-maternal cross-talk in the bovine uterus. <i>Journal of Reproductive Immunology</i> , 2013 , 97, 20-6 | 4.2 | 28 | |
| 289 | Epigen transgenic mice develop enlarged sebaceous glands. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 623-6 | 4.3 | 28 | |
| 288 | Neurobeachin, a regulator of synaptic protein targeting, is associated with body fat mass and feeding behavior in mice and body-mass index in humans. <i>PLoS Genetics</i> , 2012 , 8, e1002568 | 6 | 28 | |
| 287 | The variability of ovum pick-up response and in vitro embryo production from monozygotic twin cows. <i>Theriogenology</i> , 2006 , 65, 573-83 | 2.8 | 28 | |
| 286 | Laboratory mouse housing conditions can be improved using common environmental enrichment without compromising data. <i>PLoS Biology</i> , 2018 , 16, e2005019 | 9.7 | 28 | |

| 285 | Retinopathy with central oedema in an INS transgenic pig model of long-term diabetes. <i>Diabetologia</i> , 2017 , 60, 1541-1549 | 10.3 | 27 |
|-----|---|------|----|
| 284 | Uterine responses to the preattachment embryo in domestic ungulates: recognition of pregnancy and preparation for implantation. <i>Annual Review of Animal Biosciences</i> , 2015 , 3, 489-511 | 13.7 | 27 |
| 283 | Clinical chemistry of human FcRn transgenic mice. <i>Mammalian Genome</i> , 2012 , 23, 259-69 | 3.2 | 27 |
| 282 | Clinical Chemistry and Other Laboratory Tests on Mouse Plasma or Serum. <i>Current Protocols in Mouse Biology</i> , 2013 , 3, 69-100 | 1.1 | 27 |
| 281 | Formation of nucleoli in interspecies nuclear transfer embryos derived from bovine, porcine, and rabbit oocytes and nuclear donor cells of various species. <i>Reproduction</i> , 2011 , 141, 453-65 | 3.8 | 27 |
| 280 | Betacellulin regulates hair follicle development and hair cycle induction and enhances angiogenesis in wounded skin. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 1256-65 | 4.3 | 27 |
| 279 | The biochemical metabolite screen in the Munich ENU Mouse Mutagenesis Project: determination of amino acids and acylcarnitines by tandem mass spectrometry. <i>Mammalian Genome</i> , 2000 , 11, 547-51 | 3.2 | 27 |
| 278 | Postnatal development of numbers and mean sizes of pancreatic islets and beta-cells in healthy mice and GIPR(dn) transgenic diabetic mice. <i>PLoS ONE</i> , 2011 , 6, e22814 | 3.7 | 27 |
| 277 | New mouse models for metabolic bone diseases generated by genome-wide ENU mutagenesis. <i>Mammalian Genome</i> , 2012 , 23, 416-30 | 3.2 | 26 |
| 276 | High mobility group N proteins modulate the fidelity of the cellular transcriptional profile in a tissue- and variant-specific manner. <i>Journal of Biological Chemistry</i> , 2013 , 288, 16690-16703 | 5.4 | 26 |
| 275 | Mouse nuclear myosin I knock-out shows interchangeability and redundancy of myosin isoforms in the cell nucleus. <i>PLoS ONE</i> , 2013 , 8, e61406 | 3.7 | 26 |
| 274 | Genotype-specific environmental impact on the variance of blood values in inbred and F1 hybrid mice. <i>Mammalian Genome</i> , 2006 , 17, 93-102 | 3.2 | 26 |
| 273 | Developmental regulation of hyaluronan-binding protein (RHAMM/IHABP) expression in early bovine embryos. <i>Biology of Reproduction</i> , 2003 , 68, 60-6 | 3.9 | 26 |
| 272 | Energy status of nonmatured and in vitro-matured domestic cat oocytes and of different stages of in vitro-produced embryos: enzymatic removal of the zona pellucida increases adenosine triphosphate content and total cell number of blastocysts. <i>Biology of Reproduction</i> , 2001 , 65, 793-8 | 3.9 | 26 |
| 271 | Transgenic Technology in Farm Animals (Progress and Perspectives 2000 , 85, 615 | | 26 |
| 270 | Will Genetic Engineering Carry Xenotransplantation of Pig Islets to the Clinic?. <i>Current Diabetes Reports</i> , 2018 , 18, 103 | 5.6 | 26 |
| 269 | Metabolic syndrome and extensive adipose tissue inflammation in morbidly obese GEtingen minipigs. <i>Molecular Metabolism</i> , 2018 , 16, 180-190 | 8.8 | 26 |
| 268 | Activation of bovine oocytes by specific inhibition of cyclin-dependent kinases. <i>Molecular Reproduction and Development</i> , 2000 , 55, 422-32 | 2.6 | 25 |

| 267 | Viable pigs with a conditionally-activated oncogenic KRAS mutation. <i>Transgenic Research</i> , 2015 , 24, 509- | · 3 73 | 24 | |
|-----|--|---------------|----|--|
| 266 | Remodeling of the Nuclear Envelope and Lamina during Bovine Preimplantation Development and Its Functional Implications. <i>PLoS ONE</i> , 2015 , 10, e0124619 | 3.7 | 24 | |
| 265 | Growth Inhibition in Giant Growth Hormone Transgenic Mice by Overexpression of Insulin-Like Growth Factor-Binding Protein-2 | | 24 | |
| 264 | Exome sequencing identifies a nonsense mutation in Fam46a associated with bone abnormalities in a new mouse model for skeletal dysplasia. <i>Mammalian Genome</i> , 2016 , 27, 111-21 | 3.2 | 23 | |
| 263 | Type of uromodulin mutation and allelic status influence onset and severity of uromodulin-associated kidney disease in mice. <i>Human Molecular Genetics</i> , 2013 , 22, 4148-63 | 5.6 | 23 | |
| 262 | Chronic growth hormone excess is associated with increased aldosterone: a study in patients with acromegaly and in growth hormone transgenic mice. <i>Experimental Biology and Medicine</i> , 2009 , 234, 1002 | <u>2</u> 397 | 23 | |
| 261 | Maternal inexperience as a risk factor of innate fear and PTSD-like symptoms in mice. <i>Journal of Psychiatric Research</i> , 2009 , 43, 1156-65 | 5.2 | 23 | |
| 260 | Diabetes models by screen for hyperglycemia in phenotype-driven ENU mouse mutagenesis projects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 294, E232-40 | 6 | 23 | |
| 259 | Primary culture of porcine PGCs requires LIF and porcine membrane-bound stem cell factor. <i>Zygote</i> , 1998 , 6, 271-5 | 1.6 | 23 | |
| 258 | Insulin-Like Growth Factor I (IGF-I) and Long R3IGF-I Differently Affect Development and Messenger Ribonucleic Acid Abundance for IGF-Binding Proteins and Type I IGF Receptors in in Vitro Produced Bovine Embryos | | 23 | |
| 257 | INS-eGFP transgenic pigs: a novel reporter system for studying maturation, growth and vascularisation of neonatal islet-like cell clusters. <i>Diabetologia</i> , 2017 , 60, 1152-1156 | 10.3 | 22 | |
| 256 | Effects of the glucagon-like peptide-1 receptor agonist liraglutide in juvenile transgenic pigs modeling a pre-diabetic condition. <i>Journal of Translational Medicine</i> , 2015 , 13, 73 | 8.5 | 22 | |
| 255 | Genetically modified pigs as donors of cells, tissues, and organs for xenotransplantation. <i>Animal Frontiers</i> , 2019 , 9, 13-20 | 5.5 | 22 | |
| 254 | SMC6 is an essential gene in mice, but a hypomorphic mutant in the ATPase domain has a mild phenotype with a range of subtle abnormalities. <i>DNA Repair</i> , 2013 , 12, 356-66 | 4.3 | 22 | |
| 253 | Germ-line transmission of lentiviral PGK-EGFP integrants in transgenic cattle: new perspectives for experimental embryology. <i>Transgenic Research</i> , 2010 , 19, 549-56 | 3.3 | 22 | |
| 252 | Mutation in a novel connexin-like gene (Gjf1) in the mouse affects early lens development and causes a variable small-eye phenotype. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 1525-3. | 2 | 22 | |
| 251 | A genetic screen for modifiers of the delta1-dependent notch signaling function in the mouse. <i>Genetics</i> , 2007 , 175, 1451-63 | 4 | 22 | |
| 250 | Insulin-like growth factor (IGF)-binding protein-4 inhibits colony formation of colorectal cancer cells by IGF-independent mechanisms. <i>Cancer Research</i> , 2004 , 64, 1600-3 | 10.1 | 22 | |

| 249 | Bezafibrate ameliorates diabetes via reduced steatosis and improved hepatic insulin sensitivity in diabetic TallyHo mice. <i>Molecular Metabolism</i> , 2017 , 6, 256-266 | 8.8 | 21 |
|-----|---|-----|----|
| 248 | Quantification of leukocyte genomic 5-methylcytosine levels reveals epigenetic plasticity in healthy adult cloned cattle. <i>Cellular Reprogramming</i> , 2010 , 12, 175-81 | 2.1 | 21 |
| 247 | Transgenic pigs for xenotransplantation: selection of promoter sequences for reliable transgene expression. <i>Current Opinion in Organ Transplantation</i> , 2010 , 15, 201-6 | 2.5 | 21 |
| 246 | V76D mutation in a conserved gD-crystallin region leads to dominant cataracts in mice. <i>Mammalian Genome</i> , 2002 , 13, 452-5 | 3.2 | 21 |
| 245 | Identification of immunological relevant phenotypes in ENU mutagenized mice. <i>Mammalian Genome</i> , 2000 , 11, 526-7 | 3.2 | 21 |
| 244 | A non-destructive technique for 3-D microstructural phenotypic characterisation of bones in genetically altered mice: preliminary data in growth hormone transgenic animals and normal controls. <i>Anatomy and Embryology</i> , 1999 , 199, 239-48 | | 21 |
| 243 | Ubiquitous LEA29Y Expression Blocks T Cell Co-Stimulation but Permits Sexual Reproduction in Genetically Modified Pigs. <i>PLoS ONE</i> , 2016 , 11, e0155676 | 3.7 | 21 |
| 242 | First update of the International Xenotransplantation Association consensus statement on conditions for undertaking clinical trials of porcine islet products in type 1 diabetesChapter 2b: genetically modified source pigs. <i>Xenotransplantation</i> , 2016 , 23, 32-7 | 2.8 | 20 |
| 241 | Pre-clinical heterotopic intrathoracic heart xenotransplantation: a possibly useful clinical technique. <i>Xenotransplantation</i> , 2015 , 22, 427-42 | 2.8 | 20 |
| 240 | Maternal-fetal transplacental leakage of mitochondrial DNA in bovine nuclear transfer pregnancies: potential implications for offspring and recipients. <i>Cloning and Stem Cells</i> , 2004 , 6, 150-6 | | 20 |
| 239 | Extract EGb 761 Improves Vestibular Compensation and Modulates Cerebral Vestibular Networks in the Rat. <i>Frontiers in Neurology</i> , 2019 , 10, 147 | 4.1 | 19 |
| 238 | Multiple genetically modified GTKO/hCD46/HLA-E/h理-mg porcine hearts are protected from complement activation and natural killer cell infiltration during ex vivo perfusion with human blood. <i>Xenotransplantation</i> , 2018 , 25, e12390 | 2.8 | 19 |
| 237 | Incretin actions and consequences of incretin-based therapies: lessons from complementary animal models. <i>Journal of Pathology</i> , 2016 , 238, 345-58 | 9.4 | 19 |
| 236 | No amelioration of uromodulin maturation and trafficking defect by sodium 4-phenylbutyrate in vivo: studies in mouse models of uromodulin-associated kidney disease. <i>Journal of Biological Chemistry</i> , 2014 , 289, 10715-10726 | 5.4 | 19 |
| 235 | The hepatic phosphatidylcholine transporter ABCB4 as modulator of glucose homeostasis. <i>FASEB Journal</i> , 2012 , 26, 5081-91 | 0.9 | 19 |
| 234 | Screening for increased plasma urea levels in a large-scale ENU mouse mutagenesis project reveals kidney disease models. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, F1560-7 | 4.3 | 19 |
| 233 | Behavior of M-phase synchronized blastomeres after nuclear transfer in cattle. <i>Molecular Reproduction and Development</i> , 2000 , 57, 37-47 | 2.6 | 19 |
| 232 | Current Concepts of Using Pigs as a Source for Beta-Cell Replacement Therapy of Type 1 Diabetes. <i>Current Molecular Biology Reports</i> , 2016 , 2, 73-82 | 2 | 19 |

(2006-2016)

| 231 | Growth hormone (GH)-transgenic insulin-like growth factor 1 (IGF1)-deficient mice allow dissociation of excess GH and IGF1 effects on glomerular and tubular growth. <i>Physiological Reports</i> , 2016 , 4, e12709 | 2.6 | 19 |
|-----|---|------------------|----|
| 230 | Early weaning completely eliminates porcine cytomegalovirus from a newly established pig donor facility for xenotransplantation. <i>Xenotransplantation</i> , 2018 , 25, e12449 | 2.8 | 19 |
| 229 | Multi-omics insights into functional alterations of the liver in insulin-deficient diabetes mellitus. <i>Molecular Metabolism</i> , 2019 , 26, 30-44 | 8.8 | 18 |
| 228 | Dysregulated IGFBP5 expression causes axon degeneration and motoneuron loss in diabetic neuropathy. <i>Acta Neuropathologica</i> , 2015 , 130, 373-87 | 14.3 | 18 |
| 227 | Pig-to-non-human primate heart transplantation: The final step toward clinical xenotransplantation?. <i>Journal of Heart and Lung Transplantation</i> , 2020 , 39, 751-757 | 5.8 | 18 |
| 226 | Single-cell RNA sequencing reveals developmental heterogeneity of blastomeres during major genome activation in bovine embryos. <i>Scientific Reports</i> , 2018 , 8, 4071 | 4.9 | 18 |
| 225 | Ligand-independent epidermal growth factor receptor hyperactivation increases sebaceous gland size and sebum secretion in mice. <i>Experimental Dermatology</i> , 2013 , 22, 667-9 | 4 | 18 |
| 224 | Generation of N-ethyl-N-nitrosourea-induced mouse mutants with deviations in hematological parameters. <i>Mammalian Genome</i> , 2011 , 22, 495-505 | 3.2 | 18 |
| 223 | Hypercholesterolemia in ENU-induced mouse mutants. <i>Journal of Lipid Research</i> , 2004 , 45, 2132-7 | 6.3 | 18 |
| 222 | : effects on motor phenotypes and the sensorimotor system in mice. <i>DMM Disease Models and Mechanisms</i> , 2017 , 10, 981-991 | 4.1 | 17 |
| 221 | Engraftment and reversal of diabetes after intramuscular transplantation of neonatal porcine islet-like clusters. <i>Xenotransplantation</i> , 2015 , 22, 443-50 | 2.8 | 17 |
| 220 | The ABC of BTC: structural properties and biological roles of betacellulin. <i>Seminars in Cell and Developmental Biology</i> , 2014 , 28, 42-8 | 7.5 | 17 |
| 219 | Reduced amino acids in the bovine uterine lumen of cloned versus in vitro fertilized pregnancies prior to implantation. <i>Cellular Reprogramming</i> , 2011 , 13, 403-10 | 2.1 | 17 |
| 218 | Overgrowth of skin in growth hormone transgenic mice depends on the presence of male gonads. Journal of Investigative Dermatology, 1999 , 113, 967-71 | 4.3 | 17 |
| 217 | An ENU mutagenesis-derived mouse model with a dominant Jak1 mutation resembling phenotypes of systemic autoimmune disease. <i>American Journal of Pathology</i> , 2013 , 183, 352-68 | 5.8 | 16 |
| 216 | Complement dependent early immunological responses during ex vivo xenoperfusion of hCD46/HLA-E double transgenic pig forelimbs with human blood. <i>Xenotransplantation</i> , 2014 , 21, 230-4. | 3 ^{2.8} | 16 |
| 215 | Betacellulin overexpression in the mouse ovary leads to MAPK3/MAPK1 hyperactivation and reduces litter size by impairing fertilization. <i>Biology of Reproduction</i> , 2008 , 78, 43-52 | 3.9 | 16 |
| 214 | Phenotype analysis of mice deficient in the peptide transporter PEPT2 in response to alterations in dietary protein intake. <i>Pflugers Archiv European Journal of Physiology</i> , 2006 , 452, 300-6 | 4.6 | 16 |

| 213 | Effects of growth hormone on the ultrastructure of bovine preimplantation embryos. <i>Cell and Tissue Research</i> , 2004 , 317, 101-8 | 4.2 | 16 |
|-----|---|------|----|
| 212 | Large-scale N-ethyl-N-nitrosourea mutagenesis of mice - from phenotypes to genes. <i>Experimental Physiology</i> , 2000 , 85, 635-643 | 2.4 | 16 |
| 211 | Recent progress in porcine islet isolation, culture and engraftment strategies for xenotransplantation. <i>Current Opinion in Organ Transplantation</i> , 2018 , 23, 633-641 | 2.5 | 16 |
| 210 | Effect of metabolic status on conceptus-maternal interactions on day 19 in dairy cattle: II. Effects on the endometrial transcriptome. <i>Biology of Reproduction</i> , 2017 , 97, 413-425 | 3.9 | 15 |
| 209 | The Role of Fibroblast Growth Factor-Binding Protein 1 in Skin Carcinogenesis and Inflammation. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 179-188 | 4.3 | 15 |
| 208 | Human TNF-related apoptosis-inducing ligand-expressing dendritic cells from transgenic pigs attenuate human xenogeneic T cell responses. <i>Xenotransplantation</i> , 2012 , 19, 40-51 | 2.8 | 15 |
| 207 | Genetic deletion of the EGFR ligand epigen does not affect mouse embryonic development and tissue homeostasis. <i>Experimental Cell Research</i> , 2013 , 319, 529-35 | 4.2 | 15 |
| 206 | Cytoplasmic mislocalization of POU3F4 due to novel mutations leads to deafness in humans and mice. <i>Human Mutation</i> , 2013 , 34, 1102-10 | 4.7 | 15 |
| 205 | Activation of the lectin pathway of complement in pig-to-human xenotransplantation models. <i>Transplantation</i> , 2013 , 96, 791-9 | 1.8 | 15 |
| 204 | Generation of N-ethyl-N-nitrosourea-induced mouse mutants with deviations in plasma enzyme activities as novel organ-specific disease models. <i>Experimental Physiology</i> , 2009 , 94, 412-21 | 2.4 | 15 |
| 203 | Knock-down of the 37-kDa/67-kDa laminin receptor in mouse brain by transgenic expression of specific antisense LRP RNA. <i>Transgenic Research</i> , 2004 , 13, 81-5 | 3.3 | 15 |
| 202 | Functional consequences of IGFBP excess-lessons from transgenic mice. <i>Pediatric Nephrology</i> , 2005 , 20, 269-78 | 3.2 | 15 |
| 201 | The endocytic adaptor Eps15 controls marginal zone B cell numbers. <i>PLoS ONE</i> , 2012 , 7, e50818 | 3.7 | 15 |
| 200 | A mouse model for ulcerative colitis based on NOD-scid IL2R Bull mice reconstituted with peripheral blood mononuclear cells from affected individuals. <i>DMM Disease Models and Mechanisms</i> , 2016 , 9, 985-97 | 4.1 | 15 |
| 199 | Blood Collection from Mice and Hematological Analyses on Mouse Blood. <i>Current Protocols in Mouse Biology</i> , 2013 , 3, 101-19 | 1.1 | 14 |
| 198 | DRO1 inactivation drives colorectal carcinogenesis in ApcMin/+ mice. <i>Molecular Cancer Research</i> , 2014 , 12, 1655-62 | 6.6 | 14 |
| 197 | Betacellulin protects from pancreatitis by activating stress-activated protein kinase. <i>Gastroenterology</i> , 2010 , 138, 1585-94, 1594.e1-3 | 13.3 | 14 |
| 196 | Induction of oxazolone-mediated features of atopic dermatitis in NOD-scid IL2R[hull) mice engrafted with human peripheral blood mononuclear cells. <i>DMM Disease Models and Mechanisms</i> , 2013 , 6, 125-34 | 4.1 | 14 |

| 195 | Identification of transgenic mice by direct PCR analysis of lysates of epithelial cells obtained from the inner surface of the rectum. <i>Transgenic Research</i> , 1998 , 7, 131-4 | 3.3 | 14 | |
|-----|---|-----|----|--|
| 194 | Betacellulin stimulates growth of the mouse intestinal epithelium and increases adenoma multiplicity in Apc+/Min mice. <i>FEBS Letters</i> , 2008 , 582, 2911-5 | 3.8 | 14 | |
| 193 | Growth factors and components for extracellular proteolysis are differentially expressed during in vitro maturation of bovine cumulus-oocyte complexes. <i>Biology of Reproduction</i> , 1998 , 59, 801-6 | 3.9 | 14 | |
| 192 | Relative effects of location relative to the corpus luteum and lactation on the transcriptome of the bovine oviduct epithelium. <i>BMC Genomics</i> , 2019 , 20, 233 | 4.5 | 13 | |
| 191 | A collective diabetes cross in combination with a computational framework to dissect the genetics of human obesity and Type 2 diabetes. <i>Human Molecular Genetics</i> , 2018 , 27, 3099-3112 | 5.6 | 13 | |
| 190 | Glucose tolerance tests for systematic screening of glucose homeostasis in mice. <i>Current Protocols in Mouse Biology</i> , 2015 , 5, 65-84 | 1.1 | 13 | |
| 189 | Modeling hepatic osteodystrophy in Abcb4 deficient mice. <i>Bone</i> , 2013 , 55, 501-11 | 4.7 | 13 | |
| 188 | Scrapie-infected transgenic mice expressing a laminin receptor decoy mutant reveal a prolonged incubation time associated with low levels of PrPres. <i>Journal of Molecular Biology</i> , 2009 , 388, 721-9 | 6.5 | 13 | |
| 187 | Evaluation of laser-assisted lentiviral transgenesis in bovine. <i>Transgenic Research</i> , 2006 , 15, 447-54 | 3.3 | 13 | |
| 186 | Growth selection in mice reveals conserved and redundant expression patterns of the insulin-like growth factor system. <i>General and Comparative Endocrinology</i> , 2004 , 136, 248-59 | 3 | 13 | |
| 185 | Enu mouse mutagenesis: generation of mouse mutants with aberrant plasma IgE levels. <i>International Archives of Allergy and Immunology</i> , 2001 , 124, 25-8 | 3.7 | 13 | |
| 184 | Diethylnitrosamine induces long-lasting re-expression of insulin-like growth factor II during early stages of liver carcinogenesis in mice. <i>Growth Hormone and IGF Research</i> , 2002 , 12, 69-79 | 2 | 13 | |
| 183 | Integration of nano- and biotechnology for beta-cell and islet transplantation in type-1 diabetes treatment. <i>Cell Proliferation</i> , 2020 , 53, e12785 | 7.9 | 12 | |
| 182 | Functional changes of the liver in the absence of growth hormone (GH) action - Proteomic and metabolomic insights from a GH receptor deficient pig model. <i>Molecular Metabolism</i> , 2020 , 36, 100978 | 8.8 | 12 | |
| 181 | Understanding gene functions and disease mechanisms: Phenotyping pipelines in the German Mouse Clinic. <i>Behavioural Brain Research</i> , 2018 , 352, 187-196 | 3.4 | 12 | |
| 180 | Comparative aspects of early lineage specification events in mammalian embryos - insights from reverse genetics studies. <i>Cell Cycle</i> , 2018 , 17, 1688-1695 | 4.7 | 12 | |
| 179 | Distribution of Porcine Cytomegalovirus in Infected Donor Pigs and in Baboon Recipients of Pig Heart Transplantation. <i>Viruses</i> , 2018 , 10, | 6.2 | 12 | |
| 178 | Transmission of Porcine Circovirus 3 (PCV3) by Xenotransplantation of Pig Hearts into Baboons. <i>Viruses</i> , 2019 , 11, | 6.2 | 12 | |

| 177 | Loss of DRO1/CCDC80 results in obesity and promotes adipocyte differentiation. <i>Molecular and Cellular Endocrinology</i> , 2017 , 439, 286-296 | 4.4 | 12 |
|-----|--|------|----|
| 176 | Design and validation of a disease network of inflammatory processes in the NSG-UC mouse model. <i>Journal of Translational Medicine</i> , 2017 , 15, 265 | 8.5 | 12 |
| 175 | Virus safety of islet cell transplantation from transgenic pigs to marmosets. <i>Virus Research</i> , 2015 , 204, 95-102 | 6.4 | 12 |
| 174 | Pleiotropic functions for transcription factor zscan10. <i>PLoS ONE</i> , 2014 , 9, e104568 | 3.7 | 12 |
| 173 | In-vivo biodegradation of extruded lipid implants in rabbits. <i>Journal of Controlled Release</i> , 2012 , 163, 195-202 | 11.7 | 12 |
| 172 | Dll1 haploinsufficiency in adult mice leads to a complex phenotype affecting metabolic and immunological processes. <i>PLoS ONE</i> , 2009 , 4, e6054 | 3.7 | 12 |
| 171 | Reprogramming of active and repressive histone modifications following nuclear transfer with rabbit mesenchymal stem cells and adult fibroblasts. <i>Cloning and Stem Cells</i> , 2009 , 11, 319-29 | | 12 |
| 170 | IGF-II transgenic mice display increased aberrant colon crypt multiplicity and tumor volume after 1,2-dimethylhydrazine treatment. <i>Journal of Carcinogenesis</i> , 2006 , 5, 24 | 1.9 | 12 |
| 169 | Nuclear transfer in cattle using in vivo-derived vs. in vitro-produced donor embryos: effect of developmental stage. <i>Molecular Reproduction and Development</i> , 1996 , 44, 493-8 | 2.6 | 12 |
| 168 | Transgenic Expression of Human Thrombomodulin Inhibits HMGB1-Induced Porcine Aortic Endothelial Cell Activation. <i>Transplantation</i> , 2016 , 100, 1871-9 | 1.8 | 12 |
| 167 | Metamizol Relieves Pain Without Interfering With Cerulein-Induced Acute Pancreatitis in Mice. <i>Pancreas</i> , 2016 , 45, 572-8 | 2.6 | 12 |
| 166 | A mouse model for intellectual disability caused by mutations in the X-linked 2'-O-methyltransferase Ftsj1 gene. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 2083-2093 | 6.9 | 12 |
| 165 | Proteome analysis of early lineage specification in bovine embryos. <i>Proteomics</i> , 2015 , 15, 688-701 | 4.8 | 11 |
| 164 | Strong xenoprotective function by single-copy transgenes placed sequentially at a permissive locus. <i>Xenotransplantation</i> , 2018 , 25, e12382 | 2.8 | 11 |
| 163 | Normal epidermal growth factor receptor signaling is dispensable for bone anabolic effects of parathyroid hormone. <i>Bone</i> , 2012 , 50, 237-44 | 4.7 | 11 |
| 162 | Hosting the preimplantation embryo: potentials and limitations of different approaches for analysing embryo-endometrium interactions in cattle. <i>Reproduction, Fertility and Development</i> , 2012 , 25, 62-70 | 1.8 | 11 |
| 161 | Tissue-specific and minor inter-individual variation in imprinting of IGF2R is a common feature of Bos taurus Concepti and not correlated with fetal weight. <i>PLoS ONE</i> , 2013 , 8, e59564 | 3.7 | 11 |
| 160 | Longitudinal in vivo effects of growth hormone overexpression on bone in transgenic mice. <i>Journal of Bone and Mineral Research</i> , 2004 , 19, 802-10 | 6.3 | 11 |

(2016-2005)

| 159 | Genotyping of transgenic mice: old principles and recent developments. <i>Analytical Biochemistry</i> , 2005 , 344, 1-7 | 3.1 | 11 |
|-----|--|-----------------|----|
| 158 | CD1a-Expressing Monocytes as Mediators of Inflammation in Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 1225-1236 | 4.5 | 11 |
| 157 | Pigs pave a way to de novo formation of functional human kidneys. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 12905-6 | 11.5 | 10 |
| 156 | Modeling lethal X-linked genetic disorders in pigs with ensured fertility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 708-713 | 11.5 | 10 |
| 155 | Release of pig leukocytes and reduced human NK cell recruitment during ex vivo perfusion of HLA-E/human CD46 double-transgenic pig limbs with human blood. <i>Xenotransplantation</i> , 2018 , 25, e123 | 2. 8 | 10 |
| 154 | Specific transgene expression in mouse pancreatic beta-cells under the control of the porcine insulin promoter. <i>Molecular and Cellular Endocrinology</i> , 2010 , 315, 219-24 | 4.4 | 10 |
| 153 | A new Fgf10 mutation in the mouse leads to atrophy of the harderian gland and slit-eye phenotype in heterozygotes: a novel model for dry-eye disease? 2009 , 50, 4311-8 | | 10 |
| 152 | Effect of chronic GH overproduction on cardiac ANP expression and circulating ANP levels. <i>Molecular and Cellular Endocrinology</i> , 1998 , 144, 109-18 | 4.4 | 10 |
| 151 | Species-specific alternative splicing of transgenic RNA in the mammary glands of pigs, rabbits, and mice. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 257, 843-50 | 3.4 | 10 |
| 150 | Missense Mutation of POU Domain Class 3 Transcription Factor 3 in Pou3f3L423P Mice Causes Reduced Nephron Number and Impaired Development of the Thick Ascending Limb of the Loop of Henle. <i>PLoS ONE</i> , 2016 , 11, e0158977 | 3.7 | 10 |
| 149 | Ethylnitrosourea-induced mutation in mice leads to the expression of a novel protein in the eye and to dominant cataracts. <i>Genetics</i> , 2001 , 157, 1313-20 | 4 | 10 |
| 148 | Growth hormone receptor knockout to reduce the size of donor pigs for preclinical xenotransplantation studies. <i>Xenotransplantation</i> , 2021 , 28, e12664 | 2.8 | 10 |
| 147 | Modification of the fatty acid composition of an obesogenic diet improves the maternal and placental metabolic environment in obese pregnant mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 1605-1614 | 6.9 | 9 |
| 146 | Xeno-organ donor pigs with multiple genetic modifications - the more the better?. <i>Current Opinion in Genetics and Development</i> , 2020 , 64, 60-65 | 4.9 | 9 |
| 145 | Transgenic Expression of Human CD46 on Porcine Endothelium: Effect on Coagulation and Fibrinolytic Cascades During Ex Vivo Human-to-Pig Limb Xenoperfusions. <i>Transplantation</i> , 2015 , 99, 206 | 1. 8 | 9 |
| 144 | Positional changes of a pluripotency marker gene during structural reorganization of fibroblast nuclei in cloned early bovine embryos. <i>Nucleus</i> , 2014 , 5, 542-54 | 3.9 | 9 |
| 143 | Generation and Standardized, Systemic Phenotypic Analysis of Pou3f3L423P Mutant Mice. <i>PLoS ONE</i> , 2016 , 11, e0150472 | 3.7 | 9 |
| 142 | Inhibition of complement component C5 prevents clotting in an ex vivo model of xenogeneic activation of coagulation. <i>Xenotransplantation</i> , 2016 , 23, 117-27 | 2.8 | 9 |

| 141 | Chronic Hyperglycemia Drives Functional Impairment of Lymphocytes in Diabetic Transgenic Pigs. <i>Frontiers in Immunology</i> , 2020 , 11, 607473 | 8.4 | 9 |
|-----|---|------|---|
| 140 | A comprehensive and comparative phenotypic analysis of the collaborative founder strains identifies new and known phenotypes. <i>Mammalian Genome</i> , 2020 , 31, 30-48 | 3.2 | 8 |
| 139 | Gene Regulatory and Expression Differences between Mouse and Pig Limb Buds Provide Insights into the Evolutionary Emergence of Artiodactyl Traits. <i>Cell Reports</i> , 2020 , 31, 107490 | 10.6 | 8 |
| 138 | Mildly compromised tetrahydrobiopterin cofactor biosynthesis due to Pts variants leads to unusual body fat distribution and abdominal obesity in mice. <i>Journal of Inherited Metabolic Disease</i> , 2016 , 39, 309-19 | 5.4 | 8 |
| 137 | Increased activation of the epidermal growth factor receptor in transgenic mice overexpressing epigen causes peripheral neuropathy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013 , 1832, 2068-76 | 6.9 | 8 |
| 136 | NOD-scid IL2R flull mice engrafted with human peripheral blood mononuclear cells as a model to test therapeutics targeting human signaling pathways. <i>Journal of Translational Medicine</i> , 2013 , 11, 4 | 8.5 | 8 |
| 135 | A new mouse model for studying EGFR-dependent gastric polyps. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012 , 1822, 1293-9 | 6.9 | 8 |
| 134 | Standardized, systemic phenotypic analysis of Umod(C93F) and Umod(A227T) mutant mice. <i>PLoS ONE</i> , 2013 , 8, e78337 | 3.7 | 8 |
| 133 | In vivo evidence for epidermal growth factor receptor (EGFR)-mediated release of prolactin from the pituitary gland. <i>Journal of Biological Chemistry</i> , 2011 , 286, 39297-306 | 5.4 | 8 |
| 132 | The Use of Transgenic Animals in the European Union: The Report and Recommendations of ECVAM Workshop 281,2. <i>ATLA Alternatives To Laboratory Animals</i> , 1998 , 26, 21-43 | 2.1 | 8 |
| 131 | Impact of porcine cytomegalovirus on long-term orthotopic cardiac xenotransplant survival. <i>Scientific Reports</i> , 2020 , 10, 17531 | 4.9 | 8 |
| 130 | Serum Response Factor (SRF) Ablation Interferes with Acute Stress-Associated Immediate and Long-Term Coping Mechanisms. <i>Molecular Neurobiology</i> , 2017 , 54, 8242-8262 | 6.2 | 7 |
| 129 | Phytohemagglutinin facilitates the aggregation of blastomere pairs from Day 5 donor embryos with Day 4 host embryos for chimeric bovine embryo multiplication. <i>Theriogenology</i> , 2015 , 84, 1603-10 | 2.8 | 7 |
| 128 | Homologous recombination contributes to the repair of zinc-finger-nuclease induced double strand breaks in pig primary cells and facilitates recombination with exogenous DNA. <i>Journal of Biotechnology</i> , 2014 , 177, 74-81 | 3.7 | 7 |
| 127 | Effect of lactation on conceptus-maternal interactions at the initiation of implantation in cattle: I. Effects on the conceptus transcriptome and amino acid composition of the uterine luminal fluid. <i>Biology of Reproduction</i> , 2017 , 97, 798-809 | 3.9 | 7 |
| 126 | Clinical chemistry of congenic mice with quantitative trait loci for predicted responses to Trypanosoma congolense infection. <i>Infection and Immunity</i> , 2009 , 77, 3948-57 | 3.7 | 7 |
| 125 | Cytomegalovirus replicon-based regulation of gene expression in vitro and in vivo. <i>PLoS Pathogens</i> , 2012 , 8, e1002728 | 7.6 | 7 |
| 124 | Partial leptin receptor gene deletion in transgenic mice prevents expression of the membrane-bound isoforms except for Ob-Rc. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 269, 496-501 | 3.4 | 7 |

(2016-2015)

| 123 | Computed Tomography (CT) Scanning Facilitates Early Identification of Neonatal Cystic Fibrosis Piglets. <i>PLoS ONE</i> , 2015 , 10, e0143459 | 3.7 | 7 |
|-----|---|------|---|
| 122 | The First Scube3 Mutant Mouse Line with Pleiotropic Phenotypic Alterations. <i>G3: Genes, Genomes, Genetics</i> , 2016 , 6, 4035-4046 | 3.2 | 7 |
| 121 | Cas9-expressing chickens and pigs as resources for genome editing in livestock. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118, | 11.5 | 7 |
| 120 | Genome editing for Duchenne muscular dystrophy: a glimpse of the future?. <i>Gene Therapy</i> , 2021 , 28, 542-548 | 4 | 7 |
| 119 | Direct introduction of gene constructs into the pronucleus-like structure of cloned embryos: a new strategy for the generation of genetically modified pigs. <i>Transgenic Research</i> , 2017 , 26, 309-318 | 3.3 | 6 |
| 118 | lectin A (PllA): A new probe for detecting Egalactoside-terminating glycoconjugates. <i>Journal of Biological Chemistry</i> , 2017 , 292, 19935-19951 | 5.4 | 6 |
| 117 | Defective immuno- and thymoproteasome assembly causes severe immunodeficiency. <i>Scientific Reports</i> , 2018 , 8, 5975 | 4.9 | 6 |
| 116 | Dro1/Ccdc80 inactivation promotes AOM/DSS-induced colorectal carcinogenesis and aggravates colitis by DSS in mice. <i>Carcinogenesis</i> , 2018 , 39, 1176-1184 | 4.6 | 6 |
| 115 | Influence of metabolic status and genetic merit for fertility on proteomic composition of bovine oviduct fluid <i>Biology of Reproduction</i> , 2019 , 101, 893-905 | 3.9 | 6 |
| 114 | Negative feedback mechanisms surpass the effect of intrinsic EGFR activation during skin chemical carcinogenesis. <i>American Journal of Pathology</i> , 2012 , 180, 1378-85 | 5.8 | 6 |
| 113 | A transgenic mouse line expressing cre recombinase in pancreatic ∉ells. <i>Genesis</i> , 2012 , 50, 437-42 | 1.9 | 6 |
| 112 | Decreased incidence of papillomas in mice with impaired EGFR function during multi-stage skin carcinogenesis. <i>Experimental Dermatology</i> , 2011 , 20, 290-3 | 4 | 6 |
| 111 | Decreased p44/42 mitogen-activated protein kinase phosphorylation in gender- or hormone-related but not during age-related adrenal gland growth in mice. <i>Endocrinology</i> , 2009 , 150, 1269-77 | 4.8 | 6 |
| 110 | Systemic overexpression of growth hormone (GH) in transgenic FVB/N inbred mice: an optimized model for holistic studies of molecular mechanisms underlying GH-induced kidney pathology. <i>Transgenic Research</i> , 2008 , 17, 479-88 | 3.3 | 6 |
| 109 | Effects of bovine serum albumin and estrous cow serum on development and ultrastructure of in vitro-produced porcine embryos. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2002 , 31, 151-7 | 1.1 | 6 |
| 108 | Stage-dependent remodeling of the nuclear envelope and lamina during rabbit early embryonic development. <i>Journal of Reproduction and Development</i> , 2016 , 62, 127-35 | 2.1 | 6 |
| 107 | Progressive Proteome Changes in the Myocardium of a Pig Model for Duchenne Muscular Dystrophy. <i>IScience</i> , 2020 , 23, 101516 | 6.1 | 6 |
| 106 | Dissociation of somatic growth, time of sexual maturity, and life expectancy by overexpression of an RGD-deficient IGFBP-2 variant in female transgenic mice. <i>Aging Cell</i> , 2016 , 15, 111-7 | 9.9 | 6 |

| 105 | Mild maternal hyperglycemia in transgenic pigs causes impaired glucose tolerance and metabolic alterations in neonatal offspring. <i>DMM Disease Models and Mechanisms</i> , 2019 , 12, | 4.1 | 6 |
|-----|---|------|---|
| 104 | Cold non-ischemic heart preservation with continuous perfusion prevents early graft failure in orthotopic pig-to-baboon xenotransplantation. <i>Xenotransplantation</i> , 2021 , 28, e12636 | 2.8 | 6 |
| 103 | Behavior of M-phase synchronized blastomeres after nuclear transfer in cattle 2000 , 57, 37 | | 6 |
| 102 | Low catalytic activity is insufficient to induce disease pathology in triosephosphate isomerase deficiency. <i>Journal of Inherited Metabolic Disease</i> , 2019 , 42, 839-849 | 5.4 | 5 |
| 101 | Inactivation of Itf2 promotes intestinal tumorigenesis in Apc(Min/+) mice. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 461, 249-53 | 3.4 | 5 |
| 100 | Proteome profile of neutrophils from a transgenic diabetic pig model shows distinct changes. <i>Journal of Proteomics</i> , 2020 , 224, 103843 | 3.9 | 5 |
| 99 | Standardized, systemic phenotypic analysis reveals kidney dysfunction as main alteration of Kctd1 mutant mice. <i>Journal of Biomedical Science</i> , 2017 , 24, 57 | 13.3 | 5 |
| 98 | Does enamelin have pleiotropic effects on organs other than the teeth? Lessons from a phenotyping screen of two enamelin-mutant mouse lines. <i>European Journal of Oral Sciences</i> , 2012 , 120, 269-77 | 2.3 | 5 |
| 97 | Genetic engineering of pigs for the creation of translational models of human pathologies. <i>Animal Frontiers</i> , 2015 , 5, 50-56 | 5.5 | 5 |
| 96 | Generation of ENU-induced mouse mutants with hypocholesterolemia: novel tools for dissecting plasma lipoprotein homeostasis. <i>Lipids</i> , 2007 , 42, 731-7 | 1.6 | 5 |
| 95 | Effect of macrophage ApoE on atherosclerosis in LDL-receptor deficient mice. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 361, 574-9 | 3.4 | 5 |
| 94 | Clinical Chemical Screen87-107 | | 5 |
| 93 | Manipulating the Epigenome in Nuclear Transfer Cloning: Where, When and How. <i>International Journal of Molecular Sciences</i> , 2020 , 22, | 6.3 | 5 |
| 92 | Pathways to Clinical Cardiac Xenotransplantation. <i>Transplantation</i> , 2021 , 105, 1930-1943 | 1.8 | 5 |
| 91 | Xenotransplantation of Cells, Tissues, Organs and the German Research Foundation Transregio Collaborative Research Centre 127. <i>Advances in Experimental Medicine and Biology</i> , 2015 , 865, 143-55 | 3.6 | 4 |
| 90 | Standardized, systemic phenotypic analysis of Slc12a1I299F mutant mice. <i>Journal of Biomedical Science</i> , 2014 , 21, 68 | 13.3 | 4 |
| 89 | Surface modification of pig endothelial cells with a branched heparin conjugate improves their compatibility with human blood. <i>Scientific Reports</i> , 2017 , 7, 4450 | 4.9 | 4 |
| 88 | Genomic integration of adenoviral gene transfer vectors following transduction of fertilized mouse oocytes. <i>Transgenic Research</i> , 2011 , 20, 123-35 | 3.3 | 4 |

(2020-2008)

| Diets influence the diabetic phenotype of transgenic mice expressing a dominant negative glucose-dependent insulinotropic polypeptide receptor (GIPRdn). <i>Regulatory Peptides</i> , 2008 , 146, 260-7 | 0 | 4 | |
|--|--|--|--|
| Large-scale albuminuria screen for nephropathy models in chemically induced mouse mutants. <i>Nephron Experimental Nephrology</i> , 2005 , 100, e143-9 | | 4 | |
| Autoantibodies as diagnostic markers and potential drivers of inflammation in ulcerative colitis. <i>PLoS ONE</i> , 2020 , 15, e0228615 | 3.7 | 4 | |
| Cellular and Molecular Probing of Intact Transparent Human Organs | | 4 | |
| In-depth phenotyping reveals common and novel disease symptoms in a hemizygous knock-in mouse model (Mut-ko/ki) of mut-type methylmalonic aciduria. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165622 | 6.9 | 4 | |
| Mammalian VPS45 orchestrates trafficking through the endosomal system. <i>Blood</i> , 2021 , 137, 1932-194 | 42.2 | 4 | |
| Sequential in vivo labeling of insulin secretory granule pools in - transgenic pigs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118, | 11.5 | 4 | |
| Large Animal Models of Diabetes. <i>Methods in Molecular Biology</i> , 2020 , 2128, 115-134 | 1.4 | 4 | |
| Streptozotocin-induced tell damage, high fat diet, and metformin administration regulate Hes3 expression in the adult mouse brain. <i>Scientific Reports</i> , 2018 , 8, 11335 | 4.9 | 3 | |
| Assessment of the Anticoagulant and Anti-inflammatory Properties of Endothelial Cells Using 3D Cell Culture and Non-anticoagulated Whole Blood. <i>Journal of Visualized Experiments</i> , 2017 , | 1.6 | 3 | |
| 3D structured illumination microscopy of mammalian embryos and spermatozoa. <i>BMC Developmental Biology</i> , 2015 , 15, 46 | 3.1 | 3 | |
| Uromodulin retention in thick ascending limb of Henle's loop affects SCD1 in neighboring proximal tubule: renal transcriptome studies in mouse models of uromodulin-associated kidney disease. <i>PLoS ONE</i> , 2014 , 9, e113125 | 3.7 | 3 | |
| The C-terminal cytoplasmic domain of human proEGF is a negative modulator of body and organ weights in transgenic mice. <i>FEBS Letters</i> , 2009 , 583, 1349-57 | 3.8 | 3 | |
| N-ethyl-N-nitrosourea mutagenesis produced a small number of mice with altered plasma electrolyte levels. <i>Journal of Biomedical Science</i> , 2009 , 16, 53 | 13.3 | 3 | |
| Strategies to overcome cellular rejection of pig-to-primate xenografts I the next steps. <i>Xenotransplantation</i> , 2007 , 14, 371-372 | 2.8 | 3 | |
| Transcriptome analysis of a human colorectal cancer cell line shows molecular targets of insulin-like growth factor-binding protein-4 overexpression. <i>International Journal of Cancer</i> , 2005 , 113, 588-99 | 7.5 | 3 | |
| Contrasting obesity phenotypes uncovered by partial leptin receptor gene deletion in transgenic mice. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 269, 502-7 | 3.4 | 3 | |
| A decade of experience with genetically tailored pig models for diabetes and metabolic research. <i>Animal Reproduction</i> , 2020 , 17, e20200064 | 1.7 | 3 | |
| | glucose-dependent insulinotropic polypeptide receptor (GIPRdn). Regulatory Peptides, 2008, 146, 260-7 Large-scale albuminuria screen for nephropathy models in chemically induced mouse mutants. Nephron Experimental Nephrology, 2005, 100, e143-9 Autoantibodies as diagnostic markers and potential drivers of inflammation in ulcerative colitis. PLoS ONE, 2020, 15, e0228615 Cellular and Molecular Probing of Intact Transparent Human Organs In-depth phenotyping reveals common and novel disease symptoms in a hemizygous knock-in mouse model (Mut-ko/ki) of mut-type methylmalonic aciduria. Biochimica Et Biophysica Acta-Molecular Basis of Disease, 2020, 1866, 165622 Mammalian VPS45 orchestrates trafficking through the endosomal system. Blood, 2021, 137, 1932-194 Sequential in vivo labeling of insulin secretory granule pools in - transgenic pigs. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118. Large Animal Models of Diabetes. Methods in Molecular Biology, 2020, 2128, 115-134 Streptozotocin-induced #cell damage, high fat diet, and metformin administration regulate Hes3 expression in the adult mouse brain. Scientific Reports, 2018, 8, 11335 Assessment of the Anticoagulant and Anti-inflammatory Properties of Endothelial Cells Using 3D Cell Culture and Non-anticoagulant and Anti-inflammatory Properties of Endothelial Cells Using 3D Cell Culture and Non-anticoagulated Whole Blood. Journal of Visualized Experiments, 2017, 3D structured illumination microscopy of mammalian embryos and spermatozoa. BMC Developmental Biology, 2015, 15, 46 Uromodulin retention in thick sending limb of Henle's loop affects SCD1 in neighboring proximal tubule: renal transcriptome studies in mouse models of uromodulin-associated kidney disease. PLoS ONE, 2014, 9, e113125 The C-terminal cytoplasmic domain of human proEGF is a negative modulator of body and organ weights in transgenic mice. FEBS Letters, 2009, 583, 1349-57 Nethyl-N-nitrosourea mutagenesis produced a small number of mice with alter | glucose-dependent insulinotropic polypeptide receptor (GIPRdn). Regulatory Peptides, 2008, 146, 260-70 Large-scale albuminuria screen for nephropathy models in chemically induced mouse mutants. Nephron Experimental Nephrology, 2005, 100, e143-9 Autoantibodies as diagnostic markers and potential drivers of inflammation in ulcerative colitis. PLoS ONE, 2020, 15, e0228615 Cellular and Molecular Probing of Intact Transparent Human Organs In-depth phenotyping reveals common and novel disease symptoms in a hemizygous knock-in mouse model (Mut-ko/ki) of mut-type methylmalonic aciduria. Biochimica Et Biophysica Acta-Molecular Basis of Disease, 2020, 1866, 165622 Mammalian VPS-45 orchestrates trafficking through the endosomal system. Blood, 2021, 137, 1932-19442.2 Sequential in vivo labeling of insulin secretory granule pools in - transgenic pigs. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, Large Animal Models of Diabetes. Methods in Molecular Biology, 2020, 2128, 115-134 Large Animal Models of Diabetes. Methods in Molecular Biology, 2020, 2128, 115-134 4.9 Streptozotocin-induced Rell damage, high fat diet, and metformin administration regulate Hes3 expression in the adult mouse brain. Scientific Reports, 2018, 8, 11335 4.9 Assessment of the Anticoagulant and Anti-inflammatory Properties of Endothelial Cells Using 3D Cell Culture and Non-anticoagulated Whole Blood. Journal of Visualized Experiments, 2017, 3D structured illumination microscopy of mammalian embryos and spermatozoa. BMC Developmental Biology, 2015, 15, 46 Uromodulin retention in thick ascending limb of Henle's loop affects SCD1 in neighboring proximal tubule: renal transcriptome studies in mouse models of uromodulin-associated kidney disease. PLoS ONE, 2014, 9, e113125. The C-terminal cytoplasmic domain of human proECF is a negative modulator of body and organ weights in transgenic mice. FEBS Letters, 2009, 583, 1349-57 Nethyl-Nenitrosourca mutagenesis produced a small number of mice with alte | glucose-dependent insulinotropic polypeptide receptor (GIPRdn). Regulatory Peptides, 2008, 146, 260-70 Large-scale albuminuria screen for nephropathy models in chemically induced mouse mutants. Nephron Experimental Nephrology, 2005, 100, e143-9 Autoantibodies as diagnostic markers and potential drivers of inflammation in ulcerative colitis. PLoS ONE, 2020, 15, e0228615 Cellular and Molecular Probing of Intact Transparent Human Organs In-depth phenotyping reveals common and novel disease symptoms in a hemizygous knock-in mouse model (Mut-ko/ki) of mut-type methylmalonic aciduria. Biochimica Et Biophysica Acta- Molecular Basis of Disease, 2020, 1866, 165622 Mammallan VPS45 orchestrates trafficking through the endosomal system. Blood, 2021, 137, 1932-19442, 2 Sequential in vivo labeling of insulin secretory granule pools in -transgenic pigs. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, Large Animal Models of Diabetes. Methods in Molecular Biology, 2020, 2128, 115-134 Large Animal Models of Diabetes. Methods in Molecular Biology, 2020, 2128, 115-134 Assessment of the Anticoagulant and Anti-inflammatory Properties of Endothelial Cells Using 3D Cell Culture and Non-anticoagulated Whole Blood. Journal of Visualized Experiments, 2017, 3D Structured illumination microscopy of mammalian embryos and spermatozoa. BMC Developmental Biology, 2015, 15, 46 Juromodulin retention in thick ascending limb of Henle's loop affects SCD1 in neighboring proximal tubuler renal transcriptome studies in mouse models of uromodulin-associated kidney disease. PLoS ONE, 2014, 9, e113125 Necthyl-N-nitrosourea mutagenesis produced a small number of mice with altered plasma electrolyte levels. Journal of Biomedical Science, 2009, 16, 53 Strategies to overcome cellular rejection of pig-to-primate xenografts the next steps. Xenotransplantation, 2007, 14, 371-372 Pethyl-N-nitrosourea mutagenesis produced a small number of mice with altered plasma electrolyte levels. Journal of Biomedica |

| 69 | Genetic merit for fertility alters the bovine uterine luminal fluid proteome Biology of Reproduction , 2020 , 102, 730-739 | 3.9 | 3 |
|----|---|------|---|
| 68 | PAX6 mutation alters circadian rhythm and tell function in mice without affecting glucose tolerance. <i>Communications Biology</i> , 2020 , 3, 628 | 6.7 | 3 |
| 67 | The impact of transcription inhibition during in vitro maturation on the proteome of bovine oocytes <i>Biology of Reproduction</i> , 2020 , 103, 1000-1011 | 3.9 | 3 |
| 66 | The hepatokine fetuin-A disrupts functional maturation of pancreatic beta cells. <i>Diabetologia</i> , 2021 , 64, 1358-1374 | 10.3 | 3 |
| 65 | Viable Ednra mice feature human mandibulofacial dysostosis with alopecia (MFDA) syndrome due to the homologue mutation. <i>Mammalian Genome</i> , 2016 , 27, 587-598 | 3.2 | 3 |
| 64 | Transcriptome dynamics in early in vivo developing and in vitro produced porcine embryos. <i>BMC Genomics</i> , 2021 , 22, 139 | 4.5 | 3 |
| 63 | Pillars Article: CCR7 Coordinates the Primary Immune Response by Establishing Functional Microenvironments in Secondary Lymphoid Organs. Cell. 1999. 99: 23-33. <i>Journal of Immunology</i> , 2016 , 196, 5-15 | 5.3 | 3 |
| 62 | 40 Days Survival after Orthotopic Cardiac Xenotransplantation of Multi-Transgenic Pig Hearts in a Pig-to-Baboon Model with CD40mAb or CD40L Costimulation Blockade and Xenograft Preservation using Steens Cold Blood Cardioplegia Perfusion. <i>Transplantation</i> , 2017 , 101, S65 | 1.8 | 2 |
| 61 | Dosage Compensation of the X Chromosomes in Bovine Germline, Early Embryos, and Somatic Tissues. <i>Genome Biology and Evolution</i> , 2019 , 11, 242-252 | 3.9 | 2 |
| 60 | Screen for alterations of iron related parameters in N-ethyl-N-nitrosourea-treated mice identified mutant lines with increased plasma ferritin levels. <i>BioMetals</i> , 2015 , 28, 293-306 | 3.4 | 2 |
| 59 | The German Mouse Clinic [Running an Open Access Platform 2011 , 11-44 | | 2 |
| 58 | EGFR ligands exert diverging effects on male reproductive organs. <i>Experimental and Molecular Pathology</i> , 2010 , 88, 216-8 | 4.4 | 2 |
| 57 | Molecular biological fingerprinting of human lectin expression by RT-PCR. <i>Methods in Enzymology</i> , 2003 , 362, 287-97 | 1.7 | 2 |
| 56 | The Use of Transgenic Animals in the European Union: The Report and Recommendations of ECVAM Workshop 281,2. <i>ATLA Alternatives To Laboratory Animals</i> , 1999 , 27, 21-43 | 2.1 | 2 |
| 55 | Chronic hyperglycaemia drives functional impairment of lymphocytes in diabetic INSC94Y transgenic pigs | | 2 |
| 54 | Resources for genome editing in livestock: Cas9-expressing chickens and pigs | | 2 |
| 53 | A New Toolbox in Experimental Embryology-Alternative Model Organisms for Studying Preimplantation Development. <i>Journal of Developmental Biology</i> , 2021 , 9, | 3.5 | 2 |
| 52 | 25th ANNIVERSARY OF CLONING BY SOMATIC-CELL NUCLEAR TRANSFER: Nuclear transfer and the development of genetically modified/gene edited livestock. <i>Reproduction</i> , 2021 , 162, F59-F68 | 3.8 | 2 |

(2020-2021)

| 51 | Mitochondrial DNA Depletion in Granulosa Cell Derived Nuclear Transfer Tissues. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 664099 | 5.7 | 2 |
|----|---|------|---|
| 50 | Extensive identification of genes involved in congenital and structural heart disorders and cardiomyopathy 2022 , 1, 157-173 | | 2 |
| 49 | Extensive phenotypic characterization of a new transgenic mouse reveals pleiotropic perturbations in physiology due to mesenchymal hGH minigene expression. <i>Scientific Reports</i> , 2017 , 7, 2397 | 4.9 | 1 |
| 48 | Physiological relevance of the neuronal isoform of inositol-1,4,5-trisphosphate 3-kinases in mice. <i>Neuroscience Letters</i> , 2020 , 735, 135206 | 3.3 | 1 |
| 47 | Genetically encoded Ca -sensor reveals details of porcine endothelial cell activation upon contact with human serum. <i>Xenotransplantation</i> , 2020 , 27, e12585 | 2.8 | 1 |
| 46 | Genetically Tailored Pig Models for Translational Biomedical Research 2017 , 671-701 | | 1 |
| 45 | Genetically Tailored Pig Models for Translational Biomedical Research 2013 , 785-809 | | 1 |
| 44 | Mouse Genetics and Metabolic Mouse Phenotyping 2012 , 85-106 | | 1 |
| 43 | Molecular Networks as Sensors and Drivers of Uterine Receptivity in Livestock 2011 , 161-190 | | 1 |
| 42 | Transgenic pigs expressing near infrared fluorescent protein-A novel tool for noninvasive imaging of islet xenotransplants <i>Xenotransplantation</i> , 2021 , e12719 | 2.8 | 1 |
| 41 | SWI/SNF Protein SMARCD2 Orchestrates Transcriptional Networks Controlling Hematopoiesis and Neutrophil Granulocytes in Humans, Mice and Zebrafish. <i>Blood</i> , 2016 , 128, 2-2 | 2.2 | 1 |
| 40 | Differential Effects of Insulin-Deficient Diabetes Mellitus on Visceral vs. Subcutaneous Adipose Tissue-Multi-omics Insights From the Munich MIDY Pig Model. <i>Frontiers in Medicine</i> , 2021 , 8, 751277 | 4.9 | 1 |
| 39 | International standards and guidelines for xenotransplantation. Nature Biotechnology, 2021, | 44.5 | 1 |
| 38 | Genome-wide search for loci controlling serum IGF binding protein levels of mice. <i>FASEB Journal</i> , 2001 , 15, 978-987 | 0.9 | 1 |
| 37 | Genetically Engineered Large Animals in Biomedicine 2018 , 169-214 | | 1 |
| 36 | Impact of porcine cytomegalovirus on long-term orthotopic cardiac xenotransplant survival | | 1 |
| 35 | Sex-specific programming effects of parental obesity in pre-implantation embryonic development. <i>International Journal of Obesity</i> , 2020 , 44, 1185-1190 | 5.5 | 1 |
| 34 | Effect of Dietary Sodium Modulation on Pig Adrenal Steroidogenesis and Transcriptome Profiles. <i>Hypertension</i> , 2020 , 76, 1769-1777 | 8.5 | 1 |

| 33 | Sequential in vivo labeling of insulin secretory granule pools in INS-SNAP transgenic pigs | | 1 |
|----|---|-----|---|
| 32 | Xenotransplantation solider Organe. <i>Der Nephrologe</i> , 2021 , 16, 138-144 | 0.1 | 1 |
| 31 | Unbiased analysis of obesity related, fat depot specific changes of adipocyte volumes and numbers using light sheet fluorescence microscopy. <i>PLoS ONE</i> , 2021 , 16, e0248594 | 3.7 | 1 |
| 30 | Study for Comparison of CD40-mAb and CD40L-Ab Costimulation Blockade after Life-Supporting Orthotopic Cardiac Xenotransplantation of Multi-Transgenic Pig Hearts into Baboons with a Worldwide First Successful Long-Term Survival. <i>Transplantation</i> , 2018 , 102, S312 | 1.8 | 1 |
| 29 | MECHANISMS IN ENDOCRINOLOGY: Transient juvenile hypoglycemia in growth hormone receptor deficiency - mechanistic insights from Laron syndrome and tailored animal models. <i>European Journal of Endocrinology</i> , 2021 , 185, R35-R47 | 6.5 | 1 |
| 28 | Hypoblast Formation in Bovine Embryos Does Not Depend on NANOG. <i>Cells</i> , 2021 , 10, | 7.9 | 1 |
| 27 | Early disruption of photoreceptor cell architecture and loss of vision in a humanized pig model of usher syndromes <i>EMBO Molecular Medicine</i> , 2022 , e14817 | 12 | 1 |
| 26 | Expression pattern of STAT5A gene during early bovine embryogenesis. <i>Zygote</i> , 2015 , 23, 307-11 | 1.6 | O |
| 25 | The Missing Link: Cre Pigs for Cancer Research. Frontiers in Oncology, 2021, 11, 755746 | 5.3 | 0 |
| 24 | Loss of DRO1/CCDC80 in the tumor microenvironment promotes carcinogenesis <i>Oncotarget</i> , 2022 , 13, 615-627 | 3.3 | O |
| 23 | OCT4/POU5F1 is indispensable for the lineage differentiation of the inner cell mass in bovine embryos <i>FASEB Journal</i> , 2022 , 36, e22337 | 0.9 | 0 |
| 22 | Mice lacking the mitochondrial exonuclease MGME1 develop inflammatory kidney disease with glomerular dysfunction <i>PLoS Genetics</i> , 2022 , 18, e1010190 | 6 | O |
| 21 | Targeting Gal epitopes for multi-species embryo immunosurgery. <i>Reproduction, Fertility and Development</i> , 2019 , 31, 820-826 | 1.8 | |
| 20 | Commentary on "Meta-analysis of the independent and cumulative effects of multiple genetic modifications on pig lung xenograft performance during ex vivo perfusion with human blood" (by Harris et al.): tailoring donor pigs for xenotransplantation-how to find the right combination of | 2.8 | |
| 19 | Transplantation und klīstliches Pankreas. <i>Diabetologe</i> , 2020 , 16, 662-668 | 0.2 | |
| 18 | Murine tissue factor disulfide mutation causes a bleeding phenotype with sex specific organ pathology and lethality. <i>Haematologica</i> , 2020 , 105, 2484-2495 | 6.6 | |
| 17 | Systematic design, production and breeding of multi-transgenic donor pigs. <i>Xenotransplantation</i> , 2012 , 19, 14-14 | 2.8 | |
| 16 | Transplantation of neonatal islets from LEA29Y-transgenic pigs restores normoglycemia in streptozotocin-diabetic NSG-mice. <i>Xenotransplantation</i> , 2012 , 19, 10-10 | 2.8 | |

LIST OF PUBLICATIONS

| 15 | Advanced transgenic strategies for modification of donor pigs in xenotransplantation. <i>Xenotransplantation</i> , 2013 , 20, 43-44 | 2.8 |
|----|---|-----|
| 14 | Zielgerichtete Mutationen zur Erzeugung von Gro t iermodellen. <i>BioSpektrum</i> , 2011 , 17, 541-544 | 0.1 |
| 13 | Transgene Schweinemodelle filtranslationale Forschung in der Medizin. <i>Journal Fur Verbraucherschutz Und Lebensmittelsicherheit</i> , 2008 , 3, 33-40 | 2.3 |
| 12 | Genetische Prdispositionen fderhäte Blutcholesterinwerte im Mausmodell. <i>Biologie in Unserer Zeit</i> , 2005 , 35, 14-15 | 0.1 |
| 11 | Large-Scale N-Ethyl-N-Nitrosourea Mutagenesis of Mice Ifrom Phenotypes to Genes. <i>Experimental Physiology</i> , 2000 , 85, 635-643 | 2.4 |
| 10 | Embryonale Stammzellen und Strategien des Zellkerntransfers. <i>Reproduktionsmedizin</i> , 2000 , 16, 37-42 | |
| 9 | Molekulare Mechanismen der Wachstumswirkung des IGF-Systems 2006 , 109-132 | |
| 8 | Use of Xenogeneic Cells 2020 , 367-412 | |
| 7 | Analysis of the Tissue-Specific Expression Requirements and Identification of Cooperating Mutations for Leukemogenesis in an Inducible CALM/AF10 Knock-in Mouse Model. <i>Blood</i> , 2014 , 126-126 | 2.2 |
| 6 | RNAseq Analysis of the Bovine Endometrium Transcriptome During the Pre-Implantation Phase <i>Biology of Reproduction</i> , 2010 , 83, 473-473 | 3.9 |
| 5 | WORLDWIDE FIRST FINALIZED STUDY OF PRECLINICAL LIFE-SUPPORTING ORTHOTOPIC PIG-TO-BABOON CARDIAC XENOTRANSPLANTATION (XT): CONSTANT REPRODUCIBLE 3-MONTHS-SURVIVAL UP TO HALF A YEAR MEETS THE ISHLT GUIDELINES FOR FIRST CLINICAL TRIALS. Transplantation, 2020, 104, \$35-\$36 | 1.8 |
| 4 | Use of Xenogeneic Cells 2018 , 1-46 | |
| 3 | A new method for physical disector analyses of numbers and mean volumes of immunohistochemically labeled cells in paraffin sections. <i>Journal of Neuroscience Methods</i> , 2021 , 361, 109272 | 3 |
| 2 | Clinical cardiac xenotransplantation first in the clinical arena Xenotransplantation, 2022, e12734 | 2.8 |
| 1 | Replacing Needle Injection by a Novel Waterjet Technology Grants Improved Muscle Cell Delivery in Target Tissues <i>Cell Transplantation</i> , 2022 , 31, 9636897221080943 | 4 |