Francesca Marcon

List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/2601224/francesca-marcon-publications-by-citations.pdf$

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 1,163 346 14 h-index g-index citations papers 1,365 2.2 351 3.95 L-index ext. citations avg, IF ext. papers

| # | Paper | IF | Citations |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------|
| 346 | Guidance on the assessment of the safety of feed additives for the environment. <i>EFSA Journal</i> , 2019 , 17, e05648 | 2.3 | 127 |
| 345 | Assessment of individual sensitivity to ionizing radiation and DNA repair efficiency in a healthy population. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2003 , 541, 1-8 | 3 | 59 |
| 344 | Diet-related telomere shortening and chromosome stability. <i>Mutagenesis</i> , 2012 , 27, 49-57 | 2.8 | 54 |
| 343 | Simultaneous detection of X-chromosome loss and non-disjunction in cytokinesis-blocked human lymphocytes by in situ hybridization with a centromeric DNA probe; implications for the human lymphocyte in vitro micronucleus assay using cytochalasin B. <i>Mutagenesis</i> , 1994 , 9, 225-32 | 2.8 | 53 |
| 342 | Sex chromosome loss and non-disjunction in women: analysis of chromosomal segregation in binucleated lymphocytes. <i>Chromosoma</i> , 1996 , 104, 461-7 | 2.8 | 42 |
| 341 | Effects of folic acid deficiency and MTHFR C677T polymorphism on spontaneous and radiation-induced micronuclei in human lymphocytes. <i>Mutagenesis</i> , 2006 , 21, 327-33 | 2.8 | 41 |
| 340 | Novel epigenetic changes unveiled by monozygotic twins discordant for smoking habits. <i>PLoS ONE</i> , 2015 , 10, e0128265 | 3.7 | 41 |
| 339 | Analysis of chromosome segregation in cytokinesis-blocked human lymphocytes: non-disjunction is the prevalent damage resulting from low dose exposure to spindle poisons. <i>Mutagenesis</i> , 1996 , 11, 335 | - 40 8 | 36 |
| 338 | Guidance on the renewal of the authorisation of feed additives. <i>EFSA Journal</i> , 2021 , 19, e06340 | 2.3 | 27 |
| 337 | Safety assessment of titanium dioxide (E171) as a food additive. <i>EFSA Journal</i> , 2021 , 19, e06585 | 2.3 | 25 |
| 336 | Can sustained exposure to PFAS trigger a genotoxic response? A comprehensive genotoxicity assessment in mice after subacute oral administration of PFOA and PFBA. <i>Regulatory Toxicology and Pharmacology</i> , 2019 , 106, 169-177 | 3.4 | 19 |
| 335 | Assessment of the feed additive consisting of (formerly) DSM 16774 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , 2021 , 19, e06696 | 2.3 | 19 |
| 334 | Unsuitability of lymphoblastoid cell lines as surrogate of cryopreserved isolated lymphocytes for the analysis of DNA double-strand break repair activity. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010 , 684, 98-105 | 3.3 | 15 |
| 333 | Safety and efficacy of 26 compounds belonging to chemical group 3 (Junsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters) when used as flavourings for all animal species and categories. <i>EFSA Journal</i> , 2019 , 17, e05654 | 2.3 | 14 |
| 332 | Safety of concentrated l-lysine (base), l-lysine monohydrochloride and l-lysine sulfate produced using different strains of for all animal species based on a dossier submitted by FEFANA asbl. <i>EFSA Journal</i> , 2019 , 17, e05532 | 2.3 | 14 |
| 331 | Gene promoter methylation and DNA repair capacity in monozygotic twins with discordant smoking habits. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2015 , 779, 57-64 | 3 | 13 |
| 330 | Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain NRRL B-50775 for all animal species based on a dossier submitted by ADM. <i>EFSA Journal</i> , 2019 , 17, e05537 | 2.3 | 12 |

| 329 | Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain KCCM 10227 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05697 | 2.3 | 12 | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----|--|
| 328 | Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CCTCC M 2015595 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05643 | 2.3 | 12 | |
| 327 | Safety and efficacy of DSM 32962 as a silage additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e0626 | 2. 3 | 12 | |
| 326 | Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strains NRRL-B-67439 or NRRL B-67535 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05886 | 2.3 | 10 | |
| 325 | Safety and efficacy of l-lysine sulfate produced by fermentation using KFCC 11043 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06203 | 2.3 | 9 | |
| 324 | Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from (L.) Osbeck and of lime oil from (Christm.) Swingle for use in all animal species (FEFANA asbl). <i>EFSA</i> Journal, 2021 , 19, e06548 | 2.3 | 9 | |
| 323 | Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CGMCC 7.266 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06019 | 2.3 | 8 | |
| 322 | Safety of benzophenone to be used as flavouring. <i>EFSA Journal</i> , 2017 , 15, e05013 | 2.3 | 8 | |
| 321 | Safety and efficacy of l-lysine monohydrochloride produced by fermentation with DSM 32932 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06078 | 2.3 | 8 | |
| 320 | Safety and efficacy of l-tryptophan produced with CGMCC 11674 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05642 | 2.3 | 7 | |
| 319 | Evaluation of radiation-induced chromosome instability in subjects with a family history of gastric cancer. <i>Biomarkers</i> , 2009 , 14, 226-34 | 2.6 | 7 | |
| 318 | Scientific Opinion on Flavouring Group Evaluation 200, Revision 1 (FGE.200 Rev.1): 74 [Lunsaturated aliphatic aldehydes and precursors from chemical subgroup 1.1.1 of FGE.19. EFSA Journal, 2018, 16, e05422 | 2.3 | 7 | |
| 317 | Safety and efficacy of Monimax (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05459 | 2.3 | 7 | |
| 316 | Safety and efficacy of concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by fermentation with KCCM 80190 as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e062 \hat{s} | 2 5 3 | 6 | |
| 315 | Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80176 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05729 | 2.3 | 6 | |
| 314 | Telomerase activity, telomere length and hTERT DNA methylation in peripheral blood mononuclear cells from monozygotic twins with discordant smoking habits. <i>Environmental and Molecular Mutagenesis</i> , 2017 , 58, 551-559 | 3.2 | 6 | |
| 313 | Scientific Opinion on Flavouring Group Evaluation 208 Revision 2 (FGE.208Rev2): Consideration of genotoxicity data on alicyclic aldehydes with <code>Hunsaturation</code> in ring/side-chain and precursors from chemical subgroup 2.2 of FGE.19. <i>EFSA Journal</i> , 2017 , 15, e04766 | 2.3 | 6 | |
| 312 | DNA damage response in monozygotic twins discordant for smoking habits. <i>Mutagenesis</i> , 2013 , 28, 135-4 | £4 8 | 6 | |
| | | | | |

| 311 | Influence of donor age on vinblastine-induced chromosome malsegregation in cultured peripheral lymphocytes. <i>Mutagenesis</i> , 2002 , 17, 83-8 | 2.8 | 6 |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---|
| 310 | Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06533 | 3 ^{2.3} | 6 |
| 309 | Safety and efficacy of a feed additive consisting of a tincture derived from roots of L. (gentian tincture) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06547 | 2.3 | 6 |
| 308 | Assessment of the application for renewal of authorisation of selenomethionine produced by ´CNCM I-3060 (selenised yeast inactivated) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05386 | 2.3 | 6 |
| 307 | Safety and efficacy of l-threonine produced by fermentation using CGMCC 7.232 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05458 | 2.3 | 6 |
| 306 | Guidance on aneugenicity assessment. <i>EFSA Journal</i> , 2021 , 19, e06770 | 2.3 | 6 |
| 305 | Scientific Opinion on Flavouring Group Evaluation 63, Revision 3 (FGE.63Rev3): aliphatic secondary alcohols, ketones and related esters evaluated by JECFA (59th and 69th meetings) structurally related to saturated and unsaturated aliphatic secondary alcohols, ketones and esters of secondary | 2.3 | 5 |
| 304 | alcohols and saturated linear or branched-chain carboxylic acids evaluated by EFSA in FGE.07Rev4. Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80135 for all animal species. EFSA Journal, 2019, 17, e05694 | 2.3 | 5 |
| 303 | Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80152 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05695 | 2.3 | 5 |
| 302 | Safety and efficacy of l-tryptophan produced by fermentation with CGMCC 7.248 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05601 | 2.3 | 5 |
| 301 | Safety and efficacy of l-valine produced by fermentation using 'KCCM'11201P for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05538 | 2.3 | 5 |
| 300 | Assessment of the application for renewal of the authorisation of DSM 16244 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06166 | 2.3 | 5 |
| 299 | Safety and efficacy of sodium carboxymethyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06211 | 2.3 | 5 |
| 298 | Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). <i>EFSA Journal</i> , 2021 , 19, e06447 | 2.3 | 5 |
| 297 | Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06467 | 2.3 | 5 |
| 296 | Safety and efficacy of astaxanthin-dimethyldisuccinate (Carophyll Stay-Pink 10%-CWS) for salmonids, crustaceans and other fish. <i>EFSA Journal</i> , 2019 , 17, e05920 | 2.3 | 5 |
| 295 | Safety and efficacy of an essential oil from ssp. (Link) Ietsw. for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05909 | 2.3 | 5 |
| 294 | Scientific Opinion on Flavouring Group Evaluation 201 Revision 2 (FGE.201Rev2): 2-alkylated, aliphatic, acyclic alpha,beta-unsaturated aldehydes and precursors, with or without additional double-bonds, from chemical subgroup 1.1.2 of FGE.19. EFSA Journal, 2018, 16, e05423 | 2.3 | 5 |

(2020-2019)

| 293 | Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. <i>EFSA Journal</i> , 2019 , 17, e0569 | 2 ^{2.3} | 4 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---|
| 292 | Safety and efficacy of l-valine produced using CGMCC 11675 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05611 | 2.3 | 4 |
| 291 | Safety and efficacy of an essential oil of ssp. (Link) leetsw. for all poultry species. <i>EFSA Journal</i> , 2019 , 17, e05653 | 2.3 | 4 |
| 2 90 | Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80172 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05783 | 2.3 | 4 |
| 289 | Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban G160 (narasin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05786 | 2.3 | 4 |
| 288 | Scientific Opinion on Flavouring Group Evaluation 226 Revision 1 (FGE.226Rev1): consideration of genotoxicity data on one Impurated aldehyde from chemical subgroup 1.1.1(b) of FGE.19. <i>EFSA Journal</i> , 2017 , 15, e04847 | 2.3 | 4 |
| 287 | Safety and efficacy of monosodium l-glutamate monohydrate produced by KCCM 80188 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06085 | 2.3 | 4 |
| 286 | Assessment of the feed additive consisting of endo-1,4-Ekylanase produced by CBS 114044 (ECONASEXT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). EFSA | 2.3 | 4 |
| 285 | Safety and efficacy of vitamin B (riboflavin 5Pphosphate ester monosodium salt) for all animal species when used in water for drinking. <i>EFSA Journal</i> , 2018 , 16, e05531 | 2.3 | 4 |
| 284 | Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for sows. <i>EFSA Journal</i> , 2019 , 17, e05719 | 2.3 | 3 |
| 283 | Safety and efficacy of BiominDC-C as a zootechnical feed additive for weaned piglets. <i>EFSA Journal</i> , 2019 , 17, e05688 | 2.3 | 3 |
| 282 | Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05651 | 2.3 | 3 |
| 281 | Assessment of the application for renewal of authorisation of Bonvital (DSM 7134) as a feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05650 | 2.3 | 3 |
| 2 80 | Safety and efficacy of Calsporin (´DSM´15544) for all poultry species. <i>EFSA Journal</i> , 2019 , 17, e05605 | 2.3 | 3 |
| 279 | Safety and efficacy of B-Act (DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. <i>EFSA Journal</i> , 2019 , 17, e05536 | 2.3 | 3 |
| 278 | Safety and efficacy of Probiotic Lactina (NBIMCC 8270 NBIMCC 8242 NBIMCC 8269 ssp. NBIMCC 8250 ssp. NBIMCC 8244 and NBIMCC 8253) as a feed additive for chickens for fattening and suckling and weaned rabbits. <i>EFSA Journal</i> , 2019 , 17, e05646 | 2.3 | 3 |
| 277 | Safety and efficacy of GalliPro Fit (DSM 32324, DSM 32325 and DSM 25840) for all poultry species for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2020 , 18, e06094 | 2.3 | 3 |
| 276 | Safety and efficacy of CNCM I-3698 and CNCM I-3699 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06082 | 2.3 | 3 |

| 275 | Safety and efficacy of propyl gallate for all animal species. EFSA Journal, 2020, 18, e06069 | 2.3 | 3 |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 274 | Safety and efficacy of l-valine produced by fermentation using KCCM 80159 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06074 | 2.3 | 3 |
| 273 | Safety and efficacy of l-isoleucine produced by fermentation with KCCM 80189 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06021 | 2.3 | 3 |
| 272 | Assessment of the application for renewal of the authorisation of Amaferm (fermentation product of NRRL 458) as a feed additive for dairy cows. <i>EFSA Journal</i> , 2020 , 18, e06011 | 2.3 | 3 |
| 271 | Assessment of the application for renewal of authorisation of Ecobiol (CECT 5940) as a feed additive for chickens for fattening and its extension of use for chickens reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06014 | 2.3 | 3 |
| 270 | Safety and efficacy of Biomin DC-P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. <i>EFSA Journal</i> , 2019 , 17, e05724 | 2.3 | 3 |
| 269 | Scientific Opinion on Flavouring Group Evaluation 57, Revision 1 (FGE.57Rev1): consideration of isopulegone and three flavouring substances evaluated by JECFA (55th meeting). <i>EFSA Journal</i> , 2017 , 15, e04727 | 2.3 | 3 |
| 268 | Assessment of the application for renewal of the authorisation of Calsporin (DSM 15544) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06283 | 2.3 | 3 |
| 267 | Safety and efficacy of OptiPhosPLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. <i>EFSA Journal</i> , 2020 , 18, e06204 | 2.3 | 3 |
| 266 | Safety and efficacy of fumonisin esterase from DSM 32159 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06207 | 2.3 | 3 |
| 265 | Assessment of the feed additive consisting of (formerly) DSM 21762 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06613 | 2.3 | 3 |
| 264 | Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by KCCM 80227 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021 , 19, e06706 | 2.3 | 3 |
| 263 | Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for piglets (suckling and weaned) and growing minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05894 | 2.3 | 3 |
| 262 | Safety and efficacy of l-methionine produced by fermentation with KCCM 80184 and KCCM 80096 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05917 | 2.3 | 3 |
| 261 | Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for dairy cows and horses. <i>EFSA Journal</i> , 2019 , 17, e05915 | 2.3 | 3 |
| 260 | Safety and efficacy of CI-FER[[ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05916 | 2.3 | 3 |
| 259 | Safety and efficacy of oct-1-en-3-ol, pent-1-en-3-ol, oct-1-en-3-one, oct-1-en-3-yl acetate, isopulegol and 5-methylhept-2-en-4-one, belonging to chemical group 5 and of isopulegone and Edamascone belonging to chemical group 8 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2020 , | 2.3 | 3 |
| 258 | 18, e06002 Safety and efficacy of a feed additive consisting on ssp. ATCC PTA-6752 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06470 | 2.3 | 3 |

| 257 | Assessment of the feed additive consisting of DSM 7134 (Bonvital) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06451 | 2.3 | 3 |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---|
| 256 | Scientific Opinion on Flavouring Group Evaluation 203, Revision 2 (FGE.203Rev2): Illunsaturated aliphatic aldehydes and precursors from chemical subgroup 1.1.4 of FGE.19 with two or more conjugated double-bonds and with or without additional non-conjugated double-bonds. <i>EFSA</i> | 2.3 | 3 |
| 255 | Safety and efficacy of Monteban G100 (narasin) for chickens for fattening. EFSA Journal, 2018, 16, e054 | 60 3 | 3 |
| 254 | Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05609 | 2.3 | 2 |
| 253 | Safety and efficacy of muramidase from DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. <i>EFSA Journal</i> , 2019 , 17, e05686 | 2.3 | 2 |
| 252 | Assessment of the application for renewal of authorisation of Bactocell (CNCM I-4622) as a feed additive for weaned piglets, pigs for fattening, minor porcine species (weaned and for fattening), chickens for fattening, laying hens and minor avian species for fattening and for laying and its | 2.3 | 2 |
| 251 | Assessment of the application for renewal of authorisation of Natugrain Wheat TS and TS L (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental | 2.3 | 2 |
| 250 | birds. <i>EFSA Journal</i> , 2019 , 17, e05652 Safety and efficacy of 3-phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05543 | 2.3 | 2 |
| 249 | Safety and efficacy of Deccox (decoquinate) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05541 | 2.3 | 2 |
| 248 | Safety and efficacy of 8-mercaptomenthan-3-one and -menth-1-ene-8-thiol belonging to chemical group 20 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05530 | 2.3 | 2 |
| 247 | Safety and efficacy of Actisaf Sc47 (CNCM I-4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. <i>EFSA Journal</i> , 2019 , 17, e05600 | 2.3 | 2 |
| 246 | Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05603 | 2.3 | 2 |
| 245 | Safety and efficacy of Bonvital (´, DSM 7134) as an additive in water for drinking for sows. <i>EFSA Journal</i> , 2019 , 17, e05612 | 2.3 | 2 |
| 244 | Safety and efficacy of Biacton (CNCM I-3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. <i>EFSA Journal</i> , 2020 , 18, e06083 | 2.3 | 2 |
| 243 | Safety and efficacy of OptiPhos PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06141 | 2.3 | 2 |
| 242 | Safety and efficacy of a dried aqueous ethanol extract of L. leaves when used as a sensory additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06016 | 2.3 | 2 |
| 241 | Safety and efficacy of 4-phenylbut-3-en-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06017 | 2.3 | 2 |
| 240 | Safety and efficacy of IMP (disodium 5?-inosinate) produced by fermentation with Corynebacterium stationis KCCM 80161 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06140 | 2.3 | 2 |

| 239 | Safety and efficacy of AvailaCr (chromium chelate of DL-methionine) as a feed additive for dairy cows. <i>EFSA Journal</i> , 2020 , 18, e06026 | 2.3 | 2 |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 238 | Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e05979 | 2.3 | 2 |
| 237 | Safety and efficacy of l-glutamine produced using NITE BP-02524 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06075 | 2.3 | 2 |
| 236 | Scientific Opinion of Flavouring Group Evaluation 410 (FGE.410): 4P,5,7-trihydroxyflavanone from chemical group 25 (phenol derivatives containing ring-alkyl, ring-alkoxy, and side-chains with an oxygenated functional group). <i>EFSA Journal</i> , 2017 , 15, e05011 | 2.3 | 2 |
| 235 | Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80179 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05784 | 2.3 | 2 |
| 234 | Safety of an essential oil from subsp. (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05794 | 2.3 | 2 |
| 233 | Safety and efficacy of l-histidine monohydrochloride monohydrate produced by fermentation with (NITE BP-02526) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05785 | 2.3 | 2 |
| 232 | Safety and efficacy of 3-phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. <i>EFSA Journal</i> , 2019 , 17, e05791 | 2.3 | 2 |
| 231 | Safety and efficacy of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05879 | 2.3 | 2 |
| 230 | Safety and efficacy of a feed additive consisting of 3-nitrooxypropanol (Bovaer 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). <i>EFSA Journal</i> , 2021 , 19, e06905 | 2.3 | 2 |
| 229 | Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd) <i>EFSA Journal</i> , 2021 , 19, e06974 | 2.3 | 2 |
| 228 | Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCTC 12307BP as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06333 | 2.3 | 2 |
| 227 | Safety of potassium diformate (FormilLHS) as a feed additive for sows, from ADDCON EUROPE GmbH. <i>EFSA Journal</i> , 2020 , 18, e06339 | 2.3 | 2 |
| 226 | Safety and efficacy of Sorbiflore ^[] ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06080 | 2.3 | 2 |
| 225 | Safety and efficacy of PB6 (ATCC PTA-6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. <i>EFSA Journal</i> , 2020 , 18, e06280 | 2.3 | 2 |
| 224 | Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06284 | 2.3 | 2 |
| 223 | Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06064 | 2.3 | 2 |
| 222 | Safety and efficacy of Avatec 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06202 | 2.3 | 2 |

| 221 | Safety of 3-phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. <i>EFSA Journal</i> , 2020 , 18, e06205 | 2.3 | 2 | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|--|
| 220 | Safety and efficacy of microcrystalline cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06209 | 2.3 | 2 | |
| 219 | Safety and efficacy of methyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06212 | 2.3 | 2 | |
| 218 | Assessment of the application for renewal of authorisation of l-histidine monohydrochloride monohydrate produced with NITE SD 00268 for salmonids and its extension of use to other fin fish. <i>EFSA Journal</i> , 2020 , 18, e06072 | 2.3 | 2 | |
| 217 | Safety and efficacy of Sorbiflore ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06 | 0831 | 2 | |
| 216 | Safety and efficacy of l-valine produced by fermentation using CGMCC 7.358 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06286 | 2.3 | 2 | |
| 215 | Safety and efficacy of the feed additive consisting of Vitamin B/Riboflavin produced by CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). <i>EFSA Journal</i> , 2021 , 19, e06462 | 2.3 | 2 | |
| 214 | Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06454 | 2.3 | 2 | |
| 213 | Safety and efficacy of a feed additive consisting of a dried extract from (L.) Roxb. for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06444 | 2.3 | 2 | |
| 212 | Safety of the feed additives consisting of l-lysine monohydrochloride and l-lysine sulfate produced by 'CCTCC M 2015595 for all animal species (Kempex Holland B. V.). <i>EFSA Journal</i> , 2021 , 19, e06520 | 2.3 | 2 | |
| 211 | Safety and efficacy of the feed additives concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by KCCM 80183 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06537 | 2.3 | 2 | |
| 210 | Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Titanium Dioxide Manufacturers Association). <i>EFSA Journal</i> , 2021 , 19, e06630 | 2.3 | 2 | |
| 209 | Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05893 | 2.3 | 2 | |
| 208 | Assessment of the application for renewal of authorisation of ECONASEXT (endo-1,4-Ekylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , 2019 , 17, e05880 | 2.3 | 2 | |
| 207 | Safety for the environment of Monimax (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05888 | 2.3 | 2 | |
| 206 | Assessment of the application for renewal of authorisation of FormilLHS (potassium diformate) for sows. <i>EFSA Journal</i> , 2020 , 18, e06024 | 2.3 | 2 | |
| 205 | Assessment of the application for renewal of authorisation of Lantharenol (lanthanum carbonate octahydrate) for cats. <i>EFSA Journal</i> , 2019 , 17, e05542 | 2.3 | 1 | |
| 204 | Assessment of the application for renewal of the authorisation of PHYZYMEXP 10000 TPT/L (6-phytase) as a feed additive for all avian species and all swine species. <i>EFSA Journal</i> , 2019 , 17, e05702 | 2.3 | 1 | |

| 203 | Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05527 | 2.3 | 1 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---|
| 202 | Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05604 | 2.3 | 1 |
| 201 | Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05602 | 2.3 | 1 |
| 2 00 | Modification of the terms of the authorisation of Natuphos E as a feed additive for chickens for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2019 , 17, e05607 | 2.3 | 1 |
| 199 | Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. <i>EFSA Journal</i> , 2019 , 17, e05610 | 2.3 | 1 |
| 198 | Safety and efficacy of Bonvital (DSM 7134) as a feed additive for laying hens. <i>EFSA Journal</i> , 2020 , 18, e06277 | 2.3 | 1 |
| 197 | Safety and Efficacy of l-histidine monohydrochloride monohydrate produced by fermentation using KCCM 80212 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06287 | 2.3 | 1 |
| 196 | Safety and efficacy of Nimicoat (carvacrol) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06070 | 2.3 | 1 |
| 195 | Safety and efficacy of Capsozyme SB Plus (Egalactosidase and endo-1,4-Ekylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06086 | 2.3 | 1 |
| 194 | Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06001 | 2.3 | 1 |
| 193 | Safety and efficacy of l-tryptophan produced by fermentation using CGMCC 7.267 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06013 | 2.3 | 1 |
| 192 | Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from L. rhizome when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06146 | 2.3 | 1 |
| 191 | Safety and efficacy of TechnoSpore (DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06158 | 2.3 | 1 |
| 190 | Safety and efficacy of OptiPhosPLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. <i>EFSA Journal</i> , 2020 , 18, e067 | 163 | 1 |
| 189 | Safety of l-tryptophan produced using CGMCC 11674 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e061 | 6 .8j | 1 |
| 188 | Safety and efficacy of FSF10000 and FLF1000 (3-phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2020 , 18, e06015 | 2.3 | 1 |
| 187 | Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05782 | 2.3 | 1 |
| 186 | Safety and efficacy of Natuphos E (6-phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. <i>EFSA Journal</i> , 2019 , 17, e05789 | 2.3 | 1 |

| 185 | Safety and efficacy of AviPlus as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. <i>EFSA Journal</i> , 2019 , 17, e05795 | 2.3 | 1 |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---|
| 184 | Assessment of the application for renewal of authorisation of l-arginine produced by fermentation using NITE SD 00285 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05720 | 2.3 | 1 |
| 183 | Safety and efficacy of FRA Octazyme C Dry (endo-1,4-Ekylanase, mannan-endo-1,4-Emannosidase, Emylase, endo-1,3(4)-Eglucanase, pectinase, endo-1,4-Eglucanase, protease, Egalactosidase) as a feed additive for weaned piglets and chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05730 | 2.3 | 1 |
| 182 | Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05792 | 2.3 | 1 |
| 181 | Gene expression in response to ionizing radiation and family history of gastric cancer. <i>Familial Cancer</i> , 2011 , 10, 107-18 | 3 | 1 |
| 180 | Efficacy of Cygro 10G (maduramicin ammonium-🏿 for turkeys. EFSA Journal, 2020 , 18, e06079 | 2.3 | 1 |
| 179 | Safety and efficacy of l-cysteine monohydrochloride monohydrate produced by fermentation using KCCM 80109 and KCCM 80197 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06101 | 2.3 | 1 |
| 178 | Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). <i>EFSA Journal</i> , 2021 , 19, e06903 | 2.3 | 1 |
| 177 | Safety and efficacy of a feed additive consisting of (formerly) NCIMB 30121 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06901 | 2.3 | 1 |
| 176 | Safety and efficacy of a feed additive consisting of an aqueous extract of (L.) Osbeck (lemon extract) for use in all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , 2021 , 19, e06893 | 2.3 | 1 |
| 175 | Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06281 | 2.3 | 1 |
| 174 | Assessment of the application for renewal of the authorisation of Actisaf Sc 47 (CNCM I-4407) as a feed additive for calves for rearing. <i>EFSA Journal</i> , 2020 , 18, e06167 | 2.3 | 1 |
| 173 | Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCCM 80216 as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e063. | 34 ^{.3} | 1 |
| 172 | Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06338 | 2.3 | 1 |
| 171 | Safety and efficacy of Correlink[ABS747 (NRRL B-67257) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , 2020 , 18, e06278 | 2.3 | 1 |
| 170 | Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B) as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06289 | 2.3 | 1 |
| 169 | Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e0 | 621 3 4 | 1 |
| 168 | Safety and efficacy of ethyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06210 | 2.3 | 1 |

| 167 | Safety and efficacy of hydroxypropyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06213 | 2.3 | 1 |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 166 | Safety and efficacy of l-tryptophan produced by fermentation with KCCM 10534 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06071 | 2.3 | 1 |
| 165 | Safety and efficacy of the feed additive consisting of DSM 28710 (B-Act) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06449 | 2.3 | 1 |
| 164 | Safety and efficacy of a feed additive consisting of serine protease produced by DSM 19670 (Ronozyme ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06448 | 2.3 | 1 |
| 163 | Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06468 | 2.3 | 1 |
| 162 | Safety and efficacy of a feed additive consisting of endo-1,4-Ekylanase produced by LMG S-15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). <i>EFSA Journal</i> , 2021 , 19, e06456 | 2.3 | 1 |
| 161 | Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablend 200G) for chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , 2021 , 19, e06466 | 2.3 | 1 |
| 160 | Efficacy of the feed additive consisting of decoquinate (Deccox) for use in chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , 2021 , 19, e06453 | 2.3 | 1 |
| 159 | Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06457 | 2.3 | 1 |
| 158 | Safety and efficacy of the feed additive consisting of l-tryptophan produced by KCCM 80210 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021 , 19, e06425 | 2.3 | 1 |
| 157 | Safety and efficacy of a feed additive consisting of l-valine produced by 'CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06521 | 2.3 | 1 |
| 156 | Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix Z) for all avian species other than laying birds (Novus Europe S.A. / N.V). <i>EFSA Journal</i> , 2021 , 19, e06528 | 2.3 | 1 |
| 155 | Safety and efficacy of a feed additive consisting of a dried extract from the roots of L. (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06527 | 2.3 | 1 |
| 154 | Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06541 | 2.3 | 1 |
| 153 | Safety and efficacy of a feed additive consisting of endo-1,4-Ekylanase (ECONASEXT) produced by CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor | 2.3 | 1 |
| 152 | poultry species (Roal Oy). EFSA Journal, 2021, 19, e06536 Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). EFSA Journal, 2021, 19, e06529 | 2.3 | 1 |
| 151 | Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). <i>EFSA Journal</i> , 2021 , 19, e06531 | 2.3 | 1 |
| 150 | Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPE-ASIA Import Export GmbH). <i>EFSA Journal</i> , 2021 , 19, e06530 | 2.3 | 1 |

| 149 | Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06540 | 2.3 | 1 |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 148 | Assessment of a feed additive consisting of RRR-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). <i>EFSA Journal</i> , 2021 , 19, e06532 | 2.3 | 1 |
| 147 | Safety and efficacy of a feed additive consisting of l-histidine monohydrochloride monohydrate produced using ´NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06622 | 2.3 | 1 |
| 146 | Safety and efficacy of a feed additive consisting of an essential oil from the leaves of L . (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06624 | 2.3 | 1 |
| 145 | Safety and efficacy of an additive consisting of potassium diformate (FormilLHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). <i>EFSA Journal</i> , 2021 , 19, e06617 | 2.3 | 1 |
| 144 | Safety and efficacy of a feed additive consisting of acetic acid for all animal species. <i>EFSA Journal</i> , 2021 , 19, e06615 | 2.3 | 1 |
| 143 | Safety and efficacy of a feed additive consisting of an essential oil from the fruits of (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06623 | 2.3 | 1 |
| 142 | Safety and efficacy of a feed additive consisting of disodium 5Pguanylate produced with KCCM 10530 and K-12 KFCC 11067 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06619 | 2.3 | 1 |
| 141 | Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of Blanco for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06625 | 2.3 | 1 |
| 140 | Safety and efficacy of a feed additive consisting of (formerly) IMI 507026 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06703 | 2.3 | 1 |
| 139 | Safety and efficacy of a tincture derived from L. when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05910 | 2.3 | 1 |
| 138 | Safety and efficacy of Belfeed B MP/ML (endo-1,4-Ekylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. <i>EFSA Journal</i> , 2019 , 17, e05892 | 2.3 | 1 |
| 137 | Efficacy of ZM16 10 (DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05881 | 2.3 | 1 |
| 136 | Safety of butylated hydroxy anisole (BHA) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05913 | 2.3 | 1 |
| 135 | Safety of l-threonine produced by fermentation with CGMCC 11473 as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05885 | 2.3 | 1 |
| 134 | Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05914 | 2.3 | 1 |
| 133 | Safety and efficacy of NatugrainTS/TS L (endo-1,4-beta-xylanase and endo-1,4-beta-glucanase) as a feed additive for sows. <i>EFSA Journal</i> , 2020 , 18, e06025 | 2.3 | 1 |
| 132 | Safety for the user of the feed additive consisting of ferric citrate chelate (CI-FER) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). <i>EFSA Journal</i> , 2021 , 19, e06455 | 2.3 | 1 |

| 131 | Safety evaluation of food enzyme xylanase from a genetically modified (strain LMG S-27588). <i>EFSA Journal</i> , 2018 , 16, e05169 | 2.3 | 1 |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 130 | Safety evaluation of the food enzyme aqualysin 1 from a genetically modified (strain LMGS 25520). <i>EFSA Journal</i> , 2018 , 16, e05170 | 2.3 | 1 |
| 129 | Safety evaluation of the food enzyme maltogenic amylase from a genetically modified (strain NZYM-SM). <i>EFSA Journal</i> , 2018 , 16, e05171 | 2.3 | 1 |
| 128 | Safety and efficacy of Hostazym X (endo-1,4-beta-xylanase) as a feed additive for sows in order to have benefit in piglets. <i>EFSA Journal</i> , 2018 , 16, e05456 | 2.3 | 1 |
| 127 | Safety and efficacy of a super critical carbon dioxide extract of L. flos when used as a feed flavouring for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05462 | 2.3 | 1 |
| 126 | Safety evaluation of food enzyme glucan 1,4-Emaltohydrolase produced with a genetically modified (strain MAM). <i>EFSA Journal</i> , 2018 , 16, e05168 | 2.3 | 1 |
| 125 | Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of IL. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06709 | 2.3 | 1 |
| 124 | Safety and efficacy of an additive consisting of xanthan gum produced by strains ?????, ????? for all animal species (Biopolymer International). <i>EFSA Journal</i> , 2021 , 19, e06710 | 2.3 | 1 |
| 123 | Safety for the environment of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06715 | 2.3 | 1 |
| 122 | Safety and efficacy of a feed additive consisting of a tincture from the bark of J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl) <i>EFSA Journal</i> , 2021 , 19, e06986 | 2.3 | 1 |
| 121 | Safety and efficacy of a feed additive consisting of ATCC PTA-6737 (PB6) for turkeys for fattening, turkeys reared for breeding, laying hens, minor poultry species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.) <i>EFSA Journal</i> , 2022 , 20, e07244 | 2.3 | 1 |
| 120 | Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH) <i>EFSA Journal</i> , 2022 , 20, e07286 | 2.3 | 1 |
| 119 | Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. <i>EFSA Journal</i> , 2019 , 17, e05649 | 2.3 | 0 |
| 118 | Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06164 | 2.3 | O |
| 117 | Safety and efficacy of essential oil, oleoresin and tincture from Roscoe when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06147 | 2.3 | 0 |
| 116 | Safety and efficacy of a feed additive consisting of an essential oil from (L.) J. Presl (camphor white oil) for use in all animal species (FEFANA asbl) <i>EFSA Journal</i> , 2022 , 20, e06985 | 2.3 | O |
| 115 | Risk-Benefit Assessment of Feed Additives in the One Health Perspective <i>Frontiers in Nutrition</i> , 2022 , 9, 843124 | 6.2 | О |
| 114 | Assessment of the application for renewal of authorisation of AviPlus as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06063 | 2.3 | О |

| 113 | Assessment of the feed additive consisting of (formerly) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06900 | 2.3 | O |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 112 | Safety and efficacy of Nutrase P (6-phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06282 | 2.3 | O |
| 111 | Safety and efficacy of a feed additive consisting of strains CNCM I-4606, CNCM I-5043 and CNCM I-4607 and CNCM I-4609 for all animal species (Nolivade). <i>EFSA Journal</i> , 2021 , 19, e06907 | 2.3 | О |
| 110 | Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from (L.) Osbeck for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06891 | 2.3 | О |
| 109 | Safety and efficacy of STENOROL (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. <i>EFSA Journal</i> , 2020 , 18, e06169 | 2.3 | O |
| 108 | Safety and efficacy of a feed additive consisting of a dried extract from the leaves of L. (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06525 | 2.3 | O |
| 107 | Assessment of the feed additive consisting of 'DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06713 | 2.3 | О |
| 106 | Safety and efficacy of a feed additive consisting of (formerly) IMI 507027 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06704 | 2.3 | O |
| 105 | Safety and efficacy of a feed additive consisting of (formerly) IMI 507023 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06700 | 2.3 | О |
| 104 | Assessment of the feed additive consisting of 'DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , 2021 , 19, e06697 | 2.3 | O |
| 103 | Safety and efficacy of a feed additive consisting of IMI 507024 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06701 | 2.3 | О |
| 102 | Safety and efficacy of a feed additive consisting of (formerly) IMI 507028 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06705 | 2.3 | O |
| 101 | Safety and efficacy of a feed additive consisting of IMI 507025 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06702 | 2.3 | О |
| 100 | Safety and efficacy of a feed additive consisting of an essential oil from the flowers of (Lam.) Hook.f. & Thomson (ylang ylang oil) for use in all animal species (FEFANA asbl) <i>EFSA Journal</i> , 2022 , 20, e07159 | 2.3 | O |
| 99 | Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by DSM 32731 for all terrestrial animal species (Biomin GmbH) <i>EFSA Journal</i> , 2022 , 20, e07157 | 2.3 | O |
| 98 | Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline) for all animal species (FEFANA asbl) <i>EFSA Journal</i> , 2022 , 20, e07166 | 2.3 | O |
| 97 | Safety and efficacy of a feed additive consisting of an essential oil from the leaves of (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl) <i>EFSA Journal</i> , 2022 , 20, e07160 | 2.3 | О |
| 96 | Safety and efficacy of a feed additive consisting of an extract of olibanum from Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl) <i>EFSA Journal</i> , 2022 , 20, e07158 | 2.3 | O |

| 95 | Safety and efficacy of a feed additive consisting of disodium 5Pinosinate (IMP) produced by KCCM 80235 for all animal species (CJ Europe GmbH) <i>EFSA Journal</i> , 2022 , 20, e07153 | 2.3 | О |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 94 | Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous Silica Producers (ASASP)) <i>EFSA Journal</i> , 2021 , 19, e06976 | 2.3 | Ο |
| 93 | Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and Tolsa, S.A) <i>EFSA Journal</i> , 2022 , 20, e07250 | 2.3 | О |
| 92 | Safety and efficacy of a feed additive consisting of lactic acid produced by (synonym) DSM 32789 for all animal species except for fish (Jungbunzlauer SA) <i>EFSA Journal</i> , 2022 , 20, e07268 | 2.3 | O |
| 91 | Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH) <i>EFSA Journal</i> , 2022 , 20, e07269 | 2.3 | О |
| 90 | Safety of methanethiol [12.003] when used as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06288 | 2.3 | |
| 89 | Safety and efficacy of CorrelinkDABS1781 (NRRL B-67259) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , 2020 , 18, e06279 | 2.3 | |
| 88 | Safety and efficacy of Pdry grape extract 60-20Pwhen used as feed flavouring for dogs. <i>EFSA Journal</i> , 2020 , 18, e06067 | 2.3 | |
| 87 | Safety of lignosulphonate for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06000 | 2.3 | |
| 86 | Safety and efficacy of l-cystine produced using strain NITE BP-02525 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06020 | 2.3 | |
| 85 | Assessment of the application for renewal of authorisation of l-isoleucine produced by FERM ABP-10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06022 | 2.3 | |
| 84 | Safety and efficacy of STABILFLOR as a zootechnical feed additive for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e06145 | 2.3 | |
| 83 | Safety and efficacy of APSA PHYTAFEED[] (6-phytase) as a feed additive for laying hens and other laying birds. <i>EFSA Journal</i> , 2020 , 18, e06142 | 2.3 | |
| 82 | Statement on the safety and efficacy of Shellac for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06065 | 2.3 | |
| 81 | Assessment of the feed additive consisting of NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG) <i>EFSA Journal</i> , 2022 , 20, e06975 | 2.3 | |
| 80 | Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.) <i>EFSA Journal</i> , 2022 , 20, e06984 | 2.3 | |
| 79 | Safety of the fermentation product of NRRL 458 (Amaferm) as a feed additive for dairy cows (Biozyme Inc.) <i>EFSA Journal</i> , 2022 , 20, e06983 | 2.3 | |
| 78 | Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06066 | 2.3 | |

(2020-2020)

| 77 | Safety and efficacy of Panavital feed (d-glyceric acid) for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06068 | 2.3 |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 76 | Safety and efficacy of a feed additive consisting of endo-1,4-Ekylanase produced by LMG S-27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). <i>EFSA Journal</i> , 2021 , 19, e06906 | 2.3 |
| 75 | Assessment of the feed additive consisting of sodium benzoate (Protural) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). <i>EFSA Journal</i> , 2021 , 19, e06899 | 2.3 |
| 74 | Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. <i>EFSA Journal</i> , 2021 , 19, e06894 | 2.3 |
| 73 | Assessment of the feed additive consisting of (formerly DSM 16245 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06902 | 2.3 |
| 72 | Assessment of the application for renewal of authorisation of AveMixXG 10 (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06062 | 2.3 |
| 71 | Safety and efficacy of DSM 29026 as a silage additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e061 | 159 |
| 70 | Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of L. for all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , 2021 , 19, e06904 | 2.3 |
| 69 | Safety and efficacy of a feed additive consisting of (formerly) DSM 26571 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06898 | 2.3 |
| 68 | Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06896 | 2.3 |
| 67 | Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06897 | 2.3 |
| 66 | Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). <i>EFSA Journal</i> , 2021 , 19, e06892 | 2.3 |
| 65 | Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06895 | 2.3 |
| 64 | Safety and efficacy of l-threonine produced using CGMCC 13325 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06332 | 2.3 |
| 63 | Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06337 | 2.3 |
| 62 | Assessment of the application for renewal of authorisation of endo-1,4-Ekylanase produced by CBS 109.713 and endo-1,4-Eglucanase produced by DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. <i>EFSA Journal</i> , 2020 , 18, e06331 | 2.3 |
| 61 | Safety of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06206 | 2.3 |
| 60 | Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06162 | 2.3 |

| 59 | Safety and efficacy of the additive consisting of muramidase produced by DSM 32338 (Balancius) for use in weaned piglets (DSM Nutritional products Ltd). <i>EFSA Journal</i> , 2021 , 19, e06452 | 2.3 |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 58 | Safety and efficacy of a feed additive consisting on ´ATCC PTA-6750 (formerly) for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06469 | 2.3 |
| 57 | Safety and efficacy of the feed additive consisting of FERM BP-2789 (Miya-Gold S) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Miyarisan Pharmaceutical Co. Ltd.). EFSA Journal, 2021, 19, e06450 | 2.3 |
| 56 | Safety and efficacy of an additive consisting of 'DSM 32324 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06523 | 2.3 |
| 55 | Safety and efficacy of an additive consisting of 'DSM 32325 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06524 | 2.3 |
| 54 | Safety and efficacy of an additive consisting of synthetic vitamin K (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06538 | 2.3 |
| 53 | Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06545 | 2.3 |
| 52 | Safety and efficacy of the feed additive consisting of endo-1,4-beta-xylanase produced by CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06539 | 2.3 |
| 51 | Safety and efficacy of a feed additive consisting of a dried extract from the roots of C.A. Meyer (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06526 | 2.3 |
| 50 | Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACEIChromium) for all growing poultry species (Kemin Europa NV). <i>EFSA Journal</i> , 2021 , 19, e06546 | 2.3 |
| 49 | Safety and efficacy of an additive consisting of 'DSM 25840 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06522 | 2.3 |
| 48 | Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). <i>EFSA Journal</i> , 2021 , 19, e0662 | : 7 ·3 |
| 47 | Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). <i>EFSA Journal</i> , 2021 , 19, e06618 | 2.3 |
| 46 | Efficacy of the feed additive containing (formerly) CNCM I-3740 (Biacton) for chickens for fattening, turkeys for fattening and laying hens (ChemVet dk A/S). <i>EFSA Journal</i> , 2021 , 19, e06627 | 2.3 |
| 45 | Assessment of the feed additive consisting of (formerly) DSM 12836 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06626 | 2.3 |
| 44 | Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmorkalkwerk Troesch GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06616 | 2.3 |
| 43 | Assessment of the feed additive consisting of (formerly) DSM 12837 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06614 | 2.3 |
| 42 | Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty | 2.3 |

| 41 | Safety and efficacy of the feed additive consisting of 'CECT 5940 (Ecobiol) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). <i>EFSA Journal</i> , 2021 , 19, e06620 | 2.3 |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 40 | Safety and efficacy of feed additives consisting of Vitamin B (98%) and Vitamin B (80%) as riboflavin produced by KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co. Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06629 | 2.3 |
| 39 | Assessment of a feed additive consisting of vitamin B (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). <i>EFSA Journal</i> , 2021 , 19, e06612 | 2.3 |
| 38 | Safety of a feed additive consisting of a tincture derived from L. (great mullein tincture) for use in all animal species (MANGHEBATI SAS). <i>EFSA Journal</i> , 2021 , 19, e06711 | 2.3 |
| 37 | Safety and efficacy of ZM16 10 (DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05883 | 2.3 |
| 36 | Safety and efficacy of Elancoban G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. <i>EFSA Journal</i> , 2019 , 17, e05891 | 2.3 |
| 35 | Safety and efficacy of Avizyme 1505 (endo-1,4-beta-xylanase, subtilisin and alpha-amylase) for all poultry species. <i>EFSA Journal</i> , 2020 , 18, e06027 | 2.3 |
| 34 | Safety and efficacy of Monteban G100 (narasin) for ducks for fattening. EFSA Journal, 2018, 16, e05461 | 2.3 |
| 33 | Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e066 | 9 8 ·3 |
| 32 | Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). <i>EFSA Journal</i> , 2021 , 19, e06714 | 2.3 |
| 31 | Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for cats and dogs (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e06699 | 2.3 |
| 30 | Efficacy of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.) <i>EFSA Journal</i> , 2022 , 20, e07162 | 2.3 |
| 29 | Safety and efficacy of a feed additive consisting of ferric citrate chelate (CI-FERI) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.) <i>EFSA Journal</i> , 2022 , 20, e07155 | 2.3 |
| 28 | Safety and efficacy of a feed additive consisting of DSM 33189 and (formerly) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.) <i>EFSA Journal</i> , 2022 , 20, e07151 | 2.3 |
| 27 | Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH) <i>EFSA Journal</i> , 2022 , 20, e07168 | 2.3 |
| 26 | Safety and efficacy of a feed additive consisting of l-valine produced by CCTCC M2020321 for all animal species (Kempex Holland BV) <i>EFSA Journal</i> , 2022 , 20, e07163 | 2.3 |
| 25 | Safety and efficacy of a feed additive consisting of NITE BP-01844 (BA-KING) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including non-food producing | 2.3 |
| 24 | species (Toa Biopharma Co., Ltd.) <i>EFSA Journal</i> , 2022 , 20, e07152 Safety and efficacy of a feed additive consisting of astaxanthin-rich for salmon and trout (Igene Biotechnology, Inc.) <i>EFSA Journal</i> , 2022 , 20, e07161 | 2.3 |

| 23 | Safety and efficacy of the feed additive consisting of CECT 4529 (D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l) EFSA Journal, 2022, 20, e07150 | 2.3 |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| 22 | Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH) <i>EFSA Journal</i> , 2022 , 20, e07167 | 2.3 |
| 21 | Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA) <i>EFSA Journal</i> , 2022 , 20, e07164 | 2.3 |
| 20 | Efficacy of a feed additive consisting of endo-1,4-beta-xylanase produced by (IMI SD 135) (HOSTAZYM X) for sows in order to have benefits in piglets (Huvepharma NV) <i>EFSA Journal</i> , 2022 , 20, e07154 | 2.3 |
| 19 | Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH) <i>EFSA Journal</i> , 2022 , 20, e07165 | 2.3 |
| 18 | Safety and efficacy of the feed additives consisting of l-glutamic acid and monosodium l-glutamate monohydrate produced by NITE BP-01681 for all animal species (METEX NOOVISTAGO) <i>EFSA Journal</i> , 2022 , 20, e07156 | 2.3 |
| 17 | Assessment of the feed additive consisting of (formerly) NCIMB 30236 for all animal species for the renewal of its authorisation (BioCC O). <i>EFSA Journal</i> , 2022 , 20, e07149 | 2.3 |
| 16 | Safety and efficacy of a feed additive consisting of Allura Red AC for small non-food-producing mammals and ornamental birds (Versele-Laga) <i>EFSA Journal</i> , 2021 , 19, e06987 | 2.3 |
| 15 | Safety and efficacy of a feed additive consisting of Egalactosidase (produced by ATCC SD6740) and endo-1,4-Ekylanase (produced by CBS 139997) (Capsozyme SB Plus) for chickens for fattening, chickens reared for laying and minor poultry species (for fattening and reared for laying) (Industrial | 2.3 |
| 14 | Tinica Pecuaria S.A.) EFSA Journal, 2021, 19, e06981 Safety and efficacy of a feed additive consisting of l-isoleucine produced by KCCM 80185 for all animal species (CJ Europe GmbH) EFSA Journal, 2021, 19, e06977 | 2.3 |
| 13 | Safety and efficacy of a feed additive consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CGMCC 14498 for all animal species (Kempex Holland BV) <i>EFSA Journal</i> , 2021 , 19, e06980 | 2.3 |
| 12 | Safety and efficacy of the feed additive consisting of selenium-enriched yeast (CNCM I-3060) for all animal species (Alltech Ireland) <i>EFSA Journal</i> , 2021 , 19, e06979 | 2.3 |
| 11 | Safety and efficacy of a feed additive consisting of monosodium l-glutamate produced by fermentation with KCCM 80187 for all animal species (CJ Europe GmbH) <i>EFSA Journal</i> , 2021 , 19, e0698 | 2.3 |
| 10 | Safety of feed additives consisting of Edamascone [07.083] and (E)-Edamascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl) <i>EFSA Journal</i> , 2022 , 20, e072 | 4 ² 8 ³ |
| 9 | Safety and efficacy of a feed additive consisting of l-methionine produced by the combined activities of KCCM 80245 and KCCM 80246 for all animal species (CJ Europe GmbH) <i>EFSA Journal</i> , 2022 , 20, e07247 | 2.3 |
| 8 | Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by CGMCC 7.398 for all animal species (Kempex Holland B.V.) <i>EFSA Journal</i> , 2022 , 20, e07246 | 2.3 |
| 7 | Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl) <i>EFSA Journal</i> , 2022 , 20, e07249 | 2.3 |
| 6 | Safety and efficacy of a feed additive consisting of NBIMCC 8270, NBIMCC 8242, NBIMCC 8269, ssp. NBIMCC 8250, NBIMCC 8244 and NBIMCC 8253 (Probiotic Lactina) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.) <i>EFSA Journal</i> , 2022 , 20, e07245 | 2.3 |

LIST OF PUBLICATIONS

| 5 | Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE) <i>EFSA Journal</i> , 2022 , 20, e07255 | 2.3 |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 4 | Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums) <i>EFSA Journal</i> , 2022 , 20, e07252 | 2.3 |
| 3 | Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association for International Promotion of Gums) <i>EFSA Journal</i> , 2022 , 20, e07253 | 2.3 |
| 2 | Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited) <i>EFSA Journal</i> , 2022 , 20, e07287 | 2.3 |
| 1 | Safety and efficacy of a feed additive consisting of endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase produced with IMI 378536 and DSM 26702 (ROVABIO ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S) <i>EFSA Journal</i> , 2022 , 20, e07251 | 2.3 |