

# Hiroki Mieno

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2601348/publications.pdf>

Version: 2024-02-01

10  
papers

93  
citations

1684188

5  
h-index

1474206

9  
g-index

10  
all docs

10  
docs citations

10  
times ranked

138  
citing authors

#	ARTICLE	IF	CITATIONS
1	The nationwide epidemiological survey of Stevens-Johnson syndrome and toxic epidermal necrolysis in Japan, 2016-2018. <i>Journal of Dermatological Science</i> , 2020, 100, 175-182.	1.9	31
2	The Efficacy of Sodium-Glucose Cotransporter 2 (SGLT2) inhibitors for the treatment of chronic diabetic macular oedema in vitrectomised eyes: a retrospective study. <i>BMJ Open Ophthalmology</i> , 2018, 3, e000130.	1.6	20
3	pH balance and lactic acid increase in the vitreous body of diabetes mellitus patients. <i>Experimental Eye Research</i> , 2019, 188, 107789.	2.6	14
4	Expression of prostaglandin E2 receptor 3 in the eyelid epidermis of patients with Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>British Journal of Ophthalmology</i> , 2020, 104, 1022-1027.	3.9	6
5	Corticosteroid Pulse Therapy for Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis Patients With Acute Ocular Involvement. <i>American Journal of Ophthalmology</i> , 2021, 231, 194-199.	3.3	6
6	Evaluation of pre- and post-surgery reading ability in patients with epiretinal membrane: a prospective observational study. <i>BMC Ophthalmology</i> , 2020, 20, 95.	1.4	5
7	Accuracy of the Barrett Universal II formula integrated into a commercially available optical biometer when using a preloaded single-piece intraocular lens. <i>Indian Journal of Ophthalmology</i> , 2021, 69, 2298.	1.1	4
8	Prospective Clinical Trial of Intravitreal Aflibercept Treat-and-extend Regimen for Diabetic Macular Edema: 1-Year Outcomes. <i>Korean Journal of Ophthalmology: KJO</i> , 2020, 34, 290.	1.1	4
9	Multi-state model for predicting ocular progression in acute Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>PLoS ONE</i> , 2021, 16, e0260730.	2.5	3
10	Response to comment on: Accuracy of the Barrett Universal II formula integrated into a commercially-available optical biometer when using a preloaded single-piece intraocular lens. <i>Indian Journal of Ophthalmology</i> , 2022, 70, 693.	1.1	0