

M Dahari

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2601556/m-dahari-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers

5,948
citations

40
h-index

76
g-index

119
ext. papers

6,884
ext. citations

4.5
avg, IF

6.29
L-index

#	Paper	IF	Citations
112	Examination and optimization of a novel auxiliary trigeneration system for a ship through waste-to-energy from its engine. <i>Case Studies in Thermal Engineering</i> , 2022 , 31, 101860	5.6	2
111	Employing numerical method for evaluating the heat transfer rate of a hot tube by nanofluid natural convection. <i>Case Studies in Thermal Engineering</i> , 2022 , 102006	5.6	
110	Cooling a Hot Semiannulus with Constant Heat Flux by Using Fe ₃ O ₄ . <i>Journal of Nanomaterials</i> , 2022 , 2022, 1-9	3.2	
109	A Controller for Natural Gas Fuel Dispenser with Multi-Level-Pressure Banks 2021 , 25		
108	Automated object detection on aerial images for limited capacity embedded device using a lightweight CNN model. <i>AEJ - Alexandria Engineering Journal</i> , 2021 , 61, 6023-6023	6.1	1
107	Heating a cold semi-annulus wall by MHD natural convection with nanofluid. <i>Case Studies in Thermal Engineering</i> , 2021 , 28, 101569	5.6	4
106	Thermal analysis of a binary base fluid in pool boiling system of glycol/water alumina nano-suspension. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 143, 2453-2462	4.1	33
105	Waste heat from a biomass fueled gas turbine for power generation via an ORC or compressor inlet cooling via an absorption refrigeration cycle: A thermoeconomic comparison. <i>Applied Thermal Engineering</i> , 2021 , 182, 116117	5.8	12
104	An innovative double-flash binary cogeneration cooling and power (CCP) system: Thermodynamic evaluation and multi-objective optimization. <i>Energy</i> , 2021 , 214, 118864	7.9	12
103	Assessment of a novel system utilizing gases exhausted from a ship engine for power, cooling, and desalinated water generation. <i>Applied Thermal Engineering</i> , 2021 , 184, 116177	5.8	12
102	Thermodynamic and exergoeconomic analyses and optimization of an auxiliary tri-generation system for a ship utilizing exhaust gases from its engine. <i>Journal of Cleaner Production</i> , 2021 , 287, 125012	10.3	12
101	Energy, exergy, and exergoeconomic evaluation of a novel CCP system based on a solid oxide fuel cell integrated with absorption and ejector refrigeration cycles. <i>Thermal Science and Engineering Progress</i> , 2021 , 21, 100755	3.6	9
100	Towards Establishing Path Planning Strategies For Autonomous UAVs; A Brief Survey Summary on Recent Techniques. <i>Proceedings of International Conference on Artificial Life and Robotics</i> , 2021 , 26, 754-759		
99	An optimized YOLO-based object detection model for crop harvesting system. <i>IET Image Processing</i> , 2021 , 15, 2112-2125	1.7	7
98	MHD natural convection nanofluid flow in a heat exchanger: Effects of Brownian motion and thermophoresis for nanoparticles distribution. <i>Case Studies in Thermal Engineering</i> , 2021 , 28, 101394	5.6	4
97	Observation the melting process of the phase change material inside a half-cylindrical with thermal non-equilibrium porous media: CFD simulation. <i>Case Studies in Thermal Engineering</i> , 2021 , 28, 101496	5.6	2
96	Second law analysis of hybrid nanofluid flow in a microchannel heat sink integrated with ribs and secondary channels for utilization in miniature thermal devices. <i>Chemical Engineering and Processing: Process Intensification</i> , 2020 , 153, 107963	3.7	16

95	Performance enhancement and multi-objective optimization of a solar-driven setup with storage process using an innovative modification. <i>Journal of Energy Storage</i> , 2020 , 32, 101956	7.8	14
94	Investigation on the laminar flame speed of CH ₄ /CO ₂ /air mixture at atmospheric and high pressures using Schlieren photography. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 31151-31161	6.7	5
93	Effect of the Hall currents and thermal radiation on the flow of a nanofluid through a vertical rotating channel. <i>Mathematical Methods in the Applied Sciences</i> , 2020 ,	2.3	2
92	Experimental investigation on drag reduction of flowing crop suspensions of the pulp fibers in circular pipe heat exchanger. <i>Particulate Science and Technology</i> , 2020 , 38, 443-453	2	3
91	Thermohydraulics of the liquid films in rotating heat pipes. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 30, 2861-2866	4.5	8
90	Using ANFIS technique for PEM fuel cell electric bicycle prediction model. <i>International Journal of Environmental Science and Technology</i> , 2019 , 16, 7319-7326	3.3	3
89	Heat and fluid flow analysis of metal foam embedded in a double-layered sinusoidal heat sink under local thermal non-equilibrium condition using nanofluid. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 138, 1461-1476	4.1	52
88	Heat transfer and fluid flow of pseudo-plastic nanofluid over a moving permeable plate with viscous dissipation and heat absorption/generation. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 135, 1643-1654	4.1	85
87	Toward improved heat dissipation of the turbulent regime over backward-facing step for the AL ₂ O ₃ -water nanofluids: An experimental approach. <i>Thermal Science</i> , 2019 , 23, 1779-1789	1.2	1
86	Development of a new density correlation for carbon-based nanofluids using response surface methodology. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018 , 132, 1399-1407	4.1	20
85	Effect of various refining processes for Kenaf Bast non-wood pulp fibers suspensions on heat transfer coefficient in circular pipe heat exchanger. <i>Heat and Mass Transfer</i> , 2018 , 54, 875-882	2.2	0
84	A novel, eco-friendly technique for covalent functionalization of graphene nanoplatelets and the potential of their nanofluids for heat transfer applications. <i>Chemical Physics Letters</i> , 2017 , 675, 92-97	2.5	57
83	Thermal dispersion effects on forced convection in a porous-saturated pipe. <i>Thermal Science and Engineering Progress</i> , 2017 , 2, 64-70	3.6	6
82	Dynamic fuzzy cognitive network approach for modelling and control of PEM fuel cell for power electric bicycle system. <i>Applied Energy</i> , 2017 , 202, 20-31	10.7	25
81	ANFIS modeling to predict the friction forces in CNC guideways and servomotor currents in the feed drive system to be employed in lubrication control system. <i>Journal of Manufacturing Processes</i> , 2017 , 28, 168-185	5	11
80	Experimental investigation on momentum and drag reduction of Malaysian crop suspensions in closed conduit flow. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 210, 012065	0.4	6
79	The Variation of Work Productivity and Muscle Activities at Different Levels of Production Target. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 248, 012014	0.4	
78	The Mediating Effects of Muscle Activities on the Relationship of Production Standard Time and Work Productivity. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 248, 012015	0.4	

77	Convective heat transfer enhancement with graphene nanoplatelet/platinum hybrid nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2017 , 88, 120-125	5.8	30
76	Study of environmentally friendly and facile functionalization of graphene nanoplatelet and its application in convective heat transfer. <i>Energy Conversion and Management</i> , 2017 , 150, 26-36	10.6	37
75	Optimization, modeling and accurate prediction of thermal conductivity and dynamic viscosity of stabilized ethylene glycol and water mixture Al ₂ O ₃ nanofluids by NSGA-II using ANN. <i>International Communications in Heat and Mass Transfer</i> , 2017 , 82, 154-160	5.8	96
74	Experimental study on thermo-physical and rheological properties of stable and green reduced graphene oxide nanofluids: Hydrothermal assisted technique. <i>Journal of Dispersion Science and Technology</i> , 2017 , 38, 1302-1310	1.5	29
73	An Investigation into a Gear-Based Knee Joint Designed for Lower Limb Prosthesis. <i>Applied Bionics and Biomechanics</i> , 2017 , 2017, 7595642	1.6	4
72	A new experiential learning electromagnetism-like mechanism for numerical optimization. <i>Expert Systems With Applications</i> , 2017 , 86, 321-333	7.8	1
71	A modified two-phase mixture model of nanofluid flow and heat transfer in a 3-D curved microtube. <i>Advanced Powder Technology</i> , 2016 , 27, 2175-2185	4.6	147
70	Investigation of rib's height effect on heat transfer and flow parameters of laminar water-Al ₂ O ₃ nanofluid in a rib-microchannel. <i>Applied Mathematics and Computation</i> , 2016 , 290, 135-153	2.7	195
69	Study of synthesis, stability and thermo-physical properties of graphene nanoplatelet/platinum hybrid nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 77, 15-21	5.8	125
68	Predicting the viscosity of multi-walled carbon nanotubes/water nanofluid by developing an optimal artificial neural network based on experimental data. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 77, 49-53	5.8	110
67	An improved electromagnetism-like algorithm for numerical optimization. <i>Theoretical Computer Science</i> , 2016 , 641, 75-84	1.1	1
66	Application of acoustic emission sensor to investigate the frequency of tool wear and plastic deformation in tool condition monitoring. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016 , 92, 208-217	4.6	81
65	An Investigation into Turning of ASSAB-705 Steel Using Multiple Sensors. <i>Materials and Manufacturing Processes</i> , 2016 , 31, 896-904	4.1	2
64	Fiber Bragg Gratings Hydrogen Sensor for Monitoring the Degradation of Transformer Oil. <i>IEEE Sensors Journal</i> , 2016 , 16, 2993-2999	4	51
63	Slip flow forced convection through microducts of arbitrary cross-section: Heat and momentum analogy. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 71, 176-179	5.8	4
62	Evaluation of criteria for CO ₂ capture and storage in the iron and steel industry using the 2-tuple DEMATEL technique. <i>Journal of Cleaner Production</i> , 2016 , 120, 207-220	10.3	34
61	Experimental investigation of thermo-physical properties, convective heat transfer and pressure drop of functionalized graphene nanoplatelets aqueous nanofluid in a square heated pipe. <i>Energy Conversion and Management</i> , 2016 , 114, 38-49	10.6	75
60	Nanofluid based on activated hybrid of biomass carbon/graphene oxide: Synthesis, thermo-physical and electrical properties. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 72, 10-15	5.8	62

59	Cutting force analysis to estimate the friction force in linear guideways of CNC machine. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016 , 85, 65-79	4.6	8
58	Experimental study on the effect of inclination angle on heat transfer enhancement of a ferrofluid in a closed loop oscillating heat pipe under magnetic field. <i>Experimental Thermal and Fluid Science</i> , 2016 , 74, 265-270	3	136
57	Performance Evaluation of Nanofluids in an Inclined Ribbed Microchannel for Electronic Cooling Applications 2016 ,		54
56	Heat Transfer and Pressure Drop in Fully Developed Turbulent Flows of Graphene Nanoplatelets/Silver/Water Nanofluids. <i>Fluids</i> , 2016 , 1, 20	1.6	69
55	Mathematical Modeling for Nanofluids Simulation: A Review of the Latest Works 2016 ,		25
54	Modeling of commercial proton exchange membrane fuel cell using support vector machine. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 11351-11358	6.7	29
53	A review on the current progress of metal hydrides material for solid-state hydrogen storage applications. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 12108-12126	6.7	478
52	A survey of using multiple affiliations by scholars in scientific articles. <i>Scientometrics</i> , 2016 , 107, 317-3183		3
51	Prediction of dynamic viscosity of a hybrid nano-lubricant by an optimal artificial neural network. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 76, 209-214	5.8	137
50	Investigation of heat transfer performance and friction factor of a counter-flow double-pipe heat exchanger using nitrogen-doped, graphene-based nanofluids. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 76, 16-23	5.8	138
49	An experimental study on viscosity of alumina-engine oil: Effects of temperature and nanoparticles concentration. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 76, 202-208	5.8	127
48	Viscosity of nanofluids: A review of recent experimental studies. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 73, 114-123	5.8	216
47	Estimation of thermal conductivity of Al ₂ O ₃ /water (40%)ðylene glycol (60%) by artificial neural network and correlation using experimental data. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 74, 125-128	5.8	132
46	Dynamic modelling of PEM fuel cell of power electric bicycle system. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 9585-9594	6.7	18
45	Effects of temperature and concentration on rheological behavior of MWCNTs/SiO ₂ (2080)-SAE40 hybrid nano-lubricant. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 76, 133-138	5.8	177
44	The relationship between work productivity and acute responses at different levels of production standard times. <i>International Journal of Industrial Ergonomics</i> , 2016 , 56, 59-68	2.9	4
43	Particle size and type effects on heat transfer enhancement of Ferro-nanofluids in a pulsating heat pipe. <i>Powder Technology</i> , 2016 , 301, 1218-1226	5.2	151
42	On numerical study of calcium sulphate fouling under sub-cooled flow boiling conditions. <i>Applied Thermal Engineering</i> , 2015 , 81, 18-27	5.8	12

41	Effect of magnetic field on the heat transfer rate of kerosene/Fe ₂ O ₃ nanofluid in a copper oscillating heat pipe. <i>Experimental Thermal and Fluid Science</i> , 2015 , 68, 663-668	3	110
40	Performance investigation of micro- and nano-sized particle erosion in a 90° elbow using an ANFIS model. <i>Powder Technology</i> , 2015 , 284, 336-343	5.2	103
39	Thermal conductivity of Cu/TiO ₂ /Water/EG hybrid nanofluid: Experimental data and modeling using artificial neural network and correlation. <i>International Communications in Heat and Mass Transfer</i> , 2015 , 66, 100-104	5.8	280
38	Experimental investigation and development of new correlations for thermal conductivity of CuO/EG/Water nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2015 , 65, 47-51	5.8	96
37	Investigation of heat transfer and pressure drop of a counter flow corrugated plate heat exchanger using MWCNT based nanofluids. <i>International Communications in Heat and Mass Transfer</i> , 2015 , 66, 172-179	5.8	163
36	Thermal dispersion effects on forced convection in a parallel plate porous channel. <i>Meccanica</i> , 2015 , 50, 1971-1976	2.1	4
35	Forced convective heat transfer of water/functionalized multi-walled carbon nanotube nanofluids in a microchannel with oscillating heat flux and slip boundary condition. <i>International Communications in Heat and Mass Transfer</i> , 2015 , 68, 69-77	5.8	125
34	Do cardiac actin mutations lead to altered actomyosin interactions?. <i>Biochemistry and Cell Biology</i> , 2015 , 93, 330-4	3.6	6
33	Theoretical modelling of momentum transfer function of bi-disperse porous media. <i>Applied Thermal Engineering</i> , 2015 , 75, 867-870	5.8	16
32	Buoyancy induced heat transfer deterioration in vertical concentric and eccentric annuli. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 81, 222-233	4.9	10
31	Eulerian-Lagrangian analysis of solid particle distribution in an internally heated and cooled air-filled cavity. <i>Applied Mathematics and Computation</i> , 2015 , 250, 28-46	2.7	28
30	A comprehensive review of milk fouling on heated surfaces. <i>Critical Reviews in Food Science and Nutrition</i> , 2015 , 55, 1724-43	11.5	20
29	The effects of energy expenditure rate on work productivity performance at different levels of production standard time. <i>Journal of Physical Therapy Science</i> , 2015 , 27, 2431-3	1	5
28	Muscle activity, time to fatigue, and maximum task duration at different levels of production standard time. <i>Journal of Physical Therapy Science</i> , 2015 , 27, 2323-6	1	9
27	CFD convective flow simulation of the varying properties of CO ₂ -H ₂ O mixtures in geothermal systems. <i>Scientific World Journal, The</i> , 2015 , 2015, 843068	2.2	1
26	Experimental study on thermal conductivity of ethylene glycol based nanofluids containing Al ₂ O ₃ nanoparticles. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 88, 728-734	4.9	155
25	A comprehensive review on energy efficient CO ₂ breakthrough technologies for sustainable green iron and steel manufacturing. <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 50, 594-614	16.2	136
24	A Hybrid Finite-Element/Finite-Difference Scheme for Solving the 3-D Energy Equation in Transient Nonisothermal Fluid Flow over a Staggered Tube Bank. <i>Numerical Heat Transfer, Part B: Fundamentals</i> , 2015 , 68, 169-183	1.3	23

23	Graphene nanoplatelets-silver hybrid nanofluids for enhanced heat transfer. <i>Energy Conversion and Management</i> , 2015 , 100, 419-428	10.6	212
22	Modeling of thermal conductivity of ZnO-EG using experimental data and ANN methods. <i>International Communications in Heat and Mass Transfer</i> , 2015 , 63, 35-40	5.8	116
21	Development of a control system for artificially rehabilitated limbs: a review. <i>Biological Cybernetics</i> , 2015 , 109, 141-62	2.8	11
20	Performance dependence of thermosyphon on the functionalization approaches: An experimental study on thermo-physical properties of graphene nanoplatelet-based water nanofluids. <i>Energy Conversion and Management</i> , 2015 , 92, 322-330	10.6	112
19	Dynamic performance assessment of the efficiency of fuel cell-powered bicycle: An experimental approach. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 13276-13284	6.7	23
18	On the electrical and thermal contact resistance of metal foam. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 72, 565-571	4.9	22
17	A theoretical model to predict gas permeability for slip flow through a porous medium. <i>Applied Thermal Engineering</i> , 2014 , 70, 71-76	5.8	40
16	Monitoring the tool wear, surface roughness and chip formation occurrences using multiple sensors in turning. <i>Journal of Manufacturing Systems</i> , 2014 , 33, 476-487	9.1	83
15	Numerical study of entropy generation due to coupled laminar and turbulent mixed convection and thermal radiation in an enclosure filled with a semitransparent medium. <i>Scientific World Journal, The</i> , 2014 , 2014, 761745	2.2	71
14	Comparison of the Finite Volume and Lattice Boltzmann Methods for Solving Natural Convection Heat Transfer Problems inside Cavities and Enclosures. <i>Abstract and Applied Analysis</i> , 2014 , 2014, 1-15	0.7	59
13	An experimental study on thermal conductivity and viscosity of nanofluids containing carbon nanotubes. <i>Nanoscale Research Letters</i> , 2014 , 9, 151	5	151
12	Investigation of nanofluid mixed convection in a shallow cavity using a two-phase mixture model. <i>International Journal of Thermal Sciences</i> , 2014 , 75, 204-220	4.1	243
11	Fuzzy-based risk prioritization for a hydrogen refueling facility in Malaysia. <i>Journal of Zhejiang University: Science A</i> , 2013 , 14, 565-573	2.1	2
10	Numerical Study of Entropy Generation in a Flowing Nanofluid Used in Micro- and Minichannels. <i>Entropy</i> , 2013 , 15, 144-155	2.8	57
9	Development of a system configuration for a solar powered hydrogen facility using fuzzy logic control. <i>Journal of Zhejiang University: Science A</i> , 2013 , 14, 822-834	2.1	3
8	Modeling and Simulation of Solar Powered Hydrogen System. <i>Applied Mechanics and Materials</i> , 2013 , 315, 128-135	0.3	2
7	Development of Hazard Assessment for Hydrogen Refueling Station in Malaysia. <i>Applied Mechanics and Materials</i> , 2013 , 315, 121-127	0.3	1
6	A Conceptual Model of Work Productivity Associated with Work-Related Musculoskeletal Disorders in the Industrial Repetitive Task. <i>Advanced Materials Research</i> , 2013 , 845, 623-626	0.5	

5	A Review of Auto-Guided-Vehicles Routing Algorithms. <i>Advanced Materials Research</i> , 2012 , 479-481, 443-456	0.5	1
4	Forward and inverse kinematics model for robotic welding process using KR-16KS KUKA robot 2011		12
3	Small-scale helicopter system identification model using recurrent neural networks 2010 ,		1
2	Automatic detection of oil palm fruits from UAV images using an improved YOLO model. <i>Visual Computer</i> ,1	2.3	12
1	Optimal performance of data transmission between Malaysia-China for VLBI-based radio astronomy observation using Jive5ab. <i>Experimental Astronomy</i> ,1	1.3	