

Bente E Moen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2602853/publications.pdf>

Version: 2024-02-01

68
papers

1,115
citations

430874

18
h-index

501196

28
g-index

68
all docs

68
docs citations

68
times ranked

1276
citing authors

#	ARTICLE	IF	CITATIONS
1	Exposure to bullying behaviors as a predictor of mental health problems among Norwegian nurses: Results from the prospective SUSHH-survey. <i>International Journal of Nursing Studies</i> , 2014, 51, 479-487.	5.6	93
2	Predictors of shift work disorder among nurses: a longitudinal study. <i>Sleep Medicine</i> , 2014, 15, 1449-1455.	1.6	90
3	Short rest periods between work shifts predict sleep and health problems in nurses at 1-year follow-up. <i>Occupational and Environmental Medicine</i> , 2014, 71, 555-561.	2.8	52
4	Personality factors predicting changes in shift work tolerance: A longitudinal study among nurses working rotating shifts. <i>Work and Stress</i> , 2012, 26, 143-160.	4.5	46
5	Working Conditions and Individual Differences Are Weakly Associated with Workaholism: A 2-3-Year Prospective Study of Shift-Working Nurses. <i>Frontiers in Psychology</i> , 2017, 8, 2045.	2.1	42
6	Migraine, tension-type headache and medication-overuse headache in a large population of shift working nurses: a cross-sectional study in Norway. <i>BMJ Open</i> , 2018, 8, e022403.	1.9	36
7	Health-Related Quality of Life Among Abused Women One Year After Leaving a Violent Partner. <i>Social Indicators Research</i> , 2008, 86, 497-509.	2.7	34
8	Short rest between shifts (quick returns) and night work is associated with work-related accidents. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 829-835.	2.3	33
9	Night work and symptoms of anxiety and depression among nurses: A longitudinal study. <i>Work and Stress</i> , 2014, 28, 376-386.	4.5	31
10	Prevalence of Noise-Induced Hearing Loss Among Tanzanian Iron and Steel Workers: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1367.	2.6	29
11	How Has Living with Intimate Partner Violence Affected the Work Situation? A Qualitative Study among Abused Women in Norway. <i>Journal of Family Violence</i> , 2016, 31, 479-487.	3.3	24
12	Knowledge, attitude and practice related to chemical hazards and personal protective equipment among particleboard workers in Ethiopia: a cross-sectional study. <i>BMC Public Health</i> , 2019, 19, 440.	2.9	24
13	Self-reported acute pesticide intoxications in Ethiopia. <i>BMC Public Health</i> , 2016, 16, 575.	2.9	23
14	Intimate partner violence associated with low quality of life—a cross-sectional study. <i>BMC Women's Health</i> , 2018, 18, 148.	2.0	23
15	Can air pollution affect tear film stability? a cross-sectional study in the aftermath of an explosion accident. <i>BMC Public Health</i> , 2011, 11, 235.	2.9	22
16	Parasomnias are more frequent in shift workers than in day workers. <i>Chronobiology International</i> , 2015, 32, 1352-1358.	2.0	22
17	Aggression from Patients or Next of Kin and Exposure to Bullying Behaviors: A Conglomerate Experience?. <i>Nursing Research and Practice</i> , 2017, 2017, 1-12.	1.0	21
18	Health measures in prediction models for high sickness absence: single-item self-rated health versus multi-item SF-12. <i>European Journal of Public Health</i> , 2015, 25, 668-672.	0.3	20

#	ARTICLE	IF	CITATIONS
19	The Association Between Shift Work and Immunological Biomarkers in Nurses. <i>Frontiers in Public Health</i> , 2020, 8, 415.	2.7	20
20	Respiratory Symptoms, Exhaled Nitric Oxide, and Lung Function Among Workers in Tanzanian Coffee Factories. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 544-551.	1.7	19
21	The Impact of Social and Organizational Factors on Workers' Coping With Musculoskeletal Symptoms. <i>Physical Therapy</i> , 2001, 81, 1328-1338.	2.4	18
22	High Prevalence of Respiratory Symptoms among Particleboard Workers in Ethiopia: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2158.	2.6	18
23	Variability and Determinants of Occupational Noise Exposure Among Iron and Steel Factory Workers in Tanzania. <i>Annals of Work Exposures and Health</i> , 2018, 62, 1109-1122.	1.4	16
24	Workaholism and negative work-related incidents among nurses. <i>Industrial Health</i> , 2018, 56, 373-381.	1.0	16
25	Dust exposure and chronic respiratory symptoms among coffee curing workers in Kilimanjaro: a cross sectional study. <i>BMC Pulmonary Medicine</i> , 2011, 11, 54.	2.0	15
26	Noise and Exposure of Personnel Aboard Vessels in the Royal Norwegian Navy. <i>Annals of Occupational Hygiene</i> , 2014, 59, 182-99.	1.9	15
27	Occupational noise exposure and hearing loss: A study of knowledge, attitude and practice among Tanzanian iron and steel workers. <i>Archives of Environmental and Occupational Health</i> , 2020, 75, 216-225.	1.4	14
28	Performance-Shaping Factors Associated With Navigation Accidents in the Royal Norwegian Navy. <i>Military Psychology</i> , 2006, 18, S111-S129.	1.1	13
29	Respiratory symptoms, fractional exhaled nitric oxide & endotoxin exposure among female flower farm workers in Ethiopia. <i>Journal of Occupational Medicine and Toxicology</i> , 2015, 10, 8.	2.2	13
30	Pesticide Use and Serum Acetylcholinesterase Levels among Flower Farm Workers in Ethiopia—A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 964.	2.6	13
31	Accumulated Long-Term Exposure to Workplace Bullying Impairs Psychological Hardiness: A Five-Year Longitudinal Study among Nurses. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2587.	2.6	13
32	Chemical sensitivity and the work place environment: Research needs. <i>Psychoneuroendocrinology</i> , 2005, 30, 1039-1042.	2.7	12
33	Ocular surface and tear film status among contact lens wearers and non-wearers who use VDT at work: comparing three different lens types. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 327-335.	2.3	11
34	Reduced Lung Function among Workers in Primary Coffee Processing Factories in Ethiopia: A Cross Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2415.	2.6	11
35	Shift Work and Lifestyle Factors: A 6-Year Follow-Up Study Among Nurses. <i>Frontiers in Public Health</i> , 2019, 7, 281.	2.7	11
36	Insomnia as a Partial Mediator of the Relationship Between Personality and Future Symptoms of Anxiety and Depression Among Nurses. <i>Frontiers in Psychology</i> , 2019, 10, 901.	2.1	11

#	ARTICLE	IF	CITATIONS
37	Personal inhalable dust and endotoxin exposure among workers in an integrated textile factory. Archives of Environmental and Occupational Health, 2020, 75, 415-421.	1.4	11
38	Personal Exposure to Dust and Endotoxin in Robusta and Arabica Coffee Processing Factories in Tanzania. Annals of Occupational Hygiene, 2012, 57, 173-83.	1.9	10
39	Reduced Cross-Shift Lung Function and Respiratory Symptoms among Integrated Textile Factory Workers in Ethiopia. International Journal of Environmental Research and Public Health, 2020, 17, 2741.	2.6	10
40	Short sleep duration and high exposure to quick returns are associated with impaired everyday memory in shift workers. Nursing Outlook, 2021, 69, 293-301.	2.6	10
41	Prospective Study of Surgery for Traumatic Brain Injury in Addis Ababa, Ethiopia: Trauma Causes, Injury Types, and Clinical Presentation. World Neurosurgery, 2021, 149, e460-e468.	1.3	10
42	Labour trafficking: Challenges and opportunities from an occupational health perspective. PLoS Medicine, 2017, 14, e1002440.	8.4	10
43	Musculoskeletal symptoms among hospital cleaners. Archives of Environmental and Occupational Health, 2017, 72, 87-92.	1.4	9
44	Personal Dust Exposure and Its Determinants among Workers in Primary Coffee Processing in Ethiopia. Annals of Work Exposures and Health, 2018, 62, 1087-1095.	1.4	9
45	Restless Legs Syndrome/Willis-Ekbom Disease Is Prevalent in Working Nurses, but Seems Not to Be Associated with Shift Work Schedules. Frontiers in Neurology, 2018, 9, 21.	2.4	9
46	Hearing loss in the Royal Norwegian Navy: A longitudinal study. Noise and Health, 2016, 18, 157.	0.5	9
47	Accidental exposure to electromagnetic fields from the radar of a naval ship: a descriptive study. International Maritime Health, 2013, 64, 177-182.	0.7	8
48	Respiratory Inflammation Among Workers Exposed to Airborne Dust With Endotoxins in a Coffee Curing Factory. Journal of Occupational and Environmental Medicine, 2012, 54, 847-850.	1.7	7
49	Endotoxin, dust and exhaled nitrogen oxide among hand pickers of coffee; a cross-sectional study. Journal of Occupational Medicine and Toxicology, 2016, 11, 17.	2.2	7
50	Prospective Study of Surgery for Traumatic Brain Injury in Addis Ababa, Ethiopia: Surgical Procedures, Complications, and Postoperative Outcomes. World Neurosurgery, 2021, 150, e316-e323.	1.3	7
51	Registered health problems and demographic profile of integrated textile factory workers in Ethiopia: a cross-sectional study. BMC Public Health, 2021, 21, 1526.	2.9	7
52	Absence of relation between sick leave caused by musculoskeletal disorders and exposure to magnetic fields in an aluminum plant. Bioelectromagnetics, 1996, 17, 37-43.	1.6	6
53	Subjective Health Complaints Among Workers in the Aftermath of an Oil Tank Explosion. Archives of Environmental and Occupational Health, 2015, 70, 332-340.	1.4	6
54	Respiratory Health Among Hand Pickers in Primary Coffee-Processing Factories of Ethiopia. Journal of Occupational and Environmental Medicine, 2019, 61, 565-571.	1.7	6

#	ARTICLE	IF	CITATIONS
55	Changes in work schedule affect the prevalence of shift work disorder among Norwegian nurses – a two year follow-up study. <i>Chronobiology International</i> , 2021, 38, 924-932.	2.0	6
56	A survey of occupational health in the Royal Norwegian Navy. <i>International Maritime Health</i> , 2008, 59, 35-44.	0.7	6
57	Comparing Quality of Life Instruments in a Population of Abused Women. <i>Applied Research in Quality of Life</i> , 2007, 2, 125-139.	2.4	4
58	Microbial contamination of coffee during postharvest on farm processing: A concern for the respiratory health of production workers. <i>Archives of Environmental and Occupational Health</i> , 2020, 75, 201-208.	1.4	4
59	Deaths from surgical conditions in Malawi – a randomised cross-sectional Nationwide household survey. <i>BMC Public Health</i> , 2020, 20, 1456.	2.9	4
60	Temporary Threshold Shifts among Iron and Steel Factory Workers in Tanzania: A Pre- Interventional Study. <i>Annals of Global Health</i> , 2021, 87, 35.	2.0	3
61	Paediatric surgical conditions in Malawi - A cross-sectional nationwide household survey. <i>Malawi Medical Journal</i> , 2021, 33, 73-81.	0.6	3
62	Sleep medication and melatonin use among Norwegian nurses – A cross-sectional study. <i>Nursing Open</i> , 2021, , .	2.4	3
63	Odor-related Chronic Somatic Symptoms Are Associated with Self-Reported Asthma and Hay Fever: The Hordaland Health Study. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2015, 14, 19-27.	0.4	3
64	Dust Exposure and Respiratory Health Among Workers in Primary Coffee Processing Factories in Tanzania and Ethiopia. <i>Frontiers in Public Health</i> , 2021, 9, 730201.	2.7	2
65	Shift Work Disorder Among Oil Rig Workers in the North Sea. <i>Sleep</i> , 2009, , .	1.1	1
66	Exposure to inhalable dust, endotoxin and formaldehyde in factories processing particleboards from eucalyptus trees in Ethiopia. <i>Environmental and Occupational Health Practice</i> , 2020, 2, n/a.	0.5	1
67	Poor Provision of Sanitary Facilities in Markets of Lusaka District Zambia. <i>Annals of Global Health</i> , 2021, 87, 119.	2.0	0
68	Respiratory Health among Pesticide Sprayers at Flower Farms in Ethiopia. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7427.	2.6	0