

Shintaro Itoh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2604672/publications.pdf>

Version: 2024-02-01

75
papers

464
citations

759233

12
h-index

794594

19
g-index

76
all docs

76
docs citations

76
times ranked

285
citing authors

#	ARTICLE	IF	CITATIONS
1	Super-localization of individual fluorophores along a DNA strand in a microchannel. Applied Physics Letters, 2021, 119, 023701.	3.3	1
2	Measurement of escape time of concentrated DNA molecules in front of a nanogap. Applied Physics Express, 2021, 14, 015001.	2.4	0
3	Extension of measurement range of lubrication gap shape using vertical-objective-type ellipsometric microscopy with two compensator angles. Tribology International, 2020, 142, 105980.	5.9	4
4	Optimizing on-chip concentration of DNA molecules against a nanoslit barrier. Microfluidics and Nanofluidics, 2020, 24, 1.	2.2	2
5	ReaxFF Reactive Molecular Dynamics Simulations of Mechano-Chemical Decomposition of Perfluoropolyether Lubricants in Heat-Assisted Magnetic Recording. Journal of Physical Chemistry C, 2020, 124, 22496-22505.	3.1	17
6	Effect of transverse dissipative particle dynamics on dynamic properties of nanometer-thick liquid films on solid surfaces. Molecular Simulation, 2020, 46, 1281-1290.	2.0	4
7	Experimental study of application of molecules with a cyclic head group containing a free radical as organic friction modifiers. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2020, 14, JAMDSM0044-JAMDSM0044.	0.7	7
8	Validation of correction method for gap shape measurement by vertical-objective-type ellipsometric microscopy with rotating-compensator ellipsometry. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2019, 13, JAMDSM0025-JAMDSM0025.	0.7	1
9	Separation of large DNA molecules by applying pulsed electric field to size exclusion chromatography-based microchip. Japanese Journal of Applied Physics, 2018, 57, 027002.	1.5	1
10	Enhanced viscoelasticity of polyalphaolefins confined and sheared in submicron-to-nanometer-sized gap range and its dependence on shear rate and temperature. Tribology International, 2018, 120, 210-217.	5.9	21
11	Measurement of nanometer-thick lubricating films using ellipsometric microscopy. Tribology International, 2018, 122, 8-14.	5.9	9
12	Is the trend of Stribeck curves followed by nano-lubrication with molecularly thin liquid lubricant films?. Tribology International, 2018, 119, 82-87.	5.9	8
13	Measurement of Temperature Dependence of Lubricant Viscosity in Nano Gaps by Fiber Wobbling Method Combined With Laser Heating. , 2018, , .		0
14	MEMS-Based Micro Probe Incorporating Electrostatic Actuator Towards Friction Force Microscopy With Accurate Gap Control. , 2018, , .		0
15	Possibility of Mechano-Chemical Decomposition of Perfluoropolyether Lubricants in Heat-Assisted Magnetic Recording: A Molecular Dynamics Study. , 2018, , .		0
16	Coarse-Grained Molecular Dynamics Simulation of Fatty Acid Additives in Lubricating Oil Sheared by Corrugated Solid Surfaces. , 2018, , .		0
17	Simultaneous in situ measurements of contact behavior and friction to understand the mechanism of lubrication with nanometer-thick liquid lubricant films. Tribology International, 2018, 127, 138-146.	5.9	8
18	Optimization of applied voltages for on-chip concentration of DNA using nanoslit. Japanese Journal of Applied Physics, 2017, 56, 127001.	1.5	2

#	ARTICLE	IF	CITATIONS
19	Measurement of viscoelasticity of UV photoresist used for nanoimprint lithography under confinement in nanometer-sized gaps. Japanese Journal of Applied Physics, 2017, 56, 06GL02.	1.5	5
20	Atmospheric vapor phase deposition of nanometer-thick anti-stiction fluoropolymer coatings for silicon surfaces. Japanese Journal of Applied Physics, 2016, 55, 06GP10.	1.5	0
21	Molecular dynamics simulations of diffusion of submonolayer polar liquid lubricant films on solid surfaces. Microsystem Technologies, 2016, 22, 1285-1290.	2.0	2
22	Design principle of micro-mechanical probe for lateral-deflection-controlled friction force microscopy. Microsystem Technologies, 2016, 22, 1181-1188.	2.0	0
23	Fabrication of free-standing subwavelength metal-insulator-metal gratings using high-aspect-ratio nanoimprint techniques. Japanese Journal of Applied Physics, 2016, 55, 06GP20.	1.5	3
24	Separation of large DNA molecules by size exclusion chromatography-based microchip with on-chip concentration structure. Japanese Journal of Applied Physics, 2016, 55, 06GN01.	1.5	5
25	Shear thinning behavior of nanometer-thick perfluoropolyether films confined between corrugated solid surfaces: a coarse-grained molecular dynamics study. Tribology International, 2016, 93, 163-171.	5.9	17
26	Reduction of viscous friction by photoaligned liquid crystals at interface. , 2015, , .		0
27	Effect of Bonded Molecules on Replenishment of Lubricant-Depleted Area Created by Sliding on Molecularly Thin Lubricant Film. IEEE Transactions on Magnetics, 2015, 51, 1-4.	2.1	1
28	Effect of Chemically Adsorbed Molecules on the Viscous Friction of Nanometer-Thick Liquid Lubricant Films Coated on a Diamond-Like Carbon Surface. Tribology Letters, 2015, 60, 1.	2.6	2
29	Anisotropic Shear Viscosity of Photoaligned Liquid Crystal Confined in Submicrometer-to-Nanometer-Scale Gap Widths Revealed with Simultaneously Measured Molecular Orientation. Langmuir, 2015, 31, 11360-11369.	3.5	10
30	Coarse-Grained Molecular Dynamic Simulations of Nanometer-Thick Polar Lubricant Films Sheared Between Solid Surfaces With Random Roughness. IEEE Transactions on Magnetics, 2015, 51, 1-4.	2.1	5
31	Lateral-deflection-controlled friction force microscopy. Journal of Applied Physics, 2014, 116, 084311.	2.5	1
32	Development of a Ball-Suspension Assembly for Measuring Speed-Dependent Friction Characteristics of Thin Lubricant Films Coated on Magnetic Disks. IEEE Transactions on Magnetics, 2014, 50, 1-4.	2.1	3
33	Shear Thinning of Nanometer-Thick Liquid Lubricant Films Measured at High Shear Rates. Tribology Letters, 2014, 53, 555-567.	2.6	19
34	Contributions of Mobile and Bonded Molecules to Dynamic Friction of Nanometer-Thick Perfluoropolyether Films Coated on Magnetic Disk Surfaces. Tribology Letters, 2014, 54, 237-247.	2.6	6
35	Influence of surface roughness and coating on the friction properties of nanometer-thick liquid lubricant films. Wear, 2014, 319, 56-61.	3.1	16
36	Surface functionalization by fine ultraviolet-patterning of nanometer-thick liquid lubricant films. Applied Surface Science, 2014, 320, 102-111.	6.1	0

#	ARTICLE	IF	CITATIONS
37	Design principle of micromechanical probe with an electrostatic actuator for friction force microscopy. <i>Microsystem Technologies</i> , 2013, 19, 1567-1572.	2.0	0
38	Adhesion Properties of Nanometer-Thick Perfluoropolyether Films Confined Between Solid Surfaces: A Coarse-Grained Molecular Dynamics Study. <i>Tribology Letters</i> , 2013, 51, 479-487.	2.6	6
39	Friction measurements of nanometer-thick lubricant films using ultra-smooth sliding pins treated with gas cluster ion beam. <i>Applied Surface Science</i> , 2013, 280, 619-625.	6.1	6
40	Detection of Asperity Contact for Precise Gap Determination in Thin-Film Nanorheometry. <i>Tribology Letters</i> , 2013, 49, 1-10.	2.6	9
41	Structure-based coarse-graining for inhomogeneous liquid polymer systems. <i>Journal of Chemical Physics</i> , 2013, 139, 054901.	3.0	17
42	Nanorheometry of Molecularly Thin Liquid Lubricant Films Coated on Magnetic Disks. <i>Advances in Tribology</i> , 2012, 2012, 1-12.	2.1	2
43	High-Speed Friction Measurements for a Molecularly Thin Lubricant Film Using a Fiber Wobbling Method. <i>IEEE Transactions on Magnetics</i> , 2012, 48, 4467-4470.	2.1	2
44	Adhesion Properties of Monolayer Lubricant Films Coated on Magnetic Disk Surfaces: Contributions of Mobile and Bonded Molecules. <i>IEEE Transactions on Magnetics</i> , 2012, 48, 4269-4272.	2.1	7
45	Simultaneous Measurement of Film Deformation and Friction Force During Shearing of Molecularly Thin Lubricants. <i>IEEE Transactions on Magnetics</i> , 2012, 48, 4455-4458.	2.1	4
46	Numerical model for DNA size separation using nanostructured matrix. , 2012, , .		0
47	Measured Viscous and Dry Friction Forces in Nanometer-Thick Lubricant Film by Friction Force Microscopy with Micromechanical Probe. <i>Tribology Letters</i> , 2012, 48, 201-208.	2.6	4
48	An electrostatic actuator for dual-axis micro-mechanical probe on friction force microscope. <i>Sensors and Actuators A: Physical</i> , 2012, 175, 94-100.	4.1	15
49	Simultaneous Measurements of Friction Forces and Contact Areas During Shearing of Nanometer-Thick Liquid Lubricant Films. , 2012, , .		0
50	Vertical-objective-based ellipsometric microscope for backside illuminated real-time visualization of nm-thick lubricant films. , 2011, , .		0
51	Effect of Ultraviolet Irradiation on Adhesion of Nanometer-Thick Lubricant Films Coated on Magnetic Disk Surfaces. <i>IEEE Transactions on Magnetics</i> , 2011, 47, 94-99.	2.1	8
52	Opposing effects of confinement and confinement-induced shear-thinning on viscoelastic properties of liquid lubricant in nanometer-scale gaps. <i>Tribology International</i> , 2011, 44, 1333-1339.	5.9	7
53	Real-Time Visualization of a Shearing Nanometer-Thick Lubricant Film by Two-Stage Imaging Ellipsometric Microscopy. <i>IEEE Transactions on Magnetics</i> , 2011, 47, 3441-3444.	2.1	6
54	A New Method for Measuring Normal Forces with Accurate Gap Control Using a Microfabricated Quartz Resonator for Lubrication at Nanometer Gaps. <i>Tribology Letters</i> , 2011, 43, 121-128.	2.6	4

#	ARTICLE	IF	CITATIONS
55	Displacement Measurement for High Speed Tribological Measurement Using Oscillating Optical Fiber Probe. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2010, 4, 2-14.	0.7	3
56	Dynamic Viscoelastic Measurement of Monolayer Lubricant Films Using an Oscillating Optical Fiber Probe(Mechanical Systems). Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 2010, 76, 1716-1727.	0.2	0
57	Coarse-Grained Molecular Dynamics Simulations of UV Patterning of Nanometer-Thick Liquid Lubricant Films(Machine Elements, Design and Manufacturing). Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 2010, 76, 1819-1826.	0.2	0
58	Measurement of Lateral and Vertical Forces with Accurate Gap Control for Clarifying Nano-Lubrication Phenomena(Machine Elements, Design and Manufacturing). Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 2010, 76, 717-726.	0.2	0
59	Simultaneously Measuring Lateral and Vertical Forces with Accurate Gap Control for Clarifying Lubrication Phenomena at Nanometer Gap. Tribology Letters, 2010, 37, 497-505.	2.6	10
60	Temperature Dependence of the Viscoelastic Properties of a Confined Liquid Polymer Measured by Using an Oscillating Optical Fiber Probe. Japanese Journal of Applied Physics, 2010, 49, 08LB13.	1.5	1
61	Finite element analysis on crosstalk effect of dual-axis micro-mechanical probe for friction force microscope. , 2010, , .		0
62	Coarse-grained molecular dynamics simulations of adhesion on UV-patterned nanometer-thick liquid lubricant films. , 2010, , .		2
63	Spreading Properties of Monolayer Lubricant Films: Effect of Bonded Molecules. IEEE Transactions on Magnetics, 2009, 45, 5055-5060.	2.1	16
64	Adsorbed surfactant thickness on: A Si wafer dominating etching properties of TMAH solution. , 2009, , .		2
65	Surfactant Adsorption on Single-Crystal Silicon Surfaces in TMAH Solution: Orientation-Dependent Adsorption Detected by <i>In Situ</i> Infrared Spectroscopy. Journal of Microelectromechanical Systems, 2009, 18, 1345-1356.	2.5	57
66	Fiber Wobbling Method for Dynamic Viscoelastic Measurement of Liquid Lubricant Confined in Molecularly Narrow Gaps. Tribology Letters, 2008, 30, 177-189.	2.6	49
67	Control of Wettability of Molecularly Thin Liquid Films by Nanostructures. Langmuir, 2008, 24, 2921-2928.	3.5	12
68	Motion Picture Imaging of a Nanometer-Thick Liquid Film Dewetting by Ellipsometric Microscopy with a Submicrometer Lateral Resolution. Langmuir, 2008, 24, 11645-11650.	3.5	14
69	Nonuniform Distribution of Molecularly Thin Lubricant Caused by Inhomogeneous Buried Layers of Discrete Track Media. IEEE Transactions on Magnetics, 2008, 44, 3663-3666.	2.1	4
70	Frequency Dependence of Viscoelasticity of Liquid Lubricant Confined in Nanometer-Scale Gaps. Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 2008, 74, 961-969.	0.2	0
71	Dynamic Viscoelastic Properties of Confined Polymer Liquids Under Oscillatory Shear Flow. , 2007, , .		0
72	Detection of the Asperity Contact Between Sliding Surfaces by Monitoring the Excitation of Resonant Oscillation Using the Fiber Wobbling Method. , 2007, , .		2

#	ARTICLE	IF	CITATIONS
73	Molecular Conformation and Spreading Mechanism of Monolayer PFPE Lubricant Film. Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 2005, 71, 3254-3261.	0.2	0
74	Diffusive motion of molecules in submonolayer liquid films on a solid surface. Physical Review E, 2005, 72, 061602.	2.1	11
75	Measurement of Nanorheological Properties of Molecularly Thin Confined Lubricant Film Using Fiber Wobbling Method. Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 2004, 70, 841-848.	0.2	4