Kim Broekhuijsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2605863/publications.pdf

Version: 2024-02-01

10	262	7	10
papers	citations	h-index	g-index
10	10	10	483 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Planned delivery or expectant management in preeclampsia: an individual participant data meta-analysis. American Journal of Obstetrics and Gynecology, 2022, 227, 218-230.e8.	1.3	9
2	Neonatal developmental and behavioral outcomes of immediate delivery versus expectant monitoring in mild hypertensive disorders of pregnancy: 5-year outcomes of the HYPITAT II trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 244, 172-179.	1.1	18
3	Neonatal developmental and behavioral outcomes of immediate delivery versus expectant monitoring in mild hypertensive disorders of pregnancy: 2-year outcomes of the HYPITAT-II trial. American Journal of Obstetrics and Gynecology, 2019, 221, 154.e1-154.e11.	1.3	24
4	Evaluation of biomarkers for treatment selection using individual participant data from multiple clinical trials. Statistics in Medicine, 2018, 37, 1439-1453.	1.6	4
5	Prediction of progression to severe disease in women with late preterm hypertensive disorders of pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 96-105.	2.8	7
6	Gestational hypertension and advanced maternal age – Authors' reply. Lancet, The, 2015, 386, 1628.	13.7	3
7	Maternal and neonatal outcomes of pregnancy in women with chronic hypertension: a retrospective analysis of a national register. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 1337-1345.	2.8	24
8	Relevance of individual participant data meta-analysis for studies in obstetrics: delivery versus expectant monitoring for hypertensive disorders of pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 191, 80-83.	1.1	5
9	Immediate delivery versus expectant monitoring for hypertensive disorders of pregnancy between 34 and 37 weeks of gestation (HYPITAT-II): an open-label, randomised controlled trial. Lancet, The, 2015, 385, 2492-2501.	13.7	135
10	Induction of labour versus expectant monitoring for gestational hypertension or mild pre-eclampsia between 34 and 37 weeks' gestation (HYPITAT-II): a multicentre, open-label randomised controlled trial. BMC Pregnancy and Childbirth, 2011, 11, 50.	2.4	33