

Chin-Lee Wu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2607002/chin-lee-wu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

3,233
citations

31
h-index

54
g-index

136
ext. papers

4,067
ext. citations

6.7
avg, IF

4.87
L-index

#	Paper	IF	Citations
125	Reply by Authors. <i>Journal of Urology</i> , 2022 , 207, 94	2.5	
124	Transperineal Multiparametric Magnetic Resonance Imaging-Ultrasound Fusion Targeted Prostate Biopsy Combined with Standard Template Improves Prostate Cancer Detection. <i>Journal of Urology</i> , 2022 , 207, 86-94	2.5	1
123	Impact of AR-V7 and other androgen receptor splice variant expression on outcomes of post-prostatectomy salvage therapy.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 274-274	2.2	
122	Multiplatform Metabolomics Studies of Human Cancers With NMR and Mass Spectrometry Imaging.. <i>Frontiers in Molecular Biosciences</i> , 2022 , 9, 785232	5.6	0
121	Heterogeneity of cell composition and origin identified by single-cell transcriptomics in renal cysts of patients with autosomal dominant polycystic kidney disease. <i>Theranostics</i> , 2021 , 11, 10064-10073	12.1	1
120	Common Diagnostic Challenges and Pitfalls in Genitourinary Organs, With Emphasis on Immunohistochemical and Molecular Updates. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 1387-1404	5	
119	Renal Cell Carcinoma in Tuberous Sclerosis Complex. <i>Genes</i> , 2021 , 12,	4.2	2
118	Prediction of non-muscle invasive bladder cancer recurrence using machine learning of quantitative nuclear features. <i>Modern Pathology</i> , 2021 ,	9.8	4
117	Genome-wide profiling of BK polyomavirus integration in bladder cancer of kidney transplant recipients reveals mechanisms of the integration at the nucleotide level. <i>Oncogene</i> , 2021 , 40, 46-54	9.2	3
116	To stage or not to stage: determining the true clinical significance of the biopsy tract through perinephric fat in assessing renal cell carcinoma. <i>Histopathology</i> , 2021 , 78, 951-962	7.3	
115	Standardization of reporting discontinuous tumor involvement in prostatic needle biopsy: a systematic review. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 478, 383-391	5.1	
114	Novel CFD modeling approaches to assessing urine flow in prostatic urethra after transurethral surgery. <i>Scientific Reports</i> , 2021 , 11, 663	4.9	2
113	TFEB Promotes Prostate Cancer Progression Regulating ABCA2-Dependent Lysosomal Biogenesis. <i>Frontiers in Oncology</i> , 2021 , 11, 632524	5.3	1
112	Case Report: Malacoplakia Due to With Infection of a Transplanted Kidney in a Patient With Recurrent Urinary Tract Infection. <i>Frontiers in Medicine</i> , 2021 , 8, 721145	4.9	0
111	Transperineal multiparametric magnetic resonance imaging-ultrasound fusion-targeted prostate biopsy combined with standard template improves perineural invasion detection. <i>Human Pathology</i> , 2021 , 117, 101-107	3.7	0
110	Methylation of SRD5A2 promoter predicts a better outcome for castration-resistant prostate cancer patients undergoing androgen deprivation therapy. <i>PLoS ONE</i> , 2020 , 15, e0229754	3.7	2
109	Obesity-associated inflammation induces androgenic to estrogenic switch in the prostate gland. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 465-474	6.2	4

108	Updates in Staging and Reporting of Genitourinary Malignancies. <i>Archives of Pathology and Laboratory Medicine</i> , 2020 , 144, 305-319	5	16
107	Updates in Histologic Grading of Urologic Neoplasms. <i>Archives of Pathology and Laboratory Medicine</i> , 2020 , 144, 335-343	5	5
106	Using high-resolution magic angle spinning magnetic resonance spectroscopy to characterize the metabolomic profile of fat-poor angiomyolipoma and renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 711-711	2.2	
105	Using high-resolution magic angle spinning magnetic resonance spectroscopy to characterize the metabolomic profile of renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 710-710	2.2	
104	Long-term Oncologic Impact of Positive Anterior and Posterior Surgical Margins After Radical Prostatectomy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2020 , 43, 872-879	2.7	
103	Prostate and pancreas involvement are linked in IgG4-related disease. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 1245-1251	5.3	1
102	Resolution of a High Grade and Metastatic BK Polyomavirus-Associated Urothelial Cell Carcinoma Following Radical Allograft Nephroureterectomy and Immune Checkpoint Treatment: A Case Report. <i>Transplantation Proceedings</i> , 2020 , 52, 2720-2725	1.1	3
101	Clinicopathological characteristics of localized prostate cancer in younger men aged ≥ 50 years treated with radical prostatectomy in the PSA era: A systematic review and meta-analysis. <i>Cancer Medicine</i> , 2020 , 9, 6473-6484	4.8	3
100	Quantification of perineural invasion focus after radical prostatectomy could improve predictive power of recurrence. <i>Human Pathology</i> , 2020 , 104, 96-104	3.7	4
99	Viral integration in BK polyomavirus-associated urothelial carcinoma in renal transplant recipients: multistage carcinogenesis revealed by next-generation virome capture sequencing. <i>Oncogene</i> , 2020 , 39, 5734-5742	9.2	6
98	Biopsy Cell Cycle Proliferation Score Predicts Adverse Surgical Pathology in Localized Renal Cell Carcinoma. <i>European Urology</i> , 2020 , 78, 657-660	10.2	5
97	Impact of biopsy perineural invasion on younger prostate cancer patients after radical prostatectomy. <i>Scandinavian Journal of Urology</i> , 2020 , 54, 475-480	1.6	1
96	The clinicopathological characteristics and prognostic value of squamous differentiation in patients with bladder urothelial carcinoma: a meta-analysis. <i>World Journal of Urology</i> , 2020 , 38, 323-333	4	5
95	Update on Renal Neoplasms: Clinicopathologic-Radiologic Correlation With Case-Based Examples. <i>American Journal of Roentgenology</i> , 2020 , 214, 1220-1228	5.4	2
94	Methylation of SRD5A2 promoter predicts a better outcome for castration-resistant prostate cancer patients undergoing androgen deprivation therapy 2020 , 15, e0229754		
93	Methylation of SRD5A2 promoter predicts a better outcome for castration-resistant prostate cancer patients undergoing androgen deprivation therapy 2020 , 15, e0229754		
92	Methylation of SRD5A2 promoter predicts a better outcome for castration-resistant prostate cancer patients undergoing androgen deprivation therapy 2020 , 15, e0229754		
91	Methylation of SRD5A2 promoter predicts a better outcome for castration-resistant prostate cancer patients undergoing androgen deprivation therapy 2020 , 15, e0229754		

90	Novel and established EWSR1 gene fusions and associations identified by next-generation sequencing and fluorescence in-situ hybridization. <i>Human Pathology</i> , 2019 , 93, 65-73	3.7	17
89	Establishing a prediction model for prostate cancer bone metastasis. <i>International Journal of Biological Sciences</i> , 2019 , 15, 208-220	11.2	9
88	Impact of Immune and Stromal Infiltration on Outcomes Following Bladder-Sparing Trimodality Therapy for Muscle-Invasive Bladder Cancer. <i>European Urology</i> , 2019 , 76, 59-68	10.2	63
87	Imaging the Human Prostate Gland Using 1- μ m-Resolution Optical Coherence Tomography. <i>Archives of Pathology and Laboratory Medicine</i> , 2019 , 143, 314-318	5	4
86	Assessment of 5-year overall survival in bladder cancer patients with incidental prostate cancer identified at radical cystoprostatectomy. <i>International Urology and Nephrology</i> , 2019 , 51, 1527-1535	2.3	1
85	A genome-wide association study implicates in lymphangioleiomyomatosis pathogenesis. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	8
84	MicroRNA Biomarkers for Patients With Muscle-Invasive Bladder Cancer Undergoing Selective Bladder-Sparing Trimodality Treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 104, 197-206	4	10
83	COX-2 mediates tumor-stromal prolactin signaling to initiate tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 5223-5232	11.5	22
82	Molecular Characterization of Neuroendocrine-like Bladder Cancer. <i>Clinical Cancer Research</i> , 2019 , 25, 3908-3920	12.9	42
81	Impact of biopsy perineural invasion on the outcomes of patients who underwent radical prostatectomy: a systematic review and meta-analysis. <i>Scandinavian Journal of Urology</i> , 2019 , 53, 287-294 ^{1,6}	1.6	7
80	Prognostic significance of laterality in renal cell carcinoma: A population-based study from the surveillance, epidemiology, and end results (SEER) database. <i>Cancer Medicine</i> , 2019 , 8, 5629-5637	4.8	10
79	Offsetting Expression Profiles of Prognostic Markers in Prostate Tumor vs. Its Microenvironment. <i>Frontiers in Oncology</i> , 2019 , 9, 539	5.3	6
78	Microphthalmia family of transcription factors associated renal cell carcinoma. <i>Asian Journal of Urology</i> , 2019 , 6, 312-320	2.7	9
77	Concordance of systematic and fusion biopsy with surgical pathology.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 93-93	2.2	1
76	Impact of Multifocality and Multilocation of Positive Surgical Margin After Radical Prostatectomy on Predicting Oncological Outcome. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e44-e52	3.3	4
75	Fifteen hub genes associated with progression and prognosis of clear cell renal cell carcinoma identified by coexpression analysis. <i>Journal of Cellular Physiology</i> , 2019 , 234, 10225-10237	7	30
74	Prognostic value of a gene signature in clear cell renal cell carcinoma. <i>Journal of Cellular Physiology</i> , 2019 , 234, 10324-10335	7	19
73	Metabolomic prostate cancer fields in HRMAS MRS-profiled histologically benign tissue vary with cancer status and distance from cancer. <i>NMR in Biomedicine</i> , 2019 , 32, e4038	4.4	12

72	miR-4324-RACGAP1-STAT3-ESR1 feedback loop inhibits proliferation and metastasis of bladder cancer. <i>International Journal of Cancer</i> , 2019 , 144, 3043-3055	7.5	30
71	PARP-1 inhibition with or without ionizing radiation confers reactive oxygen species-mediated cytotoxicity preferentially to cancer cells with mutant TP53. <i>Oncogene</i> , 2018 , 37, 2793-2805	9.2	32
70	Identification of a novel microRNA-mRNA regulatory biomodule in human prostate cancer. <i>Cell Death and Disease</i> , 2018 , 9, 301	9.8	16
69	Expression of aromatase in tumor related stroma is associated with human bladder cancer progression. <i>Cancer Biology and Therapy</i> , 2018 , 19, 175-180	4.6	9
68	An RNA-Based Digital Circulating Tumor Cell Signature Is Predictive of Drug Response and Early Dissemination in Prostate Cancer. <i>Cancer Discovery</i> , 2018 , 8, 288-303	24.4	76
67	Metabolomic Prediction of Human Prostate Cancer Aggressiveness: Magnetic Resonance Spectroscopy of Histologically Benign Tissue. <i>Scientific Reports</i> , 2018 , 8, 4997	4.9	27
66	Whole-genome and Transcriptome Sequencing of Prostate Cancer Identify New Genetic Alterations Driving Disease Progression. <i>European Urology</i> , 2018 , 73, 322-339	10.2	71
65	Identification of Biomarkers Associated With Pathological Stage and Prognosis of Clear Cell Renal Cell Carcinoma by Co-expression Network Analysis. <i>Frontiers in Physiology</i> , 2018 , 9, 399	4.6	48
64	Occurrence and regression of BK polyomavirus associated carcinoma: a clinical and next-generation sequencing study. <i>Clinical Science</i> , 2018 , 132, 1753-1763	6.5	10
63	SDH2 is involved in proper hypha formation and virulence in <i>Candida albicans</i> . <i>Future Microbiology</i> , 2018 , 13, 1141-1156	2.9	7
62	A novel mouse model of hemangiopericytoma due to loss of Tsc2. <i>Human Molecular Genetics</i> , 2018 , 27, 4169-4175	5.6	2
61	Co-expression Network Analysis of Biomarkers for Adrenocortical Carcinoma. <i>Frontiers in Genetics</i> , 2018 , 9, 328	4.5	29
60	Aberrant FGFR Tyrosine Kinase Signaling Enhances the Warburg Effect by Reprogramming LDH Isoform Expression and Activity in Prostate Cancer. <i>Cancer Research</i> , 2018 , 78, 4459-4470	10.1	45
59	Impairment of gamma-glutamyl transferase 1 activity in the metabolic pathogenesis of chromophobe renal cell carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E6274-E6282	11.5	32
58	Selective bladder preservation with twice-daily radiation plus 5-fluorouracil/cisplatin (FCT) or daily radiation plus gemcitabine (GD) for patients with muscle invasive bladder cancer: Primary results of NRG/RTOG 0712A randomized phase 2 multicenter trial.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 408-408	2.2	
57	TM4SF1 regulates apoptosis, cell cycle and ROS metabolism via the PPAR α /SIRT1 feedback loop in human bladder cancer cells. <i>Cancer Letters</i> , 2018 , 414, 278-293	9.9	34
56	A Multigene Signature Based on Cell Cycle Proliferation Improves Prediction of Mortality Within 5 Yr of Radical Nephrectomy for Renal Cell Carcinoma. <i>European Urology</i> , 2018 , 73, 763-769	10.2	42
55	Case 36-2018: A 29-Year-Old Man with an Incidentally Discovered Renal Mass. <i>New England Journal of Medicine</i> , 2018 , 379, 2064-2072	59.2	

54	Increased expression of immediate early response gene 3 protein promotes aggressive progression and predicts poor prognosis in human bladder cancer. <i>BMC Urology</i> , 2018 , 18, 82	2.2	8
53	CIRBP is a novel oncogene in human bladder cancer inducing expression of HIF-1. <i>Cell Death and Disease</i> , 2018 , 9, 1046	9.8	21
52	Endoplasmic reticulum stress is involved in apoptosis of detrusor muscle in streptozocin-induced diabetic rats. <i>Neurourology and Urodynamics</i> , 2017 , 36, 65-72	2.3	8
51	Clinical Outcomes of Patients with Histologic Variants of Urothelial Cancer Treated with Trimodality Bladder-sparing Therapy. <i>European Urology</i> , 2017 , 72, 54-60	10.2	47
50	MicroRNA-30d promotes angiogenesis and tumor growth via MYPT1/c-JUN/VEGFA pathway and predicts aggressive outcome in prostate cancer. <i>Molecular Cancer</i> , 2017 , 16, 48	42.1	62
49	Expression of Eglonin by cancer cells promotes cell survival during blood-borne dissemination. <i>Nature Communications</i> , 2017 , 8, 14344	17.4	58
48	Downregulation of TRPM7 suppressed migration and invasion by regulating epithelial-mesenchymal transition in prostate cancer cells. <i>Medical Oncology</i> , 2017 , 34, 127	3.7	18
47	CD13 Neutrophil-like myeloid-derived suppressor cells exert immune suppression through Arginase 1 expression in pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2017 , 6, e1258504	7.2	33
46	A single non-synonymous NCOA5 variation in type 2 diabetic patients with hepatocellular carcinoma impairs the function of NCOA5 in cell cycle regulation. <i>Cancer Letters</i> , 2017 , 391, 152-161	9.9	4
45	Androgenic to oestrogenic switch in the human adult prostate gland is regulated by epigenetic silencing of steroid 5 β reductase 2. <i>Journal of Pathology</i> , 2017 , 243, 457-467	9.4	14
44	Co-expression network analysis identified six hub genes in association with progression and prognosis in human clear cell renal cell carcinoma (ccRCC). <i>Genomics Data</i> , 2017 , 14, 132-140		52
43	Branched Chain RNA In Situ Hybridization for Androgen Receptor Splice Variant AR-V7 as a Prognostic Biomarker for Metastatic Castration-Sensitive Prostate Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 363-369	12.9	22
42	Silencing of induces dysregulation of cell cycle and ROS metabolism in bladder cancer cells via PPARE β /BIRT1 feedback loop. <i>Journal of Cancer</i> , 2017 , 8, 2282-2295	4.5	26
41	Subtyping muscle-invasive bladder cancer to assess clinical response to trimodality therapy. <i>Journal of Clinical Oncology</i> , 2017 , 35, 287-287	2.2	
40	Whole exome sequencing of urachal adenocarcinoma reveals recurrent NF1 mutations. <i>Oncotarget</i> , 2016 , 7, 29211-5	3.3	22
39	Epigenetic silencing and variable expression of SRD5A2 in specific compartments of human prostate. <i>Journal of Clinical Oncology</i> , 2016 , 34, 38-38	2.2	
38	Prognostic utility of a multi-gene signature (the cell cycle proliferation score) in patients with renal cell carcinoma (RCC) after radical nephrectomy. <i>Journal of Clinical Oncology</i> , 2016 , 34, 555-555	2.2	
37	Gene expression profiling of prostate tissue based on variable expression of 5-alpha reductase 2. <i>Journal of Clinical Oncology</i> , 2016 , 34, 143-143	2.2	

36	Regulation of steroid-5-alpha-reductase 2 (SRD5A2) in human prostate by epigenetic modifications.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 204-204	2.2	
35	Branched chain RNA in situ hybridization for androgen receptor splice variant AR-V7 as a prognostic biomarker for metastatic castration-sensitive prostate cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e16571-e16571	2.2	
34	Whole Exome Sequencing Identifies TSC1/TSC2 Biallelic Loss as the Primary and Sufficient Driver Event for Renal Angiomyolipoma Development. <i>PLoS Genetics</i> , 2016 , 12, e1006242	6	62
33	DNA methyl transferase 1 reduces expression of SRD5A2 in the aging adult prostate. <i>American Journal of Pathology</i> , 2015 , 185, 870-82	5.8	25
32	Active surveillance for low-risk prostate cancer: Need for intervention and survival at 10 years. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 383.e9-16	2.8	11
31	miR-195 Inhibits Tumor Progression by Targeting RPS6KB1 in Human Prostate Cancer. <i>Clinical Cancer Research</i> , 2015 , 21, 4922-34	12.9	102
30	Succinate dehydrogenase B: a new prognostic biomarker in clear cell renal cell carcinoma. <i>Human Pathology</i> , 2015 , 46, 820-6	3.7	18
29	Papillary renal cell carcinoma: correlation of tumor grade and histologic characteristics with clinical outcome. <i>Human Pathology</i> , 2015 , 46, 1411-7	3.7	34
28	RNA-Seq of single prostate CTCs implicates noncanonical Wnt signaling in antiandrogen resistance. <i>Science</i> , 2015 , 349, 1351-6	33.3	476
27	Preoperative Anemia as an Independent Prognostic Indicator of Papillary Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, e353-60	3.3	7
26	Lobular capillary hemangioma formation: An unusual complication of submucous resection with power instrumentation of the inferior turbinate. <i>Laryngoscope</i> , 2015 , 125, 2653-5	3.6	7
25	Age and Obesity Promote Methylation and Suppression of 5 α -Reductase 2: Implications for Personalized Therapy of Benign Prostatic Hyperplasia. <i>Journal of Urology</i> , 2015 , 194, 1031-7	2.5	23
24	Aberrant hypomethylation-mediated CD147 overexpression promotes aggressive tumor progression in human prostate cancer. <i>Oncology Reports</i> , 2015 , 33, 2648-54	3.5	8
23	EZH2 promotes tumor progression via regulating VEGF-A/AKT signaling in non-small cell lung cancer. <i>Cancer Letters</i> , 2015 , 359, 275-87	9.9	70
22	A shower of second hit events as the cause of multifocal renal cell carcinoma in tuberous sclerosis complex. <i>Human Molecular Genetics</i> , 2015 , 24, 1836-42	5.6	39
21	Metformin represses cancer cells via alternate pathways in N-cadherin expressing vs. N-cadherin deficient cells. <i>Oncotarget</i> , 2015 , 6, 28973-87	3.3	22
20	Bladder Hamartoma in a Fetus: Case Report. <i>Urology Case Reports</i> , 2014 , 2, 154-5	0.5	1
19	Mucosa-sparing, KTP laser coagulation of submucosal telangiectatic vessels in patients with radiation-induced cystitis: a novel approach. <i>Urology</i> , 2014 , 84, 478-83	1.6	24

18	MicroRNA-224 inhibits progression of human prostate cancer by downregulating TRIB1. <i>International Journal of Cancer</i> , 2014 , 135, 541-50	7.5	74
17	Renal cell carcinoma in tuberous sclerosis complex. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 895-909	6.7	147
16	Differentiating progressive from nonprogressive T1 bladder cancer by gene expression profiling: applying RNA-sequencing analysis on archived specimens. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 327-36	2.8	15
15	The initial report of RTOG 0524: Phase I/II trial of a combination of paclitaxel and trastuzumab with daily irradiation or paclitaxel alone with daily irradiation following transurethral surgery for noncystectomy candidates with muscle-invasive bladder cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, LBA267-LBA267	2.2	4
14	The induction of the p53 tumor suppressor protein bridges the apoptotic and autophagic signaling pathways to regulate cell death in prostate cancer cells. <i>Oncotarget</i> , 2014 , 5, 10678-91	3.3	33
13	Emerging players in prostate cancer: long non-coding RNAs. <i>American Journal of Clinical and Experimental Urology</i> , 2014 , 2, 294-9	1.6	11
12	NCOA5 haploinsufficiency results in glucose intolerance and subsequent hepatocellular carcinoma. <i>Cancer Cell</i> , 2013 , 24, 725-37	24.3	39
11	Smaller prostate gland size and older age predict Gleason score upgrading. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1033-7	2.8	26
10	Multidisciplinary care and management of very low-risk prostate cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 55-55	2.2	1
9	Expression of CD147 is associated with prostate cancer progression. <i>International Journal of Cancer</i> , 2012 , 130, 300-8	7.5	36
8	A close surgical margin after radical prostatectomy is an independent predictor of recurrence. <i>Journal of Urology</i> , 2012 , 188, 91-7	2.5	22
7	Metabolomic imaging for human prostate cancer detection. <i>Science Translational Medicine</i> , 2010 , 2, 16ra87.5	8.5	34
6	TIP30 is associated with progression and metastasis of prostate cancer. <i>International Journal of Cancer</i> , 2008 , 123, 810-6	7.5	18
5	Aberrant splicing of cables gene, a CDK regulator, in human cancers. <i>Cancer Biology and Therapy</i> , 2005 , 4, 1211-5	4.6	13
4	Analysis of alpha-methylacyl-CoA racemase (P504S) expression in high-grade prostatic intraepithelial neoplasia. <i>Human Pathology</i> , 2004 , 35, 1008-13	3.7	80
3	Proton high-resolution magic angle spinning NMR analysis of fresh and previously frozen tissue of human prostate. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 1307-11	4.4	44
2	Non-destructive quantitation of spermine in human prostate tissue samples using HRMAS 1H NMR spectroscopy at 9.4 T. <i>FEBS Letters</i> , 2001 , 494, 112-6	3.8	135
1	Cables links Cdk5 and c-Abl and facilitates Cdk5 tyrosine phosphorylation, kinase upregulation, and neurite outgrowth. <i>Neuron</i> , 2000 , 26, 633-46	13.9	321

