

Virissa Lenters

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2607447/virissa-lenters-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32
papers

1,394
citations

20
h-index

35
g-index

35
ext. papers

1,728
ext. citations

8.6
avg, IF

4.1
L-index

#	Paper	IF	Citations
32	Environmental factors shaping the gut microbiome in a Dutch population.. <i>Nature</i> , 2022 ,	50.4	19
31	Early-life exposure to persistent organic pollutants (OCPs, PBDEs, PCBs, PFASs) and attention-deficit/hyperactivity disorder: A multi-pollutant analysis of a Norwegian birth cohort. <i>Environment International</i> , 2019 , 125, 33-42	12.9	76
30	Environmental toxicants in breast milk of Norwegian mothers and gut bacteria composition and metabolites in their infants at 1 month. <i>Microbiome</i> , 2019 , 7, 34	16.6	58
29	Impact of Di-2-Ethylhexyl Phthalate Metabolites on Male Reproductive Function: a Systematic Review of Human Evidence. <i>Current Environmental Health Reports</i> , 2018 , 5, 20-33	6.5	32
28	Preterm infants have distinct microbiomes not explained by mode of delivery, breastfeeding duration or antibiotic exposure. <i>International Journal of Epidemiology</i> , 2018 , 47, 1658-1669	7.8	38
27	Cohort profile: LIFEWORK, a prospective cohort study on occupational and environmental risk factors and health in the Netherlands. <i>BMJ Open</i> , 2018 , 8, e018504	3	2
26	Performance of variable selection methods for assessing the health effects of correlated exposures in case-control studies. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 522-529	2.1	26
25	Modeled and perceived RF-EMF, noise and air pollution and symptoms in a population cohort. Is perception key in predicting symptoms?. <i>Science of the Total Environment</i> , 2018 , 639, 75-83	10.2	15
24	Influence of maternal obesity on the association between common pregnancy complications and risk of childhood obesity: an individual participant data meta-analysis. <i>The Lancet Child and Adolescent Health</i> , 2018 , 2, 812-821	14.5	45
23	Arsenolipids Detected in the Milk of Nursing Mothers. <i>Environmental Science and Technology Letters</i> , 2017 , 4, 273-279	11	11
22	Persistent Environmental Toxicants in Breast Milk and Rapid Infant Growth. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70, 210-216	4.5	10
21	Prenatal and Postnatal PCB-153 and ,FDDE Exposures and Behavior Scores at 50 Years of Age among Children in Greenland and Ukraine. <i>Environmental Health Perspectives</i> , 2017 , 125, 107002	8.4	30
20	Prenatal Phthalate, Perfluoroalkyl Acid, and Organochlorine Exposures and Term Birth Weight in Three Birth Cohorts: Multi-Pollutant Models Based on Elastic Net Regression. <i>Environmental Health Perspectives</i> , 2016 , 124, 365-72	8.4	140
19	Is the fact of parenting couples cohabitation affecting the serum levels of persistent organohalogen pollutants?. <i>International Journal of Hygiene and Environmental Health</i> , 2015 , 218, 392-400	6.9	6
18	Perfluorinated chemicals in blood serum of inhabitants in central Poland in relation to gender and age. <i>Science of the Total Environment</i> , 2015 , 532, 548-55	10.2	34
17	Phthalates, perfluoroalkyl acids, metals and organochlorines and reproductive function: a multipollutant assessment in Greenlandic, Polish and Ukrainian men. <i>Occupational and Environmental Medicine</i> , 2015 , 72, 385-93	2.1	52
16	Hazard quotient profiles used as a risk assessment tool for PFOS and PFOA serum levels in three distinctive European populations. <i>Environment International</i> , 2015 , 74, 112-8	12.9	42

15	Bacterial Exposures and Associations with Atopy and Asthma in Children. <i>PLoS ONE</i> , 2015 , 10, e0131594	3.7	30
14	Exposure to polybrominated diphenyl ethers and male reproductive function in Greenland, Poland and Ukraine. <i>Reproductive Toxicology</i> , 2014 , 43, 1-7	3.4	18
13	Perfluoroalkyl substances and time to pregnancy in couples from Greenland, Poland and Ukraine. <i>Environmental Health</i> , 2014 , 13, 116	6	25
12	Associations between serum phthalates and biomarkers of reproductive function in 589 adult men. <i>Environment International</i> , 2014 , 66, 146-56	12.9	77
11	Lung cancer risk at low cumulative asbestos exposure: meta-regression of the exposure-response relationship. <i>Cancer Causes and Control</i> , 2013 , 24, 1-12	2.8	19
10	Serum concentrations of polybrominated diphenyl ethers (PBDEs) and a polybrominated biphenyl (PBB) in men from Greenland, Poland and Ukraine. <i>Environment International</i> , 2013 , 61, 8-16	12.9	32
9	Reply: response to the letter by Drs Berman and Case. <i>Annals of Occupational Hygiene</i> , 2013 , 57, 675-7		1
8	Blood serum concentrations of perfluorinated compounds in men from Greenlandic Inuit and European populations. <i>Chemosphere</i> , 2012 , 88, 1269-75	8.4	101
7	Quality of evidence must guide risk assessment of asbestos. <i>Annals of Occupational Hygiene</i> , 2012 , 56, 879-87		9
6	Changes in lymphocyte subsets in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Occupational and Environmental Medicine</i> , 2012 , 69, 781-6	2.1	8
5	A meta-analysis of asbestos and lung cancer: is better quality exposure assessment associated with steeper slopes of the exposure-response relationships?. <i>Environmental Health Perspectives</i> , 2011 , 119, 1547-55	8.4	54
4	Commuters' exposure to particulate matter air pollution is affected by mode of transport, fuel type, and route. <i>Environmental Health Perspectives</i> , 2010 , 118, 783-9	8.4	232
3	Long-term exposure to air pollution and vascular damage in young adults. <i>Epidemiology</i> , 2010 , 21, 512-20	9.1	74
2	Endotoxin exposure and lung cancer risk: a systematic review and meta-analysis of the published literature on agriculture and cotton textile workers. <i>Cancer Causes and Control</i> , 2010 , 21, 523-55	2.8	61
1	Determinants of urinary 1-hydroxypyrene glucuronide in South Korean children. <i>International Archives of Occupational and Environmental Health</i> , 2009 , 82, 961-8	3.2	17