

Hai-Fang Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2608694/hai-fang-li-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

2,309
citations

28
h-index

45
g-index

85
ext. papers

2,704
ext. citations

7
avg, IF

5.35
L-index

#	Paper	IF	Citations
84	Application of carbon-based nanomaterials in sample preparation: a review. <i>Analytica Chimica Acta</i> , 2013 , 784, 1-17	6.6	325
83	Room-Temperature Arylation of Thiols: Breakthrough with Aryl Chlorides. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 874-879	16.4	103
82	Strategy for signaling molecule detection by using an integrated microfluidic device coupled with mass spectrometry to study cell-to-cell communication. <i>Analytical Chemistry</i> , 2013 , 85, 868-76	7.8	79
81	Stable and Biocompatible Carbon Nanotube Ink Mediated by Silk Protein for Printed Electronics. <i>Advanced Materials</i> , 2020 , 32, e2000165	24	78
80	Chip-based enantioselective open-tubular capillary electrochromatography using bovine serum albumin-gold nanoparticle conjugates as the stationary phase. <i>Electrophoresis</i> , 2009 , 30, 1022-9	3.6	69
79	Achilles Heels of Phosphine Oxide Materials for OLEDs: Chemical Stability and Degradation Mechanism of a Bipolar Phosphine Oxide/Carbazole Hybrid Host Material. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 19451-19457	3.8	67
78	Nitrite sensing based on the carbon dots-enhanced chemiluminescence from peroxyxynitrous acid and carbonate. <i>Talanta</i> , 2015 , 132, 457-62	6.2	66
77	Enhancement of periodate-hydrogen peroxide chemiluminescence by nitrogen doped carbon dots and its application for the determination of pyrogallol and gallic acid. <i>Talanta</i> , 2016 , 153, 23-30	6.2	64
76	In Situ Scatheless Cell Detachment Reveals Correlation between Adhesion Strength and Viability at Single-Cell Resolution. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 236-240	16.4	64
75	A portable microchip for ultrasensitive and high-throughput assay of thrombin by rolling circle amplification and hemin/G-quadruplex system. <i>Biosensors and Bioelectronics</i> , 2014 , 56, 71-6	11.8	61
74	Applications of microfluidic systems in environmental analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 555-67	4.4	57
73	Determination of parabens in cosmetic products by solid-phase microextraction of poly(ethylene glycol) diacrylate thin film on fibers and ultra high-speed liquid chromatography with diode array detector. <i>Journal of Separation Science</i> , 2011 , 34, 1599-606	3.4	56
72	An in vitro liver model on microfluidic device for analysis of capecitabine metabolite using mass spectrometer as detector. <i>Biosensors and Bioelectronics</i> , 2015 , 68, 322-328	11.8	51
71	Cell signaling analysis by mass spectrometry under coculture conditions on an integrated microfluidic device. <i>Analytical Chemistry</i> , 2011 , 83, 9306-13	7.8	43
70	Assay of multiplex proteins from cell metabolism based on tunable aptamer and microchip electrophoresis. <i>Biosensors and Bioelectronics</i> , 2015 , 63, 105-111	11.8	41
69	DNA-mediated cell surface engineering for multiplexed glycan profiling using MALDI-TOF mass spectrometry. <i>Chemical Science</i> , 2016 , 7, 5448-5452	9.4	39
68	Bisulfite induced chemiluminescence of g-C ₃ N ₄ nanosheets and enhanced by metal ions. <i>Nanoscale</i> , 2016 , 8, 4933-7	7.7	38

67	Multi-channel microfluidic chip-mass spectrometry platform for cell analysis. <i>Chinese Chemical Letters</i> , 2017 , 28, 1625-1630	8.1	37
66	Integrated microfluidic system for cell co-culture and simulation of drug metabolism. <i>RSC Advances</i> , 2016 , 6, 54564-54572	3.7	37
65	Adhesion analysis of single circulating tumor cells on a base layer of endothelial cells using open microfluidics. <i>Chemical Science</i> , 2018 , 9, 7694-7699	9.4	36
64	Engineering cell-compatible paper chips for cell culturing, drug screening, and mass spectrometric sensing. <i>Advanced Healthcare Materials</i> , 2015 , 4, 2291-6	10.1	35
63	A dual-functional microfluidic chip for on-line detection of interleukin-8 based on rolling circle amplification. <i>Biosensors and Bioelectronics</i> , 2018 , 102, 652-660	11.8	35
62	A microfluidic approach for anticancer drug analysis based on hydrogel encapsulated tumor cells. <i>Analytica Chimica Acta</i> , 2010 , 665, 7-14	6.6	34
61	Multi-DNAzymes-functionalized gold nanoparticles for ultrasensitive chemiluminescence detection of thrombin on microchip. <i>Analytica Chimica Acta</i> , 2018 , 1027, 76-82	6.6	32
60	Plasmon-Assisted Enhancement of the Ultraweak Chemiluminescence Using Cu/Ni Metal Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 14796-14803	3.8	31
59	Room-Temperature Arylation of Thiols: Breakthrough with Aryl Chlorides. <i>Angewandte Chemie</i> , 2017 , 129, 892-897	3.6	29
58	Vortex solvent bar microextraction for phthalate esters from aqueous matrices. <i>Talanta</i> , 2012 , 100, 64-70	6.2	29
57	Chemiluminescence Character of ZnS Quantum Dots with Bisulphite-Hydrogen Peroxide System in Acidic Medium. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 9308-9316	3.8	29
56	Iron-Catalyzed Diastereoselective Synthesis of Unnatural Chiral Amino Acid Derivatives. <i>Organic Letters</i> , 2016 , 18, 3362-5	6.2	28
55	Silicon-hybrid carbon dots strongly enhance the chemiluminescence of luminol. <i>Mikrochimica Acta</i> , 2014 , 181, 805-811	5.8	27
54	Determination of ammonium on an integrated microchip with LED-induced fluorescence detection. <i>Journal of Environmental Sciences</i> , 2012 , 24, 564-70	6.4	24
53	Polyacrylamide-Polydivinylbenzene Decorated Membrane for Sundry Ionic Stabilized Emulsions Separation via a Facile Solvothermal Method. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 21816-23	9.5	24
52	Shear Stress-Enhanced Internalization of Cell Membrane Proteins Indicated by a Hairpin-Type DNA Probe. <i>Analytical Chemistry</i> , 2018 , 90, 5540-5545	7.8	23
51	Inkjet automated single cells and matrices printing system for matrix-assisted laser desorption/ionization mass spectrometry. <i>Talanta</i> , 2017 , 162, 474-478	6.2	23
50	Preparation of durable graphene-bonded titanium fibers for efficient microextraction of phthalates from aqueous matrices and analysis with gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2014 , 1370, 9-16	4.5	22

49	Study of antioxidant effects on malignant glioma cells by constructing a tumor-microvascular structure on microchip. <i>Analytica Chimica Acta</i> , 2017 , 978, 1-9	6.6	20
48	Determination of gouty arthritis biomarkers in human urine using reversed-phase high-performance liquid chromatography. <i>Journal of Pharmaceutical Analysis</i> , 2014 , 4, 153-158	14	20
47	Monodispersed Ag Nanoparticle in Layered Double Hydroxides as Matrix for Laser Desorption/Ionization Mass Spectrometry. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 44751-44759	8.5	20
46	Gold nanoparticles modified porous silicon chip for SALDI-MS determination of glutathione in cells. <i>Talanta</i> , 2017 , 168, 222-229	6.2	19
45	A non-invasive genomic diagnostic method for bladder cancer using size-based filtration and microchip electrophoresis. <i>Talanta</i> , 2015 , 144, 136-44	6.2	19
44	Evaluation of drug combination for glioblastoma based on an intestine-liver metabolic model on microchip. <i>Analyst, The</i> , 2017 , 142, 3629-3638	5	19
43	Measurement of Cell-Matrix Adhesion at Single-Cell Resolution for Revealing the Functions of Biomaterials for Adherent Cell Culture. <i>Analytical Chemistry</i> , 2018 , 90, 9637-9643	7.8	18
42	Online monodisperse droplets based liquid-liquid extraction on a continuously flowing system by using microfluidic devices. <i>RSC Advances</i> , 2014 , 4, 11919	3.7	18
41	Microwave assisted extraction-solid phase extraction for high-efficient and rapid analysis of monosaccharides in plants. <i>Talanta</i> , 2014 , 129, 404-10	6.2	18
40	Statistical single-cell analysis of cell cycle-dependent quantum dot cytotoxicity and cellular uptake using a microfluidic system. <i>RSC Advances</i> , 2014 , 4, 24929-24934	3.7	17
39	Combination Stiffness Gradient with Chemical Stimulation Directs Glioma Cell Migration on a Microfluidic Chip. <i>Analytical Chemistry</i> , 2020 , 92, 892-898	7.8	17
38	An on-chip intestine-liver model for multiple drugs absorption and metabolism behavior simulation. <i>Science China Chemistry</i> , 2018 , 61, 236-242	7.9	16
37	Alteration of intracellular metabolome in osteosarcoma stem cells revealed by liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2019 , 204, 6-12	6.2	13
36	An open-space microfluidic chip with fluid walls for online detection of VEGF rolling circle amplification. <i>Chemical Science</i> , 2019 , 10, 8571-8576	9.4	13
35	Nephrocyte-neurocyte interaction and cellular metabolic analysis on membrane-integrated microfluidic device. <i>Science China Chemistry</i> , 2016 , 59, 243-250	7.9	12
34	Fractional factorial design based microwave-assisted extraction for the determination of organophosphorus and organochlorine residues in tobacco by using gas chromatography-mass spectrometry. <i>Journal of Separation Science</i> , 2017 , 40, 542-549	3.4	12
33	Latent Redox Reporter of 4-Methoxyphenol as Electrochemical Signal Proxy for Real-Time Profiling of Endogenous HO in Living Cells. <i>ACS Sensors</i> , 2019 , 4, 2450-2457	9.2	11
32	Lipid profiling of mammalian cells with in situ matrix-assisted laser desorption ionization-mass spectrometry. <i>Science China Chemistry</i> , 2014 , 57, 442-446	7.9	11

31	The pathological structure of the perivascular niche in different microvascular patterns of glioblastoma. <i>PLoS ONE</i> , 2017 , 12, e0182183	3.7	11
30	Near-physiological microenvironment simulation on chip to evaluate drug resistance of different loci in tumour mass. <i>Talanta</i> , 2019 , 191, 67-73	6.2	10
29	A DNA-directed covalent conjugation fluorescence probe for in vitro detection of functional matrix metalloproteinases. <i>Analyst, The</i> , 2017 , 142, 634-640	5	9
28	Homogenous deposition of matrix-analyte cocrystals on gold-nanobowl arrays for improving MALDI-MS signal reproducibility. <i>Chemical Communications</i> , 2019 , 55, 2166-2169	5.8	9
27	A microscale solid-phase extraction poly(dimethylsiloxane) chip for enrichment and fluorescent detection of metal ions. <i>Talanta</i> , 2013 , 116, 1005-9	6.2	9
26	Coupling a microchip with electrospray ionization quadrupole time-of-flight mass spectrometer for peptide separation and identification. <i>Electrophoresis</i> , 2008 , 29, 1889-94	3.6	9
25	Inhibition Effect of Negative Air Ions on Adsorption between Volatile Organic Compounds and Environmental Particulate Matter. <i>Langmuir</i> , 2020 , 36, 5078-5083	4	8
24	Formation of Acetylene in the Reaction of Methane with Iron Carbide Cluster Anions FeC ₃ ⁻ under High-Temperature Conditions. <i>Angewandte Chemie</i> , 2018 , 130, 2692-2696	3.6	8
23	Determination of vitamin D in oily drops using a column-switching system with an on-line clean-up by supercritical fluid chromatography. <i>Talanta</i> , 2018 , 190, 9-14	6.2	8
22	Chip-based SALDI-MS for rapid determination of intracellular ratios of glutathione to glutathione disulfide. <i>Science China Chemistry</i> , 2019 , 62, 142-150	7.9	8
21	Writing of nanowires via high viscosity-induced nano diffusive layer. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 11666-11671	7.1	8
20	Dynamic imaging of MYC and CDKN1A mRNAs as an indicator of cell G1-phase arrest. <i>Chemical Communications</i> , 2017 , 53, 1900-1903	5.8	7
19	Combination of dynamic hollow fiber liquid-phase microextraction with HPLC analysis for the determination of UV filters in cosmetic products. <i>Science China Chemistry</i> , 2011 , 54, 1627-1634	7.9	7
18	On-chip solid phase extraction coupled with electrophoresis using modified magnetic microspheres as stationary phase. <i>Science in China Series B: Chemistry</i> , 2009 , 52, 2287-2294		7
17	Fishing antitumor ingredients by G-quadruplex affinity from herbal extract on a three-phase-laminar-flow microfluidic chip. <i>Talanta</i> , 2020 , 220, 121368	6.2	7
16	Simultaneous extraction and determination of free and conjugated phytosterols in tobacco. <i>Journal of Separation Science</i> , 2016 , 39, 2466-73	3.4	7
15	In Situ Scatheless Cell Detachment Reveals Correlation between Adhesion Strength and Viability at Single-Cell Resolution. <i>Angewandte Chemie</i> , 2018 , 130, 242-246	3.6	6
14	Hydrophilic, Breathable, and Washable Graphene Decorated Textile Assisted by Silk Sericin for Integrated Multimodal Smart Wearables. <i>Advanced Functional Materials</i> , 2200162	15.6	6

13	Quantification of selected monohydroxy metabolites of polycyclic aromatic hydrocarbons in human urine. <i>Science China Chemistry</i> , 2015 , 58, 1579-1584	7.9	5
12	Quantitative analysis of elements (C, N, O, Al, Si and Fe) in polyamide with wavelength dispersive X-ray fluorescence spectrometry. <i>Science China Chemistry</i> , 2013 , 56, 1164-1170	7.9	5
11	Molecularly imprinted polymer for pre-concentration of esculetin from tobacco followed by the UPLC analysis. <i>Science China Chemistry</i> , 2014 , 57, 1751-1759	7.9	5
10	Comparison and optimization of several pretreatment techniques for determination of decabrominated diphenyl ether in polymer samples by gas chromatography mass spectrometry. <i>Analytical Sciences</i> , 2009 , 25, 523-7	1.7	5
9	Investigation of the lipidomic changes in differentiated glioblastoma cells after drug treatment using MALDI-MS. <i>Talanta</i> , 2021 , 233, 122570	6.2	4
8	A microchip to analyze single crystal growth and size-controllability. <i>Science in China Series B: Chemistry</i> , 2009 , 52, 1014-1020		3
7	Investigation of carbon deposition induced by pyrolytic decomposition of ethylene. <i>RSC Advances</i> , 2017 , 7, 29639-29644	3.7	2
6	Determination of trace anions in liquefied petroleum gas using liquid absorption and electrokinetic migration for enrichment followed by ion chromatography. <i>Journal of Separation Science</i> , 2012 , 35, 1365-1371	3.4	2
5	Hydrated negative air ions generated by air-water collision with TiO photocatalytic materials.. <i>RSC Advances</i> , 2020 , 10, 43420-43424	3.7	2
4	Matrix-assisted laser desorption ionization mass spectrometry based quantitative analysis of cordycepin from. <i>Journal of Pharmaceutical Analysis</i> , 2021 , 11, 499-504	14	0
3	Real-time monitoring the efficacy of 7-hydroxycoumarin to cells cultured on microfluidics in different extracellular pH environments by chip-mass spectrometry.. <i>Talanta</i> , 2022 , 243, 123331	6.2	0
2	Biomimetic multifactor stimulation method for analyzing the synergism of matrix stiffness and inorganic polyphosphates on cellular behaviors.. <i>Talanta</i> , 2022 , 241, 123222	6.2	
1	Altered fecal microbiomes and short chain fatty acids of crew members with periodic intake of prepackaged food in a ground-based space station simulator for 50 days. <i>Travel Medicine and Infectious Disease</i> , 2020 , 36, 101480	8.4	