S A Ayis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2609796/publications.pdf

Version: 2024-02-01

471061 642321 2,480 22 17 23 citations h-index g-index papers 27 27 27 3578 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Natural history, predictors and outcomes of depression after stroke: systematic review and meta-analysis. British Journal of Psychiatry, 2013, 202, 14-21.	1.7	704
2	QTc-interval abnormalities and psychotropic drug therapy in psychiatric patients. Lancet, The, 2000, 355, 1048-1052.	6.3	596
3	Thioridazine and sudden unexplained death in psychiatric in-patients. British Journal of Psychiatry, 2002, 180, 515-522.	1.7	173
4	The Natural History of Depression up to 15 Years After Stroke. Stroke, 2013, 44, 1105-1110.	1.0	157
5	Natural History, Predictors, and Associations of Depression 5 Years After Stroke. Stroke, 2011, 42, 1907-1911.	1.0	152
6	The association between treatment with heparin and survival in patients with Covid-19. Journal of Thrombosis and Thrombolysis, 2020, 50, 298-301.	1.0	140
7	Natural history, predictors and associated outcomes of anxiety up to 10 years after stroke: the South London Stroke Register. Age and Ageing, 2014, 43, 542-547.	0.7	117
8	Associations between Stroke Mortality and Weekend Working by Stroke Specialist Physicians and Registered Nurses: Prospective Multicentre Cohort Study. PLoS Medicine, 2014, 11, e1001705.	3.9	90
9	A comparison of proxy measures of abdominal obesity in Chinese, European and South Asian adults. Diabetic Medicine, 1999, 16, 853-860.	1.2	70
10	Variations in Health-Related Quality of Life (HRQoL) and survival 1 year after stroke: five European population-based registers. BMJ Open, 2015, 5, e007101-e007101.	0.8	32
11	The effect of pregabalin or duloxetine on arthritis pain: a clinical and mechanistic study in people with hand osteoarthritis. Journal of Pain Research, 2017, Volume 10, 2437-2449.	0.8	32
12	Evaluation of the Hospital Anxiety and Depression Scale (HADS) in screening stroke patients for symptoms: Item Response Theory (IRT) analysis. Journal of Affective Disorders, 2018, 228, 33-40.	2.0	31
13	Predicting independent survival after stroke: a European study for the development and validation of standardised stroke scales and prediction models of outcome. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 288-296.	0.9	30
14	Variations in acute stroke care and the impact of organised care on survival from a European perspective: the European Registers of Stroke (EROS) investigators. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 604-612.	0.9	26
15	The association of treatment with hydroxychloroquine and hospital mortality in COVID-19 patients. Internal and Emergency Medicine, 2020, 15, 1501-1506.	1.0	24
16	The natural history of depression and trajectories of symptoms long term after stroke: The prospective south London stroke register. Journal of Affective Disorders, 2016, 194, 65-71.	2.0	21
17	Explanatory factors for the association between depression and long-term physical disability after stroke. Age and Ageing, 2015, 44, 1054-1058.	0.7	17
18	Idiographic patient reported outcome measures (lâ€PROMs) for routine outcome monitoring in psychological therapies: Position paper. Journal of Clinical Psychology, 2023, 79, 596-621.	1.0	17

#	Article	IF	CITATION
19	Applying the Impairment, Activity Limitation, and Participation Restriction Constructs of the ICF Model to Osteoarthritis and Low Back Pain Trials: A Reanalysis. Journal of Rheumatology, 2010, 37, 1923-1931.	1.0	16
20	Sex differences in trajectories of depression symptoms and associations with 10â€year mortality in patients with stroke: the South London Stroke Register. European Journal of Neurology, 2019, 26, 872-879.	1.7	13
21	Do changes in outcomes following primary and revision hip replacement differ and relate to markers of socioeconomic status? A 1-year population-based cohort study. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 397-404.	1.2	4
22	Psychometric properties of a new treatment expectation scale in rheumatoid arthritis: an application of item response theory. BMC Musculoskeletal Disorders, 2015, 16, 239.	0.8	1