

Bart w Koes

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2610347/bart-w-koes-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

588
papers

40,131
citations

102
h-index

182
g-index

617
ext. papers

46,198
ext. citations

4.8
avg, IF

7.27
L-index

#	Paper	IF	Citations
588	What low back pain is and why we need to pay attention. <i>Lancet, The</i> , 2018 , 391, 2356-2367	40	1251
587	Outcome measures for low back pain research. A proposal for standardized use. <i>Spine</i> , 1998 , 23, 2003-13;3	3.3	924
586	An updated overview of clinical guidelines for the management of non-specific low back pain in primary care. <i>European Spine Journal</i> , 2010 , 19, 2075-94	2.7	826
585	Prevention and treatment of low back pain: evidence, challenges, and promising directions. <i>Lancet, The</i> , 2018 , 391, 2368-2383	40	796
584	Incidence and determinants of lower extremity running injuries in long distance runners: a systematic review. <i>British Journal of Sports Medicine</i> , 2007 , 41, 469-80; discussion 480	10.3	788
583	Chapter 3. European guidelines for the management of acute nonspecific low back pain in primary care. <i>European Spine Journal</i> , 2006 , 15 Suppl 2, S169-91	2.7	772
582	Prevalence and incidence of shoulder pain in the general population; a systematic review. <i>Scandinavian Journal of Rheumatology</i> , 2004 , 33, 73-81	1.9	685
581	Conservative treatment of acute and chronic nonspecific low back pain. A systematic review of randomized controlled trials of the most common interventions. <i>Spine</i> , 1997 , 22, 2128-56	3.3	652
580	Diagnosis and treatment of low back pain. <i>BMJ, The</i> , 2006 , 332, 1430-4	5.9	620
579	Shoulder disorders in general practice: incidence, patient characteristics, and management. <i>Annals of the Rheumatic Diseases</i> , 1995 , 54, 959-64	2.4	595
578	Systematic review of psychosocial factors at work and private life as risk factors for back pain. <i>Spine</i> , 2000 , 25, 2114-25	3.3	551
577	A cost-of-illness study of back pain in The Netherlands. <i>Pain</i> , 1995 , 62, 233-240	8	533
576	Clinical guidelines for the management of low back pain in primary care: an international comparison. <i>Spine</i> , 2001 , 26, 2504-13; discussion 2513-4	3.3	485
575	Surgery versus prolonged conservative treatment for sciatica. <i>New England Journal of Medicine</i> , 2007 , 356, 2245-56	59.2	473
574	A systematic review on the effectiveness of physical and rehabilitation interventions for chronic non-specific low back pain. <i>European Spine Journal</i> , 2011 , 20, 19-39	2.7	449
573	Clinical practice guidelines for the management of non-specific low back pain in primary care: an updated overview. <i>European Spine Journal</i> , 2018 , 27, 2791-2803	2.7	429
572	What is the clinical course of acute ankle sprains? A systematic literature review. <i>American Journal of Medicine</i> , 2008 , 121, 324-331.e6	2.4	426

571	Low back pain: a call for action. <i>Lancet, The</i> , 2018 , 391, 2384-2388	4.0	414
570	A consensus approach toward the standardization of back pain definitions for use in prevalence studies. <i>Spine</i> , 2008 , 33, 95-103	3.3	407
569	Physical load during work and leisure time as risk factors for back pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 1999 , 25, 387-403	4.3	370
568	Meta-analysis: exercise therapy for nonspecific low back pain. <i>Annals of Internal Medicine</i> , 2005 , 142, 765-75	8	364
567	Exercise therapy for treatment of non-specific low back pain. <i>The Cochrane Library</i> , 2005 , CD000335	5.2	356
566	Exercise therapy for low back pain: a systematic review within the framework of the cochrane collaboration back review group. <i>Spine</i> , 2000 , 25, 2784-96	3.3	356
565	Prevalence and pattern of radiographic hand osteoarthritis and association with pain and disability (the Rotterdam study). <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 682-7	2.4	342
564	The clinical course and prognostic factors of non-specific neck pain: a systematic review. <i>Pain</i> , 1998 , 77, 1-13	8	340
563	Flexion and rotation of the trunk and lifting at work are risk factors for low back pain: results of a prospective cohort study. <i>Spine</i> , 2000 , 25, 3087-92	3.3	337
562	Spinal radiographic findings and nonspecific low back pain. A systematic review of observational studies. <i>Spine</i> , 1997 , 22, 427-34	3.3	328
561	Cost-of-illness of neck pain in The Netherlands in 1996. <i>Pain</i> , 1999 , 80, 629-636	8	316
560	Low back pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2002 , 16, 761-75	5.3	289
559	Diagnosis and treatment of sciatica. <i>BMJ, The</i> , 2007 , 334, 1313-7	5.9	285
558	The association between lumbar disc degeneration and low back pain: the influence of age, gender, and individual radiographic features. <i>Spine</i> , 2010 , 35, 531-6	3.3	284
557	Exercise therapy for chronic nonspecific low-back pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010 , 24, 193-204	5.3	272
556	Associations between work-related factors and specific disorders of the shoulder--a systematic review of the literature. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 189-201	4.3	267
555	Acupuncture and dry-needling for low back pain: an updated systematic review within the framework of the cochrane collaboration. <i>Spine</i> , 2005 , 30, 944-63	3.3	257
554	Manual therapy, physical therapy, or continued care by a general practitioner for patients with neck pain. A randomized, controlled trial. <i>Annals of Internal Medicine</i> , 2002 , 136, 713-22	8	231

553	Efficacy of epidural steroid injections for low-back pain and sciatica: a systematic review of randomized clinical trials. <i>Pain</i> , 1995 , 63, 279-288	8	228
552	Reliability and validity of the active straight leg raise test in posterior pelvic pain since pregnancy. <i>Spine</i> , 2001 , 26, 1167-71	3.3	224
551	A new marker for osteoarthritis: cross-sectional and longitudinal approach. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2471-8		219
550	Influence of obesity on the development of osteoarthritis of the hip: a systematic review. <i>British Journal of Rheumatology</i> , 2002 , 41, 1155-62		210
549	Surgery versus conservative management of sciatica due to a lumbar herniated disc: a systematic review. <i>European Spine Journal</i> , 2011 , 20, 513-22	2.7	202
548	Outcome of non-invasive treatment modalities on back pain: an evidence-based review. <i>European Spine Journal</i> , 2006 , 15 Suppl 1, S64-81	2.7	198
547	Acupuncture and dry-needling for low back pain. <i>The Cochrane Library</i> , 2005 , CD001351	5.2	195
546	The effectiveness of manual therapy, physiotherapy, and treatment by the general practitioner for nonspecific back and neck complaints. A randomized clinical trial. <i>Spine</i> , 1992 , 17, 28-35	3.3	194
545	Core outcome domains for clinical trials in non-specific low back pain. <i>European Spine Journal</i> , 2015 , 24, 1127-42	2.7	193
544	Spinal manipulation for low back pain. An updated systematic review of randomized clinical trials. <i>Spine</i> , 1996 , 21, 2860-71; discussion 2872-3	3.3	193
543	Prolonged conservative care versus early surgery in patients with sciatica caused by lumbar disc herniation: two year results of a randomised controlled trial. <i>BMJ, The</i> , 2008 , 336, 1355-8	5.9	186
542	Nonsteroidal anti-inflammatory drugs for low back pain: a systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2000 , 25, 2501-13	3.3	175
541	Red flags to screen for malignancy and fracture in patients with low back pain: systematic review. <i>BMJ, The</i> , 2013 , 347, f7095	5.9	173
540	Acetabular dysplasia predicts incident osteoarthritis of the hip: the Rotterdam study. <i>Arthritis and Rheumatism</i> , 2005 , 52, 787-93		173
539	The efficacy of traction for back and neck pain: a systematic, blinded review of randomized clinical trial methods. <i>Physical Therapy</i> , 1995 , 75, 93-104	3.3	173
538	Sciatica. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010 , 24, 241-52	5.3	168
537	Incidence rates and determinants in meralgia paresthetica in general practice. <i>Journal of Neurology</i> , 2004 , 251, 294-7	5.5	168
536	Tubular discectomy vs conventional microdiscectomy for sciatica: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 149-58	27.4	165

535	Measurement properties of disease-specific questionnaires in patients with neck pain: a systematic review. <i>Quality of Life Research</i> , 2012 , 21, 659-70	3.7	164
534	Validity of the active straight leg raise test for measuring disease severity in patients with posterior pelvic pain after pregnancy. <i>Spine</i> , 2002 , 27, 196-200	3.3	162
533	Cost effectiveness of physiotherapy, manual therapy, and general practitioner care for neck pain: economic evaluation alongside a randomised controlled trial. <i>BMJ, The</i> , 2003 , 326, 911	5.9	158
532	Core outcome measurement instruments for clinical trials in nonspecific low back pain. <i>Pain</i> , 2018 , 159, 481-495	8	156
531	The effectiveness of acupuncture in the management of acute and chronic low back pain. A systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 1999 , 24, 1113-23	3.3	154
530	Epidural corticosteroid injections in the management of sciatica: a systematic review and meta-analysis. <i>Annals of Internal Medicine</i> , 2012 , 157, 865-77	8	148
529	Associations between work-related factors and specific disorders at the elbow: a systematic literature review. <i>Rheumatology</i> , 2009 , 48, 528-36	3.9	147
528	Carpal tunnel syndrome. Part I: effectiveness of nonsurgical treatments--a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 981-1004	2.8	144
527	Effectiveness of conservative treatments for the lumbosacral radicular syndrome: a systematic review. <i>European Spine Journal</i> , 2007 , 16, 881-99	2.7	144
526	Repetitive strain injury. <i>Lancet, The</i> , 2007 , 369, 1815-1822	4.0	144
525	A systematic review on the effectiveness of pharmacological interventions for chronic non-specific low-back pain. <i>European Spine Journal</i> , 2011 , 20, 40-50	2.7	142
524	Associations between work-related factors and the carpal tunnel syndrome--a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009 , 35, 19-36	4.3	140
523	Prognostic factors of progression of osteoarthritis of the knee: a systematic review of observational studies. <i>Arthritis and Rheumatism</i> , 2007 , 57, 13-26		139
522	Reliability and validity of the Dutch adaptation of the Quebec Back Pain Disability Scale. <i>Physical Therapy</i> , 1996 , 76, 268-75	3.3	138
521	Spinal mechanical load as a risk factor for low back pain: a systematic review of prospective cohort studies. <i>Spine</i> , 2009 , 34, E281-93	3.3	137
520	Nonsteroidal anti-inflammatory drugs for low back pain: an updated Cochrane review. <i>Spine</i> , 2008 , 33, 1766-74	3.3	135
519	Non-steroidal anti-inflammatory drugs for low back pain. <i>The Cochrane Library</i> , 2008 , CD000396	5.2	134
518	Do metabolic factors add to the effect of overweight on hand osteoarthritis? The Rotterdam Study. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 916-20	2.4	133

517	Adverse effects of extra-articular corticosteroid injections: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 206	2.8	130
516	A report from the Second International Forum for Primary Care Research on Low Back Pain. Reexamining priorities. <i>Spine</i> , 1998 , 23, 1992-6	3.3	129
515	Back schools for nonspecific low back pain: a systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2005 , 30, 2153-63	3.3	124
514	Overweight and obesity are associated with musculoskeletal complaints as early as childhood: a systematic review. <i>Obesity Reviews</i> , 2014 , 15, 52-67	10.6	120
513	The efficacy of back schools: a review of randomized clinical trials. <i>Journal of Clinical Epidemiology</i> , 1994 , 47, 851-62	5.7	120
512	Low back pain. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 52	51.1	118
511	Occupational health guidelines for the management of low back pain: an international comparison. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 618-26	2.1	117
510	The responsiveness of the Shoulder Disability Questionnaire. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 82-7	2.4	117
509	Effect of Radiofrequency Denervation on Pain Intensity Among Patients With Chronic Low Back Pain: The Mint Randomized Clinical Trials. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 68-81	27.4	116
508	Measuring sick leave: a comparison of self-reported data on sick leave and data from company records. <i>Occupational Medicine</i> , 2002 , 52, 485-90	2.1	116
507	Drugs for relief of pain in patients with sciatica: systematic review and meta-analysis. <i>BMJ, The</i> , 2012 , 344, e497	5.9	115
506	Incidence and prevalence of upper-extremity musculoskeletal disorders. A systematic appraisal of the literature. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 7	2.8	114
505	Course and predicting factors of lower-extremity injuries after running a marathon. <i>Clinical Journal of Sport Medicine</i> , 2007 , 17, 25-30	3.2	114
504	A systematic review on changed biomechanics of lower extremities in obese individuals: a possible role in development of osteoarthritis. <i>Obesity Reviews</i> , 2011 , 12, 1071-82	10.6	113
503	Frozen shoulder: the effectiveness of conservative and surgical interventions--systematic review. <i>British Journal of Sports Medicine</i> , 2011 , 45, 49-56	10.3	112
502	Multidisciplinary consensus on the terminology and classification of complaints of the arm, neck and/or shoulder. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 313-9	2.1	112
501	Psychosocial factors associated with chronic pain in adolescents. <i>Pain</i> , 2003 , 101, 33-43	8	112
500	On the accuracy of history, physical examination, and erythrocyte sedimentation rate in diagnosing low back pain in general practice. A criteria-based review of the literature. <i>Spine</i> , 1995 , 20, 318-27	3.3	111

499	Trial of Pregabalin for Acute and Chronic Sciatica. <i>New England Journal of Medicine</i> , 2017 , 376, 1111-1120	9.2	109
498	Supervised exercise therapy versus usual care for patellofemoral pain syndrome: an open label randomised controlled trial. <i>BMJ, The</i> , 2009 , 339, b4074	5.9	109
497	The prognosis of low back pain in general practice. <i>Spine</i> , 1997 , 22, 1515-21	3.3	109
496	The effects of Tai Chi on fall prevention, fear of falling and balance in older people: a meta-analysis. <i>Preventive Medicine</i> , 2010 , 51, 222-7	4.3	107
495	A systematic review on the effectiveness of complementary and alternative medicine for chronic non-specific low-back pain. <i>European Spine Journal</i> , 2010 , 19, 1213-28	2.7	106
494	Manual therapy, physical therapy, or continued care by the general practitioner for patients with neck pain: long-term results from a pragmatic randomized clinical trial. <i>Clinical Journal of Pain</i> , 2006 , 22, 370-7	3.5	106
493	Multidisciplinary biopsychosocial rehabilitation for subacute low back pain among working age adults. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD002193		106
492	Methodological quality of randomized clinical trials on treatment efficacy in low back pain. <i>Spine</i> , 1995 , 20, 228-35	3.3	105
491	Lack of uniformity in diagnostic labeling of shoulder pain: time for a different approach. <i>Manual Therapy</i> , 2008 , 13, 478-83		103
490	Risk factors for lower extremity injuries among male marathon runners. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2008 , 18, 691-7	4.6	103
489	Symptomatic treatment of migraine in children: a systematic review of medication trials. <i>Pediatrics</i> , 2005 , 116, e295-302	7.4	103
488	Social and psychological factors influenced the course of arm, neck and shoulder complaints. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 839-48	5.7	102
487	On the course of low back pain in general practice: a one year follow up study. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 13-9	2.4	100
486	Prevalence and incidence of lower extremity injuries in male marathon runners. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2008 , 18, 140-4	4.6	99
485	Multidisciplinary biopsychosocial rehabilitation for subacute low back pain in working-age adults: a systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2001 , 26, 262-9	3.3	99
484	Insights in the use of health care services in chronic benign pain in childhood and adolescence. <i>Pain</i> , 2001 , 94, 205-213	8	98
483	Prognosis of trochanteric pain in primary care. <i>British Journal of General Practice</i> , 2005 , 55, 199-204	1.6	96
482	Prognostic factors of progress of hip osteoarthritis: a systematic review. <i>Arthritis and Rheumatism</i> , 2002 , 47, 556-62		95

481	Lumbar supports and education for the prevention of low back pain in industry: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 1789-94	27.4	95
480	Prolonged conservative care versus early surgery in patients with sciatica from lumbar disc herniation: cost utility analysis alongside a randomised controlled trial. <i>BMJ, The</i> , 2008 , 336, 1351-4	5.9	94
479	Treatment-based subgroups of low back pain: a guide to appraisal of research studies and a summary of current evidence. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010 , 24, 181-91	5.3	93
478	Incidence and risk factors of disability in the elderly: the Rotterdam Study. <i>Preventive Medicine</i> , 2007 , 44, 272-8	4.3	93
477	Corticosteroid injections for greater trochanteric pain syndrome: a randomized controlled trial in primary care. <i>Annals of Family Medicine</i> , 2011 , 9, 226-34	2.9	92
476	Reliability and responsiveness of the Dutch version of the Neck Disability Index in patients with acute neck pain in general practice. <i>European Spine Journal</i> , 2006 , 15, 1729-36	2.7	92
475	Magnetic resonance imaging for diagnosing lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. <i>European Spine Journal</i> , 2012 , 21, 220-7	2.7	89
474	The natural course of chronic benign pain in childhood and adolescence: a two-year population-based follow-up study. <i>European Journal of Pain</i> , 2003 , 7, 551-9	3.7	89
473	Prognostic factors for neck pain in general practice. <i>Pain</i> , 2004 , 110, 639-645	8	88
472	Non-steroidal anti-inflammatory drugs for chronic low back pain. <i>The Cochrane Library</i> , 2016 , 2, CD012087	7.2	87
471	Red flags presented in current low back pain guidelines: a review. <i>European Spine Journal</i> , 2016 , 25, 2788-90	8.02	87
470	Primary care research priorities in low back pain: an update. <i>Spine</i> , 2013 , 38, 148-56	3.3	86
469	Cryotherapy with liquid nitrogen versus topical salicylic acid application for cutaneous warts in primary care: randomized controlled trial. <i>Cmaj</i> , 2010 , 182, 1624-30	3.5	86
468	Methodologic issues in low back pain research in primary care. <i>Spine</i> , 1998 , 23, 2014-20	3.3	86
467	Lack of effect of Tai Chi Chuan in preventing falls in elderly people living at home: a randomized clinical trial. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 70-5	5.6	85
466	Risk factors and prognostic factors of hip and knee osteoarthritis. <i>Nature Clinical Practice Rheumatology</i> , 2007 , 3, 78-85		85
465	Workers' beliefs and expectations affect return to work over 12 months. <i>Journal of Occupational Rehabilitation</i> , 2006 , 16, 685-95	3.6	85
464	Diagnosis of lumbar spinal stenosis: a systematic review of the accuracy of diagnostic tests. <i>Spine</i> , 2006 , 31, 1168-76	3.3	84

463	Mechanisms of action of lumbar supports: a systematic review. <i>Spine</i> , 2000 , 25, 2103-13	3.3	84
462	The relationship between methodological quality and conclusions in reviews of spinal manipulation. <i>JAMA - Journal of the American Medical Association</i> , 1995 , 274, 1942-1948	27.4	84
461	The PEDro scale had acceptably high convergent validity, construct validity, and interrater reliability in evaluating methodological quality of pharmaceutical trials. <i>Journal of Clinical Epidemiology</i> , 2017 , 86, 176-181	5.7	83
460	Effect of glucosamine sulfate on hip osteoarthritis: a randomized trial. <i>Annals of Internal Medicine</i> , 2008 , 148, 268-77	8	83
459	The effectiveness of physiotherapy and manipulation in patients with tension-type headache: a systematic review. <i>Pain</i> , 2004 , 112, 381-388	8	83
458	Outcome of invasive treatment modalities on back pain and sciatica: an evidence-based review. <i>European Spine Journal</i> , 2006 , 15 Suppl 1, S82-92	2.7	82
457	Work conditioning, work hardening and functional restoration for workers with back and neck pain. <i>Cochrane Database of Systematic Reviews</i> , 2003 , CD001822		82
456	The efficacy of non-steroidal anti-inflammatory drugs (NSAIDs) for shoulder complaints. A systematic review. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 691-704	5.7	82
455	Measurement properties of translated versions of neck-specific questionnaires: a systematic review. <i>BMC Medical Research Methodology</i> , 2011 , 11, 87	4.7	81
454	Carpal tunnel syndrome. Part II: effectiveness of surgical treatments--a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 1005-24	2.8	81
453	Physical conditioning programs for workers with back and neck pain: a cochrane systematic review. <i>Spine</i> , 2003 , 28, E391-5	3.3	81
452	Implementation of the Dutch low back pain guideline for general practitioners: a cluster randomized controlled trial. <i>Spine</i> , 2005 , 30, 559-600	3.3	81
451	Exercise therapy for patellofemoral pain syndrome. <i>Cochrane Database of Systematic Reviews</i> , 2003 , CD003472		79
450	Diagnosis of lumbar spinal stenosis: an updated systematic review of the accuracy of diagnostic tests. <i>Spine</i> , 2013 , 38, E469-81	3.3	78
449	Follow-up of occult bone lesions detected at MR imaging: systematic review. <i>Radiology</i> , 2006 , 238, 853-62	20.5	78
448	Combination drug therapy for low back pain. <i>The Cochrane Library</i> , 2019 ,	5.2	78
447	Efficacy of non-steroidal anti-inflammatory drugs for low back pain: a systematic review of randomised clinical trials. <i>Annals of the Rheumatic Diseases</i> , 1997 , 56, 214-23	2.4	77
446	Trends in prescribing antibiotics for children in Dutch general practice. <i>Journal of Antimicrobial Chemotherapy</i> , 2004 , 53, 361-6	5.1	77

445	Prognostic factors for recovery in chronic nonspecific low back pain: a systematic review. <i>Physical Therapy</i> , 2012 , 92, 1093-108	3.3	76
444	Tubular diskectomy vs conventional microdiskectomy for the treatment of lumbar disk herniation: 2-year results of a double-blind randomized controlled trial. <i>Neurosurgery</i> , 2011 , 69, 135-44; discussion 144	3.2	76
443	Musculoskeletal problems in overweight and obese children. <i>Annals of Family Medicine</i> , 2009 , 7, 352-6	2.9	75
442	High incidence and recurrence of shoulder and neck pain in nursing home employees was demonstrated during a 2-year follow-up. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 407-13	5.7	75
441	Critical appraisal of clinical prediction rules that aim to optimize treatment selection for musculoskeletal conditions. <i>Physical Therapy</i> , 2010 , 90, 843-54	3.3	74
440	Is there an association between the use of different types of nonsteroidal antiinflammatory drugs and radiologic progression of osteoarthritis? The Rotterdam Study. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3137-42		73
439	Work-related risk factors for the incidence and recurrence of shoulder and neck complaints among nursing-home and elderly-care workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004 , 30, 279-86	4.3	73
438	Back schools for non-specific low-back pain. <i>The Cochrane Library</i> , 2004 , CD000261	5.2	70
437	Crepitus is a first indication of patellofemoral osteoarthritis (and not of tibiofemoral osteoarthritis). <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 631-8	6.2	69
436	Prevalence and characteristics of complaints of the arm, neck, and/or shoulder (CANS) in the open population. <i>Clinical Journal of Pain</i> , 2008 , 24, 253-9	3.5	68
435	Factors related to the quality of life in adolescents with chronic pain. <i>Clinical Journal of Pain</i> , 2006 , 22, 306-15	3.5	68
434	Magnetic resonance imaging in follow-up assessment of sciatica. <i>New England Journal of Medicine</i> , 2013 , 368, 999-1007	59.2	67
433	Physical therapy plus general practitioners care versus general practitioners care alone for sciatica: a randomised clinical trial with a 12-month follow-up. <i>European Spine Journal</i> , 2008 , 17, 509-17	2.7	67
432	Validity and reliability of three definitions of hip osteoarthritis: cross sectional and longitudinal approach. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 1427-33	2.4	67
431	Does hand osteoarthritis predict future hip or knee osteoarthritis?. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3520-7		67
430	Effectiveness of surgery for lumbar spinal stenosis: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2015 , 10, e0122800	3.7	66
429	A new view on adduction-related groin pain. <i>Clinical Journal of Sport Medicine</i> , 2006 , 16, 15-9	3.2	66
428	An update of a systematic review of controlled clinical trials on the primary prevention of back pain at the workplace. <i>Occupational Medicine</i> , 2004 , 54, 345-52	2.1	66

427	Prevalence and determinants of one month hand pain and hand related disability in the elderly (Rotterdam study). <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 99-104	2.4	66
426	Does effectiveness of exercise therapy and mobilisation techniques offer guidance for the treatment of lateral and medial epicondylitis? A systematic review. <i>British Journal of Sports Medicine</i> , 2013 , 47, 1112-9	10.3	64
425	Interspinous process device versus standard conventional surgical decompression for lumbar spinal stenosis: randomized controlled trial. <i>BMJ, The</i> , 2013 , 347, f6415	5.9	64
424	The effectiveness of conservative treatment for patients with cervical radiculopathy: a systematic review. <i>Clinical Journal of Pain</i> , 2013 , 29, 1073-86	3.5	64
423	Evidence for effectiveness of Extracorporeal Shock-Wave Therapy (ESWT) to treat calcific and non-calcific rotator cuff tendinosis--a systematic review. <i>Manual Therapy</i> , 2011 , 16, 419-33		64
422	The effectiveness of high-intensity versus low-intensity back schools in an occupational setting: a pragmatic randomized controlled trial. <i>Spine</i> , 2006 , 31, 1075-82	3.3	64
421	Evidence for the effectiveness of electrophysical modalities for treatment of medial and lateral epicondylitis: a systematic review. <i>British Journal of Sports Medicine</i> , 2014 , 48, 957-65	10.3	63
420	Influence of sporting activities on the development of osteoarthritis of the hip: a systematic review. <i>Arthritis and Rheumatism</i> , 2003 , 49, 228-36		62
419	Magnetic resonance imaging abnormalities in symptomatic and contralateral knees: prevalence and associations with traumatic history in general practice. <i>American Journal of Sports Medicine</i> , 2006 , 34, 1984-91	6.8	61
418	Influence of hip dysplasia on the development of osteoarthritis of the hip. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 621-6	2.4	61
417	Stability of pain parameters and pain-related quality of life in adolescents with persistent pain: a three-year follow-up. <i>Clinical Journal of Pain</i> , 2002 , 18, 99-106	3.5	61
416	Impact of different descriptions of the Kellgren and Lawrence classification criteria on the diagnosis of knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1422-7	2.4	60
415	Incidence of non-traumatic complaints of arm, neck and shoulder in general practice. <i>Manual Therapy</i> , 2008 , 13, 426-33		60
414	Prognostic indicators for non-recovery of non-traumatic complaints at arm, neck and shoulder in general practice--6 months follow-up. <i>Rheumatology</i> , 2007 , 46, 169-76	3.9	60
413	Exercise proves effective in a systematic review of work-related complaints of the arm, neck, or shoulder. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 110-7	5.7	60
412	Validity, reliability, and applicability of seven definitions of hip osteoarthritis used in epidemiological studies: a systematic appraisal. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 226-32	2.4	60
411	Prognostic factors of disability in older people: a systematic review. <i>British Journal of General Practice</i> , 2007 , 57, 319-23	1.6	59
410	Risk factors for back pain incidence in industry: a prospective study. <i>Pain</i> , 1998 , 77, 81-86	8	58

409	Subacromial impingement syndrome--effectiveness of physiotherapy and manual therapy. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1202-8	10.3	57
408	Discussion paper: what happened to the QioQn the bio-psycho-social model of low back pain?. <i>European Spine Journal</i> , 2011 , 20, 2105-10	2.7	57
407	Statistical significance versus clinical importance: trials on exercise therapy for chronic low back pain as example. <i>Spine</i> , 2007 , 32, 1785-90	3.3	57
406	Prophylactic treatment of migraine in children. Part 2. A systematic review of pharmacological trials. <i>Cephalalgia</i> , 2006 , 26, 497-505	6.1	57
405	What triggers an episode of acute low back pain? A case-crossover study. <i>Arthritis Care and Research</i> , 2015 , 67, 403-10	4.7	56
404	No clear association between female hormonal aspects and osteoarthritis of the hand, hip and knee: a systematic review. <i>Rheumatology</i> , 2009 , 48, 1160-5	3.9	56
403	Prevention of knee osteoarthritis in overweight females: the first preventive randomized controlled trial in osteoarthritis. <i>American Journal of Medicine</i> , 2015 , 128, 888-895.e4	2.4	55
402	Multidisciplinary biopsychosocial rehabilitation for subacute low back pain. <i>The Cochrane Library</i> , 2017 , 6, CD002193	5.2	54
401	Prophylactic treatment of migraine in children. Part 1. A systematic review of non-pharmacological trials. <i>Cephalalgia</i> , 2006 , 26, 373-83	6.1	54
400	Injection therapy and denervation procedures for chronic low-back pain: a systematic review. <i>European Spine Journal</i> , 2010 , 19, 1425-49	2.7	53
399	Knee complaints seen in general practice: active sport participants versus non-sport participants. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 36	2.8	53
398	Influence of gender and other prognostic factors on outcome of sciatica. <i>Pain</i> , 2008 , 138, 180-191	8	53
397	Back complaints in the elders (BACE); design of cohort studies in primary care: an international consortium. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 193	2.8	52
396	Clinical course and prognostic factors in acute neck pain: an inception cohort study in general practice. <i>Pain Medicine</i> , 2008 , 9, 572-80	2.8	51
395	Multidisciplinary biopsychosocial rehabilitation for neck and shoulder pain among working age adults: a systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2001 , 26, 174-81	3.3	51
394	Multidisciplinary rehabilitation for fibromyalgia and musculoskeletal pain in working age adults. <i>The Cochrane Library</i> , 2000 , CD001984	5.2	51
393	Prognosis of women with pelvic pain during pregnancy: a long-term follow-up study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006 , 85, 771-7	3.8	50
392	Evaluation of treatment effectiveness for the herniated cervical disc: a systematic review. <i>Spine</i> , 2012 , 37, E109-18	3.3	49

391	Percutaneous laser disc decompression versus conventional microdiscectomy in sciatica: a randomized controlled trial. <i>Spine Journal</i> , 2015 , 15, 857-65	4	48
390	Does this patient have an instability of the shoulder or a labrum lesion?. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 1989-99	27.4	48
389	Surgical techniques for sciatica due to herniated disc, a systematic review. <i>European Spine Journal</i> , 2012 , 21, 2232-51	2.7	47
388	Which subgroups of patients with non-specific neck pain are more likely to benefit from spinal manipulation therapy, physiotherapy, or usual care?. <i>Pain</i> , 2008 , 139, 670-680	8	47
387	Patients' preferences for osteoporosis drug treatment: a discrete choice experiment. <i>Osteoporosis International</i> , 2008 , 19, 1029-37	5.3	47
386	Role of radiography in predicting progression of osteoarthritis of the hip: prospective cohort study. <i>BMJ, The</i> , 2005 , 330, 1183	5.9	47
385	Comparison of conventional treatment and supervised rehabilitation for treatment of acute lateral ankle sprains: a systematic review of the literature. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2005 , 35, 95-105	4.2	47
384	Clinical burden of radiographic hand osteoarthritis: a systematic appraisal. <i>Arthritis and Rheumatism</i> , 2006 , 55, 636-47		46
383	Differences in bone mineral density between normal-weight children and children with overweight and obesity: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2017 , 18, 526-546	10.6	45
382	Red flags to screen for vertebral fracture in patients presenting with low-back pain. <i>The Cochrane Library</i> , 2013 , CD008643	5.2	45
381	Management of chronic nonspecific low back pain in primary care: a descriptive study. <i>Spine</i> , 1997 , 22, 76-82	3.3	45
380	Surgical options for lumbar spinal stenosis. <i>The Cochrane Library</i> , 2016 , 11, CD012421	5.2	44
379	Psychometric properties of the Pain Attitudes and Beliefs Scale for Physiotherapists: a systematic review. <i>Manual Therapy</i> , 2012 , 17, 213-8		44
378	Knee disorders in primary care: design and patient selection of the HONEUR knee cohort. <i>BMC Musculoskeletal Disorders</i> , 2005 , 6, 45	2.8	44
377	Defining discriminative pain trajectories in hip osteoarthritis over a 2-year time period. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1517-23	2.4	43
376	Diagnostic value of history-taking and physical examination for assessing meniscal tears of the knee in general practice. <i>Clinical Journal of Sport Medicine</i> , 2008 , 18, 24-30	3.2	43
375	Pelvic pain during pregnancy: a descriptive study of signs and symptoms of 870 patients in primary care. <i>Spine</i> , 2004 , 29, 2567-72	3.3	43
374	Chronic low back pain in primary care: a prospective study on the management and course. <i>Family Practice</i> , 1998 , 15, 126-32	1.9	43

373	Prevalence of lumbar spinal stenosis in general and clinical populations: a systematic review and meta-analysis. <i>European Spine Journal</i> , 2020 , 29, 2143-2163	2.7	41
372	MRI follow-up of posttraumatic bone bruises of the knee in general practice. <i>American Journal of Roentgenology</i> , 2007 , 189, 556-62	5.4	41
371	Is the disability of arm, shoulder, and hand questionnaire (DASH) also valid and responsive in patients with neck complaints. <i>Spine</i> , 2009 , 34, E130-8	3.3	40
370	Effectiveness of surgical and postsurgical interventions for the subacromial impingement syndrome: a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 1900-13	2.8	39
369	Limited evidence for a protective effect of unopposed oestrogen therapy for osteoarthritis of the hip: a systematic review. <i>Rheumatology</i> , 2009 , 48, 104-12	3.9	39
368	Pharmacotherapy for patellofemoral pain syndrome. <i>The Cochrane Library</i> , 2004 , CD003470	5.2	39
367	Reproducibility of cervical range of motion in patients with neck pain. <i>BMC Musculoskeletal Disorders</i> , 2005 , 6, 59	2.8	39
366	Value of physical tests in diagnosing cervical radiculopathy: a systematic review. <i>Spine Journal</i> , 2018 , 18, 179-189	4	38
365	Tubular discectomy vs conventional microdiscectomy for the treatment of lumbar disk-related sciatica: cost utility analysis alongside a double-blind randomized controlled trial. <i>Neurosurgery</i> , 2011 , 69, 829-35; discussion 835-6	3.2	38
364	Effectiveness of additional supervised exercises compared with conventional treatment alone in patients with acute lateral ankle sprains: systematic review. <i>BMJ, The</i> , 2010 , 341, c5688	5.9	38
363	Diagnostic accuracy of history taking and physical examination for assessing anterior cruciate ligament lesions of the knee in primary care. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 1452-9	2.8	38
362	Assessing medial collateral ligament knee lesions in general practice. <i>American Journal of Medicine</i> , 2008 , 121, 982-988.e2	2.4	38
361	Prolonged conservative treatment or early surgery in sciatica caused by a lumbar disc herniation: rationale and design of a randomized trial [ISRCT 26872154]. <i>BMC Musculoskeletal Disorders</i> , 2005 , 6, 8	2.8	38
360	Increasing incidence of skin disorders in children? A comparison between 1987 and 2001. <i>BMC Dermatology</i> , 2006 , 6, 4	2.1	38
359	Prevalence and "Red Flags" Regarding Specified Causes of Back Pain in Older Adults Presenting in General Practice. <i>Physical Therapy</i> , 2016 , 96, 305-12	3.3	37
358	Core stability: inter- and intraobserver reliability of 6 clinical tests. <i>Clinical Journal of Sport Medicine</i> , 2010 , 20, 34-8	3.2	37
357	Kinesiophobia in patients with non-traumatic arm, neck and shoulder complaints: a prospective cohort study in general practice. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 117	2.8	37
356	Applicability and clinical relevance of results in randomized controlled trials: the Cochrane review on exercise therapy for low back pain as an example. <i>Spine</i> , 2006 , 31, 1405-9	3.3	37

355	A core outcome set for clinical trials on non-specific low back pain: study protocol for the development of a core domain set. <i>Trials</i> , 2014 , 15, 511	2.8	36
354	Systematic review of prognostic factors predicting outcome in non-surgically treated patients with sciatica. <i>European Journal of Pain</i> , 2013 , 17, 1126-37	3.7	36
353	Effect of glucosamine sulphate on joint space narrowing, pain and function in patients with hip osteoarthritis; subgroup analyses of a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2009 , 17, 427-32	6.2	36
352	Interventions for treating the radial tunnel syndrome: a systematic review of observational studies. <i>Journal of Hand Surgery</i> , 2008 , 33, 72-8	2.6	36
351	Management of sciatica due to lumbar disc herniation in the Netherlands: a survey among spine surgeons. <i>Journal of Neurosurgery: Spine</i> , 2008 , 9, 32-9	2.8	36
350	Ergonomic and physiotherapeutic interventions for treating work-related complaints of the arm, neck or shoulder in adults. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD003471		36
349	Subacromial impingement syndrome: effectiveness of pharmaceutical interventions-nonsteroidal anti-inflammatory drugs, corticosteroid, or other injections: a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 961-76	2.8	35
348	Psychosocial factors predicted nonrecovery in both specific and nonspecific diagnoses at arm, neck, and shoulder. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 1370-9	5.7	35
347	Survival of short hip stems with a "modern", trochanter-sparing design - a systematic literature review. <i>HIP International</i> , 2012 , 22, 344-54	1.7	35
346	A simple risk score for the assessment of absolute fracture risk in general practice based on two longitudinal studies. <i>Journal of Bone and Mineral Research</i> , 2009 , 24, 768-74	6.3	34
345	Management of acute neck pain in general practice: a prospective study. <i>British Journal of General Practice</i> , 2007 , 57, 23-8	1.6	34
344	Reasons and predictors of discontinuation of running after a running program for novice runners. <i>Journal of Science and Medicine in Sport</i> , 2019 , 22, 106-111	4.4	33
343	Back Schools for chronic non-specific low back pain. <i>The Cochrane Library</i> , 2017 , 8, CD011674	5.2	33
342	The clinical course of pain and disability following surgery for spinal stenosis: a systematic review and meta-analysis of cohort studies. <i>European Spine Journal</i> , 2017 , 26, 324-335	2.7	33
341	Preliminary state of development of prediction models for primary care physical therapy: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 1257-66	5.7	33
340	Methodological quality of studies on the measurement properties of neck pain and disability questionnaires: a systematic review. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2011 , 34, 261-72	1.3	33
339	Prognosis of patients with nonspecific neck pain: development and external validation of a prediction rule for persistence of complaints. <i>Spine</i> , 2010 , 35, E827-35	3.3	33
338	Is any one analgesic superior for episodic tension-type headache?. <i>Journal of Family Practice</i> , 2006 , 55, 1064-72	0.2	33

337	Tubular discectomy versus conventional microdiscectomy for the treatment of lumbar disc herniation: long-term results of a randomised controlled trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017 , 88, 1008-1016	5.5	32
336	IPD without bony decompression versus conventional surgical decompression for lumbar spinal stenosis: 2-year results of a double-blind randomized controlled trial. <i>European Spine Journal</i> , 2015 , 24, 2295-305	2.7	32
335	A systematic review reveals that the credibility of subgroup claims in low back pain trials was low. <i>Journal of Clinical Epidemiology</i> , 2016 , 79, 3-9	5.7	32
334	Conservative interventions for treating work-related complaints of the arm, neck or shoulder in adults. <i>The Cochrane Library</i> , 2013 , CD008742	5.2	32
333	Surgery versus conservative care for neck pain: a systematic review. <i>European Spine Journal</i> , 2013 , 22, 87-95	2.7	32
332	Follow-up of posttraumatic ligamentous and meniscal knee lesions detected at MR imaging: systematic review. <i>Radiology</i> , 2006 , 238, 863-71	20.5	32
331	NSAIDs for Chronic Low Back Pain. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 2327-2328	23.8	31
330	Factors for pain in patients with different grades of knee osteoarthritis. <i>Arthritis Care and Research</i> , 2013 , 65, 695-702	4.7	31
329	Diagnostic value of history taking and physical examination to assess effusion of the knee in traumatic knee patients in general practice. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 82-6	2.8	31
328	Course and prognosis of older back pain patients in general practice: a prospective cohort study. <i>Pain</i> , 2013 , 154, 951-7	8	30
327	Preferences of GPs and patients for preventive osteoporosis drug treatment: a discrete-choice experiment. <i>Pharmacoeconomics</i> , 2009 , 27, 211-9	4.4	30
326	Good reliability, questionable validity of 25 different classification criteria of knee osteoarthritis: a systematic appraisal. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 1205-1215.e2	5.7	30
325	Cost-effectiveness of microendoscopic discectomy versus conventional open discectomy in the treatment of lumbar disc herniation: a prospective randomised controlled trial [ISRCTN51857546]. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 42	2.8	30
324	Lumbar supports to prevent recurrent low back pain among home care workers: a randomized trial. <i>Annals of Internal Medicine</i> , 2007 , 147, 685-92	8	30
323	In a controlled trial training general practitioners and occupational physicians to collaborate did not influence sickleave of patients with low back pain. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 75-82	5.7	30
322	Supervised exercises for adults with acute lateral ankle sprain: a randomised controlled trial. <i>British Journal of General Practice</i> , 2007 , 57, 793-800	1.6	30
321	Most red flags for malignancy in low back pain guidelines lack empirical support: a systematic review. <i>Pain</i> , 2017 , 158, 1860-1868	8	29
320	Prognosis and course of disability in patients with chronic nonspecific low back pain: a 5- and 12-month follow-up cohort study. <i>Physical Therapy</i> , 2013 , 93, 1603-14	3.3	29

319	Current evidence for effectiveness of interventions to treat rotator cuff tears. <i>Manual Therapy</i> , 2011 , 16, 217-30		29
318	Effectiveness of a behaviour graded activity program versus conventional exercise for chronic neck pain patients. <i>European Journal of Pain</i> , 2009 , 13, 533-41	3.7	29
317	Some benefit from physiotherapy intervention in the subgroup of patients with severe ankle sprain as determined by the ankle function score: a randomised trial. <i>Australian Journal of Physiotherapy</i> , 2009 , 55, 107-13		29
316	Diagnosis and treatment of sciatica. <i>BMJ, The</i> , 2019 , 367, l6273	5.9	29
315	Carpal Tunnel Syndrome: Effectiveness of Physical Therapy and Electrophysical Modalities. An Updated Systematic Review of Randomized Controlled Trials. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1623-1634.e23	2.8	28
314	CASINO: surgical or nonsurgical treatment for cervical radiculopathy, a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 129	2.8	28
313	Pain intensity, neck pain and longer duration of complaints predict poorer outcome in patients with shoulder pain--a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 288	2.8	28
312	Antibiotic prescription in febrile children: a cohort study during out-of-hours primary care. <i>Journal of the American Board of Family Medicine</i> , 2012 , 25, 810-8	1.6	28
311	Behavioral treatments of chronic tension-type headache in adults: are they beneficial?. <i>CNS Neuroscience and Therapeutics</i> , 2009 , 15, 183-205	6.8	28
310	The Netherlands Cervical Kinematics (NECK) trial. Cost-effectiveness of anterior cervical discectomy with or without interbody fusion and arthroplasty in the treatment of cervical disc herniation; a double-blind randomised multicenter study. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 122	2.8	28
309	Mono-disciplinary or multidisciplinary back pain guidelines? How can we achieve a common message in primary care?. <i>European Spine Journal</i> , 2006 , 15, 641-7	2.7	28
308	The Dutch Shoulder Pain and Disability Index (SPADI): a reliability and validation study. <i>Quality of Life Research</i> , 2015 , 24, 1515-9	3.7	27
307	Characteristics of older patients with back pain in general practice: BACE cohort study. <i>European Journal of Pain</i> , 2014 , 18, 279-87	3.7	27
306	Predictive factors for new onset or progression of knee osteoarthritis one year after trauma: MRI follow-up in general practice. <i>European Radiology</i> , 2011 , 21, 1509-16	8	27
305	Prognostic factors in adults with knee pain in general practice. <i>Arthritis and Rheumatism</i> , 2009 , 61, 143-51		27
304	A cognitive-behavioural program for adolescents with chronic pain-a pilot study. <i>Patient Education and Counseling</i> , 2005 , 59, 126-34	3.1	27
303	Feasibility of lumbar supports for home care workers with low back pain. <i>Occupational Medicine</i> , 2002 , 52, 317-23	2.1	27
302	Back pain association with vertebral end-plate signal changes in sciatica. <i>Spine Journal</i> , 2014 , 14, 225-33		26

301	Accuracy of clinical tests in the diagnosis of anterior cruciate ligament injury: a systematic review. <i>Chiropractic & Manual Therapies</i> , 2014 , 22, 25	1.8	26
300	Computed tomography for the diagnosis of lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. <i>European Spine Journal</i> , 2012 , 21, 228-39	2.7	26
299	Evidence for surgery in degenerative lumbar spine disorders. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013 , 27, 673-84	5.3	26
298	The effects of timing on the cost-effectiveness of interventions for workers on sick leave due to low back pain. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 744-50	2.1	26
297	Clinical consequences of posttraumatic bone bruise in the knee. <i>American Journal of Sports Medicine</i> , 2007 , 35, 990-5	6.8	26
296	Interventions for treating the posterior interosseus nerve syndrome: a systematic review of observational studies. <i>Journal of the Peripheral Nervous System</i> , 2006 , 11, 101-10	4.7	26
295	Pharmacotherapy for chronic non-specific low back pain: current and future options. <i>Expert Opinion on Pharmacotherapy</i> , 2018 , 19, 537-545	4	25
294	Recovery of motor deficit accompanying sciatica--subgroup analysis of a randomized controlled trial. <i>Spine Journal</i> , 2014 , 14, 1817-24	4	25
293	An overview of national clinical guidelines for the management of childhood obesity in primary care. <i>Preventive Medicine</i> , 2013 , 57, 448-55	4.3	25
292	Prognosis and course of pain in patients with chronic non-specific low back pain: A 1-year follow-up cohort study. <i>European Journal of Pain</i> , 2015 , 19, 1101-10	3.7	25
291	Association between spinal morning stiffness and lumbar disc degeneration: the Rotterdam Study. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 982-7	6.2	25
290	NSAIDs vs acetaminophen in knee and hip osteoarthritis: a systematic review regarding heterogeneity influencing the outcomes. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 921-9	6.2	25
289	Do whiplash patients differ from other patients with non-specific neck pain regarding pain, function or prognosis?. <i>Manual Therapy</i> , 2011 , 16, 456-62		25
288	Age, gender and disability predict future disability in older people: the Rotterdam Study. <i>BMC Geriatrics</i> , 2011 , 11, 22	4.1	25
287	Acute non-traumatic hip pathology in children: incidence and presentation in family practice. <i>Family Practice</i> , 2010 , 27, 166-70	1.9	25
286	Effectiveness of interventions of specific complaints of the arm, neck, and/or shoulder: 3 musculoskeletal disorders of the hand. An update. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 298-314	2.8	25
285	Changing morbidity patterns in children in Dutch general practice: 1987-2001. <i>European Journal of General Practice</i> , 2005 , 11, 17-22	2.8	25
284	The 6-year trajectory of non-traumatic knee symptoms (including patellofemoral pain) in adolescents and young adults in general practice: a study of clinical predictors. <i>British Journal of Sports Medicine</i> , 2015 , 49, 400-5	10.3	24

283	Higher maternal vitamin D concentrations are associated with longer leukocyte telomeres in newborns. <i>Maternal and Child Nutrition</i> , 2018 , 14,	3.4	24
282	Effectiveness of Conservative, Surgical, and Postsurgical Interventions for Trigger Finger, Dupuytren Disease, and De Quervain Disease: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1635-1649.e21	2.8	24
281	Re-sprains during the first 3 months after initial ankle sprain are related to incomplete recovery: an observational study. <i>Journal of Physiotherapy</i> , 2012 , 58, 181-8	2.9	24
280	Categorizing continuous variables resulted in different predictors in a prognostic model for nonspecific neck pain. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 868-74	5.7	24
279	Lysholm scale and WOMAC index were responsive in prospective cohort of young general practice patients. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 481-8	5.7	24
278	Management in non-traumatic arm, neck and shoulder complaints: differences between diagnostic groups. <i>European Spine Journal</i> , 2008 , 17, 1218-29	2.7	24
277	Cost-effectiveness of physical therapy and general practitioner care for sciatica. <i>Spine</i> , 2007 , 32, 1942-8	3.3	24
276	The effect of Tai Chi Chuan in reducing falls among elderly people: design of a randomized clinical trial in the Netherlands [ISRCTN98840266]. <i>BMC Geriatrics</i> , 2006 , 6, 6	4.1	24
275	Cost-effectiveness of minimal interventional procedures for chronic mechanical low back pain: design of four randomised controlled trials with an economic evaluation. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 260	2.8	23
274	Timing of surgery for sciatica: subgroup analysis alongside a randomized trial. <i>European Spine Journal</i> , 2009 , 18, 538-45	2.7	23
273	Sickness absence in patients with arm, neck and shoulder complaints presenting in physical therapy practice: 6 months follow-up. <i>Manual Therapy</i> , 2010 , 15, 476-81		23
272	Prognosis of hip pain in general practice: a prospective followup study. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1368-74		23
271	Daily spinal mechanical loading as a risk factor for acute non-specific low back pain: a case-control study using the 24-Hour Schedule. <i>European Spine Journal</i> , 2007 , 16, 107-13	2.7	23
270	Diphtheria tetanus pertussis poliomyelitis vaccination and reported atopic disorders in 8-12-year-old children. <i>Vaccine</i> , 2006 , 24, 2035-42	4.1	23
269	The association between ethnicity, socioeconomic status and compliance to pediatric weight-management interventions - A systematic review. <i>Obesity Research and Clinical Practice</i> , 2017 , 11, 1-51	5.4	22
268	Effectiveness of percutaneous laser disc decompression versus conventional open discectomy in the treatment of lumbar disc herniation; design of a prospective randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 49	2.8	22
267	Multidisciplinary biopsychosocial rehabilitation for neck and shoulder pain among working age adults. <i>The Cochrane Library</i> , 2003 ,	5.2	22
266	Effectiveness of exercise therapy added to general practitioner care in patients with hip osteoarthritis: a pragmatic randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 82-90	6.2	21

265	Percutaneous laser disc decompression versus conventional microdiscectomy for patients with sciatica: Two-year results of a randomised controlled trial. <i>Interventional Neuroradiology</i> , 2017 , 23, 313-324	1.9	21
264	Effectiveness of Oral Pain Medication and Corticosteroid Injections for Carpal Tunnel Syndrome: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1609-1622.e10	2.8	21
263	Diagnostic accuracy of diagnostic imaging for lumbar disc herniation in adults with low back pain or sciatica is unknown; a systematic review. <i>Chiropractic & Manual Therapies</i> , 2018 , 26, 37	1.8	21
262	Is manipulative therapy more effective than sham manipulation in adults : a systematic review and meta-analysis. <i>Chiropractic & Manual Therapies</i> , 2013 , 21, 34	1.8	21
261	The value of the randomized clinical trial in the field of physiotherapy. <i>Manual Therapy</i> , 1998 , 3, 179-186		21
260	Improving prediction of "inevitable" surgery during non-surgical treatment of sciatica. <i>Pain</i> , 2008 , 138, 571-576	8	21
259	Guideline recommendations on the pharmacological management of non-specific low back pain in primary care - is there a need to change?. <i>Expert Review of Clinical Pharmacology</i> , 2019 , 12, 145-157	3.8	21
258	Diagnostic accuracy of history taking to assess lumbosacral nerve root compression. <i>Spine Journal</i> , 2014 , 14, 2028-37	4	20
257	Effect of corticosteroid injection for trochanter pain syndrome: design of a randomised clinical trial in general practice. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 95	2.8	20
256	Non-steroidal anti-inflammatory drugs for acute low back pain. <i>The Cochrane Library</i> , 2020 , 4, CD013581	5.2	20
255	Subgrouping Patients With Nonspecific Low Back Pain: Hope or Hype?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 44-48	4.2	19
254	Defining trajectories in older adults with back pain presenting in general practice. <i>Age and Ageing</i> , 2016 , 45, 878-883	3	19
253	Prevalence of spinal pathology in patients presenting for lumbar MRI as referred from general practice. <i>Family Practice</i> , 2016 , 33, 51-6	1.9	19
252	Can Recurrence After an Acute Episode of Low Back Pain Be Predicted?. <i>Physical Therapy</i> , 2017 , 97, 889-895	3.5	19
251	Effectiveness of interventions for secondary Raynaud@ phenomenon: a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 1166-80	2.8	19
250	Cost-utility of exercise therapy in adolescents and young adults suffering from the patellofemoral pain syndrome. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010 , 20, 568-79	4.6	19
249	Lack of benefit for prophylactic drugs of tension-type headache in adults: a systematic review. <i>Family Practice</i> , 2010 , 27, 151-65	1.9	19
248	Explaining the ineffectiveness of a Tai Chi fall prevention training for community-living older people: a process evaluation alongside a randomized clinical trial (RCT). <i>Archives of Gerontology and Geriatrics</i> , 2011 , 52, 357-62	4	19

247	Explanatory variables for adult patients' self-reported recovery after acute lateral ankle sprain. <i>Physical Therapy</i> , 2011 , 91, 77-84	3.3	19
246	Sciatica: what the rheumatologist needs to know. <i>Nature Reviews Rheumatology</i> , 2010 , 6, 139-45	8.1	19
245	Spinal mechanical load: a predictor of persistent low back pain? A prospective cohort study. <i>European Spine Journal</i> , 2007 , 16, 933-41	2.7	19
244	Back schools for acute and subacute non-specific low-back pain. <i>The Cochrane Library</i> , 2016 , 4, CD008325	5.2	19
243	Physiotherapy for patients with shoulder pain in primary care: a descriptive study of diagnostic- and therapeutic management. <i>Physiotherapy</i> , 2017 , 103, 369-378	3	18
242	Cost-utility of exercise therapy in patients with hip osteoarthritis in primary care. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 581-8	6.2	18
241	Combination Drug Therapy for the Management of Low Back Pain and Sciatica: Systematic Review and Meta-Analysis. <i>Journal of Pain</i> , 2019 , 20, 1-15	5.2	18
240	Diagnostic accuracy of the clinical examination in identifying the level of herniation in patients with sciatica. <i>Spine</i> , 2011 , 36, E712-9	3.3	18
239	Foot problems in children presented to the family physician: a comparison between 1987 and 2001. <i>Family Practice</i> , 2009 , 26, 174-9	1.9	18
238	Manipulative interventions for reducing pulled elbow in young children. <i>Cochrane Database of Systematic Reviews</i> , 2012 , 1, CD007759		18
237	Pain severity and catastrophising modify treatment success in neck pain patients in primary care. <i>Manual Therapy</i> , 2010 , 15, 267-72		18
236	Risk factors for overuse injuries in short- and long-distance running: A systematic review. <i>Journal of Sport and Health Science</i> , 2021 , 10, 14-28	8.2	18
235	Validity and Reproducibility of the STarT Back Tool (Dutch Version) in Patients With Low Back Pain in Primary Care Settings. <i>Physical Therapy</i> , 2017 , 97, 561-570	3.3	17
234	Effect of weather on back pain: results from a case-crossover study. <i>Arthritis Care and Research</i> , 2014 , 66, 1867-72	4.7	17
233	Current evidence for effectiveness of interventions for cubital tunnel syndrome, radial tunnel syndrome, instability, or bursitis of the elbow: a systematic review. <i>Clinical Journal of Pain</i> , 2013 , 29, 1087-96	3.5	17
232	The prognostic value of the clinical ACR classification criteria of knee osteoarthritis for persisting knee complaints and increase of disability in general practice. <i>Osteoarthritis and Cartilage</i> , 2009 , 17, 1288-92	6.3	17
231	Cost-effectiveness of lumbar supports for home care workers with recurrent low back pain: an economic evaluation alongside a randomized-controlled trial. <i>Spine</i> , 2010 , 35, E1619-26	3.3	17
230	Few promising multivariable prognostic models exist for recovery of people with non-specific neck pain in musculoskeletal primary care: a systematic review. <i>Journal of Physiotherapy</i> , 2018 , 64, 16-23	2.9	16

229	Can Primary Care for Back and/or Neck Pain in the Netherlands Benefit From Stratification for Risk Groups According to the STarT Back Tool Classification?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 65-71	2.8	16
228	Systematic review of patient history and physical examination to diagnose chronic low back pain originating from the facet joints. <i>European Journal of Pain</i> , 2017 , 21, 403-414	3.7	16
227	Headache: the placebo effects in the control groups in randomized clinical trials; an analysis of systematic reviews. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2011 , 34, 297-305	1.3	16
226	Effectiveness of interventions of specific complaints of the arm, neck, or shoulder (CANS): musculoskeletal disorders of the hand. <i>Clinical Journal of Pain</i> , 2009 , 25, 537-52	3.5	16
225	Trend in methodological quality of randomised clinical trials in low back pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 529-39	5.3	16
224	Nonsteroidal Anti-inflammatory Drugs for Sciatica: An Updated Cochrane Review. <i>Spine</i> , 2017 , 42, 586-594	3.4	15
223	Non-steroidal anti-inflammatory drugs for sciatica. <i>The Cochrane Library</i> , 2016 , 10, CD012382	5.2	15
222	Analgesic use in older adults with back pain: the BACE study. <i>Pain Medicine</i> , 2014 , 15, 1704-14	2.8	15
221	Incidence of low back pain related occupational diseases in the Netherlands. <i>European Journal of Pain</i> , 2014 , 18, 873-82	3.7	15
220	PRECISE - pregabalin in addition to usual care for sciatica: study protocol for a randomised controlled trial. <i>Trials</i> , 2013 , 14, 213	2.8	15
219	Effect of various kinds of cervical spinal surgery on clinical outcomes: a systematic review and meta-analysis. <i>Pain</i> , 2013 , 154, 2388-2396	8	15
218	Management decisions in nontraumatic complaints of arm, neck, and shoulder in general practice. <i>Annals of Family Medicine</i> , 2009 , 7, 446-54	2.9	15
217	The PEX study - Exercise therapy for patellofemoral pain syndrome: design of a randomized clinical trial in general practice and sports medicine [ISRCTN83938749]. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 31	2.8	15
216	Treatment of arm, neck, and/or shoulder complaints in physical therapy practice. <i>Spine</i> , 2006 , 31, E584-93	3.3	15
215	Haemophilus influenzae type b vaccination and reported atopic disorders in 8-12-year-old children. <i>Pediatric Pulmonology</i> , 2006 , 41, 463-9	3.5	15
214	Surgery or physical activity in the management of sciatica: a systematic review and meta-analysis. <i>European Spine Journal</i> , 2016 , 25, 3495-3512	2.7	14
213	Which pain medications are effective for sciatica (radicular leg pain)?. <i>BMJ, The</i> , 2017 , 359, j4248	5.9	14
212	The OMERACT Core Domain Set for Clinical Trials of Shoulder Disorders. <i>Journal of Rheumatology</i> , 2019 , 46, 969-975	4.1	14

211	Triggers for an episode of sudden onset low back pain: study protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 7	2.8	14
210	Trends over time in the size and quality of randomised controlled trials of interventions for chronic low-back pain. <i>European Spine Journal</i> , 2012 , 21, 375-81	2.7	14
209	Six-year course and prognosis of nontraumatic knee symptoms in adults in general practice: a prospective cohort study. <i>Arthritis Care and Research</i> , 2011 , 63, 1287-94	4.7	14
208	The Felix-trial. Double-blind randomization of interspinous implant or bony decompression for treatment of spinal stenosis related intermittent neurogenic claudication. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 100	2.8	14
207	Design and feasibility of a randomized clinical trial to evaluate the effect of vertical traction in patients with a lumbar radicular syndrome. <i>Manual Therapy</i> , 1998 , 3, 203-211		14
206	Pregnancy-related pelvic girdle pain: intertester reliability of 3 tests to determine asymmetric mobility of the sacroiliac joints. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2008 , 31, 130-6	1.3	14
205	Do neurosurgeons subscribe to the guideline lumbosacral radicular syndrome?. <i>Clinical Neurology and Neurosurgery</i> , 2004 , 106, 313-7	2	14
204	The effect of glucosamine sulphate on osteoarthritis: design of a long-term randomised clinical trial [ISRCTN54513166]. <i>BMC Musculoskeletal Disorders</i> , 2005 , 6, 20	2.8	14
203	Effectiveness of diclofenac versus paracetamol in knee osteoarthritis: a randomised controlled trial in primary care. <i>British Journal of General Practice</i> , 2015 , 65, e530-7	1.6	13
202	Risk models for lower extremity injuries among short- and long distance runners: A prospective cohort study. <i>Musculoskeletal Science and Practice</i> , 2018 , 36, 48-53	2.4	13
201	Direct access to physical therapy for patients with low back pain in the Netherlands: prevalence and predictors. <i>Physical Therapy</i> , 2014 , 94, 363-70	3.3	13
200	Disk degeneration of the upper lumbar disks is associated with hip pain. <i>European Spine Journal</i> , 2013 , 22, 721-6	2.7	13
199	A single question was as predictive of outcome as the Tampa Scale for Kinesiophobia in people with sciatica: an observational study. <i>Journal of Physiotherapy</i> , 2012 , 58, 249-54	2.9	13
198	Duration of fever and course of symptoms in young febrile children presenting with uncomplicated illness. <i>Journal of the American Board of Family Medicine</i> , 2013 , 26, 445-52	1.6	13
197	Outcome of knee injuries in general practice: 1-year follow-up. <i>British Journal of General Practice</i> , 2010 , 60, 56-63	1.6	13
196	Evidence-based management of acute low back pain. <i>Lancet, The</i> , 2007 , 370, 1595-6	4.0	13
195	Epidural corticosteroid injections for lumbosacral radicular pain. <i>The Cochrane Library</i> , 2020 , 4, CD013573.2		12
194	Prognostic value of magnetic resonance imaging findings in patients with sciatica. <i>Journal of Neurosurgery: Spine</i> , 2016 , 24, 978-85	2.8	12

193	Inter-professional agreement of ultrasound-based diagnoses in patients with shoulder pain between physical therapists and radiologists in the Netherlands. <i>Manual Therapy</i> , 2014 , 19, 478-83		12
192	Magnetic resonance imaging interpretation in patients with sciatica who are potential candidates for lumbar disc surgery. <i>PLoS ONE</i> , 2013 , 8, e68411	3.7	12
191	Course and prognosis of recovery for chronic non-specific low back pain: design, therapy program and baseline data of a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 252	2.8	12
190	Development of radiological knee osteoarthritis in patients with knee complaints. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 905-10	2.4	12
189	General practitioners management of lumbosacral radicular syndrome compared with a clinical guideline. <i>European Journal of General Practice</i> , 2005 , 11, 113-8	2.8	12
188	Conservative treatments of children with episodic tension-type headache. A systematic review. <i>Journal of Neurology</i> , 2005 , 252, 1147-54	5.5	12
187	Comparison of three sets of clinical classification criteria for knee osteoarthritis: a cross-sectional study of 13,459 patients treated in primary care. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 167-172	6.2	12
186	The Responsiveness and Interpretability of the Shoulder Pain and Disability Index. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 278-286	4.2	11
185	Effectiveness of dry needling for improving pain and disability in adults with tension-type, cervicogenic, or migraine headaches: protocol for a systematic review. <i>Chiropractic & Manual Therapies</i> , 2019 , 27, 43	1.8	11
184	General Practitioners Referring Adults to MR Imaging for Knee Pain: A Randomized Controlled Trial to Assess Cost-effectiveness. <i>Radiology</i> , 2018 , 288, 170-176	20.5	11
183	A diagnostic study in patients with sciatica establishing the importance of localization of worsening of pain during coughing, sneezing and straining to assess nerve root compression on MRI. <i>European Spine Journal</i> , 2016 , 25, 1389-1392	2.7	11
182	Reducing progression of knee OA features assessed by MRI in overweight and obese women: secondary outcomes of a preventive RCT. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 982-90	6.2	11
181	Efficacy of MRI in primary care for patients with knee complaints due to trauma: protocol of a randomised controlled non-inferiority trial (TACKLE trial). <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 63	2.8	11
180	Current management and prognostic factors in physiotherapy practice for patients with shoulder pain: design of a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 62	2.8	11
179	The ability of the Acute Low Back Pain Screening Questionnaire to predict sick leave in patients with acute neck pain. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2009 , 32, 178-83	1.3	11
178	Determinants for improvement in different back pain measures and their influence on the duration of sickness absence. <i>Spine</i> , 2006 , 31, 1477-83	3.3	11
177	Conservative treatment in patients with an acute lumbosacral radicular syndrome: design of a randomised clinical trial [ISRCTN68857256]. <i>BMC Musculoskeletal Disorders</i> , 2004 , 5, 39	2.8	11
176	Efficacy of a Sleep Quality Intervention in People With Low Back Pain: Protocol for a Feasibility Randomized Co-Twin Controlled Trial. <i>Twin Research and Human Genetics</i> , 2016 , 19, 492-501	2.2	11

175	Validity and reproducibility of the modified STarT Back Tool (Dutch version) for patients with neck pain in primary care. <i>Musculoskeletal Science and Practice</i> , 2017 , 31, 22-29	2.4	10
174	A Definition of "Flare" in Low Back Pain: A Multiphase Process Involving Perspectives of Individuals With Low Back Pain and Expert Consensus. <i>Journal of Pain</i> , 2019 , 20, 1267-1275	5.2	10
173	Effectiveness of Surgical and Postsurgical Interventions for Carpal Tunnel Syndrome-A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1660-1680.e21	2.8	10
172	The added prognostic value of MRI findings for recovery in patients with low back pain in primary care: a 1-year follow-up cohort study. <i>European Spine Journal</i> , 2016 , 25, 1234-41	2.7	10
171	The psychometric properties of the PABS-PT in neck pain patients: a validation study. <i>Manual Therapy</i> , 2014 , 19, 208-14		10
170	The course of mental health problems in children presenting with abdominal pain in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2012 , 30, 114-20	2.7	10
169	No additional value of fusion techniques on anterior discectomy for neck pain: a systematic review. <i>Pain</i> , 2012 , 153, 2167-2173	8	10
168	Effect modifiers of outcome of surgery in patients with herniated disc related sciatica? A subgroup analysis of a randomised clinical trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 1265-74 ⁵	5.5	10
167	Effectiveness of diclofenac versus acetaminophen in primary care patients with knee osteoarthritis: [NTR1485], DIPA-trial: design of a randomized clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 7	2.8	10
166	Triage of febrile children at a GP cooperative: determinants of a consultation. <i>British Journal of General Practice</i> , 2008 , 58, 242-7	1.6	10
165	Effectiveness of behavioural graded activity compared with physiotherapy treatment in chronic neck pain: design of a randomised clinical trial [ISRCTN8873332]. <i>BMC Musculoskeletal Disorders</i> , 2004 , 5, 34	2.8	10
164	Back schools in occupational health care: design of a randomized controlled trial and cost-effectiveness study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2004 , 27, 457-65	1.3	10
163	Surgery versus intensive rehabilitation programmes for chronic low back pain. <i>BMJ, The</i> , 2005 , 330, 1220-1	5.1	10
162	Discontinuation of a randomised controlled trial in general practice due to unsuccessful patient recruitment. <i>BJGP Open</i> , 2017 , 1, bjgpopen17X101085	3.1	10
161	Prognosis and prognostic factors of running-related injuries in novice runners: A prospective cohort study. <i>Journal of Science and Medicine in Sport</i> , 2019 , 22, 259-263	4.4	10
160	The Association Between Self-reported Low Back Pain and Radiographic Lumbar Disc Degeneration of the Cohort Hip and Cohort Knee (CHECK) Study. <i>Spine</i> , 2017 , 42, 1464-1471	3.3	9
159	Incidence and Risk Factors for Upper Extremity Climbing Injuries in Indoor Climbers. <i>International Journal of Sports Medicine</i> , 2015 , 36, 837-42	3.6	9
158	Prognostic factors and course for successful clinical outcome quality of life and patients perceived effect after a cognitive behavior therapy for chronic non-specific low back pain: A 12-months prospective study. <i>Manual Therapy</i> , 2015 , 20, 96-102		9

157	Red flags to screen for malignancy and fracture in patients with low back pain. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1518	10.3	9
156	Design of the Verbiest trial: cost-effectiveness of surgery versus prolonged conservative treatment in patients with lumbar stenosis. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 57	2.8	9
155	Duration of fever and serious bacterial infections in children: a systematic review. <i>BMC Family Practice</i> , 2011 , 12, 33	2.6	9
154	Manipulative interventions for reducing pulled elbow in young children. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD007759		9
153	De waarde van anamnese en lichamelijk onderzoek bij het diagnosticeren van traumatisch knieletsel. <i>Huisarts En Wetenschap</i> , 2008 , 51, 528-535	0.1	9
152	Efficacy of paracetamol, diclofenac and advice for acute low back pain in general practice: design of a randomized controlled trial (PACE Plus). <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 56	2.8	8
151	Development of a Prognostic Model for Patients With Shoulder Complaints in Physical Therapist Practice. <i>Physical Therapy</i> , 2017 , 97, 72-80	3.3	8
150	Discontinuation of the PACE Plus trial: problems in patient recruitment in general practice. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 146	2.8	8
149	Advice for acute low back pain: a comparison of what research supports and what guidelines recommend. <i>Spine Journal</i> , 2017 , 17, 1537-1546	4	8
148	Percutaneous laser disc decompression versus microdiscectomy for sciatica: Cost utility analysis alongside a randomized controlled trial. <i>Interventional Neuroradiology</i> , 2017 , 23, 538-545	1.9	8
147	Effect of multidisciplinary interventions on quality of life in obese children: a systematic review and meta-analysis. <i>Quality of Life Research</i> , 2015 , 24, 1635-43	3.7	8
146	Back complaints in older adults: prevalence of neuropathic pain and its characteristics. <i>Pain Medicine</i> , 2013 , 14, 1664-72	2.8	8
145	Neurosurgeons' management of lumbosacral radicular syndrome evaluated against a clinical guideline. <i>European Spine Journal</i> , 2004 , 13, 719-23	2.7	8
144	Interobserver reliability of the 24-hour schedule in patients with low back pain: a questionnaire measuring the daily use and loading of the spine. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2003 , 26, 226-32	1.3	8
143	Development and psychometric properties of a pain-related problem list for adolescents (PPL). <i>Patient Education and Counseling</i> , 2005 , 58, 209-15	3.1	8
142	Epidural Corticosteroid Injections for Sciatica: An Abridged Cochrane Systematic Review and Meta-Analysis. <i>Spine</i> , 2020 , 45, E1405-E1415	3.3	8
141	Sick leave in workers with arm, neck and/or shoulder complaints; defining occurrence and discriminative trajectories over a 2-year time period. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 114-122	2.1	7
140	Is overweight a risk factor for sports injuries in children, adolescents, and young adults?. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015 , 25, 259-64	4.6	7

139	Heritability of telomere length across three generations of Korean families. <i>Pediatric Research</i> , 2020 , 87, 1060-1065	3.2	7
138	Do Patients With Carpal Tunnel Syndrome Benefit From Low-Level Laser Therapy? A Systematic Review of Randomized Controlled Trials. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1650-1659.	2.8	7.15
137	Disability Trajectories in Patients With Complaints of Arm, Neck, and Shoulder (CANS) in Primary Care: Prospective Cohort Study. <i>Physical Therapy</i> , 2016 , 96, 972-84	3.3	7
136	Prognosis and course of work-participation in patients with chronic non-specific low back pain: a 12-month follow-up cohort study. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 854-9	3.4	7
135	Can we predict which patients with patellofemoral pain are more likely to benefit from exercise therapy? A secondary exploratory analysis of a randomized controlled trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 183-9	4.2	7
134	Influence of low back pain and prognostic value of MRI in sciatica patients in relation to back pain. <i>PLoS ONE</i> , 2014 , 9, e90800	3.7	7
133	Indicating spinal joint mobilisations or manipulations in patients with neck or low-back pain: protocol of an inter-examiner reliability study among manual therapists. <i>Chiropractic & Manual Therapies</i> , 2014 , 22, 22	1.8	7
132	Determinants of (sustained) overweight and complaints in children and adolescents in primary care: the DOERAK cohort study design. <i>BMC Family Practice</i> , 2012 , 13, 70	2.6	7
131	Predictive value of MRI in decision making for disc surgery for sciatica. <i>Journal of Neurosurgery: Spine</i> , 2013 , 19, 678-87	2.8	7
130	Biopsychosocial rehabilitation for repetitive-strain injuries among working-age adults. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000 , 26, 373-81	4.3	7
129	Back Complaints in the Elders in Brazil and the Netherlands: a cross-sectional comparison. <i>Age and Ageing</i> , 2017 , 46, 476-481	3	6
128	Does Kinesiophobia Modify the Effects of Physical Therapy on Outcomes in Patients With Sciatica in Primary Care? Subgroup Analysis From a Randomized Controlled Trial. <i>Physical Therapy</i> , 2015 , 95, 1217-23	2.3	6
127	Overweight and obese children do not consult their general practitioner more often than normal weight children for musculoskeletal complaints during a 2-year follow-up. <i>Archives of Disease in Childhood</i> , 2018 , 103, 149-154	2.2	6
126	OPAL: a randomised, placebo-controlled trial of opioid analgesia for the reduction of pain severity in people with acute spinal pain. Trial protocol. <i>BMJ Open</i> , 2016 , 6, e011278	3	6
125	A multidisciplinary intervention programme for overweight and obese children in deprived areas. <i>Family Practice</i> , 2017 , 34, 702-707	1.9	6
124	Interspinous process device versus standard conventional surgical decompression for lumbar spinal stenosis: randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2015 , 49, 135	10.3	6
123	MRI follow-up of conservatively treated meniscal knee lesions in general practice. <i>European Radiology</i> , 2010 , 20, 1242-50	8	6
122	Longitudinal and cross-sectional validity of the DynaPort Knee Test in adults with nontraumatic knee complaints in general practice. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 1271-1278	5.7	6

121	Transient physical and psychosocial activities increase the risk of nonpersistent and persistent low back pain: a case-crossover study with 12 months follow-up. <i>Spine Journal</i> , 2016 , 16, 1445-1452	4	6
120	Comparison of effect sizes between enriched and nonenriched trials of analgesics for chronic musculoskeletal pain: a systematic review. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2347-2355	3.8	5
119	Cost-Effectiveness of Radiofrequency Denervation for Patients With Chronic Low Back Pain: The MINT Randomized Clinical Trials. <i>Value in Health</i> , 2020 , 23, 585-594	3.3	5
118	Evaluation of the usefulness of 2 prediction models of clinical prediction models in physical therapy: a qualitative process evaluation. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014 , 37, 334-41	1.3	5
117	Manipulative interventions for reducing pulled elbow in young children. <i>The Cochrane Library</i> , 2017 , 7, CD007759	5.2	5
116	Association of urinary biomarker COLL2-1NO \bar{I} with incident clinical and radiographic knee OA in overweight and obese women. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1398-404	6.2	5
115	Age does not modify the effects of treatment on pain in patients with low back pain: Secondary analyses of randomized clinical trials. <i>European Journal of Pain</i> , 2014 , 18, 932-938	3.7	5
114	Management of low back pain in primary care: a new approach. <i>Lancet, The</i> , 2011 , 378, 1530-2	4.0	5
113	Cost-effectiveness of exercise therapy versus general practitioner care for osteoarthritis of the hip: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 232	2.8	5
112	Predictors of persistent complaints after a knee injury in primary care. <i>British Journal of General Practice</i> , 2012 , 62, e561-6	1.6	5
111	Lumbar spinal stenosis. <i>BMJ, The</i> , 2021 , 373, n1581	5.9	5
110	Dry Needling for the Treatment of Tension-Type, Cervicogenic, or Migraine Headaches: A Systematic Review and Meta-Analysis. <i>Physical Therapy</i> , 2021 , 101,	3.3	5
109	One in six physiotherapy practices in primary care offer musculoskeletal ultrasound - an explorative survey. <i>BMC Health Services Research</i> , 2020 , 20, 246	2.9	4
108	The IMPACT study: A clustered randomized controlled trial to assess the effect of a referral algorithm for axial spondyloarthritis. <i>PLoS ONE</i> , 2020 , 15, e0227025	3.7	4
107	Do patients with acute low-back pain need paracetamol?. <i>Lancet, The</i> , 2014 , 384, 1556-7	4.0	4
106	Moderate quality evidence that compared to advice to rest in bed, advice to remain active provides small improvements in pain and functional status in people with acute low back pain. <i>Evidence-Based Medicine</i> , 2010 , 15, 171-2		4
105	Tragedy of conducting a clinical trial; generic alert system needed. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 415-8	5.7	4
104	Impact of motor vehicle accidents on neck pain and disability in general practice. <i>British Journal of General Practice</i> , 2008 , 58, 624-9	1.6	4

103	Comparison between children and adolescents with and without chronic benign pain: consultation rate and pain characteristics. <i>British Journal of General Practice</i> , 2002 , 52, 211-3	1.6	4
102	Developing clinical prediction models for nonrecovery in older patients seeking care for back pain: the back complaints in the elders prospective cohort study. <i>Pain</i> , 2021 , 162, 1632-1640	8	4
101	Study protocol for a cluster randomized controlled trial to evaluate a referral strategy for axial spondyloarthritis in young primary care patients with chronic low back pain; an impact study. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 278	2.8	4
100	C-Reactive Protein Level as Diagnostic Marker in Young Febrile Children Presenting in a General Practice Out-of-Hours Service. <i>Journal of the American Board of Family Medicine</i> , 2016 , 29, 460-8	1.6	4
99	Protective and Harmful Effects of Physical Activity for Low Back Pain: A Protocol for the AUstralian Twin BACK Pain (AUTBACK) Feasibility Study. <i>Twin Research and Human Genetics</i> , 2016 , 19, 502-9	2.2	4
98	Paracetamol is ineffective for acute low back pain even for patients who comply with treatment: complier average causal effect analysis of a randomized controlled trial. <i>Pain</i> , 2019 , 160, 2848-2854	8	4
97	Evaluation of guideline-endorsed red flags to screen for fracture in patients presenting with low back pain. <i>British Journal of Sports Medicine</i> , 2019 , 53, 648-654	10.3	4
96	Validity of the Flemish working alliance inventory in a Dutch physiotherapy setting in patients with shoulder pain. <i>Physiotherapy Theory and Practice</i> , 2018 , 34, 384-392	1.5	4
95	Does the outcome of diagnostic ultrasound influence the treatment modalities and recovery in patients with shoulder pain in physiotherapy practice? Results from a prospective cohort study. <i>Musculoskeletal Science and Practice</i> , 2019 , 41, 28-35	2.4	3
94	Discussing overweight in primary care. <i>Archives of Disease in Childhood</i> , 2015 , 100, 899-900	2.2	3
93	Inferential reproduction analysis demonstrated that "paracetamol for acute low back pain" trial conclusions were reproducible. <i>Journal of Clinical Epidemiology</i> , 2020 , 121, 45-54	5.7	3
92	One question might be capable of replacing the Shoulder Pain and Disability Index (SPADI) when measuring disability: a prospective cohort study. <i>Quality of Life Research</i> , 2018 , 27, 401-410	3.7	3
91	Six-year course and prognosis of traumatic knee symptoms in general practice: Cohort study. <i>European Journal of General Practice</i> , 2016 , 22, 23-30	2.8	3
90	PRECISE--pregabalin in addition to usual care: statistical analysis plan. <i>Trials</i> , 2016 , 17, 53	2.8	3
89	Natural History of Back Pain in Older Adults over Five Years. <i>Journal of the American Board of Family Medicine</i> , 2019 , 32, 781-789	1.6	3
88	Reliability of gadolinium-enhanced magnetic resonance imaging findings and their correlation with clinical outcome in patients with sciatica. <i>Spine Journal</i> , 2014 , 14, 2598-607	4	3
87	Post-traumatic knee MRI findings and associations with patient, trauma, and clinical characteristics: a subgroup analysis in primary care in the Netherlands. <i>British Journal of General Practice</i> , 2017 , 67, e851-e858	1.6	3
86	Early-life house dust mite allergens, childhood mite sensitization, and respiratory outcomes. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 1189	9.3	3

85	Exercise therapy for acute non-specific low-back pain. <i>The Cochrane Library</i> , 2011 ,	5.2	3
84	Back schools for acute and subacute non-specific low-back pain 2010 ,		3
83	Red flags to screen for vertebral fracture in patients presenting with low-back pain 2010 ,		3
82	Cost-effectiveness of decompression according to Gill versus instrumented spondylodesis in the treatment of sciatica due to low grade spondylolytic spondylolisthesis: a prospective randomised controlled trial [NTR1300]. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 128	2.8	3
81	Corticosteroid injection for rotator cuff disease. <i>BMJ, The</i> , 2009 , 338, a2599	5.9	3
80	Evidence-Based Medicine for Low Back Pain. <i>Medical Radiology</i> , 2007 , 111-125	0.2	3
79	Clinical and radiographic features of spinal osteoarthritis predict long-term persistence and severity of back pain in older adults. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020 , 101427	3.8	3
78	Paracetamol for low back pain: the state of the research field. <i>Expert Review of Clinical Pharmacology</i> , 2020 , 13, 1059-1066	3.8	3
77	Prospective Cohort Study of Patients With Neck Pain in a Manual Therapy Setting: Design and Baseline Measures. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2019 , 42, 471-479	1.3	3
76	Back complaints in the elders - chiropractic (BACE-C): protocol of an international cohort study of older adults with low back pain seeking chiropractic care. <i>Chiropractic & Manual Therapies</i> , 2020 , 28, 17	1.8	3
75	Reply to the Letter to the Editor of S. Birch et al. concerning "Clinical practice guidelines for the management of nonspecific low back pain in primary care: an updated overview" by Oliveira CB, Maher CG, Pinto RZ, Traeger AC, Lin CWC, Chenot JF, van Tulder M, Koes BW (2018) <i>Eur Spine J</i> ; https://doi.org/10.1007/s00586-018-5673-2 . <i>European Spine Journal</i> , 2018 , 27, 2894-2897	2.7	3
74	Course and prognostic factors of disability in community-dwelling older people with mild disability: the Rotterdam Study. <i>Australasian Journal on Ageing</i> , 2012 , 31, 28-33	1.5	2
73	Interventions for lateral hip pain (tendinopathy or bursitis). <i>The Cochrane Library</i> , 2011 ,	5.2	2
72	Een beslismodel voor aspecifieke nekpijn. <i>Huisarts En Wetenschap</i> , 2009 , 52, 384-390	0.1	2
71	Practical operationalizations of risk factors for fracture in older women: results from two longitudinal studies. <i>Journal of Bone and Mineral Research</i> , 2009 , 24, 534-42	6.3	2
70	Chronic Low Back Pain 2010 , 69-82		2
69	Reported incidence and treatment of dermatophytosis in children in general practice: a comparison between 1987 and 2001. <i>Mycopathologia</i> , 2007 , 164, 271-8	2.9	2
68	Scoring the quality of clinical trials. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 283, 1421; author reply 1422-3	27.4	2

67	The effect of conservative therapies on patients suffering from chronic low back pain. <i>Spine</i> , 1996 , 21, 656-7	3.3	2
66	Analyses of epidemiologic studies of back belts. <i>Journal of Occupational and Environmental Medicine</i> , 1998 , 40, 101-3	2	2
65	Association Between Self-Reported Spinal Morning Stiffness and Radiographic Evidence of Lumbar Disk Degeneration in Participants of the Cohort Hip and Cohort Knee (CHECK) Study. <i>Physical Therapy</i> , 2020 , 100, 255-267	3.3	2
64	Recommendations for Diagnosis and Treatment of Lumbosacral Radicular Pain: A Systematic Review of Clinical Practice Guidelines. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
63	Low back pain and sciatica (chronic). <i>Clinical Evidence</i> , 2003 , 1359-76		2
62	Low back pain (acute). <i>Clinical Evidence</i> , 2006 , 1619-33		2
61	Nonspecific Low Back Pain.. <i>New England Journal of Medicine</i> , 2022 , 386, 1732-1740	59.2	2
60	Randomized controlled trials reflected clinical practice when comparing the course of low back pain symptoms in similar populations. <i>Journal of Clinical Epidemiology</i> , 2019 , 116, 122-132	5.7	1
59	Predicting prolonged duration of fever in children: a cohort study in primary care. <i>British Journal of General Practice</i> , 2015 , 65, e578-84	1.6	1
58	Does MRI add value in general practice for patients with traumatic knee complaints? A 1-year randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2019 , 53, 1285-1292	10.3	1
57	The effect of a multidisciplinary intervention program for overweight and obese children on cardiorespiratory fitness and blood pressure. <i>Family Practice</i> , 2019 , 36, 147-153	1.9	1
56	Reply to "A response to two recent reviews of epidural steroid injections". <i>Pain Medicine</i> , 2014 , 15, 1811-28		1
55	Back schools for chronic non-specific low back pain 2015 ,		1
54	Aan lage rugpijn gerelateerde beroepsziekten in Nederland: (1) Een instrument voor de beoordeling van de werkgerelateerdheid van specifieke lage rugklachten. <i>Tijdschrift Voor Bedrijfs-En Verzekeringsgeneeskunde</i> , 2014 , 22, 371-375	0	1
53	Individual advice in addition to standard guideline care in patients with acute non-specific low back pain: a survey on feasibility among physiotherapists and patients. <i>Manual Therapy</i> , 2009 , 14, 68-74		1
52	Conservative interventions for treating work-related complaints of the arm, neck or shoulder in adults 2010 ,		1
51	Prognostische factoren bij een lumbosacraal radiculair syndroom. <i>Huisarts En Wetenschap</i> , 2010 , 53, 474-478		1
50	De behandeling van acute nekpijn. <i>Huisarts En Wetenschap</i> , 2008 , 51, 224-228	0.1	1

49	Een eenduidige kijk op arm-, nek- en schouderklachten: het CANS-model. <i>Huisarts En Wetenschap</i> , 2008 , 51, 567-569	0.1	1
48	Effectiviteit van interventies bij kinderen met migraine. <i>Huisarts En Wetenschap</i> , 2006 , 49, 180-188	0.1	1
47	Efficacy of Manual Therapy in the Treatment of Neck Pain 2002 , 399-412		1
46	The Second International Forum for Primary Care Research on Low Back Pain. <i>Spine</i> , 1998 , 23, 1991	3.3	1
45	Evaluating the ASAS recommendations for early referral of axial spondyloarthritis in patients with chronic low back pain; is one parameter present sufficient for primary care practice?. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e68	2.4	1
44	It is Time to Change Our Mindset and Perform More High-quality Research in Low Back Pain. <i>Spine</i> , 2021 , 46, 69-71	3.3	1
43	Improving the management of sciatica. <i>Lancet Rheumatology, The</i> , 2020 , 2, e372-e373	14.2	1
42	Commentary on: effect of the dr. Bart application on healthcare use and clinical outcomes in people with osteoarthritis of the knee and/or hip in the Netherlands; a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 1492-1493	6.2	1
41	Effectiveness of placebo interventions for patients with nonspecific low back pain: a systematic review and meta-analysis. <i>Pain</i> , 2021 , 162, 2792-2804	8	1
40	Challenges and solutions in prognostic prediction models in spinal disorders. <i>Journal of Clinical Epidemiology</i> , 2021 , 132, 125-130	5.7	1
39	Knee osteoarthritis in traumatic knee symptoms in general practice: 6-year cohort study. <i>BMJ Open Sport and Exercise Medicine</i> , 2016 , 2, e000153	3.4	1
38	General practitioners cannot rely on reported weight and height of children. <i>Primary Health Care Research and Development</i> , 2019 , 20, e14	1.6	1
37	Do therapist effects determine outcome in patients with shoulder pain in a primary care physiotherapy setting?. <i>Physiotherapy</i> , 2020 , 107, 111-117	3	1
36	Proportion of patients with hip osteoarthritis in primary care identified by differing clinical criteria: a cross-sectional study of 4699 patients. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100111	1.5	0
35	Enhanced injury prevention programme for recreational runners (the SPRINT study): design of a randomised controlled trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000780	3.4	0
34	General practitioners' attitudes towards opioids for non-cancer pain: a qualitative systematic review.. <i>BMJ Open</i> , 2022 , 12, e054945	3	0
33	The Danish Diabetes Musculoskeletal Cohort: Non-Responder Analysis of an Electronic Survey Using Registry Data. <i>Clinical Epidemiology</i> , 2021 , 13, 397-405	5.9	0
32	External validation of prognostic models for recovery in patients with neck pain. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 775-775	3.7	0

31	Development and internal validation of prognostic models for recovery in patients with non-specific neck pain presenting in primary care. <i>Physiotherapy</i> , 2021 , 113, 61-72	3	o
30	OPAL: a randomised, placebo-controlled trial of opioid analgesia for the reduction of pain severity in people with acute spinal pain-a statistical analysis plan.. <i>Trials</i> , 2022 , 23, 212	2.8	o
29	April 2017 Letter to the Editor-in-Chief. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 295	4.2	
28	Comment on Ambulance dispatch versus GP home visit for highly urgent out-of-hours primary care by Plat et al. <i>Family Practice</i> , 2019 , 36, 102	1.9	
27	Knee instability in patients with traumatic knee disorders: a cohort study in primary care. <i>Family Practice</i> , 2015 , 32, 367-73	1.9	
26	PsyScan e-tool to support diagnosis and management of psychological problems in general practice. <i>British Journal of General Practice</i> , 2018 , 68, 175-176	1.6	
25	No association between low bone quality and back pain in older adults: A cohort study. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2018 , 31, 541-547	1.4	
24	Diclofenac versus paracetamol bij kniepijn. <i>Huisarts En Wetenschap</i> , 2016 , 59, 102-104	0.1	
23	Differences in respiratory consultations in primary care between underweight, normal-weight, and overweight children. <i>Npj Primary Care Respiratory Medicine</i> , 2019 , 29, 15	3.2	
22	Weight loss intervention for football fans. <i>Lancet, The</i> , 2014 , 383, 2121-2	4.0	
21	Effectiveness of exercise therapy for chronic non-specific low back pain 2013 , 171-183		
20	De Kackadorisprijs voor chiropractie: terecht of niet?. <i>Huisarts En Wetenschap</i> , 2013 , 56, 316-316	0.1	
19	Antibiotica bij kinderen met koorts. <i>Huisarts En Wetenschap</i> , 2013 , 56, 58-61	0.1	
18	(2) Incidentie van aan lage rugpijn gerelateerde beroepsziekten Nederland: een prospectieve cohortstudie. <i>Tijdschrift Voor Bedrijfs- En Verzekeringsgeneeskunde</i> , 2014 , 22, 422-430	0	
17	Cochrane review: Manipulative interventions for reducing pulled elbow in young children. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2011 , 6, 212-235		
16	Oefentherapie bij volwassenen met een acuut lateraal enkeltrauma. <i>Huisarts En Wetenschap</i> , 2008 , 51, 330-333	0.1	
15	Het effect van glucosaminesulfaat op de progressie van heupartrose. <i>Huisarts En Wetenschap</i> , 2008 , 51, 535-541	0.1	
14	Oefentherapie is effectief bij een lumbosacraal radiculair syndroom. <i>Huisarts En Wetenschap</i> , 2008 , 51, 549-554	0.1	

- 13 De effecten en kosten van manuele therapie, fysiotherapie en behandeling door de huisarts bij nekklachten. *Huisarts En Wetenschap*, **2004**, 47, 660-670 0.1
- 12 Richtlijnen voor lage rugklachten **2004**, 206-212
- 11 Lumbalgia **2007**, 717-726
- 10 Effectiviteit van interventies bij kinderen met migraine **2008**, 137-152
- 9 Somatic complaints as a mediator in the association between body mass index and quality of life in children and adolescents. *BMC Family Practice*, **2021**, 22, 214 2.6
- 8 Differences in Patient Characteristics, Number of Treatments, and Recovery Rates Between Referred and Self-referred Patients With Nonspecific Neck Pain in Manual Therapy: A Secondary Analysis. *Journal of Manipulative and Physiological Therapeutics*, **2020**, 43, 559-565 1.3
- 7 No differences in physical activity between children with overweight and children of normal-weight. *BMC Pediatrics*, **2020**, 20, 431 2.6
- 6 Clinical and cost effectiveness of a corticosteroid injection versus exercise therapy for shoulder pain in general practice: protocol for a randomised controlled trial (SIX Study). *BMJ Open*, **2021**, 11, e0503101
- 5 Reply to the Letter to the Editor Concerning "Epidural Corticosteroid Injections for Sciatica: A Cochrane Review of Epidural Corticosteroid Injections Distorts the Truth". *Spine*, **2021**, 46, E750-E751 3.3
- 4 Betere zorg voor kinderen met koorts op de huisartsenpost. *Huisarts En Wetenschap*, **2016**, 59, 474-477 0.1
- 3 Effectiviteit van oefentherapie bij patiënten met heupartrose. *Huisarts En Wetenschap*, **2016**, 59, 346-349 0.1
- 2 Healthcare expenditure and its predictors in a cohort of Australians living with sciatica. *European Spine Journal*, **2021**, 30, 878-885 2.7
- 1 Author Reply. *Value in Health*, **2021**, 24, 1235-1236 3.3