Peder O Laugen Heggdal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2611699/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Generic quality of life in persons with hearing loss: a systematic literature review. BMC Ear, Nose and Throat Disorders, 2018, 18, 1. | 2.6 | 92 |
| 2 | Functional-structural reorganisation of the neuronal network for auditory perception in subjects with unilateral hearing loss: Review of neuroimaging studies. Hearing Research, 2016, 332, 73-79. | 2.0 | 19 |
| 3 | Clinical Application and Psychometric Properties of a Norwegian Questionnaire for the Self-Assessment of Communication in Quiet and Adverse Conditions Using Two Revised APHAB Subscales. Journal of the American Academy of Audiology, 2018, 29, 025-034. | 0.7 | 8 |
| 4 | An fMRI-study on single-sided deafness: Spectral-temporal properties and side of stimulation modulates hemispheric dominance. NeuroImage: Clinical, 2019, 24, 101969. | 2.7 | 8 |
| 5 | Importance of personality and coping expectancy on patient-reported hearing disability, quality of life and distress level: a study of patients referred to an audiology service. Health and Quality of Life Outcomes, 2021, 19, 168. | 2.4 | 6 |
| 6 | Reduced grey- and white matter volumes due to unilateral hearing loss following treatment for vestibular schwannoma. Heliyon, 2020, 6, e05658. | 3.2 | 5 |
| 7 | Quality of life in persons with hearing loss: a study of patients referred to an audiological service. International Journal of Audiology, 2019, 58, 696-703. | 1.7 | 4 |
| 8 | Psychometric properties of the Norwegian translation of the Tinnitus Handicap Inventory (THI-NOR). International Journal of Audiology, 2021, , 1-6. | 1.7 | 3 |
| 9 | Frequency discrimination in ears with and without contralateral cochlear dead regions. International Journal of Audiology, 2013, 52, 553-557. | 1.7 | 1 |
| 10 | Psychometric properties for the Norwegian translations of two revised APHAB-subscales and an adapted IOI-HA (IOI-CI) in patients with cochlear implants. International Journal of Audiology, 2021, , 1-8. | 1.7 | 0 |