

Wubingfang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/261179/publications.pdf>

Version: 2024-02-01

152
papers

9,307
citations

76196

40
h-index

42291

92
g-index

154
all docs

154
docs citations

154
times ranked

7938
citing authors

#	ARTICLE	IF	CITATIONS
1	A CNN-Based Self-Supervised Synthetic Aperture Radar Image Denoising Approach. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-15.	2.7	10
2	Constructing a 30m African Cropland Layer for 2016 by Integrating Multiple Remote sensing, crowdsourced, and Auxiliary Datasets. Big Earth Data, 2022, 6, 54-76.	2.0	5
3	How long did crops survive from floods caused by Cyclone Idai in Mozambique detected with multi-satellite data. Remote Sensing of Environment, 2022, 269, 112808.	4.6	11
4	Assessment of environmentally sensitive areas to desertification in the Blue Nile Basin driven by the MEDALUS-GEE framework. Science of the Total Environment, 2022, 815, 152925.	3.9	20
5	Assessing the Impact of Soil on Species Diversity Estimation Based on UAV Imaging Spectroscopy in a Natural Alpine Steppe. Remote Sensing, 2022, 14, 671.	1.8	9
6	Detecting the linkage between arable land use and poverty using machine learning methods at global perspective. Geography and Sustainability, 2022, 3, 7-20.	1.9	11
7	A framework for separating natural and anthropogenic contributions to evapotranspiration of human-managed land covers in watersheds based on machine learning. Science of the Total Environment, 2022, 823, 153726.	3.9	7
8	Incorporation of Net Radiation Model Considering Complex Terrain in Evapotranspiration Determination with Sentinel-2 Data. Remote Sensing, 2022, 14, 1191.	1.8	3
9	An Interannual Transfer Learning Approach for Crop Classification in the Hetao Irrigation District, China. Remote Sensing, 2022, 14, 1208.	1.8	20
10	Method for monitoring environmental flows with high spatial and temporal resolution satellite data. Environmental Monitoring and Assessment, 2022, 194, 13.	1.3	7
11	Performance and the Optimal Integration of Sentinel-1/2 Time-Series Features for Crop Classification in Northern Mongolia. Remote Sensing, 2022, 14, 1830.	1.8	14
12	Quantifying global agricultural water appropriation with data derived from earth observations. Journal of Cleaner Production, 2022, 358, 131891.	4.6	27
13	Indices enhance biological soil crust mapping in sandy and desert lands. Remote Sensing of Environment, 2022, 278, 113078.	4.6	13
14	Quantifying the contribution of biophysical and environmental factors in uncertainty of modeling canopy conductance. Journal of Hydrology, 2021, 592, 125612.	2.3	3
15	Essential dryland ecosystem variables. Current Opinion in Environmental Sustainability, 2021, 48, 68-76.	3.1	4
16	Dryland ecosystem dynamic change and its drivers in Mediterranean region. Current Opinion in Environmental Sustainability, 2021, 48, 59-67.	3.1	24
17	A Practical Satellite-Derived Vegetation Drought Index for Arid and Semi-Arid Grassland Drought Monitoring. Remote Sensing, 2021, 13, 414.	1.8	18
18	Spatial Allocation Method from Coarse Evapotranspiration Data to Agricultural Fields by Quantifying Variations in Crop Cover and Soil Moisture. Remote Sensing, 2021, 13, 343.	1.8	3

#	ARTICLE	IF	CITATIONS
19	Identification of Crop Type in Crowdsourced Road View Photos with Deep Convolutional Neural Network. <i>Sensors</i> , 2021, 21, 1165.	2.1	16
20	Synthesis of global actual evapotranspiration from 1982 to 2019. <i>Earth System Science Data</i> , 2021, 13, 447-480.	3.7	66
21	Synthesizing a Regional Territorial Evapotranspiration Dataset for Northern China. <i>Remote Sensing</i> , 2021, 13, 1076.	1.8	10
22	Land Use and Land Cover Mapping Using RapidEye Imagery Based on a Novel Band Attention Deep Learning Method in the Three Gorges Reservoir Area. <i>Remote Sensing</i> , 2021, 13, 1225.	1.8	11
23	Quantifying the Contributions of Environmental Factors to Wind Characteristics over 2000–2019 in China. <i>ISPRS International Journal of Geo-Information</i> , 2021, 10, 515.	1.4	6
24	Coupling water and carbon processes to estimate field-scale maize evapotranspiration with Sentinel-2 data. <i>Agricultural and Forest Meteorology</i> , 2021, 306, 108421.	1.9	7
25	Enhancing China's Three Red Lines strategy with water consumption limitations. <i>Science Bulletin</i> , 2021, 66, 2057-2060.	4.3	11
26	A canopy conductance model with temporal physiological and environmental factors. <i>Science of the Total Environment</i> , 2021, 791, 148283.	3.9	6
27	Soil erosion assessment in the Blue Nile Basin driven by a novel RUSLE-GEE framework. <i>Science of the Total Environment</i> , 2021, 793, 148466.	3.9	44
28	ETWatch cloud: APIs for regional actual evapotranspiration data generation. <i>Environmental Modelling and Software</i> , 2021, 145, 105174.	1.9	7
29	GCI30: a global dataset of 30-year cropping intensity using multisource remote sensing imagery. <i>Earth System Science Data</i> , 2021, 13, 4799-4817.	3.7	34
30	Method for Environmental Flows Regulation and Early Warning with Remote Sensing and Land Cover Data. <i>Land</i> , 2021, 10, 1216.	1.2	0
31	Tree water-use efficiency and growth dynamics in response to climatic and environmental changes in a temperate forest in Beijing, China. <i>Environment International</i> , 2020, 134, 105209.	4.8	25
32	Assessing factors impacting the spatial discrepancy of remote sensing based cropland products: A case study in Africa. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2020, 85, 102010.	1.4	31
33	A new framework to map fine resolution cropping intensity across the globe: Algorithm, validation, and implication. <i>Remote Sensing of Environment</i> , 2020, 251, 112095.	4.6	46
34	A Synthesizing Land-cover Classification Method Based on Google Earth Engine: A Case Study in Nzhelele and Levhuvu Catchments, South Africa. <i>Chinese Geographical Science</i> , 2020, 30, 397-409.	1.2	27
35	Downscaling TRMM Monthly Precipitation Using Google Earth Engine and Google Cloud Computing. <i>Remote Sensing</i> , 2020, 12, 3860.	1.8	32
36	Predicting Wheat Yield at the Field Scale by Combining High-Resolution Sentinel-2 Satellite Imagery and Crop Modelling. <i>Remote Sensing</i> , 2020, 12, 1024.	1.8	89

#	ARTICLE	IF	CITATIONS
37	Identifying the Links Among Poverty, Hydroenergy and Water Use Using Data Mining Methods. <i>Water Resources Management</i> , 2020, 34, 1725-1741.	1.9	13
38	Estimating Sunshine Duration Using Hourly Total Cloud Amount Data from a Geostationary Meteorological Satellite. <i>Atmosphere</i> , 2020, 11, 26.	1.0	9
39	Comparison of Different Cropland Classification Methods under Diversified Agroecological Conditions in the Zambezi River Basin. <i>Remote Sensing</i> , 2020, 12, 2096.	1.8	22
40	Regional Actual Evapotranspiration Estimation with Land and Meteorological Variables Derived from Multi-Source Satellite Data. <i>Remote Sensing</i> , 2020, 12, 332.	1.8	29
41	Land Cover Changes and Drivers in the Water Source Area of the Middle Route of the South-to-North Water Diversion Project in China from 2000 to 2015. <i>Chinese Geographical Science</i> , 2020, 30, 115-126.	1.2	13
42	Scale and landscape features matter for understanding the performance of large payments for ecosystem services. <i>Landscape and Urban Planning</i> , 2020, 197, 103764.	3.4	12
43	Survey of Community Livelihoods and Landscape Change along the Nzhelele and Levuvhu River Catchments in Limpopo Province, South Africa. <i>Land</i> , 2020, 9, 91.	1.2	11
44	Cloud services with big data provide a solution for monitoring and tracking sustainable development goals. <i>Geography and Sustainability</i> , 2020, 1, 25-32.	1.9	33
45	Assessment of Agricultural Water Productivity in Arid China. <i>Water (Switzerland)</i> , 2020, 12, 1161.	1.2	8
46	Agricultural drought mitigating indices derived from the changes in drought characteristics. <i>Remote Sensing of Environment</i> , 2020, 244, 111813.	4.6	72
47	A comparison of global agricultural monitoring systems and current gaps. <i>Agricultural Systems</i> , 2019, 168, 258-272.	3.2	183
48	A method for downscaling daily evapotranspiration based on 30-m surface resistance. <i>Journal of Hydrology</i> , 2019, 577, 123882.	2.3	11
49	Variation in actual evapotranspiration following changes in climate and vegetation cover during an ecological restoration period (2000â€“2015) in the Loess Plateau, China. <i>Science of the Total Environment</i> , 2019, 689, 534-545.	3.9	66
50	The GEOGLAM crop monitor for AMIS: Assessing crop conditions in the context of global markets. <i>Global Food Security</i> , 2019, 23, 173-181.	4.0	43
51	Efficient Identification of Corn Cultivation Area with Multitemporal Synthetic Aperture Radar and Optical Images in the Google Earth Engine Cloud Platform. <i>Remote Sensing</i> , 2019, 11, 629.	1.8	57
52	30 m Resolution Global Annual Burned Area Mapping Based on Landsat Images and Google Earth Engine. <i>Remote Sensing</i> , 2019, 11, 489.	1.8	122
53	Altered trends in carbon uptake in China's terrestrial ecosystems under the enhanced summer monsoon and warming hiatus. <i>National Science Review</i> , 2019, 6, 505-514.	4.6	93
54	Spatiotemporal Analysis of Precipitation in the Sparsely Gauged Zambezi River Basin Using Remote Sensing and Google Earth Engine. <i>Remote Sensing</i> , 2019, 11, 2977.	1.8	15

#	ARTICLE	IF	CITATIONS
55	Human Activity Intensity Assessment by Remote Sensing in the Water Source Area of the Middle Route of the South-to-North Water Diversion Project in China. <i>Sustainability</i> , 2019, 11, 5670.	1.6	9
56	A trade-off method between environment restoration and human water consumption: A case study in Ebinur Lake. <i>Journal of Cleaner Production</i> , 2019, 217, 732-741.	4.6	27
57	Determination of Appropriate Remote Sensing Indices for Spring Wheat Yield Estimation in Mongolia. <i>Remote Sensing</i> , 2019, 11, 2568.	1.8	39
58	Approach for Estimating Available Consumable Water for Human Activities in a River Basin. <i>Water Resources Management</i> , 2018, 32, 2353-2368.	1.9	11
59	A connectivity-based assessment framework for river basin ecosystem service management. <i>Current Opinion in Environmental Sustainability</i> , 2018, 33, 34-41.	3.1	13
60	Carbon pools in China's terrestrial ecosystems: New estimates based on an intensive field survey. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4021-4026.	3.3	466
61	Effects of national ecological restoration projects on carbon sequestration in China from 2001 to 2010. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4039-4044.	3.3	486
62	Conversions between natural wetlands and farmland in China: A multiscale geospatial analysis. <i>Science of the Total Environment</i> , 2018, 634, 550-560.	3.9	173
63	China's wetlands loss to urban expansion. <i>Land Degradation and Development</i> , 2018, 29, 2644-2657.	1.8	244
64	Soil depth spatial prediction by fuzzy soil-landscape model. <i>Journal of Soils and Sediments</i> , 2018, 18, 1041-1051.	1.5	7
65	Satellite-Based Water Consumption Dynamics Monitoring in an Extremely Arid Area. <i>Remote Sensing</i> , 2018, 10, 1399.	1.8	14
66	Forest species diversity mapping using airborne LiDAR and hyperspectral data in a subtropical forest in China. <i>Remote Sensing of Environment</i> , 2018, 213, 104-114.	4.6	47
67	The Impacts of Vegetation and Meteorological Factors on Aerodynamic Roughness Length at Different Time Scales. <i>Atmosphere</i> , 2018, 9, 149.	1.0	7
68	Sensitivity of BRDF, NDVI and Wind Speed to the Aerodynamic Roughness Length over Sparse Tamarix in the Downstream Heihe River Basin. <i>Remote Sensing</i> , 2018, 10, 56.	1.8	2
69	Spatiotemporal Analysis of Actual Evapotranspiration and Its Causes in the Hai Basin. <i>Remote Sensing</i> , 2018, 10, 332.	1.8	12
70	Regional Daily ET Estimates Based on the Gap-Filling Method of Surface Conductance. <i>Remote Sensing</i> , 2018, 10, 554.	1.8	12
71	A Refined Crop Drought Monitoring Method Based on the Chinese GF-1 Wide Field View Data. <i>Sensors</i> , 2018, 18, 1297.	2.1	5
72	Land degradation and restoration in the arid and semiarid zones of China: Quantified evidence and implications from satellites. <i>Land Degradation and Development</i> , 2018, 29, 3841-3851.	1.8	105

#	ARTICLE	IF	CITATIONS
73	Mapping up-to-Date Paddy Rice Extent at 10 M Resolution in China through the Integration of Optical and Synthetic Aperture Radar Images. <i>Remote Sensing</i> , 2018, 10, 1200.	1.8	79
74	Mapping ecosystem services for China's ecoregions with a biophysical surrogate approach. <i>Landscape and Urban Planning</i> , 2017, 161, 22-31.	3.4	45
75	CropWatch agroclimatic indicators (CWAls) for weather impact assessment on global agriculture. <i>International Journal of Biometeorology</i> , 2017, 61, 199-215.	1.3	5
76	Representation of critical natural capital in China. <i>Conservation Biology</i> , 2017, 31, 894-902.	2.4	41
77	Variations in forest aboveground biomass in Miyun Reservoir of Beijing over the past two decades. <i>Journal of Soils and Sediments</i> , 2017, 17, 2080-2090.	1.5	3
78	A Method for Estimating the Aerodynamic Roughness Length with NDVI and BRDF Signatures Using Multi-Temporal Proba-V Data. <i>Remote Sensing</i> , 2017, 9, 6.	1.8	19
79	Suitability Assessment of Satellite-Derived Drought Indices for Mongolian Grassland. <i>Remote Sensing</i> , 2017, 9, 650.	1.8	34
80	An Improved Approach for Estimating Daily Net Radiation over the Heihe River Basin. <i>Sensors</i> , 2017, 17, 86.	2.1	28
81	An NDVI-Based Statistical ET Downscaling Method. <i>Water (Switzerland)</i> , 2017, 9, 995.	1.2	12
82	Evaluating the Relationship between Field Aerodynamic Roughness and the MODIS BRDF, NDVI, and Wind Speed over Grassland. <i>Atmosphere</i> , 2017, 8, 16.	1.0	3
83	Object-Based Paddy Rice Mapping Using HJ-1A/B Data and Temporal Features Extracted from Time Series MODIS NDVI Data. <i>Sensors</i> , 2017, 17, 10.	2.1	29
84	A drought monitoring operational system for China using satellite data: design and evaluation. <i>Geomatics, Natural Hazards and Risk</i> , 2016, 7, 264-277.	2.0	31
85	Downstream ecosystem responses to middle reach regulation of river discharge in the Heihe River Basin, China. <i>Hydrology and Earth System Sciences</i> , 2016, 20, 4469-4481.	1.9	35
86	The Optimal Leaf Biochemical Selection for Mapping Species Diversity Based on Imaging Spectroscopy. <i>Remote Sensing</i> , 2016, 8, 216.	1.8	14
87	An Object-Based Paddy Rice Classification Using Multi-Spectral Data and Crop Phenology in Assam, Northeast India. <i>Remote Sensing</i> , 2016, 8, 479.	1.8	46
88	Mapping Winter Wheat Biomass and Yield Using Time Series Data Blended from PROBA-V 100- and 300-m S1 Products. <i>Remote Sensing</i> , 2016, 8, 824.	1.8	25
89	Crop Mapping Using PROBA-V Time Series Data at the Yucheng and Hongxing Farm in China. <i>Remote Sensing</i> , 2016, 8, 915.	1.8	21
90	A Method to Estimate Sunshine Duration Using Cloud Classification Data from a Geostationary Meteorological Satellite (FY-2D) over the Heihe River Basin. <i>Sensors</i> , 2016, 16, 1859.	2.1	12

#	ARTICLE	IF	CITATIONS
91	Crop Phenology Detection Using High Spatio-Temporal Resolution Data Fused from SPOT5 and MODIS Products. <i>Sensors</i> , 2016, 16, 2099.	2.1	53
92	Mapping and evaluation the process, pattern and potential of urban growth in China. <i>Applied Geography</i> , 2016, 71, 44-55.	1.7	27
93	Revegetation in China's Loess Plateau is approaching sustainable water resource limits. <i>Nature Climate Change</i> , 2016, 6, 1019-1022.	8.1	1,270
94	Design and characterization of spatial units for monitoring global impacts of environmental factors on major crops and food security. <i>Food and Energy Security</i> , 2016, 5, 40-55.	2.0	10
95	Towards a set of agrosystem-specific cropland mapping methods to address the global cropland diversity. <i>International Journal of Remote Sensing</i> , 2016, 37, 3196-3231.	1.3	92
96	Land cover mapping and above ground biomass estimation in China. , 2016, , .		5
97	Improvements in ecosystem services from investments in natural capital. <i>Science</i> , 2016, 352, 1455-1459.	6.0	1,117
98	An Improved Method for Deriving Daily Evapotranspiration Estimates From Satellite Estimates on Cloud-Free Days. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2016, 9, 1323-1330.	2.3	18
99	Modeling grassland aboveground biomass using a pure vegetation index. <i>Ecological Indicators</i> , 2016, 62, 279-288.	2.6	56
100	A method for sensible heat flux model parameterization based on radiometric surface temperature and environmental factors without involving the parameter K_B^{-1} . <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016, 47, 50-59.	1.4	27
101	Bibliometric analysis of ecosystem monitoring-related research in Africa: implications for ecological stewardship and scientific collaboration. <i>International Journal of Sustainable Development and World Ecology</i> , 2016, 23, 412-422.	3.2	19
102	Building African Ecosystem Research Network for sustaining local ecosystem goods and services. <i>Chinese Geographical Science</i> , 2015, 25, 414-425.	1.2	7
103	A comparison of methods for the measurement of CO_2 and CH_4 emissions from surface water reservoirs: Results from an international workshop held at Three Gorges Dam, June 2012. <i>Limnology and Oceanography: Methods</i> , 2015, 13, 15-29.	1.0	23
104	Estimating Evapotranspiration from an Improved Two-Source Energy Balance Model Using ASTER Satellite Imagery. <i>Water (Switzerland)</i> , 2015, 7, 6673-6688.	1.2	16
105	A Method for Deriving the Boundary Layer Mixing Height from MODIS Atmospheric Profile Data. <i>Atmosphere</i> , 2015, 6, 1346-1361.	1.0	26
106	Global Crop Monitoring: A Satellite-Based Hierarchical Approach. <i>Remote Sensing</i> , 2015, 7, 3907-3933.	1.8	69
107	Image Segmentation Based on Constrained Spectral Variance Difference and Edge Penalty. <i>Remote Sensing</i> , 2015, 7, 5980-6004.	1.8	35
108	Building a Data Set over 12 Globally Distributed Sites to Support the Development of Agriculture Monitoring Applications with Sentinel-2. <i>Remote Sensing</i> , 2015, 7, 16062-16090.	1.8	47

#	ARTICLE	IF	CITATIONS
109	Assessing and Correcting Topographic Effects on Forest Canopy Height Retrieval Using Airborne LiDAR Data. <i>Sensors</i> , 2015, 15, 12133-12155.	2.1	26
110	Assessing potential water savings in agriculture on the Hai Basin plain, China. <i>Agricultural Water Management</i> , 2015, 154, 11-19.	2.4	49
111	Quantifying impacts of climate variability and human activities on the hydrological system of the Haihe River Basin, China. <i>Environmental Earth Sciences</i> , 2015, 73, 1491-1503.	1.3	26
112	Recent ecological transitions in China: greening, browning and influential factors. <i>Scientific Reports</i> , 2015, 5, 8732.	1.6	189
113	Modified vegetation indices for estimating crop fraction of absorbed photosynthetically active radiation. <i>International Journal of Remote Sensing</i> , 2015, 36, 3097-3113.	1.3	15
114	Soil Erosion and Sediment-Yield Prediction at Basin Scale in Upstream Watershed of Miyun Reservoir. <i>Journal of Hydrologic Engineering - ASCE</i> , 2015, 20, .	0.8	5
115	Spatial and temporal dynamics of forest aboveground carbon stocks in response to climate and environmental changes. <i>Journal of Soils and Sediments</i> , 2015, 15, 249-259.	1.5	14
116	A Linear Relationship Between Temporal Multiband MODIS BRDF and Aerodynamic Roughness in HiWATER Wind Gradient Data. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2015, 12, 507-511.	1.4	8
117	Impacts of human activities on the evolution of estuarine wetland in the Yangtze Delta from 2000 to 2010. <i>Environmental Earth Sciences</i> , 2015, 73, 435-447.	1.3	33
118	Crop Condition Assessment with Adjusted NDVI Using the Uncropped Arable Land Ratio. <i>Remote Sensing</i> , 2014, 6, 5774-5794.	1.8	23
119	Regional Water Balance Based on Remotely Sensed Evapotranspiration and Irrigation: An Assessment of the Haihe Plain, China. <i>Remote Sensing</i> , 2014, 6, 2514-2533.	1.8	17
120	Remote sensing-based global crop monitoring: experiences with China's CropWatch system. <i>International Journal of Digital Earth</i> , 2014, 7, 113-137.	1.6	116
121	A method to estimate diurnal surface soil heat flux from MODIS data for a sparse vegetation and bare soil. <i>Journal of Hydrology</i> , 2014, 511, 139-150.	2.3	24
122	Quantifying winter wheat residue biomass with a spectral angle index derived from China Environmental Satellite data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2014, 32, 105-113.	1.4	10
123	Regional-scale estimation of evapotranspiration for the North China Plain using MODIS data and the triangle-approach. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2014, 31, 143-153.	1.4	14
124	Remote sensing based monitoring of interannual variations in vegetation activity in China from 1982 to 2009. <i>Science China Earth Sciences</i> , 2014, 57, 1800-1806.	2.3	20
125	Basin-wide evapotranspiration management: Concept and practical application in Hai Basin, China. <i>Agricultural Water Management</i> , 2014, 145, 145-153.	2.4	27
126	Integrated spatial-temporal analysis of crop water productivity of winter wheat in Hai Basin. <i>Agricultural Water Management</i> , 2014, 133, 24-33.	2.4	28

#	ARTICLE	IF	CITATIONS
127	Improving Estimates of Grassland Fractional Vegetation Cover Based on a Pixel Dichotomy Model: A Case Study in Inner Mongolia, China. <i>Remote Sensing</i> , 2014, 6, 4705-4722.	1.8	82
128	The improved ET calculation for semiarid region based on an innovative aerodynamic roughness inversion method using multi-source remote sensing data. <i>IOP Conference Series: Earth and Environmental Science</i> , 2014, 17, 012146.	0.2	2
129	An improved satellite-based approach for estimating vapor pressure deficit from MODIS data. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 12,256.	1.2	16
130	Generation of high spatial and temporal resolution NDVI and its application in crop biomass estimation. <i>International Journal of Digital Earth</i> , 2013, 6, 203-218.	1.6	91
131	Crop classification using HJ satellite multispectral data in the North China Plain. <i>Journal of Applied Remote Sensing</i> , 2013, 7, 073576.	0.6	48
132	The improvement of et calculation in winter by introducing radar-based aerodynamic roughness information into ETWatch system. , 2013, , .		0
133	Crop classification using multi-configuration SAR data in the North China Plain. <i>International Journal of Remote Sensing</i> , 2012, 33, 170-183.	1.3	75
134	Crop planting and type proportion method for crop acreage estimation of complex agricultural landscapes. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2012, 16, 101-112.	1.4	60
135	Retrieval of key eco-hydrological parameters for cold and arid regions. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2012, 17, 1-2.	1.4	4
136	Hydro-ecological impact of water conservancy projects in the Haihe River Basin. <i>Acta Oecologica</i> , 2012, 44, 67-74.	0.5	13
137	Validation of ETWatch using field measurements at diverse landscapes: A case study in Hai Basin of China. <i>Journal of Hydrology</i> , 2012, 436-437, 67-80.	2.3	137
138	A Policy-Driven Large Scale Ecological Restoration: Quantifying Ecosystem Services Changes in the Loess Plateau of China. <i>PLoS ONE</i> , 2012, 7, e31782.	1.1	392
139	Comparison of evapotranspiration estimated by ETWatch with that derived from combined GRACE and measured precipitation data in Hai River Basin, North China. <i>Hydrological Sciences Journal</i> , 2011, 56, 249-267.	1.2	20
140	Assessing the soil erosion control service of ecosystems change in the Loess Plateau of China. <i>Ecological Complexity</i> , 2011, 8, 284-293.	1.4	681
141	Vegetation classification method with biochemical composition estimated from remote sensing data. <i>International Journal of Remote Sensing</i> , 2011, 32, 9307-9325.	1.3	40
142	Spectral Discrimination of Opium Poppy Using Field Spectrometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2011, 49, 3414-3422.	2.7	16
143	An effective biophysical indicator for opium yield estimation. <i>Computers and Electronics in Agriculture</i> , 2011, 75, 272-277.	3.7	9
144	Maize acreage estimation using ENVISAT MERIS and CBERS-02B CCD data in the North China Plain. <i>Computers and Electronics in Agriculture</i> , 2011, 78, 208-214.	3.7	19

#	ARTICLE	IF	CITATIONS
145	Opium poppy monitoring with remote sensing in North Myanmar. <i>International Journal of Drug Policy</i> , 2011, 22, 278-284.	1.6	16
146	A method for estimating soil moisture storage in regions under water stress and storage depletion: a case study of Hai River Basin, North China. <i>Hydrological Processes</i> , 2011, 25, 2275-2287.	1.1	19
147	“ $\text{Å}^{\circ}\text{ä}^{\circ}\text{ŽHJ} \text{æ}^{\sim}\text{Ÿé}\ll\tilde{\text{ã}}\dots\%_{\text{oo}}\text{è}^{\circ}\pm\text{æ}^{\circ}\text{æ}^{\circ}\text{ç}^{\circ}\text{ç}^{\circ}\text{è}^{\circ}\text{3/4}^{\circ}\text{ã}^{\circ}\text{æ}^{\circ}\text{ç}^{\circ}\text{š},\text{ã}^{\circ}\text{†}\text{–}\text{ã}^{\circ}\text{é}^{\circ}\text{!}\text{ã}^{\circ}\text{ŕ}^{\circ}\text{é}^{\circ}\text{ç}^{\circ}\text{ç}^{\circ}\text{–}\text{æ}^{\circ}\text{ç}^{\circ}\text{æ}^{\circ}\text{æ}^{\circ}\text{1/4}^{\circ}$ ”. <i>Scientia Sinica Informationis</i> , 2010, 241, 213-220.		
148	Estimation and Validation of Land Surface Evaporation Using Remote Sensing and Meteorological Data in North China. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2010, 3, 337-344.	2.3	33
149	Identification of priority areas for controlling soil erosion. <i>Catena</i> , 2010, 83, 76-86.	2.2	64
150	Scaling-based forest structural change detection using an inverted geometric-optical model in the Three Gorges region of China. <i>Remote Sensing of Environment</i> , 2008, 112, 4261-4271.	4.6	38
151	Assessment of soil erosion and sediment delivery ratio using remote sensing and GIS: a case study of upstream Chaobaihe River catchment, north China. <i>International Journal of Sediment Research</i> , 2008, 23, 167-173.	1.8	78
152	Using NOAA AVHRR and Landsat TM to estimate rice area year-by-year. <i>International Journal of Remote Sensing</i> , 1998, 19, 521-525.	1.3	142