## Joseph I Clark

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2612452/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Improved Survival with Ipilimumab in Patients with Metastatic Melanoma. New England Journal of Medicine, 2010, 363, 711-723.	13.9	13,065
2	Randomized Phase III Trial of High-Dose Interleukin-2 Versus Subcutaneous Interleukin-2 and Interferon in Patients With Metastatic Renal Cell Carcinoma. Journal of Clinical Oncology, 2005, 23, 133-141.	0.8	746
3	Ipilimumab Therapy in Patients With Advanced Melanoma and Preexisting Autoimmune Disorders. JAMA Oncology, 2016, 2, 234.	3.4	534
4	Adjuvant High-Dose Bolus Interleukin-2 for Patients With High-Risk Renal Cell Carcinoma: A Cytokine Working Group Randomized Trial. Journal of Clinical Oncology, 2003, 21, 3133-3140.	0.8	307
5	The High-Dose Aldesleukin "Select―Trial: A Trial to Prospectively Validate Predictive Models of Response to Treatment in Patients with Metastatic Renal Cell Carcinoma. Clinical Cancer Research, 2015, 21, 561-568.	3.2	133
6	Multi-Institutional Study of the Angiogenesis Inhibitor TNP-470 in Metastatic Renal Carcinoma. Journal of Clinical Oncology, 1999, 17, 2541-2541.	0.8	124
7	Therapy with high-dose Interleukin-2 (HD IL-2) in metastatic melanoma and renal cell carcinoma following PD1 or PDL1 inhibition. , 2019, 7, 49.		102
8	Contemporary experience with high-dose interleukin-2 therapy and impact on survival in patients with metastatic melanoma and metastatic renal cell carcinoma. Cancer Immunology, Immunotherapy, 2016, 65, 1533-1544.	2.0	89
9	An update on the Society for Immunotherapy of Cancer consensus statement on tumor immunotherapy for the treatment of cutaneous melanoma: version 2.0. , 2018, 6, 44.		59
10	Phase II evaluation of paclitaxel in combination with carboplatin in advanced head and neck carcinoma. Cancer, 2001, 92, 2334-2340.	2.0	51
11	Randomized Phase II Trial of Sequential Chemotherapy in Advanced Non-Small Cell Lung Cancer (SWOG) Tj ETQo	1 <u>1 0</u> .784 م	1314 rgBT /O
12	Kidney Cancer: The Cytokine Working Group Experience (1986 -2001): Part II: Management of IL-2 Toxicity and Studies with Other Cytokines. Medical Oncology, 2001, 18, 209-220.	1.2	40
13	Impact of Sequencing Targeted Therapies With High-dose Interleukin-2 Immunotherapy: An Analysis of Outcome and Survival of Patients With Metastatic Renal Cell Carcinoma From an On-going Observational IL-2 Clinical Trial: PROCLAIM SM. Clinical Genitourinary Cancer, 2017, 15, 31-41.e4.	0.9	31
14	Improved survival and tumor control with Interleukin-2 isÂassociated with the development of immune-related adverse events: data from the PROCLAIMSM registry. , 2017, 5, 102.		31
15	Role of Imaging in Renal Cell Carcinoma: A Multidisciplinary Perspective. Radiographics, 2021, 41, 1387-1407.	1.4	30
16	The PARADIGM trial: A phase III study comparing sequential therapy (ST) to concurrent chemoradiotherapy (CRT) in locally advanced head and neck cancer (LANHC) Journal of Clinical Oncology, 2012, 30, 5501-5501.	0.8	30
17	Response to paclitaxel and carboplatin in metastatic salivary gland cancer: A case report. Head and Neck, 2002, 24, 406-410.	0.9	28
18	Kidney Cancer: The Cytokine Working Group Experience (1986 -2001): Part I. IL-2-Based Clinical Trials. Medical Oncology, 2001, 18, 197-208.	1.2	27

JOSEPH I CLARK

#	Article	IF	CITATIONS
19	Pilot study of sequential vinorelbine and cisplatin followed by docetaxel for selected IIIB and stage IV non-small cell lung cancer. Lung Cancer, 2001, 34, 271-277.	0.9	24
20	Phase 2 trial of combination thalidomide plus temozolomide in patients with metastatic malignant melanoma: Southwest Oncology Group S0508. Cancer, 2010, 116, 424-431.	2.0	20
21	Robust Differences in p16â€Dependent Oropharyngeal Squamous Cell Carcinoma Distant Metastasis. Otolaryngology - Head and Neck Surgery, 2015, 153, 209-217.	1.1	15
22	A multi-center phase II study of high dose interleukin-2 sequenced with vemurafenib in patients with BRAF-V600 mutation positive metastatic melanoma. , 2018, 6, 76.		14
23	Phase III AXIS trial for second-line metastatic renal cell carcinoma (mRCC): Effect of prior first-line treatment duration and axitinib dose titration on axitinib efficacy Journal of Clinical Oncology, 2012, 30, 354-354.	0.8	12
24	High-Dose Ipilimumab and High-Dose Interleukin-2 for Patients With Advanced Melanoma. Frontiers in Oncology, 2019, 9, 1483.	1.3	10
25	New therapeutic strategies for the treatment and prevention of head and neck cancer. Expert Opinion on Investigational Drugs, 2000, 9, 2855-2872.	1.9	9
26	Phase I pilot study of oxaliplatin, infusional 5-FU, and cetuximab in recurrent or metastatic head and neck cancer. Medical Oncology, 2013, 30, 358.	1.2	8
27	Combination Trimodality Therapy Using Vismodegib for Basal Cell Carcinoma of the Face. Case Reports in Oncological Medicine, 2015, 2015, 1-6.	0.2	8
28	Phase I/II Trial of Outpatient PEG-interferon With Interleukin-2 in Advanced Renal Cell Carcinoma: A Cytokine Working Group Study. Journal of Immunotherapy, 2007, 30, 839-846.	1.2	6
29	Long-term (LT) disease-free survival (DFS) of melanoma (MM) and renal cell cancer (RCC) patients following high-dose interleukin-2 (HD IL2) Journal of Clinical Oncology, 2017, 35, e21005-e21005.	0.8	5
30	Phase I Adjuvant Radiation With Docetaxel in High-Risk Head and Neck Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2009, 32, 396-400.	0.6	4
31	Combined radio-immunotherapy leads to complete clinical regression of stage IV Merkel cell carcinoma. BMJ Case Reports, 2019, 12, e230518.	0.2	4
32	Pdl-1/pdl-3 (programmed death ligand-1/3) tissue expression and response to treatment with IL2 and antiangiogenic therapies Journal of Clinical Oncology, 2013, 31, 4521-4521.	0.8	4
33	Safety and efficacy of ipilimumab in melanoma patients who received prior immunotherapy on phase III study MDX010-020 Journal of Clinical Oncology, 2013, 31, 9050-9050.	0.8	3
34	Vaccine therapy of malignant melanoma. Clinical and Applied Immunology Reviews, 2006, 6, 217-230.	0.4	2
35	Ipilimumab for the treatment of melanoma. Melanoma Management, 2015, 2, 33-39.	0.1	2
36	Rhabdomyolysis during high dose interleukin-2 treatment of metastatic melanoma after sequential		2

immunotherapies: a case report. , 2018, 6, 53.

JOSEPH I CLARK

#	Article	IF	CITATIONS
37	A Prospective Analysis of High-Dose Interleukin-2 (HD IL-2) following PD-1 inhibitor therapy in patients with metastatic melanoma and renal cell carcinoma Journal of Clinical Oncology, 2016, 34, e21006-e21006.	0.8	2
38	Interleukin-2 and Cancer Therapy. , 2007, , 307-316.		1
39	Durability of responses in patients with metastatic renal cell carcinoma treated with high-dose interleukin-2 (HD IL-2) Journal of Clinical Oncology, 2016, 34, 511-511.	0.8	1
40	Phase I pilot study of oxaliplatin, infusional 5-FU, and cetuximab in recurrent or metastatic head and neck cancer Journal of Clinical Oncology, 2012, 30, e16027-e16027.	0.8	0
41	Experience with IL-2 in metastatic renal cell carcinoma after treatment with one or more targeted therapies Journal of Clinical Oncology, 2016, 34, 622-622.	0.8	0
42	Update on the overall survival of patients with metastatic melanoma treated with immune checkpoint blockade following initial treatment with HD IL-2 Journal of Clinical Oncology, 2016, 34, e21039-e21039.	0.8	0
43	Extension of overall survival in patients with metastatic renal cell carcinoma who received HD IL-2 followed by targeted therapy and/or immune checkpoint blockade from the PROCLAIM registry Journal of Clinical Oncology, 2016, 34, 4548-4548.	0.8	0
44	Efficacy and tolerability of high dose interleukin-2 (HD IL-2) after disease progression on targeted therapy (TT) for metastatic renal cell carcinoma (mRCC) Journal of Clinical Oncology, 2016, 34, e16064-e16064.	0.8	0
45	Association of improved survival (OS) and tumor control (TC) with interleukin-2 (IL2) with development of immune-related events (IREs): Data from the PROCLAIMSM registry Journal of Clinical Oncology, 2017, 35, 9528-9528.	0.8	0