

Laurent Castra

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2614371/laurent-castera-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

11,660
citations

47
h-index

103
g-index

103
ext. papers

13,405
ext. citations

7.1
avg, IF

6.5
L-index

#	Paper	IF	Citations
90	5RRegion Large Genomic Rearrangements in the Gene in French Families: Identification of a Tandem Triplication and Nine Distinct Deletions with Five Recurrent Breakpoints. <i>Cancers</i> , 2021 , 13,	6.6	2
89	Classification of 101 BRCA1 and BRCA2 variants of uncertain significance by cosegregation study: A powerful approach. <i>American Journal of Human Genetics</i> , 2021 , 108, 1907-1923	11	3
88	Full in-frame exon 3 skipping of confers high risk of breast and/or ovarian cancer. <i>Oncotarget</i> , 2018 , 9, 17334-17348	3.3	13
87	EFSUMB Guidelines and Recommendations on the Clinical Use of Liver Ultrasound Elastography, Update 2017 (Long Version). <i>Ultraschall in Der Medizin</i> , 2017 , 38, e16-e47	3.8	383
86	EFSUMB Guidelines and Recommendations on the Clinical Use of Liver Ultrasound Elastography, Update 2017 (Short Version). <i>Ultraschall in Der Medizin</i> , 2017 , 38, 377-394	3.8	62
85	EASL and AASLD recommendations for the diagnosis of HCC to the test of daily practice. <i>Liver International</i> , 2017 , 37, 1515-1525	7.9	61
84	Screening studies of transient elastography and FibroTest in the general population - AuthorsR reply. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 246-247	18.8	
83	A Glycomics-Based Test Predicts the Development of Hepatocellular Carcinoma in Cirrhosis. <i>Clinical Cancer Research</i> , 2017 , 23, 2750-2758	12.9	25
82	Are targeted treatment recommendations in chronic hepatitis C tailored to diagnostic methods of fibrosis?. <i>Journal of Hepatology</i> , 2017 , 66, 304-312	13.4	7
81	Non-invasive diagnosis of hepatic steatosis. <i>Hepatology International</i> , 2017 , 11, 70-78	8.8	64
80	Correlation of tumor response on computed tomography with pathological necrosis in hepatocellular carcinoma treated by chemoembolization before liver transplantation. <i>Liver Transplantation</i> , 2016 , 22, 1491-1500	4.5	20
79	Critical comparison of elastography methods to assess chronic liver disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016 , 13, 402-11	24.2	154
78	Non-invasive tests for liver fibrosis progression and regression. <i>Journal of Hepatology</i> , 2016 , 64, 232-3	13.4	11
77	Screening for liver fibrosis in the general population: a call for action. <i>The Lancet Gastroenterology and Hepatology</i> , 2016 , 1, 256-260	18.8	81
76	Presence of diabetes mellitus and steatosis is associated with liver stiffness in a general population: The Rotterdam study. <i>Hepatology</i> , 2016 , 63, 138-47	11.2	175
75	Characterization of fortuitously discovered focal liver lesions: additional information provided by shearwave elastography. <i>European Radiology</i> , 2015 , 25, 346-58	8	29
74	Reply to "Points to be considered when using transient elastography for diagnosis of portal hypertension according to the Baveno® VI consensus". <i>Journal of Hepatology</i> , 2015 , 63, 1049-50	13.4	5

73	Noninvasive Assessment of Liver Fibrosis. <i>Digestive Diseases</i> , 2015 , 33, 498-503	3.2	40
72	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 1: basic principles and terminology. <i>Ultrasound in Medicine and Biology</i> , 2015 , 41, 1126-47	3.5	483
71	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 3: liver. <i>Ultrasound in Medicine and Biology</i> , 2015 , 41, 1161-79	3.5	390
70	TRIP: a pathological score for transarterial chemoembolization resistance individualized prediction in hepatocellular carcinoma. <i>Liver International</i> , 2015 , 35, 2466-73	7.9	19
69	Noninvasive Evaluation of Nonalcoholic Fatty Liver Disease. <i>Seminars in Liver Disease</i> , 2015 , 35, 291-303	7.3	56
68	Prospective comparison of spleen and liver stiffness by using shear-wave and transient elastography for detection of portal hypertension in cirrhosis. <i>Radiology</i> , 2015 , 275, 589-98	20.5	150
67	FibroScan (vibration-controlled transient elastography): where does it stand in the United States practice. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 27-36	6.9	103
66	Histologic and noninvasive estimates of liver fibrosis. <i>Clinical Liver Disease</i> , 2015 , 6, 5-8	2.2	9
65	Genetic profiles of cervical tumors by high-throughput sequencing for personalized medical care. <i>Cancer Medicine</i> , 2015 , 4, 1484-93	4.8	28
64	Assessing liver disease in HIV-HCV coinfecting patients. <i>Current Opinion in HIV and AIDS</i> , 2015 , 10, 316-22	4.2	8
63	Diagnosis of liver fibrosis: present and future. <i>Seminars in Liver Disease</i> , 2015 , 35, 166-83	7.3	38
62	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 2: breast. <i>Ultrasound in Medicine and Biology</i> , 2015 , 41, 1148-60	3.5	255
61	Non-invasive diagnosis tests 2015 , 53-62		
60	Performance of PIVKA-II for early hepatocellular carcinoma diagnosis and prediction of microvascular invasion. <i>Journal of Hepatology</i> , 2015 , 62, 848-54	13.4	157
59	Assessment of portal hypertension and high-risk oesophageal varices with liver and spleen three-dimensional multifrequency MR elastography in liver cirrhosis. <i>European Radiology</i> , 2014 , 24, 1394-402	8	82
58	Next-generation sequencing for the diagnosis of hereditary breast and ovarian cancer using genomic capture targeting multiple candidate genes. <i>European Journal of Human Genetics</i> , 2014 , 22, 1305-13	5.3	181
57	Hepatitis B: are non-invasive markers of liver fibrosis reliable?. <i>Liver International</i> , 2014 , 34 Suppl 1, 91-6	7.9	41
56	Alternative Response Criteria (Choi, European association for the study of the liver, and modified Response Evaluation Criteria in Solid Tumors [RECIST]) Versus RECIST 1.1 in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Oncologist</i> , 2014 , 19, 394-402	5.7	104

55	Radioembolisation with yttrium-90 microspheres versus sorafenib for treatment of advanced hepatocellular carcinoma (SARAH): study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 474	2.8	32
54	Noninvasive evaluation of NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2013 , 10, 666-75	24.2	198
53	Update on ultrasound imaging of liver fibrosis. <i>Journal of Hepatology</i> , 2013 , 59, 180-2	13.4	72
52	Natural History of Chronic HCV Infection and Non-Invasive Assessment of Hepatic Fibrosis 2013 , 341-352		
51	Intratumoral gas in hepatocellular carcinoma following transarterial chemoembolization: associated factors and clinical impact. <i>Journal of Vascular and Interventional Radiology</i> , 2013 , 24, 1623-31 ^{2.4}		6
50	Non invasive evaluation of portal hypertension using transient elastography. <i>Journal of Hepatology</i> , 2012 , 56, 696-703	13.4	231
49	Noninvasive methods to assess liver disease in patients with hepatitis B or C. <i>Gastroenterology</i> , 2012 , 142, 1293-1302.e4	13.3	455
48	How to assess liver fibrosis in chronic hepatitis C: serum markers or transient elastography vs. liver biopsy?. <i>Liver International</i> , 2011 , 31 Suppl 1, 13-7	7.9	49
47	Invasive and non-invasive methods for the assessment of fibrosis and disease progression in chronic liver disease. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2011 , 25, 291-303 ^{2.5}		94
46	Non-invasive assessment of liver fibrosis in chronic hepatitis C. <i>Hepatology International</i> , 2011 , 5, 625-348.8		59
45	Screening the general population for cirrhosis using transient elastography: finding a needle in a haystack?. <i>Gut</i> , 2011 , 60, 883-4	19.2	5
44	Prospective comparison of two algorithms combining non-invasive methods for staging liver fibrosis in chronic hepatitis C. <i>Journal of Hepatology</i> , 2010 , 52, 191-8	13.4	158
43	Prediction of oesophageal varices in hepatic cirrhosis by simple serum non-invasive markers: Results of a multicenter, large-scale study. <i>Journal of Hepatology</i> , 2010 , 53, 630-8	13.4	92
42	Non-invasive assessment of liver fibrosis: are we ready?. <i>Lancet, The</i> , 2010 , 375, 1419-20	4.0	106
41	Biopsy and non-invasive methods for the diagnosis of liver fibrosis: does it take two to tango?. <i>Gut</i> , 2010 , 59, 861-6	19.2	148
40	Pitfalls of liver stiffness measurement: a 5-year prospective study of 13,369 examinations. <i>Hepatology</i> , 2010 , 51, 828-35	11.2	736
39	Factors of accuracy of transient elastography (fibrosan) for the diagnosis of liver fibrosis in chronic hepatitis C. <i>Hepatology</i> , 2009 , 49, 1083-9	11.2	175
38	The Cobas AmpliPrep-Cobas TaqMan real-time polymerase chain reaction assay fails to detect hepatitis C virus RNA in highly viremic genotype 4 clinical samples. <i>Hepatology</i> , 2009 , 49, 1397-8	11.2	39

37	SAFE biopsy: a validated method for large-scale staging of liver fibrosis in chronic hepatitis C. <i>Hepatology</i> , 2009 , 49, 1821-7	11.2	132
36	Liver stiffness and hepatocellular carcinoma: liaisons dangereuses?. <i>Hepatology</i> , 2009 , 49, 1793-4	11.2	10
35	Transient elastography and other noninvasive tests to assess hepatic fibrosis in patients with viral hepatitis. <i>Journal of Viral Hepatitis</i> , 2009 , 16, 300-14	3.4	127
34	Early detection in routine clinical practice of cirrhosis and oesophageal varices in chronic hepatitis C: comparison of transient elastography (FibroScan) with standard laboratory tests and non-invasive scores. <i>Journal of Hepatology</i> , 2009 , 50, 59-68	13.4	289
33	Interpreting liver stiffness in the cirrhotic range: What are we measuring?. <i>Journal of Hepatology</i> , 2009 , 50, 424-425	13.4	2
32	Transient elastography vs. blood tests for the diagnosis of cirrhosis: An empiric victory. <i>Journal of Hepatology</i> , 2009 , 51, 229	13.4	
31	Non-invasive evaluation of liver fibrosis using transient elastography. <i>Journal of Hepatology</i> , 2008 , 48, 835-47	13.4	964
30	Assessing liver fibrosis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2008 , 2, 541-52	4.2	31
29	Validation and comparison of simple noninvasive indexes for predicting liver fibrosis in HIV-HCV-coinfected patients: ANRS CO3 Aquitaine cohort. <i>American Journal of Gastroenterology</i> , 2008 , 103, 1973-80	0.7	55
28	Reply:. <i>Hepatology</i> , 2007 , 46, 282-283	11.2	2
27	Meta-analyses of FibroTest diagnostic value in chronic liver disease. <i>BMC Gastroenterology</i> , 2007 , 7, 40	3	223
26	HEPACOM: multicenter, observational prospective study of outcome and monitoring of HCV positive antiviral-naïve patients managed in the French health care system. <i>Gastroenterologie Clinique Et Biologique</i> , 2007 , 31, 1074-80		7
25	Hepatitis B virus genotypes: a retrospective survey in Southwestern France, 1999-2004. <i>Gastroenterologie Clinique Et Biologique</i> , 2007 , 31, 1088-94		16
24	Standardization of ROC curve areas for diagnostic evaluation of liver fibrosis markers based on prevalences of fibrosis stages. <i>Clinical Chemistry</i> , 2007 , 53, 1615-22	5.5	208
23	Influence of heat stress on human monocyte-derived dendritic cell functions with immunotherapeutic potential for antitumor vaccines. <i>Journal of Leukocyte Biology</i> , 2007 , 81, 1179-87	6.5	35
22	Liver stiffness measurement in children using FibroScan: feasibility study and comparison with Fibrotest, aspartate transaminase to platelets ratio index, and liver biopsy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 443-50	2.8	179
21	Prevalence of and factors associated with hepatic steatosis in patients coinfecting with hepatitis C virus and HIV: Agence Nationale pour la Recherche contre le SIDA et les hépatites virales CO3 Aquitaine Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 45, 168-73	3.1	26
20	Evolving practices of non-invasive markers of liver fibrosis in patients with chronic hepatitis C in France: time for new guidelines?. <i>Journal of Hepatology</i> , 2007 , 46, 528-9; author reply 529-30	13.4	74

19	Outbreak of hepatitis C virus infection during sclerotherapy of varicose veins: long-term follow-up of 196 patients (4535 patient-years). <i>Journal of Hepatology</i> , 2007 , 46, 19-25	13.4	21
18	Hepatitis B vaccination in HIV-infected patients: a survey of physicians and patients participating in the Aquitaine cohort. <i>Gastroenterologie Clinique Et Biologique</i> , 2006 , 30, 189-95		9
17	FibroScan and FibroTest to assess liver fibrosis in HCV with normal aminotransferases. <i>Hepatology</i> , 2006 , 43, 373-4; author reply 375-6	11.2	38
16	Accuracy of liver stiffness measurement for the diagnosis of cirrhosis in patients with chronic liver diseases. <i>Hepatology</i> , 2006 , 44, 1511-7	11.2	382
15	Dynamics of hepatitis B virus resistance to lamivudine. <i>Journal of Virology</i> , 2006 , 80, 643-53	6.6	80
14	Prevalence and factors associated with failure of liver stiffness measurement using FibroScan in a prospective study of 2114 examinations. <i>European Journal of Gastroenterology and Hepatology</i> , 2006 , 18, 411-2	2.2	265
13	Psychosocial factors associated with perceived disease severity in patients with chronic hepatitis C: relationship with information sources and attentional coping styles. <i>Psychosomatics</i> , 2005 , 46, 25-33	2.6	21
12	Prospective comparison of transient elastography, Fibrotest, APRI, and liver biopsy for the assessment of fibrosis in chronic hepatitis C. <i>Gastroenterology</i> , 2005 , 128, 343-50	13.3	1857
11	Partial splenic embolization in patients with cirrhosis: efficacy, tolerance and long-term outcome in 32 patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2005 , 17, 179-84	2.2	112
10	Epidemiological and phylogenetic evidence for patient-to-patient hepatitis C virus transmission during sclerotherapy of varicose veins. <i>Journal of Medical Virology</i> , 2005 , 76, 279-84	19.7	8
9	Occult hepatitis B virus infection in HIV-infected patients with isolated antibodies to hepatitis B core antigen: Aquitaine cohort, 2002-2003. <i>Clinical Infectious Diseases</i> , 2005 , 40, 750-3	11.6	50
8	Hepatitis C virus-induced hepatocellular steatosis. <i>American Journal of Gastroenterology</i> , 2005 , 100, 711-5.7		63
7	The MTHFR 677C > T polymorphism is associated with an increased risk of hepatocellular carcinoma in patients with alcoholic cirrhosis. <i>Carcinogenesis</i> , 2004 , 25, 1443-8	4.6	45
6	Predictive value of early HCV RNA quantitation for sustained response in nonresponders receiving daily interferon and ribavirin therapy. <i>Journal of Medical Virology</i> , 2004 , 72, 46-51	19.7	5
5	Antiviral action of ribavirin in chronic hepatitis C. <i>Gastroenterology</i> , 2004 , 126, 703-14	13.3	238
4	Incidence of interferon alfa-induced depression in patients with chronic hepatitis C. <i>Hepatology</i> , 2002 , 35, 978-9	11.2	34
3	Patient-administered nitrous oxide/oxygen inhalation provides safe and effective analgesia for percutaneous liver biopsy: A randomized placebo-controlled trial. <i>American Journal of Gastroenterology</i> , 2001 , 96, 1553-1557	0.7	40
2	Serum laminin and type IV collagen are accurate markers of histologically severe alcoholic hepatitis in patients with cirrhosis. <i>Journal of Hepatology</i> , 2000 , 32, 412-8	13.4	46

- 1 Macrovesicular steatosis induced by interferon alfa therapy for chronic myelogenous leukaemia. *Liver International*, **1999**, 19, 259-60 7.9 6