

Ke Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2614464/publications.pdf>

Version: 2024-02-01

43
papers

1,420
citations

331670

21
h-index

330143

37
g-index

46
all docs

46
docs citations

46
times ranked

1785
citing authors

#	ARTICLE	IF	CITATIONS
1	Dysfunction of CD27+IgD+ B cells correlates with aggravated systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2022, 41, 1551-1559.	2.2	7
2	Effect of pulsed intravenous methylprednisolone with alternative low-dose prednisone on high-risk IgA nephropathy: a 18-month prospective clinical trial. <i>Scientific Reports</i> , 2022, 12, 255.	3.3	5
3	Study on adsorption characteristics optimization of vertical radial flow adsorber. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2022, 17, .	1.5	1
4	The C5a/C5aR1 Axis Contributes to the Pathogenesis of Acute Cystitis Through Enhancement of Adhesion and Colonization of Uropathogenic E. coli. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 824505.	3.9	2
5	Dopamine D3 receptor signaling alleviates mouse rheumatoid arthritis by promoting Toll-like receptor 4 degradation in mast cells. <i>Cell Death and Disease</i> , 2022, 13, 240.	6.3	8
6	Activation of the C3a anaphylatoxin receptor inhibits keratinocyte proliferation by regulating keratin 6, keratin 16, and keratin 17 in psoriasis. <i>FASEB Journal</i> , 2022, 36, e22322.	0.5	1
7	A Plausible Role for Collectins in Skin Immune Homeostasis. <i>Frontiers in Immunology</i> , 2021, 12, 594858.	4.8	7
8	Inhibition of fibroblast growth factor-inducible 14 attenuates experimental tubulointerstitial fibrosis and profibrotic factor expression of proximal tubular epithelial cells. <i>Inflammation Research</i> , 2021, 70, 553-568.	4.0	3
9	Protective Role of Collectin 11 in a Mouse Model of Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2021, 73, 1430-1440.	5.6	8
10	Plasma fibrinogen, d-dimer, and fibrin degradation product as biomarkers of rheumatoid arthritis. <i>Scientific Reports</i> , 2021, 11, 16903.	3.3	14
11	Human CD3+CD56+NKT-like cells express a range of complement receptors and C3 activation has negative effects on these cell activity and effector function. <i>Human Immunology</i> , 2021, 82, 625-633.	2.4	7
12	Farrerol alleviates high glucose-induced renal mesangial cell injury through the ROS/Nox4/ERK1/2 pathway. <i>Chemico-Biological Interactions</i> , 2020, 316, 108921.	4.0	13
13	Complement 3 mediates periodontal destruction in patients with type 2 diabetes by regulating macrophage polarization in periodontal tissues. <i>Cell Proliferation</i> , 2020, 53, e12886.	5.3	10
14	The C5a/C5aR2 axis promotes renal inflammation and tissue damage. <i>JCI Insight</i> , 2020, 5, .	5.0	23
15	The C5a/C5aR1 axis promotes progression of renal tubulointerstitial fibrosis in a mouse model of renal ischemia/reperfusion injury. <i>Kidney International</i> , 2019, 96, 117-128.	5.2	41
16	The C3a/C3aR axis mediates anti-inflammatory activity and protects against uropathogenic E. coli-induced kidney injury in mice. <i>Kidney International</i> , 2019, 96, 612-627.	5.2	15
17	Ultralong Circulating Lollipod-Like Nanoparticles Assembled with Gossypol, Doxorubicin, and Polydopamine via π - π Stacking for Synergistic Tumor Therapy. <i>Advanced Functional Materials</i> , 2019, 29, 1805582.	14.9	93
18	Collectin-11 Promotes the Development of Renal Tubulointerstitial Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 168-181.	6.1	41

#	ARTICLE	IF	CITATIONS
19	Epithelial C5aR1 Signaling Enhances Uropathogenic Escherichia coli Adhesion to Human Renal Tubular Epithelial Cells. <i>Frontiers in Immunology</i> , 2018, 9, 949.	4.8	6
20	Improvements on Flow Distribution and Heat Transfer Performance of Plate-fin Heat Exchangers by Qusai- <i>S</i> Type Header Configuration. <i>Heat Transfer Engineering</i> , 2017, 38, 1547-1560.	1.9	16
21	Anti-Double-Stranded DNA IgG Participates in Renal Fibrosis through Suppressing the Suppressor of Cytokine Signaling 1 Signals. <i>Frontiers in Immunology</i> , 2017, 8, 610.	4.8	27
22	TWEAK/Fn14 Activation Participates in Ro52-Mediated Photosensitization in Cutaneous Lupus Erythematosus. <i>Frontiers in Immunology</i> , 2017, 8, 651.	4.8	37
23	Complement Receptor 3 Has Negative Impact on Tumor Surveillance through Suppression of Natural Killer Cell Function. <i>Frontiers in Immunology</i> , 2017, 8, 1602.	4.8	9
24	The Controversial C5a Receptor C5aR2: Its Role in Health and Disease. <i>Journal of Immunology Research</i> , 2017, 2017, 1-16.	2.2	38
25	C5aR1 promotes acute pyelonephritis induced by uropathogenic E. coli. <i>JCI Insight</i> , 2017, 2, .	5.0	28
26	Cross-sectional study on the relationship between the level of serum cystatin C and blood pressure reverse dipping in hypertensive patients. <i>BMJ Open</i> , 2016, 6, e011166.	1.9	7
27	The complement factor 5a receptor 1 has a pathogenic role in chronic inflammation and renal fibrosis in a murine model of chronic pyelonephritis. <i>Kidney International</i> , 2016, 90, 540-554.	5.2	57
28	Complement 5a receptor-mediated neutrophil dysfunction is associated with a poor outcome in sepsis. <i>Cellular and Molecular Immunology</i> , 2016, 13, 103-109.	10.5	36
29	Activation of Endogenous Anti-Inflammatory Mediator Cyclic AMP Attenuates Acute Pyelonephritis in Mice Induced by Uropathogenic Escherichia coli. <i>American Journal of Pathology</i> , 2015, 185, 472-484.	3.8	19
30	HPV Type 16 Infection Switches Keratinocytes from Apoptotic to Proliferative Fate under TWEAK/Fn14 Interaction. <i>Journal of Investigative Dermatology</i> , 2015, 135, 2427-2436.	0.7	33
31	The Prognostic Value of CXCR4 in Ovarian Cancer: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e92629.	2.5	38
32	Enhanced in Vivo Delivery of 5-Fluorouracil by Ethosomal Gels in Rabbit Ear Hypertrophic Scar Model. <i>International Journal of Molecular Sciences</i> , 2014, 15, 22786-22800.	4.1	11
33	Expression and regulation of complement receptors by human natural killer cells. <i>Immunobiology</i> , 2014, 219, 671-679.	1.9	42
34	Anaphylatoxins in organ transplantation. <i>Seminars in Immunology</i> , 2013, 25, 20-28.	5.6	19
35	C3a and C5a Promote Renal Ischemia-Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1474-1485.	6.1	189
36	Functional modulation of human monocytes derived DCs by anaphylatoxins C3a and C5a. <i>Immunobiology</i> , 2012, 217, 65-73.	1.9	86

#	ARTICLE	IF	CITATIONS
37	Expression of complement components, receptors and regulators by human dendritic cells. <i>Molecular Immunology</i> , 2011, 48, 1121-1127.	2.2	87
38	Deficiency of C5aR Prolongs Renal Allograft Survival. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1344-1353.	6.1	59
39	Dendritic Cell Function in Allostimulation Is Modulated by C5aR Signaling. <i>Journal of Immunology</i> , 2009, 183, 6058-6068.	0.8	106
40	Synergy between type 1 fimbriae expression and C3 opsonisation increases internalisation of E. coli by human tubular epithelial cells. <i>BMC Microbiology</i> , 2009, 9, 64.	3.3	26
41	The classical complement pathway plays a critical role in the opsonisation of uropathogenic <i>Escherichia coli</i> . <i>Molecular Immunology</i> , 2008, 45, 954-962.	2.2	28
42	CD46 (Membrane Cofactor Protein) Acts as a Human Epithelial Cell Receptor for Internalization of Opsonized Uropathogenic <i>Escherichia coli</i> . <i>Journal of Immunology</i> , 2006, 177, 2543-2551.	0.8	54
43	Complement Activation Regulates the Capacity of Proximal Tubular Epithelial Cell to Stimulate Alloreactive T Cell Response. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2414-2422.	6.1	60