

# Kirsten Grossmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2614837/publications.pdf>

Version: 2024-02-01

7  
papers

164  
citations

1306789

7  
h-index

1719596

7  
g-index

9  
all docs

9  
docs citations

9  
times ranked

386  
citing authors

#	ARTICLE	IF	CITATIONS
1	Frequency of serological non-responders and false-negative RT-PCR results in SARS-CoV-2 testing: a population-based study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 2131-2140.	1.4	44
2	Characterization of a Pan-Immunoglobulin Assay Quantifying Antibodies Directed against the Receptor Binding Domain of the SARS-CoV-2 S1-Subunit of the Spike Protein: A Population-Based Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 3989.	1.0	35
3	EDTA-Anticoagulated Whole Blood for SARS-CoV-2 Antibody Testing by Electrochemiluminescence Immunoassay (ECLIA) and Enzyme-Linked Immunosorbent Assay (ELISA). <i>Diagnostics</i> , 2020, 10, 593.	1.3	19
4	Characteristics of Three Different Chemiluminescence Assays for Testing for SARS-CoV-2 Antibodies. <i>Disease Markers</i> , 2021, 2021, 1-13.	0.6	17
5	Temporal Course of SARS-CoV-2 Antibody Positivity in Patients with COVID-19 following the First Clinical Presentation. <i>BioMed Research International</i> , 2020, 2020, 1-11.	0.9	15
6	A prospective, randomized, single-blinded, crossover trial to investigate the effect of a wearable device in addition to a daily symptom diary for the remote early detection of SARS-CoV-2 infections (COVID-RED): a structured summary of a study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 412.	0.7	15
7	Investigation of the use of a sensor bracelet for the presymptomatic detection of changes in physiological parameters related to COVID-19: an interim analysis of a prospective cohort study (COVI-GAPP). <i>BMJ Open</i> , 2022, 12, e058274.	0.8	15