
Todd C Mockler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2615927/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Data-Driven Artificial Intelligence for Calibration of Hyperspectral Big Data. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-20.	6.3	16
2	The recent evolutionary rescue of a staple crop depended on over half a century of global germplasm exchange. Science Advances, 2022, 8, eabj4633.	10.3	9
3	Escalation in the host-pathogen arms race: A host resistance response corresponds to a heightened bacterial virulence response. PLoS Pathogens, 2021, 17, e1009175.	4.7	5
4	<i>DCT4</i> —A New Member of the Dicarboxylate Transporter Family in C4 Grasses. Genome Biology and Evolution, 2021, 13, .	2.5	1
5	Genomic patterns of structural variation among diverse genotypes of <i>Sorghum bicolor</i> and a potential role for deletions in local adaptation. G3: Genes, Genomes, Genetics, 2021, 11, .	1.8	9
6	Comparative evolutionary genetics of deleterious load in sorghum and maize. Nature Plants, 2021, 7, 17-24.	9.3	52
7	Genome and time-of-day transcriptome of <i>Wolffia australiana</i> link morphological minimization with gene loss and less growth control. Genome Research, 2021, 31, 225-238.	5.5	56
8	Exceptional subgenome stability and functional divergence in the allotetraploid Ethiopian cereal teff. Nature Communications, 2020, 11, 884.	12.8	101
9	Expansion of the circadian transcriptome in Brassica rapa and genome-wide diversification of paralog expression patterns. ELife, 2020, 9, .	6.0	26
10	Time of day and network reprogramming during drought induced CAM photosynthesis in Sedum album. PLoS Genetics, 2019, 15, e1008209.	3.5	59
11	Target Capture Sequencing Unravels Rubus Evolution. Frontiers in Plant Science, 2019, 10, 1615.	3.6	73
12	Chromosome-scale scaffolding of the black raspberry (Rubus occidentalis L.) genome based on chromatin interaction data. Horticulture Research, 2018, 5, 8.	6.3	50
13	Extreme haplotype variation in the desiccation-tolerant clubmoss Selaginella lepidophylla. Nature Communications, 2018, 9, 13.	12.8	89
14	Climate-smart crops with enhanced photosynthesis. Journal of Experimental Botany, 2018, 69, 3801-3809.	4.8	50
15	Characterization of aphid resistance loci in black raspberry (Rubus occidentalis L.). Molecular Breeding, 2018, 38, 1.	2.1	8
16	A near complete, chromosome-scale assembly of the black raspberry (Rubus occidentalis) genome. GigaScience, 2018, 7, .	6.4	86
17	Sequence and Analysis of the Black Raspberry (Rubus occidentalis) Genome. Compendium of Plant Genomes, 2018, , 185-197.	0.5	3
18	High density SNP mapping and QTL analysis for time of leaf budburst in Corylus avellana L PLoS ONE, 2018, 13, e0195408.	2.5	52

#	Article	IF	CITATIONS
19	Wholeâ€Plant Manual and Imageâ€Based Phenotyping in Controlled Environments. Current Protocols in Plant Biology, 2017, 2, 1-21.	2.8	6
20	Precise insertion and guided editing of higher plant genomes using Cpf1 CRISPR nucleases. Scientific Reports, 2017, 7, 11606.	3.3	164
21	Seed desiccation mechanisms coâ€opted for vegetative desiccation in the resurrection grass <i>Oropetium thomaeum</i> . Plant, Cell and Environment, 2017, 40, 2292-2306.	5.7	49
22	High throughput phenotyping to accelerate crop breeding and monitoring of diseases in the field. Current Opinion in Plant Biology, 2017, 38, 184-192.	7.1	242
23	Temporal and spatial transcriptomic and micro <scp>RNA</scp> dynamics of <scp>CAM</scp> photosynthesis in pineapple. Plant Journal, 2017, 92, 19-30.	5.7	78
24	Crossâ€species complementation reveals conserved functions for EARLY FLOWERING 3 between monocots and dicots. Plant Direct, 2017, 1, e00018.	1.9	21
25	Guidelines for Genome-Scale Analysis of Biological Rhythms. Journal of Biological Rhythms, 2017, 32, 380-393.	2.6	237
26	Comprehensive definition of genome features in <i>Spirodela polyrhiza</i> by highâ€depth physical mapping and shortâ€read <scp>DNA</scp> sequencing strategies. Plant Journal, 2017, 89, 617-635.	5.7	115
27	Temporal network analysis identifies early physiological and transcriptomic indicators of mild drought in Brassica rapa. ELife, 2017, 6, .	6.0	95
28	Comparative Analysis of Vertebrate Diurnal/Circadian Transcriptomes. PLoS ONE, 2017, 12, e0169923.	2.5	29
29	The genome of black raspberry (<i>Rubus occidentalis</i>). Plant Journal, 2016, 87, 535-547.	5.7	111
30	Grasses suppress shoot-borne roots to conserve water during drought. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 8861-8866.	7.1	111
31	Rapid Synthesis of a Long Double-Stranded Oligonucleotide from a Single-Stranded Nucleotide Using Magnetic Beads and an Oligo Library. PLoS ONE, 2016, 11, e0149774.	2.5	7
32	Highly sensitive image-derived indices of water-stressed plants using hyperspectral imaging in SWIR and histogram analysis. Scientific Reports, 2015, 5, 15919.	3.3	78
33	A genetic linkage map of black raspberry (Rubus occidentalis) and the mapping of Ag 4 conferring resistance to the aphid Amphorophora agathonica. Theoretical and Applied Genetics, 2015, 128, 1631-1646.	3.6	35
34	Extensive Transcriptome Changes During Natural Onset and Release of Vegetative Bud Dormancy in Populus. Frontiers in Plant Science, 2015, 6, 989.	3.6	91
35	Single-molecule sequencing of the desiccation-tolerant grass Oropetium thomaeum. Nature, 2015, 527, 508-511.	27.8	291
36	Translatome analyses capture of opposing tissue-specific brassinosteroid signals orchestrating root meristem differentiation. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 923-928.	7.1	113

#	Article	IF	CITATIONS
37	Environmental Stresses Modulate Abundance andÂTiming of Alternatively Spliced Circadian Transcripts in Arabidopsis. Molecular Plant, 2015, 8, 207-227.	8.3	142
38	Transcriptional networks — crops, clocks, and abiotic stress. Current Opinion in Plant Biology, 2015, 24, 39-46.	7.1	70
39	A Versatile Phenotyping System and Analytics Platform Reveals Diverse Temporal Responses to Water Availability in Setaria. Molecular Plant, 2015, 8, 1520-1535.	8.3	202
40	Editorial overview: Genome studies and molecular genetics: data-driven approaches to genotype-to-phenotype studies in crops. Current Opinion in Plant Biology, 2015, 24, iv-vi.	7.1	1
41	Alternative splicing in plants: directing traffic at the crossroads of adaptation and environmental stress. Current Opinion in Plant Biology, 2015, 24, 125-135.	7.1	215
42	Highly specific gene silencing in a monocot species by artificial micro <scp>RNA</scp> s derived from chimeric <i>mi<scp>RNA</scp></i> precursors. Plant Journal, 2015, 82, 1061-1075.	5.7	45
43	The pineapple genome and the evolution of CAM photosynthesis. Nature Genetics, 2015, 47, 1435-1442.	21.4	472
44	The Brachypodium distachyon Reference Genome. Plant Genetics and Genomics: Crops and Models, 2015, , 55-70.	0.3	2
45	Sequencing and characterization of the anadromous steelhead (Oncorhynchus mykiss) transcriptome. Marine Genomics, 2014, 15, 13-15.	1.1	18
46	Comparative analyses of C4 and C3 photosynthesis in developing leaves of maize and rice. Nature Biotechnology, 2014, 32, 1158-1165.	17.5	228
47	Environmental Stresses Modulate Abundance and Timing of Alternatively Spliced Circadian Transcripts in Arabidopsis. Molecular Plant, 2014, , .	8.3	9
48	A new alternative in plant retrograde signaling. Genome Biology, 2014, 15, 117.	9.6	8
49	Genome diversity in <i>Brachypodium distachyon:</i> deep sequencing of highly diverse inbred lines. Plant Journal, 2014, 79, 361-374.	5.7	80
50	Analysis of Global Gene Expression in Brachypodium distachyon Reveals Extensive Network Plasticity in Response to Abiotic Stress. PLoS ONE, 2014, 9, e87499.	2.5	80
51	Genome of the long-living sacred lotus (Nelumbo nucifera Gaertn.). Genome Biology, 2013, 14, R41.	9.6	329
52	Methylome reorganization during in vitro dedifferentiation and regeneration of Populus trichocarpa. BMC Plant Biology, 2013, 13, 92.	3.6	51
53	Functional characterization of cinnamyl alcohol dehydrogenase and caffeic acid O-methyltransferase in Brachypodium distachyon. BMC Biotechnology, 2013, 13, 61.	3.3	84
54	Architecture and evolution of a minute plant genome. Nature, 2013, 498, 94-98.	27.8	293

#	Article	IF	CITATIONS
55	Subset of heat-shock transcription factors required for the early response of <i>Arabidopsis</i> to excess light. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 14474-14479.	7.1	123
56	Parallel analysis of RNA ends enhances global investigation of microRNAs and target RNAs of Brachypodium distachyon. Genome Biology, 2013, 14, R145.	9.6	67
57	Assembly and Characterization of the European Hazelnut †Jefferson' Transcriptome. Crop Science, 2012, 52, 2679-2686.	1.8	35
58	Genome resequencing reveals multiscale geographic structure and extensive linkage disequilibrium in the forest tree <i>Populus trichocarpa</i> . New Phytologist, 2012, 196, 713-725.	7.3	173
59	Detection and Quantification of Alternative Splicing Variants Using RNA-seq. Methods in Molecular Biology, 2012, 883, 97-110.	0.9	22
60	Dynamic DNA cytosine methylation in the Populus trichocarpa genome: tissue-level variation and relationship to gene expression. BMC Genomics, 2012, 13, 27.	2.8	136
61	Comparative analyses reveal potential uses of Brachypodium distachyonas a model for cold stress responses in temperate grasses. BMC Plant Biology, 2012, 12, 65.	3.6	46
62	Unproductive alternative splicing and nonsense mRNAs: A widespread phenomenon among plant circadian clock genes. Biology Direct, 2012, 7, 20.	4.6	125
63	Genome-Wide SNP Detection, Validation, and Development of an 8K SNP Array for Apple. PLoS ONE, 2012, 7, e31745.	2.5	249
64	Host-Selective Toxins of Pyrenophora tritici-repentis Induce Common Responses Associated with Host Susceptibility. PLoS ONE, 2012, 7, e40240.	2.5	34
65	De Novo Short-Read Assembly. , 2012, , 85-105.		0
66	Exploring the Switchgrass Transcriptome Using Second-Generation Sequencing Technology. PLoS ONE, 2012, 7, e34225.	2.5	60
67	Development and Evaluation of a 9K SNP Array for Peach by Internationally Coordinated SNP Detection and Validation in Breeding Germplasm. PLoS ONE, 2012, 7, e35668.	2.5	199
68	Development and Evaluation of a Genome-Wide 6K SNP Array for Diploid Sweet Cherry and Tetraploid Sour Cherry. PLoS ONE, 2012, 7, e48305.	2.5	109
69	Global Profiling of Rice and Poplar Transcriptomes Highlights Key Conserved Circadian-Controlled Pathways and cis-Regulatory Modules. PLoS ONE, 2011, 6, e16907.	2.5	188
70	GENE-Counter: A Computational Pipeline for the Analysis of RNA-Seq Data for Gene Expression Differences. PLoS ONE, 2011, 6, e25279.	2.5	66
71	Discovery of Highly Divergent Repeat Landscapes in Snake Genomes Using High-Throughput Sequencing. Genome Biology and Evolution, 2011, 3, 641-653.	2.5	87
72	The genome of woodland strawberry (Fragaria vesca). Nature Genetics, 2011, 43, 109-116.	21.4	1,091

#	Article	IF	CITATIONS
73	A multi-organ transcriptome resource for the Burmese Python (Python molurus bivittatus). BMC Research Notes, 2011, 4, 310.	1.4	18
74	Expression, Splicing, and Evolution of the Myosin Gene Family in Plants Â. Plant Physiology, 2011, 155, 1191-1204.	4.8	78
75	Brachypodium as a Model for the Grasses: Today and the Future Â. Plant Physiology, 2011, 157, 3-13.	4.8	243
76	Cell-autonomous circadian clock of hepatocytes drives rhythms in transcription and polyamine synthesis. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 18560-18565.	7.1	37
77	An SSR-based genetic linkage map of the model grass Brachypodium distachyon. Genome, 2010, 53, 1-13.	2.0	55
78	Supersplat—spliced RNA-seq alignment. Bioinformatics, 2010, 26, 1500-1505.	4.1	41
79	Genome-wide mapping of alternative splicing in <i>Arabidopsis thaliana</i> . Genome Research, 2010, 20, 45-58.	5.5	825
80	Analysis of Transcriptome Changes Induced by Ptr ToxA in Wheat Provides Insights into the Mechanisms of Plant Susceptibility. Molecular Plant, 2009, 2, 1067-1083.	8.3	54
81	A Recommendation for Naming Transcription Factor Proteins in the Grasses. Plant Physiology, 2009, 149, 4-6.	4.8	45
82	cis-Regulatory elements in plant cell signaling. Current Opinion in Plant Biology, 2009, 12, 643-649.	7.1	105
83	QSRA – a quality-value guided de novo short read assembler. BMC Bioinformatics, 2009, 10, 69.	2.6	53
84	Genome scale transcriptome analysis of shoot organogenesis in Populus. BMC Plant Biology, 2009, 9, 132.	3.6	45
85	Strong population structure characterizes weediness gene evolution in the invasive grass species <i>Brachypodium distachyon</i> . Molecular Ecology, 2009, 18, 2588-2601.	3.9	37
86	IDN1 and IDN2 are required for de novo DNA methylation in Arabidopsis thaliana. Nature Structural and Molecular Biology, 2009, 16, 1325-1327.	8.2	98
87	Applications of Ultra-high-Throughput Sequencing. Methods in Molecular Biology, 2009, 553, 79-108.	0.9	72
88	Conserved Daily Transcriptional Programs in Carica papaya. Tropical Plant Biology, 2008, 1, 236-245.	1.9	37
89	A zinc knuckle protein that negatively controls morning-specific growth in <i>Arabidopsis thaliana</i> . Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 17193-17198.	7.1	67
90	Development of Genetic and Genomic Research Resources for <i>Brachypodium distachyon</i> , a New Model System for Grass Crop Research. Crop Science, 2008, 48, S-69.	1.8	133

#	Article	IF	CITATIONS
91	Multiplex sequencing of plant chloroplast genomes using Solexa sequencing-by-synthesis technology. Nucleic Acids Research, 2008, 36, e122-e122.	14.5	356
92	Network Discovery Pipeline Elucidates Conserved Time-of-Day–Specific cis-Regulatory Modules. PLoS Genetics, 2008, 4, e14.	3.5	474
93	A Morning-Specific Phytohormone Gene Expression Program underlying Rhythmic Plant Growth. PLoS Biology, 2008, 6, e225.	5.6	197
94	Signals from chloroplasts converge to regulate nuclear gene expression. Science, 2007, 316, 715-9.	12.6	638
95	Signals from Chloroplasts Converge to Regulate Nuclear Gene Expression. Science, 2007, 316, 715-719.	12.6	196
96	Applications of DNA tiling arrays for whole-genome analysis. Genomics, 2005, 85, 1-15.	2.9	376
97	Interdependency of Brassinosteroid and Auxin Signaling in Arabidopsis. PLoS Biology, 2004, 2, e258.	5.6	499
98	Regulation of flowering time in Arabidopsis by K homology domain proteins. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 12759-12764.	7.1	150
99	Blue Light-Dependent in Vivo and in Vitro Phosphorylation of Arabidopsis Cryptochrome 1. Plant Cell, 2003, 15, 2421-2429.	6.6	175
100	Regulation of photoperiodic flowering by Arabidopsis photoreceptors. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 2140-2145.	7.1	273
101	Regulation of Arabidopsis cryptochrome 2 by blue-light-dependent phosphorylation. Nature, 2002, 417, 763-767.	27.8	271
102	SUB1, an Arabidopsis Ca2+-Binding Protein Involved in Cryptochrome and Phytochrome Coaction. Science, 2001, 291, 487-490.	12.6	141
103	Regulation of Flowering Time by Arabidopsis Photoreceptors. Science, 1998, 279, 1360-1363.	12.6	713