

Francisco Epelde

List of Publications by Citations

Source: <https://exaly.com/author-pdf/261666/francisco-epelde-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 papers	13,322 citations	29 h-index	107 g-index
107 ext. papers	15,767 ext. citations	3.5 avg, IF	6.06 L-index

#	Paper	IF	Citations
70	Refining clinical risk stratification for predicting stroke and thromboembolism in atrial fibrillation using a novel risk factor-based approach: the euro heart survey on atrial fibrillation. <i>Chest</i> , 2010 , 137, 263-72	5.3	4353
69	A novel user-friendly score (HAS-BLED) to assess 1-year risk of major bleeding in patients with atrial fibrillation: the Euro Heart Survey. <i>Chest</i> , 2010 , 138, 1093-100	5.3	2947
68	EuroHeart Failure Survey II (EHFS II): a survey on hospitalized acute heart failure patients: description of population. <i>European Heart Journal</i> , 2006 , 27, 2725-36	9.5	825
67	Atrial fibrillation management: a prospective survey in ESC member countries: the Euro Heart Survey on Atrial Fibrillation. <i>European Heart Journal</i> , 2005 , 26, 2422-34	9.5	613
66	Progression from paroxysmal to persistent atrial fibrillation clinical correlates and prognosis. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 725-31	15.1	416
65	The prevalence of abnormal glucose regulation in patients with coronary artery disease across Europe. The Euro Heart Survey on diabetes and the heart. <i>European Heart Journal</i> , 2004 , 25, 1880-90	9.5	394
64	Are hospitalized or ambulatory patients with heart failure treated in accordance with European Society of Cardiology guidelines? Evidence from 12,440 patients of the ESC Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2013 , 15, 1173-84	12.3	388
63	Predictive variables for major bleeding events in patients presenting with documented acute venous thromboembolism. Findings from the RIETE Registry. <i>Thrombosis and Haemostasis</i> , 2008 , 100, 26-31	7	320
62	Epidemiology and one-year outcomes in patients with chronic heart failure and preserved, mid-range and reduced ejection fraction: an analysis of the ESC Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2017 , 19, 1574-1585	12.3	301
61	Gender-related differences in presentation, treatment, and outcome of patients with atrial fibrillation in Europe: a report from the Euro Heart Survey on Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 572-7	15.1	301
60	Risk profiles and antithrombotic treatment of patients newly diagnosed with atrial fibrillation at risk of stroke: perspectives from the international, observational, prospective GARFIELD registry. <i>PLoS ONE</i> , 2013 , 8, e63479	3.7	297
59	Antithrombotic treatment in real-life atrial fibrillation patients: a report from the Euro Heart Survey on Atrial Fibrillation. <i>European Heart Journal</i> , 2006 , 27, 3018-26	9.5	289
58	Prognosis, disease progression, and treatment of atrial fibrillation patients during 1 year: follow-up of the Euro Heart Survey on atrial fibrillation. <i>European Heart Journal</i> , 2008 , 29, 1181-9	9.5	201
57	Two-year outcomes of patients with newly diagnosed atrial fibrillation: results from GARFIELD-AF. <i>European Heart Journal</i> , 2016 , 37, 2882-2889	9.5	167
56	Fatal pulmonary embolism and fatal bleeding in cancer patients with venous thromboembolism: findings from the RIETE registry. <i>Journal of Thrombosis and Haemostasis</i> , 2006 , 4, 1950-6	15.4	143
55	The outcome after treatment of venous thromboembolism is different in surgical and acutely ill medical patients. Findings from the RIETE registry. <i>Journal of Thrombosis and Haemostasis</i> , 2004 , 2, 1892-8	15.4	134
54	Diabetes known or newly detected, but not impaired glucose regulation, has a negative influence on 1-year outcome in patients with coronary artery disease: a report from the Euro Heart Survey on diabetes and the heart. <i>European Heart Journal</i> , 2006 , 27, 2969-74	9.5	130

53	The clinical characteristics and investigations planned in patients with stable angina presenting to cardiologists in Europe: from the Euro Heart Survey of Stable Angina. <i>European Heart Journal</i> , 2005 , 26, 996-1010	9.5	123
52	International trends in clinical characteristics and oral anticoagulation treatment for patients with atrial fibrillation: Results from the GARFIELD-AF, ORBIT-AF I, and ORBIT-AF II registries. <i>American Heart Journal</i> , 2017 , 194, 132-140	4.9	104
51	In-hospital and 1-year mortality associated with diabetes in patients with acute heart failure: results from the ESC-HFA Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2017 , 19, 54-65	12.3	92
50	Venous thromboembolism during pregnancy or postpartum: Findings from the RIETE Registry. <i>Thrombosis and Haemostasis</i> , 2007 , 97, 186-190	7	83
49	Does sex affect anticoagulant use for stroke prevention in nonvalvular atrial fibrillation? The prospective global anticoagulant registry in the FIELD-Atrial Fibrillation. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015 , 8, S12-20	5.8	63
48	Clinical outcome of patients with venous thromboembolism and renal insufficiency. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 771-776	7	55
47	Optimization of Healthcare Emergency Departments by Agent-Based Simulation. <i>Procedia Computer Science</i> , 2011 , 4, 1880-1889	1.6	54
46	Performance of Prognostic Risk Scores in Chronic Heart Failure Patients Enrolled in the European Society of Cardiology Heart Failure Long-Term Registry. <i>JACC: Heart Failure</i> , 2018 , 6, 452-462	7.9	51
45	An Agent-Based Decision Support System for Hospitals Emergency Departments. <i>Procedia Computer Science</i> , 2011 , 4, 1870-1879	1.6	50
44	Simulation Optimization for Healthcare Emergency Departments. <i>Procedia Computer Science</i> , 2012 , 9, 1464-1473	1.6	48
43	A simulation and optimization based method for calibrating agent-based emergency department models under data scarcity. <i>Computers and Industrial Engineering</i> , 2017 , 103, 300-309	6.4	35
42	New onset heart failure--Clinical characteristics and short-term mortality. A RICA (Spanish registry of acute heart failure) study. <i>European Journal of Internal Medicine</i> , 2015 , 26, 357-62	3.9	34
41	Management and 1-Year Outcomes of Patients With Newly Diagnosed Atrial Fibrillation and Chronic Kidney Disease: Results From the Prospective GARFIELD - AF Registry. <i>Journal of the American Heart Association</i> , 2019 , 8, e010510	6	24
40	Using an Agent-based Simulation for Predicting the Effects of Patients Derivation Policies in Emergency Departments. <i>Procedia Computer Science</i> , 2013 , 18, 641-650	1.6	21
39	Sacubitril/valsartan eligibility and outcomes in the ESC-EORP-HFA Heart Failure Long-Term Registry: bridging between European Medicines Agency/Food and Drug Administration label, the PARADIGM-HF trial, ESC guidelines, and real world. <i>European Journal of Heart Failure</i> , 2019 , 21, 1383-1397	12.3	20
38	An agent-based model for quantitatively analyzing and predicting the complex behavior of emergency departments. <i>Journal of Computational Science</i> , 2017 , 21, 11-23	3.4	17
37	Prevalence and outcome of diuretic resistance in heart failure. <i>Internal and Emergency Medicine</i> , 2019 , 14, 529-537	3.7	14
36	The utility of heart failure registries: a descriptive and comparative study of two heart failure registries. <i>Postgraduate Medical Journal</i> , 2016 , 92, 260-6	2	13

35	ABMS optimization for emergency departments 2012 ,		12
34	Pancreatitis caused by loperamide overdose. <i>Annals of Pharmacotherapy</i> , 1996 , 30, 1339	2.9	12
33	Quantitative Evaluation of Decision Effects in the Management of Emergency Department Problems. <i>Procedia Computer Science</i> , 2015 , 51, 433-442	1.6	11
32	Hiperpotasemia en pacientes con insuficiencia cardiaca en España y su impacto en las recomendaciones. Registro ESC-EORP-HFA Heart Failure Long-Term. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 313-323	1.5	10
31	The Prognostic Value of Eosinophil Recovery in COVID-19: A Multicentre, Retrospective Cohort Study on Patients Hospitalised in Spanish Hospitals. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	10
30	Risk profiles and one-year outcomes of patients with newly diagnosed atrial fibrillation in India: Insights from the GARFIELD-AF Registry. <i>Indian Heart Journal</i> , 2018 , 70, 828-835	1.6	10
29	Comparison of international normalized ratio audit parameters in patients enrolled in GARFIELD-AF and treated with vitamin K antagonists. <i>British Journal of Haematology</i> , 2016 , 174, 610-23	4.5	8
28	¿Se ha incrementado el uso de bloqueadores beta en pacientes con insuficiencia cardiaca en medicina interna? Implicaciones pronósticas: registro RICA. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 196-202	1.5	8
27	Leukocytoclastic vasculitis and hemoptysis after treatment with aceclofenac. <i>Annals of Pharmacotherapy</i> , 1995 , 29, 1168	2.9	8
26	Effect of Systemic Hypertension With Versus Without Left Ventricular Hypertrophy on the Progression of Atrial Fibrillation (from the Euro Heart Survey). <i>American Journal of Cardiology</i> , 2018 , 122, 578-583	3	8
25	De novo acute heart failure: Clinical features and one-year mortality in the Spanish nationwide Registry of Acute Heart Failure. <i>Medicina Clínica</i> , 2019 , 152, 127-134	1	7
24	Effect of a rehabilitation-based chronic disease management program targeting severe COPD exacerbations on readmission patterns. <i>International Journal of COPD</i> , 2017 , 12, 2531-2538	3	6
23	Influence of atrial fibrillation on the mortality of patients with heart failure with preserved ejection fraction. <i>Medicina Clínica</i> , 2018 , 150, 376-382	1	6
22	Simulating the micro-level behavior of emergency department for macro-level features prediction 2015 ,		6
21	A model to predict length of stay in a hospital emergency department and enable planning for non-critical patients admission. <i>International Journal of Integrated Care</i> , 2016 , 16, 24	2	6
20	Influence of renal dysfunction phenotype on mortality in decompensated heart failure with preserved and mid-range ejection fraction. <i>International Journal of Cardiology</i> , 2017 , 243, 332-339	3.2	5
19	Agent Based Model and Simulation of MRSA Transmission in Emergency Departments. <i>Procedia Computer Science</i> , 2015 , 51, 443-452	1.6	5
18	Support managing population aging stress of emergency departments in a computational way. <i>Procedia Computer Science</i> , 2017 , 108, 149-158	1.6	4

17	Optimization of emergency departments by agent-based modeling and simulation 2012 ,		4
16	En plena crisis económica: coste y efectividad de las unidades de estancia corta hospitalarias. <i>Anales Del Sistema Sanitario De Navarra</i> , 2012 , 35, 469-475	0.3	4
15	Differential characteristics of acute heart failure in very elderly patients: the prospective RICA study. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1789-1799	4.8	4
14	Hemoconcentration as a prognostic factor after hospital discharge in acute heart failure in the RICA registry. <i>Revista Clinica Espanola</i> , 2019 , 219, 1-9	0.7	3
13	Scheduling model for non-critical patients admission into a hospital emergency department 2017 ,		3
12	Evaluación del efecto de la información en la satisfacción de los pacientes atendidos en los servicios de urgencias hospitalarios. <i>Revista De Calidad Asistencial: Órgano De La Sociedad Española De Calidad Asistencial</i> , 2007 , 22, 161-167		3
11	Spironolactone in patients with heart failure and preserved ejection fraction. <i>Revista Clinica Espanola</i> , 2015 , 215, 301-7	0.7	2
10	A decision support system for hospital emergency departments designed using agent-based modeling and simulation 2012 ,		2
9	Pronóstico a largo en pacientes con insuficiencia cardiaca en España. Registro ESC-EORP-HFA Heart Failure Long-Term. <i>REC: CardioClinics</i> , 2020 , 55, 207-216	0.2	1
8	A Method for Projections of the Emergency Department Behaviour by Non-Communicable Diseases From 2019 to 2039. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2020 , 24, 2490-2498	7.2	1
7	Has beta-blocker use increased in patients with heart failure in internal medicine settings? Prognostic implications: RICA registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 196-202	0.7	1
6	Comorbidity in patients with type 2 diabetes mellitus and heart failure with preserved ejection fraction. Cluster analysis of the RICA registry. Opportunities for improvement. <i>Revista Clinica Espanola</i> , 2020 , 220, 409-416	0.7	1
5	Investigating Impacts of Telemedicine on Emergency Department Through Decreasing Non-Urgent Patients in Spain. <i>IEEE Access</i> , 2020 , 8, 164238-164245	3.5	1
4	Virtual Clinical Trials: A tool for the Study of Transmission of Nosocomial Infections. <i>Procedia Computer Science</i> , 2017 , 108, 109-118	1.6	
3	Trends in US emergency department visits. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 2014; author reply 2015	27.4	
2	F. Epelde, R. Plá y M. Aguilar. <i>Medicina Clínica</i> , 2000 , 114, 791	1	
1	Mesenteric ischemia due to acrylic embolism after performing a percutaneous vertebroplasty. <i>Medicina Clínica</i> , 2020 , 154, 524	1	