

Nobuo Iyi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/261802/nobuo-iyi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

7,837
citations

44
h-index

86
g-index

130
ext. papers

8,284
ext. citations

4.9
avg, IF

5.7
L-index

#	Paper	IF	Citations
123	Disposable Nitric Oxide Generator Based on a Structurally Deformed Nitrite-Type Layered Double Hydroxide. <i>Inorganic Chemistry</i> , 2021 , 60, 16008-16015	5.1	0
122	Controlled release of HS and NO gases through CO-stimulated anion exchange. <i>Nature Communications</i> , 2020 , 11, 453	17.4	5
121	Rosette-like Layered Double Hydroxides: Adsorbent Materials for the Removal of Anionic Pollutants from Water. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 27954-27963	9.5	11
120	Massive hydration-driven swelling of layered perovskite niobate crystals in aqueous solutions of organo-ammonium bases. <i>Dalton Transactions</i> , 2018 , 47, 3022-3028	4.3	5
119	Structural changes of layered alkylsiloxanes during the reversible melting-solidification process. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 19146-57	3.6	7
118	Accordion-like swelling of layered perovskite crystals via massive permeation of aqueous solutions into 2D oxide galleries. <i>Chemical Communications</i> , 2015 , 51, 17068-71	5.8	33
117	Rapid exchange between atmospheric CO ₂ and carbonate anion intercalated within magnesium rich layered double hydroxide. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 18352-9	9.5	49
116	Preparation of a sulfo-group-containing rod-like polysilsesquioxane with a hexagonally stacked structure and its proton conductivity. <i>Chemistry - A European Journal</i> , 2014 , 20, 9394-9	4.8	30
115	Bulk Functional Materials Design Using Oxide Nanosheets as Building Blocks: A New Upconversion Material Fabricated by Flocculation of Ca ₂ Nb ₃ O ₁₀ Nanosheets with Rare-Earth Ions. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 1729-1738	3.8	16
114	Swelling and gel/sol formation of perchlorate-type layered double hydroxides in concentrated aqueous solutions of amino acid-related zwitterionic compounds. <i>Langmuir</i> , 2013 , 29, 2562-71	4	15
113	Dynamic breathing of CO ₂ by hydrotalcite. <i>Journal of the American Chemical Society</i> , 2013 , 135, 18040-3	16.4	57
112	Reversibly meltable layered alkylsiloxanes with melting points controllable by alkyl chain lengths. <i>New Journal of Chemistry</i> , 2013 , 37, 1142	3.6	5
111	Multinuclear solid-state NMR spectroscopy of a paramagnetic layered double hydroxide. <i>RSC Advances</i> , 2013 , 3, 19857	3.7	13
110	Hydrogen-bond-driven homogeneous intercalation for rapid, reversible, and ultra-precise actuation of layered clay nanosheets. <i>Chemical Communications</i> , 2013 , 49, 3631-3	5.8	19
109	Naked-eye discrimination of methanol from ethanol using composite film of oxoporphyrinogen and layered double hydroxide. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 5927-30	9.5	44
108	Preparation of carboxylate group-containing rod-like polysilsesquioxane with hexagonally stacked structure by sol-gel reaction of 2-cyanoethyltriethoxysilane. <i>Polymer</i> , 2012 , 53, 6021-6026	3.9	28
107	Efficient decarbonation of carbonate-type layered double hydroxide (CO ₃ LDH) by ammonium salts in alcohol medium. <i>Applied Clay Science</i> , 2012 , 65-66, 121-127	5.2	20

106	Highly fluorescent colloids based on rhodamine 6G, modified layered silicate, and organic solvent. <i>Journal of Colloid and Interface Science</i> , 2012 , 388, 15-20	9.3	11
105	Preparation of Ionic Silsesquioxanes with Regular Structures and Their Hybridization. <i>International Journal of Polymer Science</i> , 2012 , 2012, 1-14	2.4	21
104	Intercalation of protonated polyoxyalkylene monoamines into a synthetic Li-fluorotaeniolite. <i>Applied Clay Science</i> , 2011 , 52, 133-139	5.2	4
103	Deintercalation of carbonate ions from carbonate-type layered double hydroxides (LDHs) using acid/ alcohol mixed solutions. <i>Applied Clay Science</i> , 2011 , 54, 132-137	5.2	57
102	Luminous Change of Rhodamine 3B Incorporated into Titanate Nanosheet/Decyltrimethylammonium Hybrids under Humid Atmosphere. <i>Bulletin of the Chemical Society of Japan</i> , 2011 , 84, 562-568	5.1	16
101	Adsorption and photodegradation properties of anionic dyes by layered double hydroxides. <i>Journal of Physics and Chemistry of Solids</i> , 2011 , 72, 1037-1045	3.9	58
100	Fluorescence resonance energy transfer and arrangements of fluorophores in integrated coumarin/cyanine systems within solid-state two-dimensional nanospace. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011 , 225, 125-134	4.7	19
99	Synthesis and characterization of water-swallowable LDH (layered double hydroxide) hybrids containing sulfonate-type intercalant. <i>Journal of Materials Chemistry</i> , 2011 , 21, 8085		79
98	Geomaterials: their application to environmental remediation. <i>Science and Technology of Advanced Materials</i> , 2011 , 12, 064705	7.1	20
97	Interplay of Charge Density and Relative Humidity on the Structure of Nitrate Layered Double Hydroxides. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 18153-18158	3.8	41
96	Topochemical Synthesis, Anion Exchange, and Exfoliation of Co ²⁺ /Ni ²⁺ Layered Double Hydroxides: A Route to Positively Charged Co ²⁺ /Ni ²⁺ Hydroxide Nanosheets with Tunable Composition. <i>Chemistry of Materials</i> , 2010 , 22, 371-378	9.6	280
95	Resonance Energy Transfer between Rhodamine Molecules Adsorbed on Layered Silicate Particles. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 1246-1252	3.8	26
94	Sol-Gel Synthesis of Water-Soluble Polysilsesquioxanes with Regular Structures. <i>Kobunshi Ronbunshu</i> , 2010 , 67, 280-287	0	15
93	One-step Conversion of CO ₃ ²⁻ LDH (Layered Double Hydroxide) into Anion-exchangeable LDHs Using an Acetate-buffer/Salt Method. <i>Chemistry Letters</i> , 2010 , 39, 591-593	1.7	23
92	Influence of magnesia on sintering stress of alumina. <i>Ceramics International</i> , 2010 , 36, 1143-1146	5.1	12
91	Optical properties of molecular aggregates of oxazine dyes in dispersions of clay minerals. <i>Colloid and Polymer Science</i> , 2009 , 287, 157-165	2.4	9
90	Fine Control of Nitrogen Content in N-doped Titania Photocatalysts Prepared from Layered Titania/Isostearate Nanocomposites for High Visible-Light Photocatalytic Activity. <i>Topics in Catalysis</i> , 2009 , 52, 1584-1591	2.3	7
89	One-pot synthesis of organophilic layered double hydroxides (LDHs) containing aliphatic carboxylates: extended "homogeneous precipitation" method. <i>Journal of Colloid and Interface Science</i> , 2009 , 340, 67-73	9.3	32

88	Evaluation of sintering stresses of an Al ₂ O ₃ powder with a self-loading apparatus. <i>Ceramics International</i> , 2009 , 35, 3185-3194	5.1	12
87	Preparation of Integrated Coumarin/Cyanine Systems within an Interlayer of Phyllosilicate and Fluorescence Resonance Energy Transfer. <i>Chemistry of Materials</i> , 2009 , 21, 1179-1181	9.6	30
86	Synthesis and properties of well-crystallized layered rare-earth hydroxide nitrates from homogeneous precipitation. <i>Inorganic Chemistry</i> , 2009 , 48, 6724-30	5.1	95
85	Sol-gel synthesis of ladder polysilsesquioxanes forming chiral conformations and hexagonal stacking structures. <i>Journal of Materials Chemistry</i> , 2009 , 19, 7106		32
84	Effect of KBr on the FTIR Spectra of NO ₃ -LDHs (Layered Double Hydroxides). <i>Chemistry Letters</i> , 2009 , 38, 808-809	1.7	15
83	General synthesis and structural evolution of a layered family of Ln ₈ (OH) ₂₀ Cl ₄ × nH ₂ O (Ln = Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, and Y). <i>Journal of the American Chemical Society</i> , 2008 , 130, 16344-50	16.4	212
82	Photoactive oriented films of layered double hydroxides. <i>Physical Chemistry Chemical Physics</i> , 2008 , 10, 4429-34	3.6	22
81	Water-swallowable MgAl-LDH (layered double hydroxide) hybrids: synthesis, characterization, and film preparation. <i>Langmuir</i> , 2008 , 24, 5591-8	4	116
80	Deintercalation of carbonate ions and anion exchange of an Al-rich MgAl-LDH (layered double hydroxide). <i>Applied Clay Science</i> , 2008 , 42, 246-251	5.2	42
79	Oriented films of layered rare-earth hydroxide crystallites self-assembled at the hexane/water interface. <i>Chemical Communications</i> , 2008 , 4897-9	5.8	68
78	Preparation of a Novel Luminous Heterogeneous System: Rhodamine/Coumarin/Phyllosilicate Hybrid and Blue Shift in Fluorescence Emission. <i>Chemistry of Materials</i> , 2008 , 20, 2994-3002	9.6	36
77	Blue photoluminescence of germania-stabilized benitoite. <i>Journal of the Ceramic Society of Japan</i> , 2008 , 116, 1143-1146	1	5
76	Structure of cationic dyes assemblies intercalated in the films of montmorillonite. <i>Thin Solid Films</i> , 2008 , 517, 793-799	2.2	9
75	New layered rare-earth hydroxides with anion-exchange properties. <i>Chemistry - A European Journal</i> , 2008 , 14, 9255-60	4.8	149
74	Topochemical synthesis of monometallic (Co ²⁺ -Co ³⁺) layered double hydroxide and its exfoliation into positively charged Co(OH) ₂ nanosheets. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 86-9	16.4	191
73	Topochemical Synthesis of Monometallic (Co ²⁺ -Co ³⁺) Layered Double Hydroxide and Its Exfoliation into Positively Charged Co(OH) ₂ Nanosheets. <i>Angewandte Chemie</i> , 2008 , 120, 92-95	3.6	28
72	Decarbonation of MgAl-LDHs (layered double hydroxides) using acetate-buffer/NaCl mixed solution. <i>Journal of Colloid and Interface Science</i> , 2008 , 322, 237-45	9.3	74
71	Spectral properties and structure of the J-aggregates of pseudoisocyanine dye in layered silicate films. <i>Journal of Colloid and Interface Science</i> , 2008 , 326, 426-32	9.3	18

70	Spectral properties of tetraanionic porphyrin in formamide colloids of layered double hydroxides. <i>Open Chemistry</i> , 2008 , 6, 569-574	1.6	2
69	Spectral properties of rhodamine 3B adsorbed on the surface of montmorillonites with variable layer charge. <i>Langmuir</i> , 2007 , 23, 1851-9	4	49
68	Spectral study on the molecular orientation of a tetracationic porphyrin dye on the surface of layered silicates. <i>Open Physics</i> , 2007 , 5,	1.3	1
67	High visible-light photocatalytic activity of nitrogen-doped titania prepared from layered titania/isostearate nanocomposite. <i>Catalysis Today</i> , 2007 , 120, 226-232	5.3	63
66	Induced emission cross section of a possible laser line in Nd:Y2O3 ceramics at 1.095 μ m. <i>Journal of Applied Physics</i> , 2007 , 101, 043112	2.5	14
65	Sol-gel synthesis of rodlike polysilsesquioxanes forming regular higher-ordered nanostructure. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2007 , 222, 656-662	1	28
64	Synthesis and exfoliation of Co ²⁺ -Fe ³⁺ layered double hydroxides: an innovative topochemical approach. <i>Journal of the American Chemical Society</i> , 2007 , 129, 5257-63	16.4	316
63	Factors affecting the crystal size of the MgAl-LDH (layered double hydroxide) prepared by using ammonia-releasing reagents. <i>Applied Clay Science</i> , 2007 , 37, 23-31	5.2	110
62	Anomalous phase transition and ionic conductivity of AgI nanowire grown using porous alumina template. <i>Journal of Applied Physics</i> , 2007 , 102, 124308	2.5	20
61	General synthesis and delamination of highly crystalline transition-metal-bearing layered double hydroxides. <i>Langmuir</i> , 2007 , 23, 861-7	4	215
60	Visible orange photoluminescence in a barium titanosilicate BaTiSi2O7. <i>Applied Physics Letters</i> , 2006 , 88, 151903	3.4	32
59	Synthesis of organic-organic hybrid hydrogels using rodlike polysiloxane having acrylamido groups as a new cross-linking agent. <i>Journal of Materials Chemistry</i> , 2006 , 16, 1746-1750		28
58	Preparation of highly oriented organic-LDH hybrid films by combining the decarbonation, anion-exchange, and delamination processes. <i>Journal of Materials Chemistry</i> , 2006 , 16, 1608-1616		90
57	Hollow nanoshell of layered double hydroxide. <i>Chemical Communications</i> , 2006 , 3125-7	5.8	152
56	Synthesis, anion exchange, and delamination of Co-Al layered double hydroxide: assembly of the exfoliated nanosheet/polyanion composite films and magneto-optical studies. <i>Journal of the American Chemical Society</i> , 2006 , 128, 4872-80	16.4	1025
55	Exfoliating layered double hydroxides in formamide: a method to obtain positively charged nanosheets. <i>Journal of Materials Chemistry</i> , 2006 , 16, 3809		430
54	Molecular aggregation of rhodamine dyes in dispersions of layered silicates: influence of dye molecular structure and silicate properties. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 2180-6	3.4	58
53	Spectral and Structural Characteristics of Oxazine 4/Hexadecyltrimethylammonium Montmorillonite Films. <i>Chemistry of Materials</i> , 2006 , 18, 2618-2624	9.6	36

52	Phase-Stability and Photoluminescence of BaTi(Si, Ge) ₃ O ₉ . <i>Journal of the Ceramic Society of Japan</i> , 2006 , 114, 313-317		14
51	Preparation of higher-ordered inorganic/organic nanocomposite composed of rodlike cationic polysiloxane and polyacrylate. <i>Journal of Materials Chemistry</i> , 2005 , 15, 1572-1575		21
50	Molecular orientation of rhodamine dyes on surfaces of layered silicates. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 4608-15	3.4	62
49	Positively Charged Nanosheets Derived via Total Delamination of Layered Double Hydroxides. <i>Chemistry of Materials</i> , 2005 , 17, 4386-4391	9.6	444
48	Effects of Anion Species on Deintercalation of Carbonate Ions from Hydrotalcite-like Compounds. <i>Chemistry Letters</i> , 2005 , 34, 932-933	1.7	44
47	Preparation of Hybrid Organic/Inorganic Luminescent Thin Solid Films with Highly Concentrated Laser-dye Cations. <i>Chemistry Letters</i> , 2005 , 34, 1490-1491	1.7	28
46	Synthesis of rodlike polysiloxane with hexagonal phase by sol-gel reaction of organotrialkoxysilane monomer containing two amino groups. <i>Polymer</i> , 2005 , 46, 1828-1833	3.9	59
45	Synthesis of rodlike polysiloxane containing polyol moieties derived from glucose with regularly controlled higher-ordered structure. <i>Polymer</i> , 2005 , 46, 8905-8907	3.9	15
44	Preparation of a transparent and flexible self-standing film of layered titania/isostearate nanocomposite. <i>Journal of Materials Research</i> , 2005 , 20, 1308-1315	2.5	2
43	Synthesis of water-soluble silicon oxide material by sol-gel reaction in tetraalkoxysilane-aminoalkyltrialkoxysilane binary system. <i>Journal of Materials Research</i> , 2005 , 20, 2199-2204	2.5	9
42	Effect of layer charge density on orientation and aggregation of a cationic laser dye incorporated in the interlayer space of montmorillonites. <i>Journal of Colloid and Interface Science</i> , 2004 , 269, 22-5	9.3	34
41	Spectral Properties, Formation of Dye Molecular Aggregates, and Reactions in Rhodamine 6G/Layered Silicate Dispersions. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 4470-4477	3.4	65
40	Deintercalation of Carbonate Ions from a Hydrotalcite-Like Compound: Enhanced Decarbonation Using Acid-Salt Mixed Solution. <i>Chemistry of Materials</i> , 2004 , 16, 2926-2932	9.6	253
39	Hexagonal-Structured Polysiloxane Material Prepared by Sol-Gel Reaction of Aminoalkyltrialkoxysilane without Using Surfactants. <i>Chemistry of Materials</i> , 2004 , 16, 3417-3423	9.6	94
38	Luminescence properties of rhodamine 6G intercalated in surfactant/clay hybrid thin solid films. <i>Langmuir</i> , 2004 , 20, 4715-9	4	134
37	Structural refinement and thermal expansion of hexaborides. <i>Journal of Alloys and Compounds</i> , 2004 , 366, L6-L8	5.7	68
36	A Novel Synthetic Route to Layered Double Hydroxides Using Hexamethylenetetramine. <i>Chemistry Letters</i> , 2004 , 33, 1122-1123	1.7	120
35	Preparation of a Clay Pillared with Rodlike Cationic Polysiloxane. <i>Chemistry Letters</i> , 2004 , 33, 1486-1487	1.7	7

34	Preparation of Nitrogen-doped Anatase Titania by Treatment of Layered Titania/Isostearate Nanocomposite with Aqueous Ammonia. <i>Chemistry Letters</i> , 2004 , 33, 1508-1509	1.7	9
33	Novel chiral dimesogenic bidentate ligands and their Cu(II) and Pd(II) metal complexes. <i>Liquid Crystals</i> , 2003 , 30, 681-690	2.3	21
32	Synthesis of Rhodamine 6G/Cationic Surfactant/Clay Hybrid Materials and Its Luminescent Characterization. <i>Chemistry Letters</i> , 2003 , 32, 550-551	1.7	42
31	Isomerization of cationic azobenzene derivatives in dispersions and films of layered silicates. <i>Journal of Colloid and Interface Science</i> , 2003 , 262, 282-9	9.3	19
30	Molecular arrangement of rhodamine 6G cations in the films of layered silicates: the effect of the layer charge. <i>Physical Chemistry Chemical Physics</i> , 2003 , 5, 4680-4685	3.6	66
29	Mesogenic Unsymmetric dimers containing cholesteryl ester and tolane moieties. <i>Liquid Crystals</i> , 2003 , 30, 1079-1087	2.3	33
28	Synthesis of ion-exchangeable layered polysiloxane by sol-gel reaction of aminoalkyltrialkoxysilane: a new preparation method for layered polysiloxane materials. <i>Journal of Materials Chemistry</i> , 2003 , 13, 2058-2060		66
27	Molecular orientation of methylene blue intercalated in layer-charge-controlled montmorillonites. <i>Journal of Materials Research</i> , 2003 , 18, 2639-2643	2.5	16
26	Aggregation and decomposition of a pseudoisocyanine dye in dispersions of layered silicates. <i>Journal of Colloid and Interface Science</i> , 2002 , 247, 494-503	9.3	47
25	Aggregation and stability of 1,1'-diethyl-4,4'-cyanine dye on the surface of layered silicates with different charge densities. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2002 , 207, 207-214	5.1	31
24	Intercalation of Rhodamine 6G and Oxazine 4 into Oriented Clay Films and Their Alignment. <i>Journal of Materials Research</i> , 2002 , 17, 1035-1040	2.5	43
23	Organometallic chiral liquid crystals: bis{4-[[cholest-5-en-3-yl]oxycarbonyl]alkoxy}phenylethynyl}mercury complexes. <i>Liquid Crystals</i> , 2002 , 29, 1393-1399	2.3	11
22	Visible spectroscopy of cationic dyes in dispersions with reduced-charge montmorillonites. <i>Clays and Clay Minerals</i> , 2002 , 50, 446-454	2.1	38
21	Aggregated Structures of Rhodamine 6G Intercalated in a Fluor-Taeniolite Thin Film. <i>Langmuir</i> , 2002 , 18, 6578-6583	4	95
20	Orientation of an Organic Anion and Second-Staging Structure in Layered Double-Hydroxide Intercalates. <i>Chemistry of Materials</i> , 2002 , 14, 583-589	9.6	120
19	Orientation and aggregation of cationic laser dyes in a fluoromica: polarized spectrometry studies. <i>Applied Clay Science</i> , 2002 , 22, 125-136	5.2	76
18	Adsorption of dodecyl- and octadecyltrimethylammonium ions on a smectite and synthetic micas. <i>Applied Clay Science</i> , 2001 , 19, 5-10	5.2	110
17	The Aluminum-Rich Part of the System BaO-Al ₂ O ₃ -MgO. <i>Journal of Solid State Chemistry</i> , 1998 , 136, 258-262	3.3	7

16	Intercalation Characteristics of Rhodamine 6G in Fluor-Taeniolite: Orientation in the Gallery. <i>Clays and Clay Minerals</i> , 1997 , 45, 77-84	2.1	31
15	Crystal Structure of the New Magnetoplumbite-Related Compound in the System SrO-Al ₂ O ₃ -MgO. <i>Journal of Solid State Chemistry</i> , 1996 , 122, 46-52	3.3	31
14	Polytypes, Grain Growth, and Fracture Toughness of Metal Boride Particulate SiC Composites. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 1223-1229	3.8	21
13	The Al-Rich Part of the System CaO-Al ₂ O ₃ -MgO. <i>Journal of Solid State Chemistry</i> , 1995 , 120, 364-371	3.3	28
12	Simple Calculation of SiC Polytype Contents from Powder X-Ray Diffraction Peaks. <i>Journal of the Ceramic Society of Japan</i> , 1993 , 101, 1313-1314		34
11	Growth and characterization of Sc ₂ O ₃ -doped LiNbO ₃ . <i>Journal of Crystal Growth</i> , 1993 , 128, 920-923	1.6	5
10	Increased optical damage resistance in Sc ₂ O ₃ -doped LiNbO ₃ . <i>Applied Physics Letters</i> , 1992 , 61, 2156-2158	3.4	147
9	Sc ₂ O ₃ -doped LiNbO ₃ grown by the float zone method. <i>Journal of Crystal Growth</i> , 1992 , 121, 522-526	1.6	13
8	Annealing Behavior of Twin Domains in YBa ₂ Cu ₃ O _x Crystals. <i>Japanese Journal of Applied Physics</i> , 1988 , 27, L1184-L1186	1.4	6
7	Ionic States of Copper Atoms in YBa ₂ Cu _{3-x} O _{7-y} . <i>Japanese Journal of Applied Physics</i> , 1988 , 27, L206-L208	1.4	4
6	Single Crystal Preparation of Ba ₂ YCu ₃ O _x from Nonstoichiometric Melts. <i>Japanese Journal of Applied Physics</i> , 1987 , 26, L851-L853	1.4	76
5	The Oxygen-Deficient Perovskite Solid Solution Nd _{1+x} Ba _{2-x} Cu ₃ O _y and Its Superconductivity. <i>Japanese Journal of Applied Physics</i> , 1987 , 26, L2076-L2079	1.4	55
4	Crystal Structure of the Superconductor Ba _{1.8} Nd _{1.2} Cu ₃ O _{7-y} . <i>Japanese Journal of Applied Physics</i> , 1987 , 26, L1616-L1619	1.4	61
3	Localized Electrons Around Cu Atoms of Superconductor, Tetragonal YBa ₂ Cu _{3-x} O _{7-y} . <i>Japanese Journal of Applied Physics</i> , 1987 , 26, L1365-L1367	1.4	11
2	Electron Diffraction and Microscope Study of Ba-Nd-Cu-O Superconducting Oxides and Related Compounds. <i>Japanese Journal of Applied Physics</i> , 1987 , 26, L1693-L1696	1.4	30
1	Raman Scattering in Single Crystal Ba ₂ YCu ₃ O _y . <i>Japanese Journal of Applied Physics</i> , 1987 , 26, L1404-L1406	1.4	51