

Zhengcheng Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2618327/publications.pdf>

Version: 2024-02-01

124
papers

5,998
citations

57758

44
h-index

79698

73
g-index

125
all docs

125
docs citations

125
times ranked

5433
citing authors

#	ARTICLE	IF	CITATIONS
1	A chemical switch enabled autonomous two-stage crosslinking polymeric binder for high performance silicon anodes. <i>Journal of Materials Chemistry A</i> , 2022, 10, 1380-1389.	10.3	15
2	Enabling Silicon Anodes with Novel Isosorbide-Based Electrolytes. <i>ACS Energy Letters</i> , 2022, 7, 897-905.	17.4	20
3	Understanding the Role of SEI Layer in Low-Temperature Performance of Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 11910-11918.	8.0	29
4	Design of a Scavenging Pyrrole Additive for High Voltage Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2022, 169, 040507.	2.9	3
5	Enabling Non-Carbonate Electrolytes for Silicon Anode Batteries Using Fluoroethylene Carbonate. <i>Journal of the Electrochemical Society</i> , 2022, 169, 040527.	2.9	3
6	Fluorination Enables Simultaneous Improvements of a Dialkoxybenzene-Based Redoxmer for Nonaqueous Redox Flow Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 28834-28841.	8.0	2
7	Molecular Engineering to Enable High-Voltage Lithium-Ion Battery: From Propylene Carbonate to Trifluoropropylene Carbonate. <i>ACS Energy Letters</i> , 2021, 6, 371-378.	17.4	35
8	Dual functionality of over-lithiated NMC for high energy silicon-based lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 12818-12829.	10.3	16
9	The Impact of Different Substituents in Fluorinated Cyclic Carbonates in the Performance of High Voltage Lithium-Ion Battery Electrolyte. <i>Journal of the Electrochemical Society</i> , 2021, 168, 010505.	2.9	26
10	Dual-Salt Electrolytes to Effectively Reduce Impedance Rise of High-Nickel Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 40502-40512.	8.0	13
11	Engineering the Si Anode Interface via Particle Surface Modification: Embedded Organic Carbonates Lead to Enhanced Performance. <i>ACS Applied Energy Materials</i> , 2021, 4, 8193-8200.	5.1	11
12	Surface-enhanced Raman spectroscopy (SERS): a powerful technique to study the SEI layer in batteries. <i>Chemical Communications</i> , 2021, 57, 2253-2256.	4.1	13
13	An Environmentally Benign Electrolyte for High Energy Lithium Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 58229-58237.	8.0	5
14	An <i>in situ</i> generated polymer electrolyte <i>via</i> anionic ring-opening polymerization for lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 25927-25933.	10.3	11
15	Enabling High-Temperature and High-Voltage Lithium-Ion Battery Performance through a Novel Cathode Surface-Targeted Additive. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 59538-59545.	8.0	4
16	Re-engineering Poly(Acrylic Acid) Binder toward Optimized Electrochemical Performance for Silicon Lithium-Ion Batteries: Branching Architecture Leads to Balanced Properties of Polymeric Binders. <i>Advanced Functional Materials</i> , 2020, 30, 1908558.	14.9	60
17	Competitive Pi-Stacking and H-Bond Piling Increase Solubility of Heterocyclic Redoxmers. <i>Journal of Physical Chemistry B</i> , 2020, 124, 10409-10418.	2.6	10
18	Restorable Neutralization of Poly(acrylic acid) Binders toward Balanced Processing Properties and Cycling Performance for Silicon Anodes in Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 57932-57940.	8.0	19

#	ARTICLE	IF	CITATIONS
19	Molecular Design of a Highly Stable Single-Ion Conducting Polymer Gel Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 29162-29172.	8.0	38
20	Impact of Co-Solvent and LiTFSI Concentration on Ionic Liquid-Based Electrolytes for Li-S Battery. <i>Journal of the Electrochemical Society</i> , 2020, 167, 070528.	2.9	12
21	A fluorine-substituted pyrrolidinium-based ionic liquid for high-voltage Li-ion batteries. <i>Chemical Communications</i> , 2020, 56, 7317-7320.	4.1	14
22	NMR-Guided High-Temperature Electrolyte Design Using a Novel PF5 Marker. <i>Journal of Physical Chemistry C</i> , 2020, 124, 13602-13608.	3.1	2
23	Tackling the Capacity Fading Issue of Li-S Battery by a Functional Additive Hexafluorobenzene. <i>ACS Applied Energy Materials</i> , 2020, 3, 3198-3204.	5.1	5
24	4-(Trimethylsilyl) Morpholine as a Multifunctional Electrolyte Additive in High Voltage Lithium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2020, 167, 070533.	2.9	12
25	Transition-Metal Dissolution from NMC-Family Oxides: A Case Study. <i>ACS Applied Energy Materials</i> , 2020, 3, 2565-2575.	5.1	28
26	Enhancing the Electrocatalysis of $\text{LiNi}_{0.5}\text{Co}_{0.2}\text{Mn}_{0.3}\text{O}_2$ by Introducing Lithium Deficiency for Oxygen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10496-10502.	8.0	33
27	Unexpected electrochemical behavior of an anolyte redoxmer in flow battery electrolytes: solvating cations help to fight against the thermodynamic-kinetic dilemma. <i>Journal of Materials Chemistry A</i> , 2020, 8, 13470-13479.	10.3	17
28	Stabilized Electrode/Electrolyte Interphase by a Saturated Ionic Liquid Electrolyte for High-Voltage NMC532/Si-Graphite Cells. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 23035-23045.	8.0	26
29	Poly(4-vinylbenzoic acid): A Re-Engineered Binder for Improved Performance from Water-Free Slurry Processing for Silicon Graphite Composite Electrodes. <i>ACS Applied Energy Materials</i> , 2019, 2, 6348-6354.	5.1	8
30	Lithium-sulfur battery with partially fluorinated ether electrolytes: Interplay between capacity, coulombic efficiency and Li anode protection. <i>Journal of Power Sources</i> , 2019, 438, 226939.	7.8	23
31	Regulating Interfacial Na-Ion Flux via Artificial Layers with Fast Ionic Conductivity for Stable and High-Rate Na Metal Batteries. , 2019, 1, 303-309.		27
32	Communication Ligand-Dependent Electrochemical Activity for Mn^{2+} in Lithium-Ion Electrolyte Solutions. <i>Journal of the Electrochemical Society</i> , 2019, 166, A2264-A2266.	2.9	6
33	Tailoring the Surface of Silicon Nanoparticles for Enhanced Chemical and Electrochemical Stability for Li-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2019, 2, 6176-6183.	5.1	17
34	Structural underpinnings of cathode protection by in situ generated lithium oxyfluorophosphates. <i>Journal of Power Sources</i> , 2019, 438, 227039.	7.8	10
35	Rational Design of a Multifunctional Binder for High-Capacity Silicon-Based Anodes. <i>ACS Energy Letters</i> , 2019, 4, 1171-1180.	17.4	108
36	Facile In Situ Syntheses of Cathode Protective Electrolyte Additives for High Energy Density Li-Ion Cells. <i>Chemistry of Materials</i> , 2019, 31, 2459-2468.	6.7	11

#	ARTICLE	IF	CITATIONS
37	Decomposition of Phosphorus-Containing Additives at a Charged NMC Surface through Potentiostatic Holds. <i>Journal of the Electrochemical Society</i> , 2019, 166, A440-A447.	2.9	14
38	Understanding of pre-lithiation of poly(acrylic acid) binder: Striking the balances between the cycling performance and slurry stability for silicon-graphite composite electrodes in Li-ion batteries. <i>Journal of Power Sources</i> , 2019, 416, 125-131.	7.8	50
39	Redox Catalytic and Quasi-Solid Sulfur Conversion for High-Capacity Lean Lithium Sulfur Batteries. <i>ACS Nano</i> , 2019, 13, 14540-14548.	14.6	44
40	Understanding the Impact of a Nonfluorinated Ether-Based Electrolyte on Li-S Battery. <i>Journal of the Electrochemical Society</i> , 2019, 166, A3653-A3659.	2.9	6
41	Corrosion/Passivation Behavior of Concentrated Ionic Liquid Electrolytes and Its Impact on the Li-Ion Battery Performance. <i>Journal of the Electrochemical Society</i> , 2019, 166, A3959-A3964.	2.9	27
42	Communication—Effect of Lower Cutoff Voltage on the 1 st Cycle Performance of Silicon Electrodes. <i>Journal of the Electrochemical Society</i> , 2019, 166, A132-A134.	2.9	10
43	Effect of electrolyte composition on rock salt surface degradation in NMC cathodes during high-voltage potentiostatic holds. <i>Nano Energy</i> , 2019, 55, 216-225.	16.0	88
44	Improving the Safety of Lithium-Ion Battery via a Redox Shuttle Additive 2,5-Di- <i>tert</i> -butyl-1,4-bis(2-methoxyethoxy)benzene (DBBB). <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 9216-9219.	8.0	20
45	The existence of optimal molecular weight for poly(acrylic acid) binders in silicon/graphite composite anode for lithium-ion batteries. <i>Journal of Power Sources</i> , 2018, 378, 671-676.	7.8	70
46	Substituted thiadiazoles as energy-rich anolytes for nonaqueous redox flow cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6251-6254.	10.3	32
47	Methodology for understanding interactions between electrolyte additives and cathodes: a case of the tris(2,2,2-trifluoroethyl)phosphite additive. <i>Journal of Materials Chemistry A</i> , 2018, 6, 198-211.	10.3	24
48	Surface-Functionalized Silicon Nanoparticles as Anode Material for Lithium-Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 44924-44931.	8.0	70
49	Spatially Constrained Organic Diquat Anolyte for Stable Aqueous Flow Batteries. <i>ACS Energy Letters</i> , 2018, 3, 2533-2538.	17.4	56
50	Preformed Anodes for High-Voltage Lithium-Ion Battery Performance: Fluorinated Electrolytes, Crosstalk, and the Origins of Impedance Rise. <i>Journal of the Electrochemical Society</i> , 2018, 165, A3360-A3368.	2.9	23
51	A high performance lithium-sulfur battery enabled by a fish-scale porous carbon/sulfur composite and symmetric fluorinated diethoxyethane electrolyte. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6725-6733.	10.3	38
52	The Role of Additives in Improving Performance in High Voltage Lithium-Ion Batteries with Potentiostatic Holds. <i>Journal of the Electrochemical Society</i> , 2017, 164, A6366-A6372.	2.9	32
53	“Wine-Dark Sea” in an Organic Flow Battery: Storing Negative Charge in 2,1,3-Benzothiadiazole Radicals Leads to Improved Cyclability. <i>ACS Energy Letters</i> , 2017, 2, 1156-1161.	17.4	160
54	High Voltage LiNi _{0.5} Mn _{0.3} Co _{0.2} O ₂ /Graphite Cell Cycled at 4.6 V with a FEC/HFDEC-Based Electrolyte. <i>Advanced Energy Materials</i> , 2017, 7, 1700109.	19.5	98

#	ARTICLE	IF	CITATIONS
55	Oxidatively stable fluorinated sulfone electrolytes for high voltage high energy lithium-ion batteries. <i>Energy and Environmental Science</i> , 2017, 10, 900-904.	30.8	119
56	Investigation of Glutaric Anhydride as an Electrolyte Additive for Graphite/LiNi _{0.5} Mn _{0.3} Co _{0.2} O ₂ Full Cells. <i>Journal of the Electrochemical Society</i> , 2017, 164, A173-A179.	2.9	9
57	Enhanced Raman Scattering from NCM523 Cathodes Coated with Electrochemically Deposited Gold. <i>Journal of the Electrochemical Society</i> , 2017, 164, A3000-A3005.	2.9	11
58	Effect of the Hydrofluoroether Cosolvent Structure in Acetonitrile-Based Solvate Electrolytes on the Li ⁺ Solvation Structure and Li-S Battery Performance. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 39357-39370.	8.0	58
59	Annulated Dialkoxybenzenes as Catholyte Materials for Non-aqueous Redox Flow Batteries: Achieving High Chemical Stability through Bicyclic Substitution. <i>Advanced Energy Materials</i> , 2017, 7, 1701272.	19.5	57
60	Functionality Selection Principle for High Voltage Lithium-ion Battery Electrolyte Additives. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 30686-30695.	8.0	73
61	Improved performance through tight coupling of redox cycles of sulfur and 2,6-polyanthraquinone in lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 24103-24109.	10.3	6
62	Polyanthraquinone-Based Organic Cathode for High-Performance Rechargeable Magnesium-Ion Batteries. <i>Advanced Energy Materials</i> , 2016, 6, 1600140.	19.5	210
63	Alkyl Substitution Effect on Oxidation Stability of Sulfone-Based Electrolytes. <i>ChemElectroChem</i> , 2016, 3, 790-797.	3.4	18
64	Mechanistic Insight in the Function of Phosphite Additives for Protection of LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ Cathode in High Voltage Li-Ion Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 11450-11458.	8.0	121
65	Advanced electrolyte/additive for lithium-ion batteries with silicon anode. <i>Current Opinion in Chemical Engineering</i> , 2016, 13, 24-35.	7.8	49
66	Redox Shuttles with Axisymmetric Scaffold for Overcharge Protection of Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2016, 6, 1600795.	19.5	33
67	The lightest organic radical cation for charge storage in redox flow batteries. <i>Scientific Reports</i> , 2016, 6, 32102.	3.3	59
68	Evaluation of Electrolyte Oxidation Stability on Charged LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ Cathode Surface through Potentiostatic Holds. <i>Journal of the Electrochemical Society</i> , 2016, 163, A1717-A1722.	2.9	25
69	High-Speed Fabrication of Lithium-Ion Battery Electrodes by UV-Curing. <i>Energy Technology</i> , 2015, 3, 469-475.	3.8	13
70	Additive Effect on the Electrochemical Performance of Lithium-Sulfur Battery. <i>Electrochimica Acta</i> , 2015, 154, 205-210.	5.2	23
71	Electrolytes for Lithium and Lithium-Ion Batteries. <i>Green Energy and Technology</i> , 2015, , 231-261.	0.6	12
72	Additives for Functional Electrolytes of Li-Ion Batteries. <i>Green Energy and Technology</i> , 2015, , 263-290.	0.6	3

#	ARTICLE	IF	CITATIONS
73	High Performance Lithium-Ion Batteries Using Fluorinated Compounds. , 2015, , 1-31.		2
74	Insight into lithium-metal anodes in lithium-sulfur batteries with a fluorinated ether electrolyte. Journal of Materials Chemistry A, 2015, 3, 14864-14870.	10.3	133
75	Fluorinated Electrolytes for 5-V Li-Ion Chemistry: Probing Voltage Stability of Electrolytes with Electrochemical Floating Test. Journal of the Electrochemical Society, 2015, 162, A1725-A1729.	2.9	115
76	Challenges of Key Materials for Rechargeable Batteries. Green Energy and Technology, 2015, , 1-24.	0.6	4
77	Understanding the Effect of a Fluorinated Ether on the Performance of Lithium-Sulfur Batteries. ACS Applied Materials & Interfaces, 2015, 7, 9169-9177.	8.0	121
78	An organophosphine oxide redox shuttle additive that delivers long-term overcharge protection for 4 V lithium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 10710-10714.	10.3	24
79	1,4-Bis(trimethylsilyl)-2,5-dimethoxybenzene: a novel redox shuttle additive for overcharge protection in lithium-ion batteries that doubles as a mechanistic chemical probe. Journal of Materials Chemistry A, 2015, 3, 7332-7337.	10.3	33
80	Materials and technologies for rechargeable lithium-sulfur batteries. , 2015, , 117-147.		9
81	Fluorinated Electrolytes for Li-S Battery: Suppressing the Self-Discharge with an Electrolyte Containing Fluoroether Solvent. Journal of the Electrochemical Society, 2015, 162, A64-A68.	2.9	83
82	Next-generation lithium-ion batteries: The promise of near-term advancements. MRS Bulletin, 2014, 39, 407-415.	3.5	100
83	Molecular Engineering toward Stabilized Interface: An Electrolyte Additive for High-Performance Li-Ion Battery. Journal of the Electrochemical Society, 2014, 161, A2262-A2267.	2.9	10
84	Separator/Electrode Assembly Based on Thermally Stable Polymer for Safe Lithium-Ion Batteries. Advanced Energy Materials, 2014, 4, 1301208.	19.5	19
85	Fluorinated Electrolytes for 5-V Li-Ion Chemistry: Synthesis and Evaluation of an Additive for High-Voltage LiNi _{0.5} Mn _{1.5} O ₄ /Graphite Cell. Journal of the Electrochemical Society, 2014, 161, A1777-A1781.	2.9	45
86	Improved cyclability of a lithium-sulfur battery using POP-Sulfur composite materials. RSC Advances, 2014, 4, 27518-27521.	3.6	25
87	Fluorinated electrolytes for 5-V Li-ion chemistry: Dramatic enhancement of LiNi _{0.5} Mn _{1.5} O ₄ /graphite cell performance by a lithium reservoir. Electrochemistry Communications, 2014, 44, 34-37.	4.7	49
88	Application of Stabilized Lithium Metal Powder (SLMP®) in graphite anode - A high efficient prelithiation method for lithium-ion batteries. Journal of Power Sources, 2014, 260, 57-61.	7.8	153
89	Bis(2,2,2-trifluoroethyl) Ether As an Electrolyte Co-solvent for Mitigating Self-Discharge in Lithium-Sulfur Batteries. ACS Applied Materials & Interfaces, 2014, 6, 8006-8010.	8.0	161
90	Thermal and overcharge abuse analysis of a redox shuttle for overcharge protection of LiFePO ₄ . Journal of Power Sources, 2014, 247, 1011-1017.	7.8	44

#	ARTICLE	IF	CITATIONS
91	Compatibility of lithium salts with solvent of the non-aqueous electrolyte in Li ⁺ O ₂ batteries. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 5572.	2.8	76
92	A high performance separator with improved thermal stability for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 8538.	10.3	33
93	Fluorinated electrolytes for Li-ion battery: An FEC-based electrolyte for high voltage LiNi _{0.5} Mn _{1.5} O ₄ /graphite couple. <i>Electrochemistry Communications</i> , 2013, 35, 76-79.	4.7	182
94	Improved performance of lithium-sulfur battery with fluorinated electrolyte. <i>Electrochemistry Communications</i> , 2013, 37, 96-99.	4.7	128
95	Asymmetric Form of Redox Shuttle Based on 1,4-Di- <i>tert</i> -butyl-2,5-dimethoxybenzene. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1711-A1715.	2.9	14
96	Cross-linkable urethane acrylate oligomers as binders for lithium-ion battery. <i>Electrochemistry Communications</i> , 2013, 34, 86-89.	4.7	13
97	Electrochemical investigation of carbonate-based electrolytes for high voltage lithium-ion cells. <i>Journal of Power Sources</i> , 2013, 236, 175-180.	7.8	68
98	Fluorinated electrolytes for 5 V lithium-ion battery chemistry. <i>Energy and Environmental Science</i> , 2013, 6, 1806.	30.8	462
99	Polysiloxane-Epoxy as Cross-Linkable Binders for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1819-A1823.	2.9	2
100	Redox Shuttles for Overcharge Protection of Lithium-Ion Battery. <i>ECS Transactions</i> , 2013, 45, 57-66.	0.5	5
101	Molecular engineering towards safer lithium-ion batteries: a highly stable and compatible redox shuttle for overcharge protection. <i>Energy and Environmental Science</i> , 2012, 5, 8204.	30.8	105
102	Smart Polymeric Cathode Material with Intrinsic Overcharge Protection Based on a 2,5-Di- <i>tert</i> -butyl-1,4-dimethoxybenzene Core Structure. <i>Advanced Functional Materials</i> , 2012, 22, 4485-4492.	14.9	7
103	Computational Studies of Polysiloxanes: Oxidation Potentials and Decomposition Reactions. <i>Journal of Physical Chemistry C</i> , 2011, 115, 12216-12223.	3.1	89
104	Electrode Surface Film Formation in Tris(ethylene glycol)-Substituted Trimethylsilane-Lithium Bis(oxalate)borate Electrolyte. <i>Journal of Physical Chemistry C</i> , 2011, 115, 24013-24020.	3.1	25
105	Mechanism of capacity fade of MCMB/Li _{1.1} [Ni ₁ /3Mn ₁ /3Co ₁ /3]O ₂ cell at elevated temperature and additives to improve its cycle life. <i>Journal of Materials Chemistry</i> , 2011, 21, 17754.	6.7	89
106	A disiloxane-functionalized phosphonium-based ionic liquid as electrolyte for lithium-ion batteries. <i>Chemical Communications</i> , 2011, 47, 11969.	4.1	23
107	Novel redox shuttle additive for high-voltage cathode materials. <i>Energy and Environmental Science</i> , 2011, 4, 2858.	30.8	70
108	Fused ring and linking groups effect on overcharge protection for lithium-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 1530-1536.	7.8	26

#	ARTICLE	IF	CITATIONS
109	Tri(ethylene glycol)-substituted trimethylsilane/lithium bis(oxalate)borate electrolyte for LiMn ₂ O ₄ /graphite system. <i>Journal of Power Sources</i> , 2011, 196, 8301-8306.	7.8	8
110	A study of tri(ethylene glycol)-substituted trimethylsilane (1NM3)/LiBOB as lithium battery electrolyte. <i>Journal of Power Sources</i> , 2011, 196, 2255-2259.	7.8	32
111	Improved synthesis of a highly fluorinated boronic ester as dual functional additive for lithium-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 2171-2178.	7.8	18
112	Oligo(ethylene glycol)-functionalized disiloxanes as electrolytes for lithium-ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 6062-6068.	7.8	28
113	Understanding the redox shuttle stability of 3,5-di-tert-butyl-1,2-dimethoxybenzene for overcharge protection of lithium-ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 4957-4962.	7.8	68
114	Effect of impurities and moisture on lithium bisoxalatoborate (LiBOB) electrolyte performance in lithium-ion cells. <i>Journal of Power Sources</i> , 2010, 195, 1698-1705.	7.8	72
115	Highly conductive trimethylsilyl oligo(ethylene oxide) electrolytes for energy storage applications. <i>Journal of Materials Chemistry</i> , 2008, 18, 3713.	6.7	59
116	Synthesis and Characterization of Tetra- and Trisiloxane-Containing Oligo(ethylene glycol)s Highly Conducting Electrolytes for Lithium Batteries. <i>Chemistry of Materials</i> , 2006, 18, 1289-1295.	6.7	57
117	Novel silane compounds as electrolyte solvents for Li-ion batteries. <i>Electrochemistry Communications</i> , 2006, 8, 429-433.	4.7	55
118	Network-Type Ionic Conductors Based on Oligoethyleneoxy-Functionalized Pentamethylcyclopentasiloxanes. <i>Macromolecules</i> , 2005, 38, 5714-5720.	4.8	25
119	Synthesis and Ionic Conductivity of Cyclosiloxanes with Ethyleneoxy-Containing Substituents. <i>Chemistry of Materials</i> , 2005, 17, 5646-5650.	6.7	45
120	Ion conductive characteristics of cross-linked network polysiloxane-based solid polymer electrolytes. <i>Solid State Ionics</i> , 2004, 170, 233-238.	2.7	69
121	Cross-Linked Network Polymer Electrolytes Based on a Polysiloxane Backbone with Oligo(oxyethylene) Side Chains: Synthesis and Conductivity. <i>Macromolecules</i> , 2003, 36, 9176-9180.	4.8	109
122	Differential scanning calorimetry material studies: implications for the safety of lithium-ion cells. <i>Journal of Power Sources</i> , 1998, 70, 16-20.	7.8	295
123	Redox Shuttle Additives for Lithium-Ion Battery. , 0, , .		8
124	Design of High-Voltage Stable Hybrid Electrolyte with an Ultrahigh Li Transference Number. <i>ACS Energy Letters</i> , 0, , 1315-1323.	17.4	50