

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2618392/h-kim-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

3,441
citations

35
h-index

50
g-index

118
ext. papers

4,088
ext. citations

7.1
avg, IF

6.07
L-index

#	Paper	IF	Citations
117	Imidazolium zinc tetrahalide-catalyzed coupling reaction of CO ₂ and ethylene oxide or propylene oxide. <i>Journal of Catalysis</i> , 2003 , 220, 44-46	7.3	142
116	Low internal concentration polarization in forward osmosis membranes with hydrophilic crosslinked PVA nanofibers as porous support layer. <i>Desalination</i> , 2014 , 336, 24-31	10.3	104
115	Preparation of Ni-MOF-74 membrane for CO ₂ separation by layer-by-layer seeding technique. <i>Microporous and Mesoporous Materials</i> , 2012 , 163, 169-177	5.3	97
114	Bimetallic iron cobalt oxide self-supported on Ni-Foam: An efficient bifunctional electrocatalyst for oxygen and hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2017 , 249, 253-262	6.7	90
113	Ionic liquid as a catalyst for utilization of carbon dioxide to production of linear and cyclic carbonate. <i>Fuel</i> , 2017 , 200, 316-332	7.1	88
112	Polyurethane nanofibers containing copper nanoparticles as future materials. <i>Applied Surface Science</i> , 2011 , 257, 3020-3026	6.7	81
111	Hydrogen production from NaBH ₄ hydrolysis via Co-ZIF-9 catalyst. <i>Fuel Processing Technology</i> , 2012 , 100, 43-48	7.2	80
110	Efficient selective dehydration of fructose and sucrose into 5-hydroxymethylfurfural (HMF) using dicationic room temperature ionic liquids as a catalyst. <i>Catalysis Communications</i> , 2012 , 21, 96-103	3.2	79
109	Preparation of superhydrophobic membranes by electrospinning of fluorinated silane functionalized poly(vinylidene fluoride). <i>Applied Surface Science</i> , 2009 , 255, 7073-7077	6.7	63
108	Fe ₂ O ₃ hollow nanorods/CNT composites as an efficient electrocatalyst for oxygen evolution reaction. <i>Electrochimica Acta</i> , 2016 , 222, 1316-1325	6.7	62
107	Adsorptive Li ⁺ mining from liquid resources by H ₂ TiO ₃ : Equilibrium, kinetics, thermodynamics, and mechanisms. <i>Journal of Industrial and Engineering Chemistry</i> , 2016 , 35, 347-356	6.3	60
106	Preparation of PVDF nanofiber composites for hydrogen generation from sodium borohydride. <i>Energy</i> , 2011 , 36, 755-759	7.9	57
105	Cobalt nanoparticles supported on magnetic core-shell structured carbon as a highly efficient catalyst for hydrogen generation from NaBH ₄ hydrolysis. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 9296-9306	6.7	56
104	Mixed matrix nanofiber as a flow-through membrane adsorber for continuous Li ⁺ recovery from seawater. <i>Journal of Membrane Science</i> , 2016 , 510, 141-154	9.6	55
103	Cobalt impregnated magnetite-multiwalled carbon nanotube nanocomposite as magnetically separable efficient catalyst for hydrogen generation by NaBH ₄ hydrolysis. <i>Journal of Alloys and Compounds</i> , 2017 , 699, 1057-1067	5.7	54
102	Influence of processing methodology on the structural and magnetic behavior of MgFe ₂ O ₄ nanopowders. <i>Journal of Alloys and Compounds</i> , 2012 , 517, 164-169	5.7	52
101	Biomass into chemicals: green chemical conversion of carbohydrates into 5-hydroxymethylfurfural in ionic liquids. <i>RSC Advances</i> , 2016 , 6, 63991-64002	3.7	49

100	Synthesis of Co ₃ O ₄ macrocubes catalyst using novel chitosan/urea template for hydrogen generation from sodium borohydride. <i>Energy</i> , 2017 , 121, 238-245	7.9	48
99	H ₂ TiO ₃ composite adsorbent foam for efficient and continuous recovery of Li ⁺ from liquid resources. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016 , 504, 267-279	5.1	47
98	Use of a nickel-boride-silica nanocomposite catalyst prepared by in-situ reduction for hydrogen production from hydrolysis of sodium borohydride. <i>Fuel Processing Technology</i> , 2008 , 89, 966-972	7.2	44
97	Iron-based heterogeneous catalysts for oxygen evolution reaction; change in perspective from activity promoter to active catalyst. <i>Journal of Power Sources</i> , 2018 , 395, 106-127	8.9	44
96	Spray deposition of electrospun TiO ₂ nanoparticles with self-cleaning and transparent properties onto glass. <i>Applied Surface Science</i> , 2013 , 276, 390-396	6.7	42
95	Fabrication of porous TiO ₂ nanofiber and its photocatalytic activity. <i>Materials Research Bulletin</i> , 2011 , 46, 2094-2099	5.1	42
94	Electrospun carbon nanofiber-carbon nanotubes coated polyaniline composites with improved electrochemical properties for supercapacitors. <i>Electrochimica Acta</i> , 2018 , 259, 1110-1119	6.7	42
93	Imaging, spectroscopy, mechanical, alignment and biocompatibility studies of electrospun medical grade polyurethane (Carbothane-B575A) nanofibers and composite nanofibers containing multiwalled carbon nanotubes. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015 , 41, 189-98	4.1	41
92	Carbon nanotube hybrid nanostructures: future generation conducting materials. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 9347-9361	13	40
91	Hydrogen generation from the hydrolysis of sodium borohydride using chemically modified multiwalled carbon nanotubes with pyridinium based ionic liquid and decorated with highly dispersed Mn nanoparticles. <i>Journal of Power Sources</i> , 2015 , 293, 429-436	8.9	39
90	Triazole-forming waterborne polyurethane composites fabricated with silane coupling agent functionalized nano-silica. <i>Journal of Colloid and Interface Science</i> , 2011 , 361, 483-90	9.3	39
89	Thermal degradation and kinetic analysis of PVDF/modified MMT nanocomposite membranes. <i>Desalination</i> , 2008 , 234, 9-15	10.3	39
88	Preparation and application of sodium borohydride composites for portable hydrogen production. <i>Energy</i> , 2010 , 35, 960-963	7.9	38
87	Carbon nanotube ensembled hybrid nanocomposite electrode for direct electrochemical detection of epinephrine in pharmaceutical tablets and urine. <i>Materials Science and Engineering C</i> , 2017 , 79, 93-99	8.3	37
86	Characterization of structure, physico-chemical properties and diffusion behavior of Ca-Alginate gel beads prepared by different gelation methods. <i>Journal of Colloid and Interface Science</i> , 2014 , 432, 109-16	9.3	37
85	Liquid-liquid extraction of lithium using lipophilic dibenzo-14-crown-4 ether carboxylic acid in hydrophobic room temperature ionic liquid. <i>Hydrometallurgy</i> , 2016 , 164, 362-371	4	36
84	Immobilization of CoCl ₂ (cobalt chloride) on PAN (polyacrylonitrile) composite nanofiber mesh filled with carbon nanotubes for hydrogen production from hydrolysis of NaBH ₄ (sodium borohydride). <i>Energy</i> , 2014 , 71, 32-39	7.9	36
83	Engineered iron-carbon-cobalt (FeO@C-Co) core-shell composite with synergistic catalytic properties towards hydrogen generation via NaBH hydrolysis. <i>Journal of Colloid and Interface Science</i> , 2019 , 543, 273-284	9.3	36

82	NiCo ₂ O ₄ hollow sphere as an efficient catalyst for hydrogen generation by NaBH ₄ hydrolysis. <i>Materials Letters</i> , 2017 , 198, 50-53	3.3	35
81	A Simple Method of Electrospun Tungsten Trioxide Nanofibers with Enhanced Visible-Light Photocatalytic Activity. <i>Nano-Micro Letters</i> , 2015 , 7, 291-297	19.5	34
80	Facile synthesis of bicontinuous Ni ₃ Fe alloy for efficient electrocatalytic oxygen evolution reaction. <i>Journal of Alloys and Compounds</i> , 2017 , 726, 875-884	5.7	34
79	Green synthesis, characterization and catalytic efficiency of hypercross-linked porous polymeric ionic liquid networks towards 4-nitrophenol reduction. <i>Chemical Engineering Journal</i> , 2016 , 285, 554-561	14.7	33
78	Ni/Ag/silica nanocomposite catalysts for hydrogen generation from hydrolysis of NaBH ₄ solution. <i>Materials Letters</i> , 2008 , 62, 1451-1454	3.3	33
77	One-pot synthesis of 2,5-diformylfuran from fructose using a magnetic bi-functional catalyst. <i>RSC Advances</i> , 2016 , 6, 25678-25688	3.7	32
76	Ternary NiCoP urchin like 3D nanostructure supported on nickel foam as a catalyst for hydrogen generation of alkaline NaBH ₄ . <i>Chemical Physics</i> , 2019 , 516, 152-159	2.3	32
75	Ce Zr _{1-x} O ₂ solid solutions for catalytic synthesis of dimethyl carbonate from CO ₂ : Reaction mechanism and the effect of catalyst morphology on catalytic activity. <i>Fuel</i> , 2018 , 216, 245-254	7.1	32
74	Cobalt oxide synthesized using urea precipitation method as catalyst for the hydrolysis of sodium borohydride. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017 , 520, 355-360	5.1	31
73	Catalytic hydrolysis of ammonia borane for hydrogen generation using cobalt nanocluster catalyst supported on polydopamine functionalized multiwalled carbon nanotube. <i>Energy</i> , 2014 , 76, 822-829	7.9	31
72	Facile synthesis of Ag ₃ PO ₄ /g-C ₃ N ₄ composites in various solvent systems with tuned morphologies and their efficient photocatalytic activity for multi-dye degradation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019 , 368, 168-181	4.7	31
71	Electrospun ZnFe ₂ O ₄ -based nanofiber composites with enhanced supercapacitive properties. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2016 , 211, 141-148	3.1	30
70	Preparation of Y-zeolite/CoCl ₂ doped PVDF composite nanofiber and its application in hydrogen production. <i>Energy</i> , 2012 , 38, 144-150	7.9	30
69	Derivation of both EDLC and pseudocapacitance characteristics based on synergistic mixture of NiCo ₂ O ₄ and hollow carbon nanofiber: An efficient electrode towards high energy density supercapacitor. <i>Electrochimica Acta</i> , 2019 , 318, 392-404	6.7	29
68	Recent Trends in Electrochemical Sensors for Vital Biomedical Markers Using Hybrid Nanostructured Materials. <i>Advanced Science</i> , 2020 , 7, 1902980	13.6	29
67	Highly selective and multifunctional chitosan/ionic liquids catalyst for conversion of CO ₂ and methanol to dimethyl carbonates at mild reaction conditions. <i>Fuel</i> , 2016 , 166, 495-501	7.1	29
66	Microwave-Assisted Synthesis of a Stainless Steel Mesh-Supported Co ₃ O ₄ Microrod Array As a Highly Efficient Catalyst for Electrochemical Water Oxidation. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 11069-11079	8.3	28
65	Conversion of sugars (sucrose and glucose) into 5-hydroxymethylfurfural in pyridinium based dicationic ionic liquid ([C ₁₀ (EPy) ₂][Br]) with chromium chloride as a catalyst. <i>Industrial Crops and Products</i> , 2015 , 76, 12-17	5.9	27

64	Nanocatalyst: Electrospun nanofibers of PVDF Dicationic tetrachloronickelate (II) anion and their effect on hydrogen generation from the hydrolysis of sodium borohydride. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 18851-18859	6.7	26
63	A switchable single-molecule electrochromic device derived from a viologen-tethered triazolium-based poly(ionic liquid). <i>Journal of Materials Chemistry A</i> , 2019 , 7, 21668-21673	13	25
62	Utilization of the superior properties of highly mesoporous PVP modified NiCo ₂ O ₄ with accessible 3D nanostructure and flower-like morphology towards electrochemical methanol oxidation reaction. <i>Journal of Energy Chemistry</i> , 2019 , 29, 136-146	12	25
61	Diffusion characteristics of different molecular weight solutes in CaAlginate gel beads. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 469, 158-165	5.1	25
60	Preparation of porous PVDF-NiB capsules as catalytic adsorbents for hydrogen generation from sodium borohydride. <i>Fuel Processing Technology</i> , 2011 , 92, 1368-1373	7.2	25
59	Synergism of transition metal (Co, Ni, Fe, Mn) nanoparticles and "active support" FeO@C for catalytic reduction of 4-nitrophenol. <i>Science of the Total Environment</i> , 2020 , 712, 135492	10.2	25
58	Diethylenetriamine assisted synthesis of mesoporous Co and Ni-Co spinel oxides as an electrocatalysts for methanol and water oxidation. <i>Electrochimica Acta</i> , 2017 , 240, 277-287	6.7	24
57	Synthesis and application of CeO ₂ /NiO loaded TiO ₂ nanofiber as novel catalyst for hydrogen production from sodium borohydride hydrolysis. <i>Energy</i> , 2015 , 89, 568-575	7.9	24
56	Preparation of sol-gel modified electrospun TiO ₂ nanofibers for improved photocatalytic decomposition of ethylene. <i>Materials Letters</i> , 2012 , 76, 169-172	3.3	24
55	Transition metal based ionic liquid (bulk and nanofiber composites) used as catalyst for reduction of aromatic nitro compounds under mild conditions. <i>RSC Advances</i> , 2013 , 3, 3399	3.7	24
54	Ion-conductive and transparent PVdF-HFP/silane-functionalized ZrO ₂ nanocomposite electrolyte for electrochromic applications. <i>Electrochimica Acta</i> , 2016 , 196, 236-244	6.7	23
53	A super hydrophilic modification of poly(vinylidene fluoride) (PVDF) nanofibers: By in situ hydrothermal approach. <i>Applied Surface Science</i> , 2016 , 385, 417-425	6.7	23
52	Environment friendly hydrothermal synthesis of carbon-Co ₃ O ₄ nanorods composite as an efficient catalyst for oxygen evolution reaction. <i>Journal of Energy Chemistry</i> , 2017 , 26, 695-702	12	22
51	Preparation and application of Sm/Ni oxide doped TiO ₂ nanofiber as catalyst in hydrogen production from sodium borohydride hydrolysis. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 484, 242-252	5.1	22
50	A mild, efficient, and selective deprotection of tert-butyldimethylsilyl (TBDMS) ethers using dicationic ionic liquid as a catalyst. <i>Tetrahedron Letters</i> , 2012 , 53, 5338-5342	2	22
49	Electrospun titanium dioxide nanofibers containing hydroxyapatite and silver nanoparticles as future implant materials. <i>Journal of Materials Science: Materials in Medicine</i> , 2010 , 21, 2551-9	4.5	22
48	Development of high capacity Li ⁺ adsorbents from H ₂ TiO ₃ /polymer nanofiber composites: Systematic polymer screening, characterization and evaluation. <i>Journal of Industrial and Engineering Chemistry</i> , 2019 , 70, 124-135	6.3	22
47	Fabrication of ionic liquid/polymer nanoscale networks by electrospinning and chemical cross-linking and their application in hydrogen generation from the hydrolysis of NaBH ₄ . <i>Energy</i> , 2015 , 79, 482-488	7.9	21

46	Improved electrocatalytic oxygen evolution reaction properties using PVP modified direct growth Co-based metal oxides electrocatalysts on nickel foam. <i>Electrochimica Acta</i> , 2018 , 263, 362-372	6.7	20
45	Solvent free synthesis of 1,5-benzodiazepine derivatives over the heterogeneous silver salt of silicotungstic acid under ambient conditions. <i>RSC Advances</i> , 2013 , 3, 5131	3.7	20
44	Synthesis and characterization of poly (vinylidene fluoride)/calcium phosphate composite for potential tissue engineering applications. <i>Ceramics International</i> , 2015 , 41, 7066-7072	5.1	20
43	Highly efficient synthesis of dimethyl carbonate from methanol and carbon dioxide using IL/DBU/SmOCl as a novel ternary catalytic system. <i>Catalysis Communications</i> , 2016 , 75, 87-91	3.2	19
42	In-situ derived hierarchical ZnO/Zn-C nanofiber with high photocatalytic activity and recyclability under solar light. <i>Applied Surface Science</i> , 2019 , 491, 350-359	6.7	18
41	Effect of different solvents in the synthesis of LaCoO ₃ nanopowders prepared by the co-precipitation method. <i>Advanced Powder Technology</i> , 2014 , 25, 1834-1838	4.6	18
40	Surfactant modified MgFe ₂ O ₄ nanopowders by reverse micelle processing: Effect of water to surfactant ratio (R) on the particle size and magnetic property. <i>Applied Surface Science</i> , 2012 , 258, 3315-3320	6.7	17
39	Efficient Dehydration of Glucose, Sucrose, and Fructose to 5-Hydroxymethylfurfural Using Tri-cationic Ionic Liquids. <i>Catalysis Letters</i> , 2019 , 149, 672-687	2.8	16
38	Facile synthesis of polypyrrole/ionic liquid nanoparticles and use as an electrocatalyst for oxygen evolution reaction. <i>Chemical Engineering Journal</i> , 2018 , 335, 215-220	14.7	16
37	Effect of poly(ethylene oxide) and water on electrospun poly(vinylidene fluoride) nanofibers with enhanced mechanical properties as pre-filter for oil-in-water filtration. <i>Materials Chemistry and Physics</i> , 2016 , 182, 208-218	4.4	16
36	Carbon Transition-metal Oxide Electrodes: Understanding the Role of Surface Engineering for High Energy Density Supercapacitors. <i>Chemistry - an Asian Journal</i> , 2020 , 15, 1628-1647	4.5	16
35	Synthesis, characterization, and application of silica supported ionic liquid as catalyst for reductive amination of cyclohexanone with formic acid and triethyl amine as hydrogen source. <i>Chinese Journal of Catalysis</i> , 2015 , 36, 1365-1371	11.3	15
34	Structurally modified cerium doped hydrotalcite-like precursor as efficient catalysts for hydrogen production from sodium borohydride hydrolysis. <i>Energy</i> , 2015 , 93, 955-962	7.9	15
33	Synthesis of ultrafine MgFe ₂ O ₄ nanofibers via electrospinning using sol-gel precursor. <i>Journal of Sol-Gel Science and Technology</i> , 2013 , 65, 189-194	2.3	15
32	Synthesis of 1-amidoalkyl 2-naphthols using ionic liquid with metal complex as an efficient and reusable catalyst under solvent free conditions. <i>Journal of Molecular Liquids</i> , 2015 , 212, 413-417	6	14
31	Solvent free synthesis of cyclic ureas and urethanes by carbonylation method in the basic dicationic ionic liquid catalysts. <i>Chemical Engineering Journal</i> , 2016 , 306, 826-831	14.7	14
30	Ionic liquid functionalized graphene oxide decorated with copper oxide nanostructures towards H ₂ generation from sodium borohydride. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 14491-14497	6.7	14
29	Ionic Liquid-Derived Co ₃ O ₄ -N/S-Doped Carbon Catalysts for the Enhanced Water Oxidation. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 14889-14898	8.3	13

28	Chitosan grafted polymer matrix/ZnCl ₂ /1,8-diazabicycloundec-7-ene catalytic system for efficient catalytic fixation of CO ₂ into valuable fuel additives. <i>Fuel</i> , 2016 , 184, 233-241	7.1	13
27	Efficient decontamination of toxic phenol pollutant using LaCOOH nanowires decorated AgPO hierarchical composites mediated by metallic Ag. <i>Science of the Total Environment</i> , 2019 , 675, 325-336	10.2	12
26	CuCl ₂ @Poly-IL catalyzed carboxylation of terminal alkynes through CO ₂ utilization. <i>Chemical Engineering Journal</i> , 2017 , 326, 1009-1019	14.7	12
25	Critical Review, Recent Updates on Zeolitic Imidazolate Framework-67 (ZIF-67) and Its Derivatives for Electrochemical Water Splitting. <i>Advanced Materials</i> , 2021 , e2107072	24	12
24	Synthesis of cerium and nickel doped titanium nanofibers for hydrolysis of sodium borohydride. <i>Chemosphere</i> , 2018 , 202, 669-676	8.4	11
23	Water-insoluble hydrophilic polysulfides as microfibrillar composites towards highly effective and practical Hg ²⁺ capture. <i>Chemical Engineering Journal</i> , 2019 , 378, 122216	14.7	10
22	Amorphous iron sulfide nanowires as an efficient adsorbent for toxic dye effluents remediation. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 2734-2746	5.1	9
21	Synthesis of substituted amines: Catalytic reductive amination of carbonyl compounds using Lewis acid ZnCo-double metal cyanide/polymethylhydrosiloxane. <i>Chemical Engineering Journal</i> , 2016 , 295, 376-383	14.7	9
20	A lattice model for solid-state sintering simple particle arrays. <i>Computational Materials Science</i> , 1995 , 4, 181-190	3.2	9
19	Superior decontamination of toxic organic pollutants under solar light by reduced graphene oxide incorporated tetrapods-like AgPO/MnFeO hierarchical composites. <i>Journal of Environmental Management</i> , 2020 , 256, 109930	7.9	9
18	Hierarchically assembled porous TiO ₂ nanoparticles with enhanced photocatalytic activity towards Rhodamine-B degradation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 586, 124199	5.1	8
17	Microstructural control of catalyst-loaded PVDF microcapsule membrane for hydrogen generation by NaBH ₄ hydrolysis. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 15656-15664	6.7	6
16	Spinel type Fe ₃ O ₄ polyhedron supported on nickel foam as an electrocatalyst for water oxidation reaction. <i>Journal of Alloys and Compounds</i> , 2021 , 863, 158742	5.7	6
15	Removal of Cs ⁺ in water by dibenzo-18-crown-6 ether tethered on mesoporous SBA-15 as a reusable and efficient adsorbent. <i>Journal of Water Process Engineering</i> , 2021 , 39, 101716	6.7	6
14	Zirconium dioxide nanofilled poly(vinylidene fluoride-hexafluoropropylene) complexed with lithium trifluoromethanesulfonate as composite polymer electrolyte for electrochromic devices. <i>Materials Research Bulletin</i> , 2015 , 69, 104-111	5.1	5
13	Graphene oxide interlayered Ga-doped FeSe ₂ nanorod: A robust nanocomposite with ideal electronic structure for electrochemical dopamine detection. <i>Electrochimica Acta</i> , 2020 , 363, 137245	6.7	5
12	Highly porous NiMoO ₄ tailored onto amine functionalized CNT as advanced nanocomposite electrocatalyst for supercapacitor application. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 9558-9571	2.1	4
11	Crown ethers linked fibrous polyglycidyl methacrylate for selective Li ⁺ retrieval from aqueous sources. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 596, 124709	5.1	3

10	Synthesis of free-standing poly(ionic liquid) bearing 1,2,3-triazole group for the adsorptive elimination of Cr ⁶⁺ from aqueous solution. <i>Journal of Environmental Chemical Engineering</i> , 2020 , 8, 104084 ^{6,8}	3
9	Solvent-free synthesis of propargylamines via A3 coupling reaction and organic pollutant degradation in aqueous condition using Cu/C catalyst. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5986 ^{3,1}	3
8	Thermochromic transition analysis of elastomer prepared from azo dye-siloxane blend. <i>Materials Chemistry and Physics</i> , 2020 , 240, 122297	4.4 3
7	In Situ Electrochemical Formation of a Core-Shell ZnFe ₂ O ₄ @Zn(Fe)OOH Heterostructural Catalyst for Efficient Water Oxidation in Alkaline Medium. <i>ChemElectroChem</i> , 2020 , 7, 3478-3486	4.3 2
6	ZnO@Ni foam photoelectrode modified with heteroatom doped graphitic carbon for enhanced photoelectrochemical water splitting under solar light. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 2075-2085	6.7 2
5	A simple computer simulation method for the analysis of phase behavior of particle suspension. <i>Journal of Materials Science Letters</i> , 2001 , 20, 1545-1547	1
4	Highly soluble electroactive ethylenedioxythiophene (EDOT)-based copolymer obtained via click copolymerization. <i>Polymer</i> , 2021 , 226, 123846	3.9 1
3	Transformation of waste onion peels into core-shell Fe ₃ C@ N-doped carbon as a robust electrocatalyst for oxygen evolution reaction. <i>Electrochimica Acta</i> , 2022 , 140545	6.7 1
2	Electrochemically engineered zinc(iron)oxyhydroxide/zinc ferrite heterostructure with interfacial microstructure and hydrophilicity ideal for supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2022 , 606, 607-617	9.3 0
1	Microstructural analysis of sintering behavior of intra-grain pores. <i>Korean Journal of Chemical Engineering</i> , 1998 , 15, 663-666	2.8