

# Mari Nerhus

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2618729/mari-nerhus-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24  
papers

267  
citations

11  
h-index

16  
g-index

26  
ext. papers

334  
ext. citations

4.2  
avg, IF

2.46  
L-index

#	Paper	IF	Citations
24	Sex differences in antipsychotic-related triglyceride levels are associated with metabolic hormone differences in patients with severe mental disorders.. <i>Schizophrenia Research</i> , <b>2022</b> , 243, 55-63	3.6	
23	Substance Misuse Trajectories and Risk of Relapse in the Early Course of Bipolar Disorder. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 656912	5	1
22	The Influence of Mental Health Literacy, Migration, and Education on the Duration of Untreated Psychosis. <i>Frontiers in Public Health</i> , <b>2021</b> , 9, 705397	6	1
21	Higher vitamin B12 levels in neurodevelopmental disorders than in healthy controls and schizophrenia: A comparison among participants between 2 and 53 years. <i>FASEB Journal</i> , <b>2020</b> , 34, 8114-8124	0.9	2
20	Hippocampus volume reduction in psychosis spectrum could be ameliorated by vitamin D. <i>Schizophrenia Research</i> , <b>2018</b> , 199, 433-435	3.6	3
19	Psychosis: clinical insight and beliefs in immigrants in their first episode. <i>Microbial Biotechnology</i> , <b>2018</b> , 12, 185-192	3.3	5
18	Vitamin D, Folate and the Intracranial Volume in Schizophrenia and Bipolar Disorder and Healthy Controls. <i>Scientific Reports</i> , <b>2018</b> , 8, 10817	4.9	0
17	Vitamin D levels, brain volume, and genetic architecture in patients with psychosis. <i>PLoS ONE</i> , <b>2018</b> , 13, e0200250	3.7	7
16	Modelling difficulties in abstract thinking in psychosis: the importance of socio-developmental background. <i>Cognitive Neuropsychiatry</i> , <b>2017</b> , 22, 39-52	2	3
15	Persistent increase in TNF and IL-1 markers in severe mental disorders suggests trait-related inflammation: a one year follow-up study. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 136, 400-408	6.5	18
14	Serum levels of second-generation antipsychotics are associated with cognitive function in psychotic disorders. <i>World Journal of Biological Psychiatry</i> , <b>2017</b> , 18, 471-482	3.8	15
13	M85. Age-Related Effect of Vitamin D on Hippocampus Volume in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, S241-S242	1.3	1
12	Vitamin D Deficiency Associated With Cognitive Functioning in Psychotic Disorders. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, e750-e757	4.6	13
11	Inflammatory evidence for the psychosis continuum model. <i>Psychoneuroendocrinology</i> , <b>2016</b> , 67, 189-97	5	30
10	Contribution of oxytocin receptor polymorphisms to amygdala activation in schizophrenia spectrum disorders. <i>BJPsych Open</i> , <b>2016</b> , 2, 353-358	5	8
9	Resting-state high-frequency heart rate variability is related to respiratory frequency in individuals with severe mental illness but not healthy controls. <i>Scientific Reports</i> , <b>2016</b> , 6, 37212	4.9	32
8	Serum concentrations of mood stabilizers are associated with memory, but not other cognitive domains in psychosis spectrum disorders; explorative analyses in a naturalistic setting. <i>International Journal of Bipolar Disorders</i> , <b>2016</b> , 4, 24	5.4	6

7	Low vitamin D is associated with negative and depressive symptoms in psychotic disorders. <i>Schizophrenia Research</i> , <b>2016</b> , 178, 44-49	3.6	24
6	VRK2 gene expression in schizophrenia, bipolar disorder and healthy controls. <i>British Journal of Psychiatry</i> , <b>2016</b> , 209, 114-20	5.4	12
5	Childhood trauma mediates the association between ethnic minority status and more severe hallucinations in psychotic disorder. <i>Psychological Medicine</i> , <b>2015</b> , 45, 133-42	6.9	14
4	Serum level of venlafaxine is associated with better memory in psychotic disorders. <i>Schizophrenia Research</i> , <b>2015</b> , 169, 386-392	3.6	7
3	Migrant background and ethnic minority status as predictors for duration of untreated psychosis. <i>Microbial Biotechnology</i> , <b>2015</b> , 9, 61-5	3.3	15
2	Vitamin D status in psychotic disorder patients and healthy controls--The influence of ethnic background. <i>Psychiatry Research</i> , <b>2015</b> , 230, 616-21	9.9	17
1	Altered systemic cortisol metabolism in bipolar disorder and schizophrenia spectrum disorders. <i>Journal of Psychiatric Research</i> , <b>2014</b> , 52, 57-62	5.2	33