

Knut Deppert

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2620381/knut-deppert-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

11,542
citations

49
h-index

106
g-index

162
ext. papers

12,400
ext. citations

5.9
avg, IF

5.73
L-index

#	Paper	IF	Citations
153	InP nanowire array solar cells achieving 13.8% efficiency by exceeding the ray optics limit. <i>Science</i> , 2013 , 339, 1057-60	33.3	962
152	One-dimensional Steeplechase for Electrons Realized. <i>Nano Letters</i> , 2002 , 2, 87-89	11.5	594
151	Controlled polytypic and twin-plane superlattices in iii-v nanowires. <i>Nature Nanotechnology</i> , 2009 , 4, 50-5	28.7	577
150	Synthesis of branched Nanotrees by controlled seeding of multiple branching events. <i>Nature Materials</i> , 2004 , 3, 380-4	27	544
149	One-dimensional heterostructures in semiconductor nanowhiskers. <i>Applied Physics Letters</i> , 2002 , 80, 1058-1060	3.4	541
148	Epitaxial III-V Nanowires on Silicon. <i>Nano Letters</i> , 2004 , 4, 1987-1990	11.5	477
147	Nanowire resonant tunneling diodes. <i>Applied Physics Letters</i> , 2002 , 81, 4458-4460	3.4	385
146	Structural properties of B-oriented III-V nanowires. <i>Nature Materials</i> , 2006 , 5, 574-80	27	381
145	Controlled manipulation of nanoparticles with an atomic force microscope. <i>Applied Physics Letters</i> , 1995 , 66, 3627-3629	3.4	351
144	Preferential Interface Nucleation: An Expansion of the VLS Growth Mechanism for Nanowires. <i>Advanced Materials</i> , 2009 , 21, 153-165	24	272
143	Failure of the vapor-liquid-solid mechanism in Au-assisted MOVPE growth of InAs nanowires. <i>Nano Letters</i> , 2005 , 5, 761-4	11.5	268
142	Growth of one-dimensional nanostructures in MOVPE. <i>Journal of Crystal Growth</i> , 2004 , 272, 211-220	1.6	255
141	Gold Nanoparticles: Production, Reshaping, and Thermal Charging. <i>Journal of Nanoparticle Research</i> , 1999 , 1, 243-251	2.3	242
140	Size-, shape-, and position-controlled GaAs nano-whiskers. <i>Applied Physics Letters</i> , 2001 , 79, 3335-3337	3.4	233
139	Control of III-V nanowire crystal structure by growth parameter tuning. <i>Semiconductor Science and Technology</i> , 2010 , 25, 024009	1.8	200
138	The morphology of axial and branched nanowire heterostructures. <i>Nano Letters</i> , 2007 , 7, 1817-22	11.5	161
137	Growth mechanism of self-catalyzed group III-V nanowires. <i>Nano Letters</i> , 2010 , 10, 4443-9	11.5	160

136	High-quality InAs/InSb nanowire heterostructures grown by metal-organic vapor-phase epitaxy. <i>Small</i> , 2008 , 4, 878-82	11	153
135	Semiconductor nanowires for 0D and 1D physics and applications. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2004 , 25, 313-318	3	143
134	A general approach for sharp crystal phase switching in InAs, GaAs, InP, and GaP nanowires using only group V flow. <i>Nano Letters</i> , 2013 , 13, 4099-105	11.5	139
133	Effects of Supersaturation on the Crystal Structure of Gold Seeded III \bar{V} Nanowires. <i>Crystal Growth and Design</i> , 2009 , 9, 766-773	3.5	138
132	Continuous gas-phase synthesis of nanowires with tunable properties. <i>Nature</i> , 2012 , 492, 90-4	50.4	134
131	A New Understanding of Au-Assisted Growth of III \bar{V} Semiconductor Nanowires. <i>Advanced Functional Materials</i> , 2005 , 15, 1603-1610	15.6	131
130	Diameter Dependence of the Wurtzite-Zinc Blende Transition in InAs Nanowires. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 3837-3842	3.8	121
129	In situ etching for total control over axial and radial nanowire growth. <i>Nano Research</i> , 2010 , 3, 264-270	10	119
128	Size-selected gold nanoparticles by aerosol technology. <i>Scripta Materialia</i> , 1999 , 12, 45-48		118
127	Growth and characterization of GaAs and InAs nano-whiskers and InAs/GaAs heterostructures. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 13, 1126-1130	3	109
126	Nanowires With Promise for Photovoltaics. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2011 , 17, 1050-1061	3.8	108
125	InSb heterostructure nanowires: MOVPE growth under extreme lattice mismatch. <i>Nanotechnology</i> , 2009 , 20, 495606	3.4	108
124	Axial InP nanowire tandem junction grown on a silicon substrate. <i>Nano Letters</i> , 2011 , 11, 2028-31	11.5	104
123	Size- and shape-controlled GaAs nano-whiskers grown by MOVPE: a growth study. <i>Journal of Crystal Growth</i> , 2004 , 260, 18-22	1.6	104
122	Evaluation of the change in the morphology of gold nanoparticles during sintering. <i>Journal of Aerosol Science</i> , 2002 , 33, 1061-1074	4.3	92
121	Precursor evaluation for in situ InP nanowire doping. <i>Nanotechnology</i> , 2008 , 19, 445602	3.4	88
120	Review of Spark Discharge Generators for Production of Nanoparticle Aerosols. <i>Aerosol Science and Technology</i> , 2012 , 46, 1256-1270	3.4	84
119	GaAs/GaSb nanowire heterostructures grown by MOVPE. <i>Journal of Crystal Growth</i> , 2008 , 310, 4115-4121	1.6	81

118	Growth and characterization of defect free GaAs nanowires. <i>Journal of Crystal Growth</i> , 2006 , 287, 504-508	86	80
117	Gold nanoparticle single-electron transistor with carbon nanotube leads. <i>Applied Physics Letters</i> , 2001 , 79, 2106-2108	3-4	79
116	Positioning of nanometer-sized particles on flat surfaces by direct deposition from the gas phase. <i>Applied Physics Letters</i> , 2001 , 78, 3708-3710	3-4	78
115	Changes in contact angle of seed particle correlated with increased zincblende formation in doped InP nanowires. <i>Nano Letters</i> , 2010 , 10, 4807-12	11.5	77
114	Position-controlled interconnected InAs nanowire networks. <i>Nano Letters</i> , 2006 , 6, 2842-7	11.5	77
113	Microscopic aspects of the deposition of nanoparticles from the gas phase. <i>Journal of Aerosol Science</i> , 2002 , 33, 1341-1359	4-3	76
112	High-performance single nanowire tunnel diodes. <i>Nano Letters</i> , 2010 , 10, 974-9	11.5	73
111	Optimization of Au-assisted InAs nanowires grown by MOVPE. <i>Journal of Crystal Growth</i> , 2006 , 297, 326-333	3-3	64
110	Reduction of the Schottky barrier height on silicon carbide using Au nano-particles. <i>Solid-State Electronics</i> , 2002 , 46, 1433-1440	1.7	64
109	Probing the wurtzite conduction band structure using state filling in highly doped InP nanowires. <i>Nano Letters</i> , 2011 , 11, 2286-90	11.5	62
108	Transients in the formation of nanowire heterostructures. <i>Nano Letters</i> , 2008 , 8, 3815-8	11.5	57
107	Semiconductor nanowires for novel one-dimensional devices. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2004 , 21, 560-567	3	57
106	The use of gold for fabrication of nanowire structures 2009 , 42, 172-181		55
105	Surface-enhanced Raman scattering of rhodamine 6G on nanowire arrays decorated with gold nanoparticles. <i>Nanotechnology</i> , 2008 , 19, 275712	3-4	50
104	High crystal quality wurtzite-zinc blende heterostructures in metal-organic vapor phase epitaxy-grown GaAs nanowires. <i>Nano Research</i> , 2012 , 5, 470-476	10	48
103	Pool boiling heat transfer of FC-72 on pin-fin silicon surfaces with nanoparticle deposition. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 126, 1019-1033	4-9	47
102	Reversible formation of a PdC(x) phase in Pd nanoparticles upon CO and O2 exposure. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 4796-801	3-6	45
101	Crystal structure control in Au-free self-seeded InSb wire growth. <i>Nanotechnology</i> , 2011 , 22, 145603	3-4	45

100	Structural investigations of core-shell nanowires using grazing incidence X-ray diffraction. <i>Nano Letters</i> , 2009 , 9, 1877-82	11.5	45
99	Generation of size-selected gold nanoparticles by spark discharge [For growth of epitaxial nanowires 2009 , 42, 20-26		44
98	Single-crystalline Tungsten Nanoparticles Produced by Thermal Decomposition of Tungsten Hexacarbonyl. <i>Journal of Materials Research</i> , 2000 , 15, 1564-1569	2.5	44
97	A new route toward semiconductor nanospintronics: highly Mn-doped GaAs nanowires realized by ion-implantation under dynamic annealing conditions. <i>Nano Letters</i> , 2011 , 11, 3935-40	11.5	43
96	Growth of GaP nanotree structures by sequential seeding of 1D nanowires. <i>Journal of Crystal Growth</i> , 2004 , 272, 131-137	1.6	43
95	Particle-assisted Ga(x)In(1-x)P nanowire growth for designed bandgap structures. <i>Nanotechnology</i> , 2012 , 23, 245601	3.4	41
94	A comparative study of the effect of gold seed particle preparation method on nanowire growth. <i>Nano Research</i> , 2010 , 3, 506-519	10	40
93	Understanding the 3D structure of $\text{GaAs}\langle 111\rangle\text{B}$ nanowires. <i>Nanotechnology</i> , 2007 , 18, 485717	3.4	39
92	Size-controlled nanoparticles by thermal cracking of iron pentacarbonyl. <i>Applied Physics A: Materials Science and Processing</i> , 2005 , 80, 1579-1583	2.6	39
91	Contact mode atomic force microscopy imaging of nanometer-sized particles. <i>Applied Physics Letters</i> , 1995 , 66, 3295-3297	3.4	39
90	Directed Growth of Branched Nanowire Structures. <i>MRS Bulletin</i> , 2007 , 32, 127-133	3.2	38
89	Compaction of agglomerates of aerosol nanoparticles: A compilation of experimental data. <i>Journal of Nanoparticle Research</i> , 2005 , 7, 43-49	2.3	37
88	Self-seeded, position-controlled InAs nanowire growth on Si: A growth parameter study. <i>Journal of Crystal Growth</i> , 2011 , 334, 51-56	1.6	36
87	Control of GaP and GaAs nanowire morphology through particle and substrate chemical modification. <i>Nano Letters</i> , 2008 , 8, 4087-91	11.5	35
86	Nanostructured Deposition of Nanoparticles from the Gas Phase. <i>Particle and Particle Systems Characterization</i> , 2002 , 19, 321-326	3.1	35
85	Atmospheric synthesis of superhydrophobic TiO ₂ nanoparticle deposits in a single step using Liquid Flame Spray. <i>Journal of Aerosol Science</i> , 2012 , 52, 57-68	4.3	34
84	Approaches to increasing yield in evaporation/condensation nanoparticle generation. <i>Journal of Aerosol Science</i> , 2002 , 33, 1309-1325	4.3	33
83	Length Distributions of Nanowires Growing by Surface Diffusion. <i>Crystal Growth and Design</i> , 2016 , 16, 2167-2172	3.5	33

82	InAs nanowires grown by MOVPE. <i>Journal of Crystal Growth</i> , 2007 , 298, 631-634	1.6	32
81	Improving InAs nanotree growth with composition-controlled Au ₁₃ nanoparticles. <i>Nanotechnology</i> , 2006 , 17, 1344-1350	3.4	32
80	Nanoparticulate materials and regulatory policy in Europe: An analysis of stakeholder perspectives. <i>Journal of Nanoparticle Research</i> , 2006 , 8, 709-719	2.3	32
79	Optical detection of growth oscillations in high vacuum metalorganic vapor phase epitaxy. <i>Applied Physics Letters</i> , 1990 , 56, 2414-2416	3.4	32
78	Electrostatic precipitator for homogeneous deposition of ultrafine particles to create quantum-dot structures. <i>Journal of Aerosol Science</i> , 1996 , 27, S151-S152	4.3	31
77	A new method to fabricate size-selected compound semiconductor nanocrystals: aerotaxy. <i>Journal of Crystal Growth</i> , 1996 , 169, 13-19	1.6	31
76	GaAsP Nanowires Grown by Aerotaxy. <i>Nano Letters</i> , 2016 , 16, 5701-7	11.5	29
75	Generation of Pd Model Catalyst Nanoparticles by Spark Discharge. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 9257-9263	3.8	28
74	Tip-enhanced Raman scattering of p-thiocresol molecules on individual gold nanoparticles. <i>Applied Physics Letters</i> , 2008 , 92, 093110	3.4	28
73	The structure of <1 1 1>B oriented GaP nanowires. <i>Journal of Crystal Growth</i> , 2007 , 298, 635-639	1.6	28
72	Growth of doped InAs _y P _{1-y} nanowires with InP shells. <i>Journal of Crystal Growth</i> , 2011 , 331, 8-14	1.6	27
71	Degenerate p-doping of InP nanowires for large area tunnel diodes. <i>Applied Physics Letters</i> , 2011 , 99, 253105	3.4	27
70	Electrospraying of colloidal nanoparticles for seeding of nanostructure growth. <i>Nanotechnology</i> , 2007 , 18, 105304	3.4	26
69	Single-electron devices via controlled assembly of designed nanoparticles. <i>Microelectronic Engineering</i> , 1999 , 47, 179-183	2.5	26
68	Sintered aerosol masks for dry-etched quantum dots. <i>Applied Physics Letters</i> , 1994 , 64, 3293-3295	3.4	26
67	Reflectance-difference study of surface chemistry in MOVPE growth. <i>Journal of Crystal Growth</i> , 1991 , 107, 68-72	1.6	25
66	Zn-doping of GaAs nanowires grown by Aerotaxy. <i>Journal of Crystal Growth</i> , 2015 , 414, 181-186	1.6	23
65	Generation and characterization of stable, highly concentrated titanium dioxide nanoparticle aerosols for rodent inhalation studies. <i>Journal of Nanoparticle Research</i> , 2011 , 13, 511-524	2.3	23

64	Simultaneous growth mechanisms for Cu-seeded InP nanowires. <i>Nano Research</i> , 2012 , 5, 297-306	10	22
63	Geometric model for metalorganic vapour phase epitaxy of dense nanowire arrays. <i>Journal of Crystal Growth</i> , 2013 , 366, 15-19	1.6	19
62	Self-limiting transformation of monodisperse Ga droplets into GaAs nanocrystals. <i>Applied Physics Letters</i> , 1996 , 68, 1409-1411	3.4	19
61	Semiconductor nanostructures enabled by aerosol technology. <i>Frontiers of Physics</i> , 2014 , 9, 398-418	3.7	18
60	Reflectance-difference probing of surface kinetics of (001) GaAs during vacuum chemical epitaxy. <i>Journal of Crystal Growth</i> , 1991 , 111, 115-119	1.6	18
59	Size Determination of Au Aerosol Nanoparticles by Off-Line TEM/STEM Observations. <i>Journal of Nanoparticle Research</i> , 2006 , 8, 971-980	2.3	17
58	Straight and kinked InAs nanowire growth observed in situ by transmission electron microscopy. <i>Nano Research</i> , 2014 , 7, 1188-1194	10	16
57	In-situ characterization of metal nanoparticles and their organic coatings using laser-vaporization aerosol mass spectrometry. <i>Nano Research</i> , 2015 , 8, 3780-3795	10	16
56	Size-selected nanocrystals of III-V semiconductor materials by the aerotaxy method. <i>Journal of Aerosol Science</i> , 1998 , 29, 737-748	4.3	16
55	From plasma to nanoparticles: optical and particle emission of a spark discharge generator. <i>Nanotechnology</i> , 2017 , 28, 475603	3.4	14
54	n-type doping and morphology of GaAs nanowires in Aerotaxy. <i>Nanotechnology</i> , 2018 , 29, 285601	3.4	13
53	Gas-borne particles with tunable and highly controlled characteristics for nanotoxicology studies. <i>Nanotoxicology</i> , 2013 , 7, 1052-63	5.3	13
52	Epitaxial InP nanowire growth from Cu seed particles. <i>Journal of Crystal Growth</i> , 2011 , 315, 134-137	1.6	13
51	Effects of growth conditions on the crystal structure of gold-seeded GaP nanowires. <i>Journal of Crystal Growth</i> , 2008 , 310, 5102-5105	1.6	13
50	Height-controlled nanowire branches on nanotrees using a polymer mask. <i>Nanotechnology</i> , 2007 , 18, 035601	3.4	13
49	Optical detection of growth oscillations from high vacuum up to low-pressure metalorganic vapor phase epitaxy like conditions. <i>Applied Physics Letters</i> , 1992 , 61, 1558-1560	3.4	13
48	Single GaInP nanowire p-i-n junctions near the direct to indirect bandgap crossover point. <i>Applied Physics Letters</i> , 2012 , 100, 251103	3.4	12
47	Size- and Composition-Controlled AuGa Aerosol Nanoparticles. <i>Aerosol Science and Technology</i> , 2004 , 38, 948-954	3.4	12

46	Simultaneous Growth of Pure Wurtzite and Zinc Blende Nanowires. <i>Nano Letters</i> , 2019 , 19, 2723-2730	11.5	11
45	Self-Seeded Axio-Radial InAs-InAsP Nanowire Heterostructures beyond "Common" VLS Growth. <i>Nano Letters</i> , 2018 , 18, 144-151	11.5	11
44	Nano-objects emitted during maintenance of common particle generators: direct chemical characterization with aerosol mass spectrometry and implications for risk assessments. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	11
43	Dynamics of extremely anisotropic etching of InP nanowires by HCl. <i>Chemical Physics Letters</i> , 2011 , 502, 222-224	2.5	11
42	Analysis of growth conditions for the deposition of monolayers of GaInAs, GaAs and InAs in InP by LP-MOVPE. <i>Journal of Crystal Growth</i> , 1992 , 124, 531-535	1.6	11
41	General Trends in Core-Shell Preferences for Bimetallic Nanoparticles. <i>ACS Nano</i> , 2021 , 15, 8883-8895	16.7	11
40	Characteristics of airborne gold aggregates generated by spark discharge and high temperature evaporation furnace: Mass mobility relationship and surface area. <i>Journal of Aerosol Science</i> , 2015 , 87, 38-52	4.3	10
39	Surface morphology of Au-free grown nanowires after native oxide removal. <i>Nanoscale</i> , 2015 , 7, 9998-10004	10.4	10
38	Recombination dynamics in aerotaxy-grown Zn-doped GaAs nanowires. <i>Nanotechnology</i> , 2016 , 27, 455704	9.4	10
37	CRYSTAL STRUCTURE OF BRANCHED EPITAXIAL III-V NANOTREES. <i>Nano</i> , 2006 , 01, 139-151	1.1	9
36	Real-time monolayer growth oscillations detected by RD at pressures up to LP-MOVPE. <i>Journal of Crystal Growth</i> , 1992 , 124, 30-36	1.6	9
35	X-ray diffraction strain analysis of a single axial InAs 1-x Px nanowire segment. <i>Journal of Synchrotron Radiation</i> , 2015 , 22, 59-66	2.4	8
34	Controlled Oxidation and Self-Passivation of Bimetallic Magnetic FeCr and FeMn Aerosol Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 16083-16090	3.8	7
33	Synthesis of carbon nanotubes on FexOy doped Al2O3-ZrO2 nanopowder. <i>Powder Technology</i> , 2014 , 266, 106-112	5.2	7
32	Feasibility study of nanoparticle synthesis from powders of compounds with incongruent sublimation behavior by the evaporation/ condensation method. <i>Scripta Materialia</i> , 1998 , 10, 565-573		7
31	Core-shell InP-CdS nanowires: fabrication and study. <i>Journal of Physics Condensed Matter</i> , 2007 , 19, 295218	1.8	7
30	Direct observation of growth rate transients during homoepitaxy of GaAs. <i>Thin Solid Films</i> , 1993 , 224, 133-136	2.2	7
29	Direct deposition of gas phase generated aerosol gold nanoparticles into biological fluids--corona formation and particle size shifts. <i>PLoS ONE</i> , 2013 , 8, e74702	3.7	7

28	A cathodoluminescence study of the influence of the seed particle preparation method on the optical properties of GaAs nanowires. <i>Nanotechnology</i> , 2012 , 23, 265704	3.4	6
27	Aerosol Fabrication of Nanocrystals of InP. <i>Japanese Journal of Applied Physics</i> , 1999 , 38, 1056-1059	1.4	6
26	In situ observation of synthesized nanoparticles in ultra-dilute aerosols via X-ray scattering. <i>Nano Research</i> , 2019 , 12, 25-31	10	6
25	Reflectance difference for in-situ characterization of surfaces and epitaxial growth of GaAs on (001) GaAs 1992 ,		5
24	Aerotaxy: gas-phase epitaxy of quasi 1D nanostructures. <i>Nanotechnology</i> , 2021 , 32, 025605	3.4	5
23	Nanoparticle-Assisted Pool Boiling Heat Transfer on Micro-Pin-Fin Surfaces. <i>Langmuir</i> , 2021 , 37, 1089-1101	4	5
22	Multiscale in modelling and validation for solar photovoltaics. <i>EPJ Photovoltaics</i> , 2018 , 9, 10	0.7	5
21	Continuous gas-phase synthesis of core-shell nanoparticles via surface segregation. <i>Nanoscale Advances</i> , 2021 , 3, 3041-3052	5.1	5
20	Cu particle seeded InP/GaAs axial nanowire heterostructures. <i>Physica Status Solidi - Rapid Research Letters</i> , 2013 , 7, 850-854	2.5	4
19	Solid-liquid-vapor metal-catalyzed etching of lateral and vertical nanopores. <i>Nanotechnology</i> , 2013 , 24, 415303	3.4	4
18	Direct Observation of the Molten State of Nanometer-sized Particles With an Atomic Force Microscope: A Feasibility Study. <i>Journal of Nanoparticle Research</i> , 2002 , 4, 351-356	2.3	4
17	Nanoscale tungsten aerosol particles embedded in GaAs. <i>Applied Physics Letters</i> , 2002 , 80, 2976-2978	3.4	4
16	Silicon spike-doping of GaAs with AP-MOVPE. <i>Journal of Crystal Growth</i> , 1991 , 107, 259-262	1.6	4
15	Pool Boiling Heat Transfer of Water on Copper Surfaces With Nanoparticles Coating 2017 ,		3
14	Aerosol particles from metalorganic vapor phase epitaxy bubblers. <i>Journal of Crystal Growth</i> , 1994 , 145, 636-641	1.6	3
13	Thermal charging of metal nanoparticles. <i>Journal of Aerosol Science</i> , 1998 , 29, S847-S848	4.3	2
12	Size-selected compound semiconductor quantum dots by nanoparticle conversion. <i>Nanotechnology</i> , 2007 , 18, 105306	3.4	2
11	Size-selected GaN and InN nanocrystals. <i>Journal of Aerosol Science</i> , 1997 , 28, S471-S472	4.3	1

10	Formation of ultrafine particles from powders of compounds with incongruent sublimation behavior. <i>Journal of Aerosol Science</i> , 1997 , 28, S495-S496	4.3	1
9	Agglomeration of nanoparticles on substrate surfaces due to particle interactions during deposition. <i>Journal of Aerosol Science</i> , 1998 , 29, S1281-S1282	4.3	1
8	On the effect of arsine for the decomposition of triethylgallium during epitaxial growth of GaAs. <i>Journal of Crystal Growth</i> , 1993 , 133, 296-302	1.6	1
7	Sintering Mechanism of [email[protected]] [email[protected]] Oxide Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 16220-16227	3.8	1
6	Airborne Gold Nanoparticle Detection Using Photoluminescence Excited with a Continuous Wave Laser. <i>Applied Spectroscopy</i> , 2021 , 75, 1402-1409	3.1	1
5	Real-time monitoring of the reaction of H ₂ S on GaAs. <i>Journal of Applied Physics</i> , 1993 , 74, 6146-6149	2.5	0
4	Determination of the wurtzite content and orientation distribution of nanowire ensembles. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1206, 113901		
3	InP nanocrystals by aerotaxy method. <i>Journal of Aerosol Science</i> , 1997 , 28, S487-S488	4.3	
2	Modelling the Homogeneous Deposition of Ultrafine Particles to Create Quantum-Dot Structures. <i>Journal of Aerosol Science</i> , 1997 , 28, S489-S490	4.3	
1	Aerotaxy: A New Route to Formation of GaAs Nanocrystals from Ga Droplets. <i>Materials Research Society Symposia Proceedings</i> , 1995 , 417, 123		