

Luis Manzano Espinosa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2620500/publications.pdf>

Version: 2024-02-01

151
papers

5,181
citations

172443
29
h-index

98792
67
g-index

174
all docs

174
docs citations

174
times ranked

5919
citing authors

#	ARTICLE	IF	CITATIONS
1	Angiotensin-Neprilysin Inhibition in Heart Failure with Preserved Ejection Fraction. New England Journal of Medicine, 2019, 381, 1609-1620.	27.0	1,485
2	Efficacy of β_2 blockers in patients with heart failure plus atrial fibrillation: an individual-patient data meta-analysis. Lancet, The, 2014, 384, 2235-2243.	13.7	475
3	Beta-blockers for heart failure with reduced, mid-range, and preserved ejection fraction: an individual patient-level analysis of double-blind randomized trials. European Heart Journal, 2018, 39, 26-35.	2.2	426
4	Heart Rate and Rhythm and the Benefit of Beta-Blockers in Patients With Heart Failure. Journal of the American College of Cardiology, 2017, 69, 2885-2896.	2.8	198
5	Predictors of clinical outcomes in elderly patients with heart failure. European Journal of Heart Failure, 2011, 13, 528-536.	7.1	109
6	Effect of age and sex on efficacy and tolerability of β_2 blockers in patients with heart failure with reduced ejection fraction: individual patient data meta-analysis. BMJ, The, 2016, 353, i1855.	6.0	95
7	Disseminated-to-Skin Kala-azar and the Acquired Immunodeficiency Syndrome. Annals of Internal Medicine, 1988, 108, 490.	3.9	82
8	Expanded CD4+CD45RO+ phenotype and defective proliferative response in T lymphocytes from patients with Crohn's disease. Gastroenterology, 1996, 110, 1008-1019.	1.3	77
9	Erythropoietin as a treatment of anemia in heart failure: Systematic review of randomized trials. American Heart Journal, 2011, 161, 822-831.e2.	2.7	67
10	Anaemia among patients with heart failure and preserved or reduced ejection fraction: results from the SENIORS study. European Journal of Heart Failure, 2011, 13, 656-663.	7.1	62
11	Basal functional status predicts three-month mortality after a heart failure hospitalization in elderly patients. The prospective RICA study. International Journal of Cardiology, 2014, 172, 127-131.	1.7	61
12	Reducción de ingresos y visitas a Urgencias en pacientes frágiles con insuficiencia cardíaca: resultados del programa asistencial UMPIIC. Revista Clínica Española, 2016, 216, 8-14.	0.6	58
13	Erythropoiesis-stimulating agents for anaemia in chronic heart failure patients. The Cochrane Library, 2010, , CD007613.	2.8	50
14	Diagnosis of elderly patients with heart failure. European Journal of Heart Failure, 2012, 14, 1097-1103.	7.1	50
15	Active Crohn's Disease Patients Show a Distinctive Expansion of Circulating Memory CD4+CD45RO+CD28nullT Cells. Journal of Clinical Immunology, 2004, 24, 185-196.	3.8	48
16	Basal functional status predicts one-year mortality after a heart failure hospitalization in elderly patients. The RICA prospective study. International Journal of Cardiology, 2018, 254, 182-188.	1.7	48
17	Cytokine Levels after Open and Laparoscopic Cholecystectomy. European Surgical Research, 1997, 29, 27-34.	1.3	46
18	Prevalence and clinical profile and management of peripheral arterial disease in elderly patients with diabetes. European Journal of Internal Medicine, 2011, 22, 275-281.	2.2	43

#	ARTICLE	IF	CITATIONS
19	Rationale and Design of the ACESafety and Efficacy of the Combination of Loop with Thiazide-type Diuretics in Patients with Decompensated Heart Failure (CLOROTIC) Trial: A Double-Blind, Randomized, Placebo-Controlled Study to Determine the Effect of Combined Diuretic Therapy (Loop Diuretics With) Tj ETQq1 1 0.784314 49BT /Over 2016, 22, 529-536.	1.0	78
20	The effects of thyroid hormones on circulating markers of cell-mediated immune response, as studied in patients with differentiated thyroid carcinoma before and during thyroxine withdrawal. European Journal of Endocrinology, 2005, 153, 223-230.	3.7	39
21	Impact of Renal Impairment on Beta-Blocker Efficacy in Patients With Heart Failure. Journal of the American College of Cardiology, 2019, 74, 2893-2904.	2.8	39
22	Increased spontaneous and lymphokine-conditioned IgA and IgG synthesis by B cells from alcoholic cirrhotic patients. Hepatology, 1992, 16, 664-670.	7.3	38
23	New onset heart failure – Clinical characteristics and short-term mortality. A RICA (Spanish registry) Tj ETQq1 1 0.784314 49BT /Over 2016, 22, 388.	2.2	38
24	Impaired Activity of Natural Killer Cells in Patients with Acute Brucellosis. Clinical Infectious Diseases, 1992, 15, 764-770.	5.8	37
25	Defective interferon- γ production by T γ lymphocytes from patients with acute brucellosis. European Journal of Clinical Investigation, 1996, 26, 136-140.	3.4	37
26	Health-related Quality of Life of Patients With Chronic Systolic Heart Failure in Spain: Results of the VIDA-IC Study. Revista Espanola De Cardiologia (English Ed), 2016, 69, 256-271.	0.6	33
27	Different Proinflammatory Cytokine Serum Pattern in Neonate Patients Undergoing Open Heart Surgery. Relevance of IL-8. Journal of Clinical Immunology, 2005, 25, 238-245.	3.8	31
28	Relationship between Ankle-Brachial Index and Chronic Kidney Disease in Hypertensive Patients with No Known Cardiovascular Disease. Journal of the American Society of Nephrology: JASN, 2006, 17, S201-S205.	6.1	31
29	Heart failure with mid-range ejection fraction in patients admitted to internal medicine departments: Findings from the RICA Registry. International Journal of Cardiology, 2018, 255, 124-128.	1.7	31
30	Functional impairment of natural killer cells in active ulcerative colitis: reversion of the defective natural killer activity by interleukin 2.. Gut, 1992, 33, 246-251.	12.1	27
31	Sex and Body Mass Index Specific Regulation of Blood Pressure by <i>CYP19A1</i> Gene Variants. Hypertension, 2007, 50, 884-890.	2.7	27
32	Documento de consenso de la Sociedad Espa \pm ola de Cardiolog \pm a y la Sociedad Espa \pm ola de Medicina Interna sobre el diagn \pm stico y tratamiento del d \pm icit de hierro en la insuficiencia card \pm aca. Revista Clinica Espanola, 2017, 217, 35-45.	0.6	27
33	Documento de posicionamiento sobre la incorporaci \pm n de la ecograf \pm a cl \pm nica en los servicios de Medicina Interna. Revista Clinica Espanola, 2018, 218, 192-198.	0.6	27
34	Sub-clinical vascular disease in type 2 diabetic subjects: Relationship with chronic complications of diabetes and the presence of cardiovascular disease risk factors. European Journal of Internal Medicine, 2008, 19, 255-260.	2.2	26
35	Impact of weight loss on mortality in chronic heart failure: Findings from the RICA Registry. International Journal of Cardiology, 2013, 168, 306-311.	1.7	26
36	Impact of prealbumin on mortality and hospital readmission in patients with acute heart failure. European Journal of Internal Medicine, 2017, 43, 36-41.	2.2	25

#	ARTICLE	IF	CITATIONS
37	Prevalence and outcome of diuretic resistance in heart failure. Internal and Emergency Medicine, 2019, 14, 529-537.	2.0	25
38	Sarcopenia, fragilidad, deterioro cognitivo y mortalidad en pacientes ancianos con fibrilaciÃ³n auricular no valvular. Revista Clinica Espanola, 2019, 219, 424-432.	0.6	24
39	The clinical outcome of autoimmune thrombocytopenic purpura patients is related to their T cell immunodeficiency. British Journal of Haematology, 1993, 84, 464-470.	2.5	23
40	Abnormal $\hat{\beta}$ IFN and $\hat{\beta}\pm$ TNF secretion in purified CD2+ cells from autoimmune thrombocytopenic purpura (ATP) patients: Their implication in the clinical course of the disease. American Journal of Hematology, 1995, 49, 271-276.	4.1	23
41	Utility of the SENIORS elderly heart failure risk model applied to the RICA registry of acute heart failure. International Journal of Cardiology, 2015, 182, 449-453.	1.7	23
42	Diferencias en funciÃ³n del sexo en el perfil clÃ¡nico y pronÃ³stico de pacientes con insuficiencia cardiaca. Resultados del Registro RICA. Revista Clinica Espanola, 2015, 215, 363-370.	0.6	23
43	Pleural effusions in acute decompensated heart failure: Prevalence and prognostic implications. European Journal of Internal Medicine, 2018, 52, 49-53.	2.2	23
44	Functional defect of T cells in autoimmune gastritis.. Gut, 1995, 36, 171-175.	12.1	21
45	Individual patient data meta-analysis of beta-blockers in heart failure: rationale and design. Systematic Reviews, 2013, 2, 7.	5.3	21
46	Influence of systolic blood pressure on clinical outcomes in elderly heart failure patients treated with nebivolol: data from the <scp>SENIORS</scp> trial. European Journal of Heart Failure, 2014, 16, 1009-1015.	7.1	21
47	High serum osmolarity at admission determines a worse outcome in patients with heart failure: Is a new target emerging?. International Journal of Cardiology, 2016, 221, 238-242.	1.7	21
48	Impact of Spontaneous Extracranial Bleeding Events on Health State Utility in Patients with Atrial Fibrillation: Results from the ENGAGE AFâ€“TIMI 48 Trial. Journal of the American Heart Association, 2017, 6, .	3.7	21
49	Deficient interleukin-2 responsiveness of T lymphocytes from patients with primary biliary cirrhosis. Hepatology, 1992, 16, 931-936.	7.3	20
50	Interferon-alpha-2b enhances the natural killer activity of patients with transitional cell carcinoma of the bladder. Cancer, 1993, 72, 1743-1748.	4.1	20
51	Intracavitary prophylactic treatment with interferon alpha 2b of patients with superficial bladder cancer is associated with a systemic T-cell activation. British Journal of Cancer, 1994, 70, 1247-1251.	6.4	20
52	Persistent lymphocytosis of natural killer cells in autoimmune thrombocytopenic purpura (ATP) patients after splenectomy. British Journal of Haematology, 1995, 89, 653-655.	2.5	20
53	Diminished T lymphocyte proliferative response to polyclonal mitogens in acute brucellosis patients. Infection, 1996, 24, 115-120.	4.7	20
54	The utility of heart failure registries: a descriptive and comparative study of two heart failure registries. Postgraduate Medical Journal, 2016, 92, 260-266.	1.8	20

#	ARTICLE	IF	CITATIONS
55	Benefit of tolvaptan in the management of hyponatraemia in patients with diuretic-refractory congestive heart failure: the SEMI-SEC project. <i>ESC Heart Failure</i> , 2017, 4, 130-137.	3.1	20
56	Precipitating factors of heart failure admission: Differences related to age and left ventricular ejection fraction. <i>International Journal of Cardiology</i> , 2016, 219, 150-155.	1.7	19
57	Immunological Changes in Peripheral Blood Mononuclear Cells of Patients with Metastatic Renal Cell Carcinoma After Low Doses of Subcutaneous Immunotherapy with IFN- γ -2b and IL-2. <i>Journal of Immunotherapy</i> , 1999, 22, 260-267.	2.4	18
58	Different prognostic value of silent peripheral artery disease in type 2 diabetic and non-diabetic subjects with stable cardiovascular disease. <i>Atherosclerosis</i> , 2011, 214, 191-195.	0.8	18
59	Pregnancy Is Associated With a Reduction in the Pattern of the Cytotoxic Activity Displayed by Lymphokine-activated Killer Cells. <i>American Journal of Reproductive Immunology</i> , 1991, 26, 150-155.	1.2	17
60	Relationship between osteoprotegerin and mortality in decompensated heart failure with preserved ejection fraction. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 438-443.	1.5	17
61	Insuficiencia cardiaca aguda de novo: características clínicas y mortalidad al año en el Registro Español de Insuficiencia Cardiaca Aguda. <i>Medicina Clínica</i> , 2019, 152, 127-134.	0.6	17
62	Antiphospholipid antibodies and sneddon's syndrome. <i>American Journal of Medicine</i> , 1989, 87, 597.	1.5	16
63	Newborn patients exhibit an unusual pattern of interleukin 10 and interferon β serum levels in response to cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002, 123, 451-458.	0.8	16
64	Interaction between Calpain-5, Peroxisome proliferator-activated receptor-gamma and Peroxisome proliferator-activated receptor-delta genes: a polygenic approach to obesity.. <i>Cardiovascular Diabetology</i> , 2008, 7, 23.	6.8	16
65	Prognostic value of the ankle-brachial index in elderly patients with a stable chronic cardiovascular event. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 1176-1184.	3.8	16
66	Cardiac Rehabilitation and Outcome in Stable Outpatients With Recent Myocardial Infarction. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 322-329.	0.9	16
67	Deficient interleukin 2 dependent proliferation pathway in T lymphocytes from active and inactive ulcerative colitis patients.. <i>Gut</i> , 1994, 35, 955-960.	12.1	15
68	Impact of variations in blood pressure with orthostatism on mortality. <i>Blood Pressure Monitoring</i> , 2017, 22, 184-190.	0.8	15
69	Keyhole Limpet Hemocyanine Can Enhance the Natural Killer Activity of Patients with Transitional Cell Carcinoma of the Bladder. <i>European Urology</i> , 1991, 19, 74-78.	1.9	13
70	Cilostazol and outcome in outpatients with peripheral artery disease. <i>Thrombosis Research</i> , 2014, 134, 331-335.	1.7	13
71	Influencia de la fibrilación auricular en la mortalidad de los pacientes con insuficiencia cardiaca con fracción de eyección preservada. <i>Medicina Clínica</i> , 2018, 150, 376-382.	0.6	13
72	T lymphocytes from autoimmune thrombocytopenic purpura show a defective activation and proliferation after cytoplasmic membrane and intracytoplasmic mitogenic signals. <i>American Journal of Hematology</i> , 1993, 44, 1-8.	4.1	12

#	ARTICLE	IF	CITATIONS
73	Increased IgM B cell differentiation lymphokine production by T lymphocytes from patients with primary biliary cirrhosis. <i>Journal of Hepatology</i> , 1994, 20, 446-453.	3.7	12
74	Inflammatory Bowel Disease. <i>New England Journal of Medicine</i> , 2002, 347, 1982-1984.	27.0	12
75	Plasmapheresis in heparin-induced thrombocytopenia and thrombosis.. <i>Stroke</i> , 1990, 21, 1236-1236.	2.0	12
76	Immunomodulatory effect of interferon- β 2b on natural killer cells and T lymphocytes from patients with transitional cell carcinoma of the bladder. <i>Anti-Cancer Drugs</i> , 1992, 3, 5-8.	1.4	11
77	Use of intracavitary Interferon-alpha-2b in the prophylactic treatment of patients with superficial bladder cancer. <i>Cancer</i> , 1995, 75, 2720-2726.	4.1	11
78	Prognostic value of glomerular filtration rate estimation equations in acute heart failure with preserved versus reduced ejection fraction. <i>International Journal of Clinical Practice</i> , 2015, 69, 829-839.	1.7	11
79	Digoxin and prognosis of heart failure in older patients with preserved ejection fraction: Importance of heart rate. Results from an observational and multicenter study. <i>European Journal of Internal Medicine</i> , 2019, 60, 18-23.	2.2	11
80	Influence of potassium levels on one-year outcomes in elderly patients with acute heart failure. <i>European Journal of Internal Medicine</i> , 2019, 60, 24-30.	2.2	11
81	Distinctive Pattern of Cytokine Production and Adhesion Molecule Expression in Peripheral Blood Memory CD4+ T Cells from Patients with Active Crohnâ€™s Disease. <i>Journal of Clinical Immunology</i> , 2006, 26, 233-242.	3.8	10
82	Clinical implications of different biomarkers in elderly patients with heart failure. <i>Biomarkers in Medicine</i> , 2014, 8, 535-541.	1.4	10
83	Design of a concentrating solar thermal collector installation for a hotel complex in Gran Canaria. <i>Energy</i> , 2019, 183, 803-811.	8.8	10
84	Heterogeneous proliferative effect of tumor necrosis factor- β and lymphotoxin on mitogen-activated B cells from B-chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 1993, 43, 81-85.	4.1	9
85	Influence of renal dysfunction phenotype on mortality in decompensated heart failure with preserved and mid-range ejection fraction. <i>International Journal of Cardiology</i> , 2017, 243, 332-339.	1.7	9
86	Clinical and pathological characteristics of Castleman disease: an observational study in a Spanish tertiary hospital. <i>Leukemia and Lymphoma</i> , 2019, 60, 3442-3448.	1.3	9
87	Cognitive impairment in patients hospitalized for congestive heart failure: data from the RICA Registry. <i>Internal and Emergency Medicine</i> , 2021, 16, 141-148.	2.0	9
88	Thymosimulin enhances the natural cytotoxic activity of patients with transitional cell carcinoma of the bladder. <i>International Journal of Immunopharmacology</i> , 1993, 15, 335-341.	1.1	8
89	Prophylactic intracavitary treatment with interferon alpha increases interferon gamma production by peripheral blood mononuclear cells in patients with superficial transitional cell carcinoma of the bladder. <i>British Journal of Cancer</i> , 1997, 75, 1849-1853.	6.4	8
90	Effect of a Therapeutic Strategy Guided by Lung Ultrasound on 6-Month Outcomes in Patients with Heart Failure: Randomized, Multicenter Trial (EPICC Study). <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 453-459.	2.6	8

#	ARTICLE	IF	CITATIONS
91	Has Beta-blocker Use Increased in Patients With Heart Failure in Internal Medicine Settings? Prognostic Implications: RICA Registry. <i>Revista Espanola De Cardiologia</i> (English Ed), 2014, 67, 196-202.	0.6	7
92	Prognostic Impact of Physician Specialty on the Prognosis of Outpatients With Heart Failure: Propensity Matched Analysis of the REDINSCOR and RICA Registries. <i>Revista Espanola De Cardiologia</i> (English Ed), 2017, 70, 347-354.	0.6	7
93	El problema de la fragmentaciÃ³n de la medicina hospitalaria. <i>Medicina ClÃnica</i> , 2019, 152, 115-117.	0.6	7
94	Differential characteristics of acute heart failure in very elderly patients: the prospective RICA study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1789-1799.	2.9	7
95	Analysis of the effect of intravesical treatment with interferon-Î±2b on the clinical evolution and on the in vivo function of T lymphocytes and natural killer cells in patients with superficial bladder tumors. <i>Anti-Cancer Drugs</i> , 1992, 3, 9-12.	1.4	6
96	Diuretic Strategies in Patients with Acute Heart Failure. <i>New England Journal of Medicine</i> , 2011, 364, 2066-2069.	27.0	6
97	Meningeal infiltration by non-myelomatous IgD-secreting plasma cell dyscrasias.. <i>Postgraduate Medical Journal</i> , 1989, 65, 570-574.	1.8	5
98	The association between CD2+ peripheral blood lymphocyte subsets and the relapse of bladder cancer in prophylactically BCG-treated patients. <i>British Journal of Cancer</i> , 1999, 79, 1162-1167.	6.4	5
99	Impaired mitogenic response of peripheral blood T cells in ulcerative colitis is not due to apoptosis. <i>Digestive Diseases and Sciences</i> , 1999, 44, 2530-2537.	2.3	5
100	Thigh and buttock exertional pain for the diagnosis of peripheral arterial disease. <i>European Journal of Internal Medicine</i> , 2009, 20, 429-434.	2.2	5
101	Diagnosis of heart failure in elderly patients: a clinical challenge. <i>European Journal of Heart Failure</i> , 2011, 13, 1152-1152.	7.1	5
102	Heart Failure with Recovered Ejection Fraction in a Cohort of Elderly Patients with Chronic Heart Failure. <i>Cardiology</i> , 2016, 135, 196-201.	1.4	5
103	Switching to sacubitril/valsartan or adding aldosterone antagonist: which first?. <i>ESC Heart Failure</i> , 2019, 6, 1334-1335.	3.1	5
104	New horizons in management of heart failure in older patients. <i>Age and Ageing</i> , 2020, 49, 16-19.	1.6	5
105	Comorbidities and their implications in patients with and without type 2 diabetes mellitus and heart failure with preserved ejection fraction. Findings from the rica registry. <i>International Journal of Clinical Practice</i> , 2021, 75, e13661.	1.7	5
106	Interferon ? enhances the natural killer activity of patients with bladder carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 1994, 38, 406-410.	4.2	4
107	T Lymphocytes Infiltrating the Bladder Wall of Patients with Carcinoma of Urinary Bladder Are in vivo Activated. <i>European Urology</i> , 1997, 31, 472-477.	1.9	4
108	Current Situation of Management of Systolic Heart Failure in Spain: VIDAâ€“IC Study Results. <i>Revista Espanola De Cardiologia</i> (English Ed), 2014, 67, 769-770.	0.6	4

#	ARTICLE	IF	CITATIONS
109	β_2 blockers in patients with heart failure and atrial fibrillation — Authors' reply. <i>Lancet</i> , The, 2015, 385, 1618-1619.	13.7	4
110	¿Qué opinan los expertos sobre las guías de práctica clínica de insuficiencia cardiaca?. <i>Revista Clinica Espanola</i> , 2016, 216, 457-459.	0.6	4
111	Combining heart rate and systolic blood pressure to improve risk stratification in older patients with heart failure: Findings from the RICA Registry. <i>International Journal of Cardiology</i> , 2017, 230, 625-629.	1.7	4
112	Modes of death in heart failure according to age, sex and left ventricular ejection fraction. <i>Internal and Emergency Medicine</i> , 2021, 16, 643-652.	2.0	4
113	Metronidazole and Pancreatitis. <i>Clinical Infectious Diseases</i> , 1992, 15, 750-751.	5.8	3
114	Heart failure with preserved and reduced ejection fraction: Different phenotypes in old-elderly patients?. <i>European Journal of Internal Medicine</i> , 2013, 24, 346-348.	2.2	3
115	About the RICA registry in patients with heart failure. <i>European Journal of Heart Failure</i> , 2015, 17, 846-846.	7.1	3
116	Espironolactona en pacientes con insuficiencia cardiaca y fracción de eyección preservada. <i>Revista Clinica Espanola</i> , 2015, 215, 301-307.	0.6	3
117	Consenso para la mejora de la atención integral de los pacientes con insuficiencia cardíaca aguda: versión resumida. <i>Revista Clinica Espanola</i> , 2016, 216, 260-270.	0.6	3
118	Prognostic Role of Hyponatremia in Heart Failure Patients Depending on Renal Disease: Clinical Evidence. <i>Cardiology</i> , 2019, 144, 1-8.	1.4	3
119	Pulmonary injuries and cytokine levels after the intraperitoneal administration of pancreatic homogenates in rats. <i>Revista Espanola De Enfermedades Digestivas</i> , 2004, 96, 527-33; 533-8.	0.3	3
120	Direct impact of clinical research in metastatic renal cell carcinoma (mRCC): A cost-effectiveness analysis of patient care outcomes and cost savings in a real-life scenario of a large public university hospital in Spain.. <i>Journal of Clinical Oncology</i> , 2019, 37, 637-637.	1.6	3
121	Kala-Azar and the Acquired Immunodeficiency Syndrome (AIDS). <i>Annals of Internal Medicine</i> , 1988, 108, 906.	3.9	2
122	Alpha interferon as an immunomodulator in the treatment of patients with tumors. <i>Medical Oncology</i> , 1995, 12, 15-21.	2.5	2
123	Natural killer cell activity in patients with pernicious anemia. <i>Digestive Diseases and Sciences</i> , 1995, 40, 1538-1541.	2.3	2
124	Importance of Bnp changes during the follow-up in elderly outpatients with heart failure. <i>Clinical Biochemistry</i> , 2014, 47, 1010-1014.	1.9	2
125	Recursos y necesidades asistenciales en el tratamiento anticoagulante de los pacientes con fibrilación auricular no valvular. Estudio SAMOA. <i>Revista Clinica Espanola</i> , 2017, 217, 193-200.	0.6	2
126	Ambulatory blood pressure monitoring in heart failure and serum sodium levels. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 513-520.	0.5	2

#	ARTICLE	IF	CITATIONS
127	The problem of the fragmentation of hospital medicine. <i>Medicina Clínica (English Edition)</i> , 2019, 152, 115-117.	0.2	2
128	Valor pronóstico a corto plazo de la proteína C reactiva en ancianos con insuficiencia cardíaca aguda. <i>Revista Clínica Española</i> , 2019, 219, 10-17.	0.6	2
129	Primary biliary cirrhosis treated with azathioprine and liver transplantation. <i>Journal of Hepatology</i> , 1997, 27, 599.	3.7	1
130	Manifestaciones hepáticas de las enfermedades sistémicas. <i>Medicine</i> , 2000, 8, 615-620.	0.0	1
131	Hiponatremia grave asociada al uso de fluoxetina en el anciano. <i>Revista Clínica Española</i> , 2002, 202, 246.	0.6	1
132	Nuevas perspectivas para el médico internista en la insuficiencia cardiaca. <i>Revista Clínica Española</i> , 2016, 216, 26.	0.6	1
133	Heart Failure Programs / Units. A Multidisciplinary Approach. <i>Revista Española De Cardiología (English)</i> Tj ETQq1 1 0.784314 rgBT /Overl 0.6		
134	Ambulatory blood pressure monitoring in heart failure and serum sodium levels. <i>Revista Portuguesa De Cardiología (English Edition)</i> , 2017, 36, 513-520.	0.2	1
135	Hiponatremia e insuficiencia cardiaca congestiva refractaria a tratamiento diurético. Utilidad del tolvaptán. <i>Revista Clínica Española</i> , 2017, 217, 398-404.	0.6	1
136	The use of thiazide and thiazide-like diuretics in heart failure with congestion. <i>European Journal of Heart Failure</i> , 2019, 21, 948-948.	7.1	1
137	Calidad de vida, adherencia y satisfacción en pacientes con fibrilación auricular en tratamiento anticoagulante. <i>Revista Clínica Española</i> , 2019, 219, 320-321.	0.6	1
138	Indicaciones e interpretación clínica de los autoanticuerpos órganos-específicos. <i>Medicine</i> , 2000, 8, 1357-1358.	0.0	0
139	Leishmaniasis visceral: a propósito de un caso de fiebre de origen desconocido. <i>Semergen</i> , 2006, 32, 41-42.	0.5	0
140	Tratamiento integral individualizado de los factores de riesgo vascular. <i>Medicine</i> , 2010, 10, 4700-4707.	0.0	0
141	MON-P067: Radiation and Chemotherapy Side Effects in Patients With Head-Necktumors Receiving early Nutrition Supporttherapy. <i>Clinical Nutrition</i> , 2016, 35, S178.	5.0	0
142	Rápida a «Insuficiencia cardiaca en el anciano, una perspectiva global». <i>Revista Clínica Española</i> , 2016, 216, 406.	0.6	0
143	[PP.03.01] SYSTOLIC ORTHOSTATIC HYPERTENSION AND MORTALITY. THE HOMO STUDY. <i>Journal of Hypertension</i> , 2016, 34, e126.	0.5	0
144	Reply to the Letter to Editor «Hypomolarity may be also associated with worse outcomes in patients with heart failure». <i>International Journal of Cardiology</i> , 2017, 229, 54.	1.7	0

#	ARTICLE	IF	CITATIONS
145	[PP.11.02] ORTHOSTATIC HYPOTENSION AND MORTALITY THE HOMO STUDY. <i>Journal of Hypertension</i> , 2017, 35, e182.	0.5	0
146	External validation of the CACE-HF risk score for mortality in patients with heart failure. <i>European Journal of Internal Medicine</i> , 2019, 66, 35-40.	2.2	0
147	Prevalence and outcome of diuretic resistance in heart failure: reply. <i>Internal and Emergency Medicine</i> , 2019, 14, 633-634.	2.0	0
148	Mineralocorticoid receptor antagonists and acute heart failure. <i>European Journal of Heart Failure</i> , 2019, 21, 948-948.	7.1	0
149	HemoconcentraciÃ³n e insuficiencia cardiaca aguda, ¿un factor predictor emergente o ya consolidado?. <i>Revista Clinica Espanola</i> , 2019, 219, 32-33.	0.6	0
150	THU0609...Clinical characteristics and outcome of spanish patients with acute myelitis associated with autoimmune diseases. , 2018, , .		0
151	Impact of previous macrolide use on invasive pneumococcal disease due to erythromycin-resistant serotypes in adults over 59 years of age. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2022, 41, 227-234.	2.9	0