

Luis Manzano Espinosa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2620500/luis-manzano-espinosa-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145 papers	3,328 citations	25 h-index	53 g-index
174 ext. papers	4,385 ext. citations	5.5 avg, IF	4.6 L-index

#	Paper	IF	Citations
145	Impact of previous macrolide use on invasive pneumococcal disease due to erythromycin-resistant serotypes in adults over 59 years of age. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021 , 1	5.3	
144	Cognitive impairment in patients hospitalized for congestive heart failure: data from the RICA Registry. <i>Internal and Emergency Medicine</i> , 2021 , 16, 141-148	3.7	2
143	Comorbidities and their implications in patients with and without type 2 diabetes mellitus and heart failure with preserved ejection fraction. Findings from the rica registry. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13661	2.9	1
142	Modes of death in heart failure according to age, sex and left ventricular ejection fraction. <i>Internal and Emergency Medicine</i> , 2021 , 16, 643-652	3.7	0
141	Differential characteristics of acute heart failure in very elderly patients: the prospective RICA study. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1789-1799	4.8	4
140	Angiotensin-Neprilysin Inhibition in Heart Failure with Preserved Ejection Fraction. <i>New England Journal of Medicine</i> , 2019 , 381, 1609-1620	59.2	705
139	Prognostic Role of Hyponatremia in Heart Failure Patients Depending on Renal Disease: Clinical Evidence. <i>Cardiology</i> , 2019 , 144, 1-8	1.6	1
138	External validation of the CACE-HF risk score for mortality in patients with heart failure. <i>European Journal of Internal Medicine</i> , 2019 , 66, 35-40	3.9	
137	The use of thiazide and thiazide-like diuretics in heart failure with congestion. <i>European Journal of Heart Failure</i> , 2019 , 21, 948	12.3	1
136	Prevalence and outcome of diuretic resistance in heart failure: reply. <i>Internal and Emergency Medicine</i> , 2019 , 14, 633-634	3.7	
135	Mineralocorticoid receptor antagonists and acute heart failure. <i>European Journal of Heart Failure</i> , 2019 , 21, 948	12.3	
134	The problem of the fragmentation of hospital medicine. <i>Medicina Clínica (English Edition)</i> , 2019 , 152, 115-117	0.3	
133	De novo acute heart failure: Clinical features and one-year mortality in the Spanish nationwide Registry of Acute Heart Failure. <i>Medicina Clínica</i> , 2019 , 152, 127-134	1	7
132	Clinical and pathological characteristics of Castleman disease: an observational study in a Spanish tertiary hospital. <i>Leukemia and Lymphoma</i> , 2019 , 60, 3442-3448	1.9	4
131	Design of a concentrating solar thermal collector installation for a hotel complex in Gran Canaria. <i>Energy</i> , 2019 , 183, 803-811	7.9	9
130	Effect of a Therapeutic Strategy Guided by Lung Ultrasound on 6-Month Outcomes in Patients with Heart Failure: Randomized, Multicenter Trial (EPICC Study). <i>Cardiovascular Drugs and Therapy</i> , 2019 , 33, 453-459	3.9	5
129	Direct impact of clinical research in metastatic renal cell carcinoma (mRCC): A cost-effectiveness analysis of patient care outcomes and cost savings in a real-life scenario of a large public university hospital in Spain.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 637-637	2.2	

128	Sarcopenia, frailty, cognitive impairment and mortality in elderly patients with non-valvular atrial fibrillation. <i>Revista Clinica Espanola</i> , 2019 , 219, 424-432	0.7	19
127	New horizons in management of heart failure in older patients. <i>Age and Ageing</i> , 2019 , 49, 16-19	3	0
126	Switching to sacubitril/valsartan or adding aldosterone antagonist: which first?. <i>ESC Heart Failure</i> , 2019 , 6, 1334-1335	3.7	3
125	Impact of Renal Impairment on Beta-Blocker Efficacy in Patients With Heart Failure. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2893-2904	15.1	17
124	The short-term prognostic value of C-reactive protein in elderly patients with acute heart failure. <i>Revista Clinica Espanola</i> , 2019 , 219, 10-17	0.7	
123	Prevalence and outcome of diuretic resistance in heart failure. <i>Internal and Emergency Medicine</i> , 2019 , 14, 529-537	3.7	14
122	The problem of the fragmentation of hospital medicine. <i>Medicina Clinica</i> , 2019 , 152, 115-117	1	5
121	Digoxin and prognosis of heart failure in older patients with preserved ejection fraction: Importance of heart rate. Results from an observational and multicenter study. <i>European Journal of Internal Medicine</i> , 2019 , 60, 18-23	3.9	9
120	Influence of potassium levels on one-year outcomes in elderly patients with acute heart failure. <i>European Journal of Internal Medicine</i> , 2019 , 60, 24-30	3.9	5
119	Basal functional status predicts one-year mortality after a heart failure hospitalization in elderly patients - The RICA prospective study. <i>International Journal of Cardiology</i> , 2018 , 254, 182-188	3.2	25
118	Pleural effusions in acute decompensated heart failure: Prevalence and prognostic implications. <i>European Journal of Internal Medicine</i> , 2018 , 52, 49-53	3.9	14
117	Heart failure with mid-range ejection fraction in patients admitted to internal medicine departments: Findings from the RICA Registry. <i>International Journal of Cardiology</i> , 2018 , 255, 124-128	3.2	25
116	Positioning document on incorporating point-of-care ultrasound in Internal Medicine departments. <i>Revista Clinica Espanola</i> , 2018 , 218, 192-198	0.7	12
115	Beta-blockers for heart failure with reduced, mid-range, and preserved ejection fraction: an individual patient-level analysis of double-blind randomized trials. <i>European Heart Journal</i> , 2018 , 39, 26-35	9.5	245
114	Influence of atrial fibrillation on the mortality of patients with heart failure with preserved ejection fraction. <i>Medicina Clinica</i> , 2018 , 150, 376-382	1	6
113	Reply to the Letter to Editor "Hyposmolarity may be also associated with worse outcomes in patients with heart failure". <i>International Journal of Cardiology</i> , 2017 , 229, 54	3.2	
112	Combining heart rate and systolic blood pressure to improve risk stratification in older patients with heart failure: Findings from the RICA Registry. <i>International Journal of Cardiology</i> , 2017 , 230, 625-629	3.2	3
111	Prognostic Impact of Physician Specialty on the Prognosis of Outpatients With Heart Failure: Propensity Matched Analysis of the REDINSCOR and RICA Registries. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 347-354	0.7	3

110	Benefit of tolvaptan in the management of hyponatraemia in patients with diuretic-refractory congestive heart failure: the SEMI-SEC project. <i>ESC Heart Failure</i> , 2017 , 4, 130-137	3.7	15
109	Impact of prealbumin on mortality and hospital readmission in patients with acute heart failure. <i>European Journal of Internal Medicine</i> , 2017 , 43, 36-41	3.9	16
108	Heart Failure Programs / Units. A Multidisciplinary Approach. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 410	0.7	1
107	Heart Rate and Rhythm and the Benefit of Beta-Blockers in Patients With Heart Failure. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2885-2896	15.1	132
106	Influence of renal dysfunction phenotype on mortality in decompensated heart failure with preserved and mid-range ejection fraction. <i>International Journal of Cardiology</i> , 2017 , 243, 332-339	3.2	5
105	Healthcare resources and needs in anticoagulant therapy for patients with nonvalvular atrial fibrillation. SAMOA Study. <i>Revista Clinica Espanola</i> , 2017 , 217, 193-200	0.7	1
104	Ambulatory blood pressure monitoring in heart failure and serum sodium levels. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017 , 36, 513-520	0	1
103	Impact of Spontaneous Extracranial Bleeding Events on Health State Utility in Patients with Atrial Fibrillation: Results from the ENGAGE AF-TIMI 48 Trial. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	14
102	Impact of variations in blood pressure with orthostatism on mortality: the HOMO study. <i>Blood Pressure Monitoring</i> , 2017 , 22, 184-190	1.3	9
101	Hyponatraemia and congestive heart failure refractory to diuretic treatment. Utility of tolvaptan. <i>Revista Clinica Espanola</i> , 2017 , 217, 398-404	0.7	1
100	[PP.11.02] ORTHOSTATIC HYPOTENSION AND MORTALITY THE HOMO STUDY. <i>Journal of Hypertension</i> , 2017 , 35, e182	1.9	
99	Ambulatory blood pressure monitoring in heart failure and serum sodium levels. <i>Revista Portuguesa De Cardiologia</i> , 2017 , 36, 513-520	1	1
98	Consensus Document of the Spanish Society of Cardiology and the Spanish Society of Internal Medicine on the diagnosis and treatment of iron deficiency in heart failure. <i>Revista Clinica Espanola</i> , 2017 , 217, 35-45	0.7	19
97	Heart Failure with Recovered Ejection Fraction in a Cohort of Elderly Patients with Chronic Heart Failure. <i>Cardiology</i> , 2016 , 135, 196-201	1.6	3
96	High serum osmolarity at admission determines a worse outcome in patients with heart failure: Is a new target emerging?. <i>International Journal of Cardiology</i> , 2016 , 221, 238-42	3.2	13
95	Effect of age and sex on efficacy and tolerability of Iblockers in patients with heart failure with reduced ejection fraction: individual patient data meta-analysis. <i>BMJ, The</i> , 2016 , 353, i1855	5.9	62
94	Precipitating factors of heart failure admission: Differences related to age and left ventricular ejection fraction. <i>International Journal of Cardiology</i> , 2016 , 219, 150-5	3.2	16
93	The utility of heart failure registries: a descriptive and comparative study of two heart failure registries. <i>Postgraduate Medical Journal</i> , 2016 , 92, 260-6	2	13

92	Health-related Quality of Life of Patients With Chronic Systolic Heart Failure in Spain: Results of the VIDA-IC Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016 , 69, 256-71	0.7	20
91	Rationale and Design of the "Safety and Efficacy of the Combination of Loop with Thiazide-type Diuretics in Patients with Decompensated Heart Failure (CLOROTIC) Trial:" A Double-Blind, Randomized, Placebo-Controlled Study to Determine the Effect of Combined Diuretic Therapy (Loop Diuretics With Thiazide-Type Diuretics) Among Patients With Decompensated Heart Failure.	3.3	25
90	Reduction in hospitalisations and emergency department visits for frail patients with heart failure: Results of the UMIPIIC healthcare programme. <i>Revista Clinica Espanola</i> , 2016 , 216, 8-14	0.7	35
89	What do experts think about heart failure guidelines?. <i>Revista Clinica Espanola</i> , 2016 , 216, 457-459	0.7	0
88	Consensus for improving the comprehensive care of patients with acute heart failure: summarised version. <i>Revista Clinica Espanola</i> , 2016 , 216, 260-70	0.7	2
87	Reply to «Heart failure in elderly patients, a global perspective». <i>Revista Clinica Espanola</i> , 2016 , 216, 406-7		
86	Spironolactone in patients with heart failure and preserved ejection fraction. <i>Revista Clinica Espanola</i> , 2015 , 215, 301-7	0.7	2
85	Utility of the SENIORS elderly heart failure risk model applied to the RICA registry of acute heart failure. <i>International Journal of Cardiology</i> , 2015 , 182, 449-53	3.2	19
84	New onset heart failure--Clinical characteristics and short-term mortality. A RICA (Spanish registry of acute heart failure) study. <i>European Journal of Internal Medicine</i> , 2015 , 26, 357-62	3.9	34
83	Blockers in patients with heart failure and atrial fibrillation - Authors' Reply. <i>Lancet, The</i> , 2015 , 385, 1618-9	4.0	4
82	Gender related differences in clinical profile and outcome of patients with heart failure. Results of the RICA Registry. <i>Revista Clinica Espanola</i> , 2015 , 215, 363-70	0.7	20
81	Prognostic value of glomerular filtration rate estimation equations in acute heart failure with preserved versus reduced ejection fraction. <i>International Journal of Clinical Practice</i> , 2015 , 69, 829-39	2.9	11
80	Relationship between osteoprotegerin and mortality in decompensated heart failure with preserved ejection fraction. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16, 438-43	1.9	14
79	About the RICA registry in patients with heart failure. <i>European Journal of Heart Failure</i> , 2015 , 17, 846	12.3	3
78	Cardiac rehabilitation and outcome in stable outpatients with recent myocardial infarction. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 322-9	2.8	13
77	Efficacy of Blockers in patients with heart failure plus atrial fibrillation: an individual-patient data meta-analysis. <i>Lancet, The</i> , 2014 , 384, 2235-43	4.0	323
76	Has beta-blocker use increased in patients with heart failure in internal medicine settings? Prognostic implications: RICA registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 196-202	0.7	1
75	Current situation of management of systolic heart failure in Spain: VIDA-IC study results. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 769-70	0.7	3

74	Basal functional status predicts three-month mortality after a heart failure hospitalization in elderly patients - the prospective RICA study. <i>International Journal of Cardiology</i> , 2014 , 172, 127-31	3.2	40
73	Cilostazol and outcome in outpatients with peripheral artery disease. <i>Thrombosis Research</i> , 2014 , 134, 331-5	8.2	10
72	Clinical implications of different biomarkers in elderly patients with heart failure. <i>Biomarkers in Medicine</i> , 2014 , 8, 535-41	2.3	6
71	Influence of systolic blood pressure on clinical outcomes in elderly heart failure patients treated with nebivolol: data from the SENIORS trial. <i>European Journal of Heart Failure</i> , 2014 , 16, 1009-15	12.3	19
70	Importance of Bnp changes during the follow-up in elderly outpatients with heart failure. <i>Clinical Biochemistry</i> , 2014 , 47, 1010-4	3.5	0
69	Individual patient data meta-analysis of beta-blockers in heart failure: rationale and design. <i>Systematic Reviews</i> , 2013 , 2, 7	3	19
68	Heart failure with preserved and reduced ejection fraction: different phenotypes in old-elderly patients?. <i>European Journal of Internal Medicine</i> , 2013 , 24, 346-8	3.9	2
67	Impact of weight loss on mortality in chronic heart failure: findings from the RICA Registry. <i>International Journal of Cardiology</i> , 2013 , 168, 306-11	3.2	19
66	Diagnosis of elderly patients with heart failure. <i>European Journal of Heart Failure</i> , 2012 , 14, 1097-103	12.3	36
65	Erythropoietin as a treatment of anemia in heart failure: systematic review of randomized trials. <i>American Heart Journal</i> , 2011 , 161, 822-831.e2	4.9	51
64	Prevalence and clinical profile and management of peripheral arterial disease in elderly patients with diabetes. <i>European Journal of Internal Medicine</i> , 2011 , 22, 275-81	3.9	36
63	Different prognostic value of silent peripheral artery disease in type 2 diabetic and non-diabetic subjects with stable cardiovascular disease. <i>Atherosclerosis</i> , 2011 , 214, 191-5	3.1	16
62	Predictors of clinical outcomes in elderly patients with heart failure. <i>European Journal of Heart Failure</i> , 2011 , 13, 528-36	12.3	85
61	Diuretic strategies in patients with acute heart failure. <i>New England Journal of Medicine</i> , 2011 , 364, 2068-9; author reply 2069	59.2	4
60	Anaemia among patients with heart failure and preserved or reduced ejection fraction: results from the SENIORS study. <i>European Journal of Heart Failure</i> , 2011 , 13, 656-63	12.3	54
59	Diagnosis of heart failure in elderly patients: a clinical challenge. <i>European Journal of Heart Failure</i> , 2011 , 13, 1152; author reply 1152-3	12.3	5
58	Erythropoiesis-stimulating agents for anaemia in chronic heart failure patients. <i>The Cochrane Library</i> , 2010 , CD007613	5.2	36
57	Tratamiento integral individualizado de los factores de riesgo vascular. <i>Medicine</i> , 2010 , 10, 4700-4707	0.1	

56	Prognostic value of the ankle-brachial index in elderly patients with a stable chronic cardiovascular event. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1176-84	15.4	12
55	Thigh and buttock exertional pain for the diagnosis of peripheral arterial disease. <i>European Journal of Internal Medicine</i> , 2009 , 20, 429-34	3.9	4
54	Sub-clinical vascular disease in type 2 diabetic subjects: relationship with chronic complications of diabetes and the presence of cardiovascular disease risk factors. <i>European Journal of Internal Medicine</i> , 2008 , 19, 255-60	3.9	17
53	Interaction between Calpain 5, Peroxisome proliferator-activated receptor-gamma and Peroxisome proliferator-activated receptor-delta genes: a polygenic approach to obesity. <i>Cardiovascular Diabetology</i> , 2008 , 7, 23	8.7	14
52	Sex and body mass index specific regulation of blood pressure by CYP19A1 gene variants. <i>Hypertension</i> , 2007 , 50, 884-90	8.5	26
51	Relationship between ankle-brachial index and chronic kidney disease in hypertensive patients with no known cardiovascular disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, S201-5	12.7	26
50	Leishmaniasis visceral: a propósito de un caso de fiebre de origen desconocido. <i>Semergen</i> , 2006 , 32, 41-42	1.9	
49	Distinctive pattern of cytokine production and adhesion molecule expression in peripheral blood memory CD4+ T cells from patients with active Crohn's disease. <i>Journal of Clinical Immunology</i> , 2006 , 26, 233-42	5.7	10
48	Different proinflammatory cytokine serum pattern in neonate patients undergoing open heart surgery. Relevance of IL-8. <i>Journal of Clinical Immunology</i> , 2005 , 25, 238-45	5.7	24
47	The effects of thyroid hormones on circulating markers of cell-mediated immune response, as studied in patients with differentiated thyroid carcinoma before and during thyroxine withdrawal. <i>European Journal of Endocrinology</i> , 2005 , 153, 223-30	6.5	29
46	Active Crohn's disease patients show a distinctive expansion of circulating memory CD4+CD45RO+CD28null T cells. <i>Journal of Clinical Immunology</i> , 2004 , 24, 185-96	5.7	42
45	Pulmonary injuries and cytokine levels after the intraperitoneal administration of pancreatic homogenates in rats. <i>Revista Espanola De Enfermedades Digestivas</i> , 2004 , 96, 527-33; 533-8	0.9	2
44	Newborn patients exhibit an unusual pattern of interleukin 10 and interferon gamma serum levels in response to cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002 , 123, 451-8	1.5	14
43	Inflammatory bowel disease. <i>New England Journal of Medicine</i> , 2002 , 347, 1982-4; author reply 1982-4	59.2	8
42	Hiponatremia grave asociada al uso de fluoxetina en el anciano. <i>Revista Clinica Espanola</i> , 2002 , 202, 246	0.7	0
41	Manifestaciones hepáticas de las enfermedades sistémicas. <i>Medicine</i> , 2000 , 8, 615-620	0.1	
40	Indicaciones e interpretación clínica de los autoanticuerpos órgano-específicos. <i>Medicine</i> , 2000 , 8, 1357-1358	0.1	
39	The association between CD2+ peripheral blood lymphocyte subsets and the relapse of bladder cancer in prophylactically BCG-treated patients. <i>British Journal of Cancer</i> , 1999 , 79, 1162-7	8.7	2

38	Impaired mitogenic response of peripheral blood T cells in ulcerative colitis is not due to apoptosis. <i>Digestive Diseases and Sciences</i> , 1999 , 44, 2530-7	4	5
37	Immunological changes in peripheral blood mononuclear cells of patients with metastatic renal cell carcinoma after low doses of subcutaneous immunotherapy with IFN-alpha-2b and IL-2. <i>Journal of Immunotherapy</i> , 1999 , 22, 260-7	5	16
36	Primary biliary cirrhosis treated with azathioprine and liver transplantation. <i>Journal of Hepatology</i> , 1997 , 27, 599	13.4	1
35	Cytokine levels after open and laparoscopic cholecystectomy. <i>European Surgical Research</i> , 1997 , 29, 27-34	4.1	42
34	T lymphocytes infiltrating the bladder wall of patients with carcinoma of urinary bladder are in vivo activated. <i>European Urology</i> , 1997 , 31, 472-7	10.2	3
33	Prophylactic intracavitary treatment with interferon alpha increases interferon gamma production by peripheral blood mononuclear cells in patients with superficial transitional cell carcinoma of the bladder. <i>British Journal of Cancer</i> , 1997 , 75, 1849-53	8.7	7
32	Expanded CD4+CD45RO+ phenotype and defective proliferative response in T lymphocytes from patients with Crohn's disease. <i>Gastroenterology</i> , 1996 , 110, 1008-19	13.3	70
31	Diminished T lymphocyte proliferative response to polyclonal mitogens in acute brucellosis patients. <i>Infection</i> , 1996 , 24, 115-20	5.8	18
30	Defective interferon-gamma production by T-lymphocytes from patients with acute brucellosis. <i>European Journal of Clinical Investigation</i> , 1996 , 26, 136-40	4.6	31
29	Alpha interferon as an immunomodulator in the treatment of patients with tumors. <i>Medical Oncology</i> , 1995 , 12, 15-21	3.7	2
28	Natural killer cell activity in patients with pernicious anemia. <i>Digestive Diseases and Sciences</i> , 1995 , 40, 1538-41	4	1
27	Functional defect of T cells in autoimmune gastritis. <i>Gut</i> , 1995 , 36, 171-5	19.2	20
26	Persistent lymphocytosis of natural killer cells in autoimmune thrombocytopenic purpura (ATP) patients after splenectomy. <i>British Journal of Haematology</i> , 1995 , 89, 653-5	4.5	17
25	Abnormal gamma IFN and alpha TNF secretion in purified CD2+ cells from autoimmune thrombocytopenic purpura (ATP) patients: their implication in the clinical course of the disease. <i>American Journal of Hematology</i> , 1995 , 49, 271-6	7.1	17
24	Use of intracavitary interferon-alpha-2b in the prophylactic treatment of patients with superficial bladder cancer. <i>Cancer</i> , 1995 , 75, 2720-6	6.4	10
23	Deficient interleukin 2 dependent proliferation pathway in T lymphocytes from active and inactive ulcerative colitis patients. <i>Gut</i> , 1994 , 35, 955-60	19.2	14
22	Interferon beta enhances the natural killer activity of patients with bladder carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 1994 , 38, 406-10	7.4	4
21	Intracavitary prophylactic treatment with interferon alpha 2b of patients with superficial bladder cancer is associated with a systemic T-cell activation. <i>British Journal of Cancer</i> , 1994 , 70, 1247-51	8.7	19

20	Increased IgM B cell differentiation lymphokine production by T lymphocytes from patients with primary biliary cirrhosis. <i>Journal of Hepatology</i> , 1994 , 20, 446-53	13.4	11
19	Interferon-alpha-2b enhances the natural killer activity of patients with transitional cell carcinoma of the bladder. <i>Cancer</i> , 1993 , 72, 1743-8	6.4	18
18	Heterogeneous proliferative effect of tumor necrosis factor-alpha and lymphotoxin on mitogen-activated B cells from B-chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 1993 , 43, 81-5	7.1	8
17	T lymphocytes from autoimmune thrombocytopenic purpura show a defective activation and proliferation after cytoplasmic membrane and intracytoplasmic mitogenic signals. <i>American Journal of Hematology</i> , 1993 , 44, 1-8	7.1	11
16	Thymostimulin enhances the natural cytotoxic activity of patients with transitional cell carcinoma of the bladder. <i>International Journal of Immunopharmacology</i> , 1993 , 15, 335-41		8
15	The clinical outcome of autoimmune thrombocytopenic purpura patients is related to their T cell immunodeficiency. <i>British Journal of Haematology</i> , 1993 , 84, 464-70	4.5	21
14	Metronidazole and pancreatitis. <i>Clinical Infectious Diseases</i> , 1992 , 15, 750-1	11.6	0
13	Functional impairment of natural killer cells in active ulcerative colitis: reversion of the defective natural killer activity by interleukin 2. <i>Gut</i> , 1992 , 33, 246-51	19.2	24
12	Impaired activity of natural killer cells in patients with acute brucellosis. <i>Clinical Infectious Diseases</i> , 1992 , 15, 764-70	11.6	29
11	Analysis of the effect of intravesical treatment with interferon-alpha 2b on the clinical evolution and on the in vivo function of T lymphocytes and natural killer cells in patients with superficial bladder tumors. <i>Anti-Cancer Drugs</i> , 1992 , 3 Suppl 1, 9-12	2.4	6
10	Immunomodulatory effect of interferon-alpha 2b on natural killer cells and T lymphocytes from patients with transitional cell carcinoma of the bladder. <i>Anti-Cancer Drugs</i> , 1992 , 3 Suppl 1, 5-8	2.4	10
9	Increased spontaneous and lymphokine-conditioned IgA and IgG synthesis by B cells from alcoholic cirrhotic patients. <i>Hepatology</i> , 1992 , 16, 664-70	11.2	33
8	Deficient interleukin-2 responsiveness of T lymphocytes from patients with primary biliary cirrhosis. <i>Hepatology</i> , 1992 , 16, 931-6	11.2	16
7	Pregnancy is associated with a reduction in the pattern of the cytotoxic activity displayed by lymphokine-activated killer cells. <i>American Journal of Reproductive Immunology</i> , 1991 , 26, 150-5	3.8	14
6	Keyhole limpet hemocyanine can enhance the natural killer activity of patients with transitional cell carcinoma of the bladder. <i>European Urology</i> , 1991 , 19, 74-8	10.2	12
5	Plasmapheresis in heparin-induced thrombocytopenia and thrombosis.. <i>Stroke</i> , 1990 , 21, 1236-1236	6.7	6
4	Meningeal infiltration by non-myelomatous IgD-secreting plasma cell dyscrasias. <i>Postgraduate Medical Journal</i> , 1989 , 65, 570-4	2	5
3	Antiphospholipid antibodies and Sneddon@ syndrome. <i>American Journal of Medicine</i> , 1989 , 87, 597	2.4	15

2	Kala-azar and the acquired immunodeficiency syndrome (AIDS). <i>Annals of Internal Medicine</i> , 1988 , 108, 906	8	2
1	Disseminated-to-skin kala-azar and the acquired immunodeficiency syndrome. <i>Annals of Internal Medicine</i> , 1988 , 108, 490-1	8	54