

Masao Matsuoka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2621263/publications.pdf>

Version: 2024-02-01

299
papers

16,151
citations

¹¹⁶⁵¹
70
h-index

²⁰⁹⁶¹
115
g-index

314
all docs

314
docs citations

314
times ranked

10924
citing authors

#	ARTICLE	IF	CITATIONS
1	Human T-cell leukaemia virus type 1 (HTLV-1) infectivity and cellular transformation. <i>Nature Reviews Cancer</i> , 2007, 7, 270-280.	28.4	726
2	Integrated molecular analysis of adult T cell leukemia/lymphoma. <i>Nature Genetics</i> , 2015, 47, 1304-1315.	21.4	659
3	HTLV-I basic leucine zipper factor gene mRNA supports proliferation of adult T cell leukemia cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 720-725.	7.1	546
4	Revisiting Human IL-12R β 1 Deficiency. <i>Medicine (United States)</i> , 2010, 89, 381-402.	1.0	367
5	Broad Antiretroviral Activity and Resistance Profile of the Novel Human Immunodeficiency Virus Integrase Inhibitor Elvitegravir (JTK-303/GS-9137). <i>Journal of Virology</i> , 2008, 82, 764-774.	3.4	330
6	Novel HIV-1 Integrase Inhibitors Derived from Quinolone Antibiotics. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 1506-1508.	6.4	311
7	Genetic and epigenetic inactivation of tax gene in adult T-cell leukemia cells. <i>International Journal of Cancer</i> , 2004, 109, 559-567.	5.1	309
8	Proliferation of adult T cell leukemia/lymphoma cells is associated with the constitutive activation of JAK/STAT proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 13897-13902.	7.1	268
9	HTLV-1 bZIP Factor Induces T-Cell Lymphoma and Systemic Inflammation In Vivo. <i>PLoS Pathogens</i> , 2011, 7, e1001274.	4.7	267
10	Switch circular DNA formed in cytokine-treated mouse splenocytes: Evidence for intramolecular DNA deletion in immunoglobulin class switching. <i>Cell</i> , 1990, 62, 135-142.	28.9	237
11	Human T-cell leukemia virus type 1 (HTLV-1) and leukemic transformation: viral infectivity, Tax, HBZ and therapy. <i>Oncogene</i> , 2011, 30, 1379-1389.	5.9	232
12	Two types of defective human T-lymphotropic virus type I provirus in adult T-cell leukemia. <i>Blood</i> , 1996, 88, 3065-3073.	1.4	220
13	Sequence analysis of cDNA and genomic DNA for a putative pertussis toxin-insensitive guanine nucleotide-binding regulatory protein alpha subunit.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 5384-5388.	7.1	206
14	Natural history of adult T-cell leukemia/lymphoma and approaches to therapy. <i>Oncogene</i> , 2005, 24, 6047-6057.	5.9	199
15	Human T-cell leukemia virus type I and adult T-cell leukemia. <i>Oncogene</i> , 2003, 22, 5131-5140.	5.9	181
16	Roles for MicroRNAs, miR-93 and miR-130b, and Tumor Protein 53 α -Induced Nuclear Protein 1 Tumor Suppressor in Cell Growth Dysregulation by Human T-Cell Lymphotropic Virus 1. <i>Cancer Research</i> , 2008, 68, 8976-8985.	0.9	172
17	Human T-cell leukemia virus type 1 bZIP factor selectively suppresses the classical pathway of NF- κ B. <i>Blood</i> , 2009, 113, 2755-2764.	1.4	164
18	Silencing of human T-cell leukemia virus type I gene transcription by epigenetic mechanisms. <i>Retrovirology</i> , 2005, 2, 64.	2.0	163

#	ARTICLE	IF	CITATIONS
19	Mechanism of hypercalcemia in adult T-cell leukemia: overexpression of receptor activator of nuclear factor κ B ligand on adult T-cell leukemia cells. <i>Blood</i> , 2002, 99, 634-640.	1.4	162
20	Revised Adult T-Cell Leukemia-Lymphoma International Consensus Meeting Report. <i>Journal of Clinical Oncology</i> , 2019, 37, 677-687.	1.6	162
21	Remodeling of gp41 EC34 Peptide Leads to Highly Effective Inhibitors of the Fusion of HIV-1 with Target Cells We thank Dr. Terrence R. Burke, Jr., NCI, NIH, Frederick, MD 21702-1201, for proofreading the manuscript and providing useful comments. This research was supported in part by a Grant-in-Aid for Scientific Research from the Ministry of Education, Culture, Sports, Science and Technology, Japan, the Japan Society for the Promotion of Science, and the Japan Health Science Foundation.. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 7937.	13.8	157
22	In vivo expression of the HBZ gene of HTLV-1 correlates with proviral load, inflammatory markers and disease severity in HTLV-1 associated myelopathy/tropical spastic paraparesis (HAM/TSP). <i>Retrovirology</i> , 2009, 6, 19.	2.0	150
23	Interleukin 1 gene expression in adult T cell leukemia.. <i>Journal of Clinical Investigation</i> , 1987, 80, 911-916.	8.2	149
24	Persistent clonal proliferation of human T-lymphotropic virus type I-infected cells in vivo. <i>Cancer Research</i> , 1997, 57, 4862-7.	0.9	142
25	4 β -Ethyne Nucleoside Analogs: Potent Inhibitors of Multidrug-Resistant Human Immunodeficiency Virus Variants In Vitro. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 1539-1546.	3.2	137
26	The HBZ gene, a key player in HTLV-1 pathogenesis. <i>Retrovirology</i> , 2009, 6, 71.	2.0	136
27	Sporadic on/off switching of HTLV-1 Tax expression is crucial to maintain the whole population of virus-induced leukemic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E1269-E1278.	7.1	135
28	Impaired production of naive T lymphocytes in human T-cell leukemia virus type I-infected individuals: its implications in the immunodeficient state. <i>Blood</i> , 2001, 97, 3177-3183.	1.4	134
29	Mutation of CD95 (Fas/Apo-1) Gene in Adult T-Cell Leukemia Cells. <i>Blood</i> , 1998, 91, 3935-3942.	1.4	129
30	Human T-cell leukemia virus type I (HTLV-I) infection and the onset of adult T-cell leukemia (ATL). <i>Retrovirology</i> , 2005, 2, 27.	2.0	127
31	Prognostic relevance of integrated genetic profiling in adult T-cell leukemia/lymphoma. <i>Blood</i> , 2018, 131, 215-225.	1.4	124
32	Identification of Aberrantly Methylated Genes in Association with Adult T-Cell Leukemia. <i>Cancer Research</i> , 2004, 64, 6002-6009.	0.9	123
33	Proteasome inhibitor, bortezomib, potently inhibits the growth of adult T-cell leukemia cells both in vivo and in vitro. <i>Leukemia</i> , 2004, 18, 1357-1363.	7.2	122
34	HTLV-1 bZIP factor enhances TGF β signaling through p300 coactivator. <i>Blood</i> , 2011, 118, 1865-1876.	1.4	119
35	Mechanism of Inhibition of HIV-1 Reverse Transcriptase by 4 β -Ethyne-2-fluoro-2 β -deoxyadenosine Triphosphate, a Translocation-defective Reverse Transcriptase Inhibitor. <i>Journal of Biological Chemistry</i> , 2009, 284, 35681-35691.	3.4	117
36	Reducing the global burden of HTLV-1 infection: An agenda for research and action. <i>Antiviral Research</i> , 2017, 137, 41-48.	4.1	116

#	ARTICLE	IF	CITATIONS
37	Development of specific CXCR4 inhibitors possessing high selectivity indexes as well as complete stability in serum based on an anti-HIV peptide T140. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 1897-1902.	2.2	115
38	Transcriptional Control of Spliced and Unspliced Human T-Cell Leukemia Virus Type 1 bZIP Factor (Δ Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	3.4	115
39	2-Deoxy-4-C-ethynyl-2-halo-adenosines active against drug-resistant human immunodeficiency virus type 1 variants. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 2410-2420.	2.8	114
40	The role of HTLV-1 clonality, proviral structure, and genomic integration site in adult T-cell leukemia/lymphoma. <i>Blood</i> , 2014, 123, 3925-3931.	1.4	112
41	Multifaceted functions and roles of HBZ in HTLV-1 pathogenesis. <i>Retrovirology</i> , 2016, 13, 16.	2.0	110
42	Two types of defective human T-lymphotropic virus type I provirus in adult T-cell leukemia. <i>Blood</i> , 1996, 88, 3065-73.	1.4	110
43	Immunoglobulin switch circular DNA in the mouse infected with <i>Nippostrongylus brasiliensis</i> : evidence for successive class switching from mu to epsilon via gamma 1.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 7829-7833.	7.1	109
44	APOBEC3G Generates Nonsense Mutations in Human T-Cell Leukemia Virus Type 1 Proviral Genomes <i>In Vivo</i> . <i>Journal of Virology</i> , 2010, 84, 7278-7287.	3.4	106
45	A novel diagnostic method of adult T-cell leukemia: monoclonal integration of human T-cell lymphotropic virus type I provirus DNA detected by inverse polymerase chain reaction. <i>Blood</i> , 1994, 84, 3080-3085.	1.4	105
46	Peptide bond mimicry by (E)-alkene and (Z)-fluoroalkene peptide isosteres: synthesis and bioevaluation of \pm -helical anti-HIV peptide analogues. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 2872.	2.8	105
47	An IL-27/Stat3 axis induces expression of programmed cell death 1 ligands (PD-1) on infiltrating macrophages in lymphoma. <i>Cancer Science</i> , 2016, 107, 1696-1704.	3.9	104
48	CXCR4 Stimulates Macropinocytosis: Implications for Cellular Uptake of Arginine-Rich Cell-Penetrating Peptides and HIV. <i>Chemistry and Biology</i> , 2012, 19, 1437-1446.	6.0	103
49	Preferential Selection of Human T-Cell Leukemia Virus Type 1 Provirus Lacking the 5' Long Terminal Repeat during Oncogenesis. <i>Journal of Virology</i> , 2007, 81, 5714-5723.	3.4	102
50	Clinical outcomes of a novel therapeutic vaccine with Tax peptide-pulsed dendritic cells for adult T cell leukaemia/lymphoma in a pilot study. <i>British Journal of Haematology</i> , 2015, 169, 356-367.	2.5	101
51	Increasing methylation of the CDKN2A gene is associated with the progression of adult T-cell leukemia. <i>Cancer Research</i> , 2000, 60, 1043-8.	0.9	99
52	Role of HTLV-1 proviral DNA load and clonality in the development of adult T-cell leukemia/lymphoma in asymptomatic carriers. <i>International Journal of Cancer</i> , 2004, 110, 621-625.	5.1	98
53	Activity against Human Immunodeficiency Virus Type 1, Intracellular Metabolism, and Effects on Human DNA Polymerases of 4-Ethynyl-2-Fluoro-2-Deoxyadenosine. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 2701-2708.	3.2	96
54	A novel animal model of Epstein-Barr virus-associated hemophagocytic lymphohistiocytosis in humanized mice. <i>Blood</i> , 2011, 117, 5663-5673.	1.4	96

#	ARTICLE	IF	CITATIONS
55	Cooperation of NF- κ B2/p100 Activation and the PDZ Domain Binding Motif Signal in Human T-Cell Leukemia Virus Type 1 (HTLV-1) Tax1 but Not HTLV-2 Tax2 Is Crucial for Interleukin-2-Independent Growth Transformation of a T-Cell Line. <i>Journal of Virology</i> , 2007, 81, 11900-11907.	3.4	93
56	Aberrant expression of the MEL1S gene identified in association with hypomethylation in adult T-cell leukemia cells. <i>Blood</i> , 2004, 103, 2753-2760.	1.4	91
57	Human T-cell leukemia virus type 1: replication, proliferation and propagation by Tax and HTLV-1 bZIP factor. <i>Current Opinion in Virology</i> , 2013, 3, 684-691.	5.4	89
58	Amino Acid Mutation N348I in the Connection Subdomain of Human Immunodeficiency Virus Type 1 Reverse Transcriptase Confers Multiclass Resistance to Nucleoside and Nonnucleoside Reverse Transcriptase Inhibitors. <i>Journal of Virology</i> , 2008, 82, 3261-3270.	3.4	88
59	Mutations Conferring Resistance to Human Immunodeficiency Virus Type 1 Fusion Inhibitors Are Restricted by gp41 and Rev-Responsive Element Functions. <i>Journal of Virology</i> , 2005, 79, 764-770.	3.4	87
60	HTLV-1 modulates the frequency and phenotype of FoxP3+CD4+T cells in virus-infected individuals. <i>Retrovirology</i> , 2012, 9, 46.	2.0	85
61	Syntheses of 4'-C-Ethynyl- β -D-arabino- and 4'-C-Ethynyl-2'-deoxy- β -D-ribo-pentofuranosylpyrimidines and -purines and Evaluation of Their Anti-HIV Activity. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 4516-4525.	6.4	84
62	Missense mutation of the interleukin-12 receptor β 1 chain encoding gene is associated with impaired immunity against <i>Mycobacterium avium</i> complex infection. <i>Blood</i> , 2001, 97, 2688-2694.	1.4	83
63	SC29EK, a Peptide Fusion Inhibitor with Enhanced α -Helicity, Inhibits Replication of Human Immunodeficiency Virus Type 1 Mutants Resistant to Enfuvirtide. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 1013-1018.	3.2	82
64	Soluble interleukin 2 receptors in sera of Japanese patients with adult T cell leukemia mark activity of disease. <i>Blood</i> , 1988, 71, 1021-1026.	1.4	81
65	Molecular mechanisms of HTLV-1 infection and pathogenesis. <i>International Journal of Hematology</i> , 2011, 94, 435-442.	1.6	80
66	Involvement of IL-2/IL-2R system activation by parasite antigen in polyclonal expansion of CD4+25+ HTLV-1-infected T-cells in human carriers of both HTLV-1 and <i>S. stercoralis</i> . <i>Oncogene</i> , 2002, 21, 2466-2475.	5.9	79
67	Mogamulizumab (Anti-CCR4) in HTLV-1-Associated Myelopathy. <i>New England Journal of Medicine</i> , 2018, 378, 529-538.	27.0	79
68	Evidence for the interleukin-2 dependent expansion of leukemic cells in adult T cell leukemia. <i>Blood</i> , 1987, 70, 1407-1411.	1.4	76
69	HTLV-1 bZIP Factor RNA and Protein Impart Distinct Functions on T-cell Proliferation and Survival. <i>Cancer Research</i> , 2015, 75, 4143-4152.	0.9	75
70	SKI and MEL1 Cooperate to Inhibit Transforming Growth Factor- β Signal in Gastric Cancer Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 3334-3344.	3.4	74
71	HTLV-1 bZIP Factor Induces Inflammation through Labile Foxp3 Expression. <i>PLoS Pathogens</i> , 2013, 9, e1003630.	4.7	74
72	ATF3, an HTLV-1 bZip factor binding protein, promotes proliferation of adult T-cell leukemia cells. <i>Retrovirology</i> , 2011, 8, 19.	2.0	73

#	ARTICLE	IF	CITATIONS
73	Human T-Cell Leukemia Virus Type I Induces Adult T-Cell Leukemia: From Clinical Aspects to Molecular Mechanisms. <i>Cancer Control</i> , 2007, 14, 133-140.	1.8	71
74	Synthesis and biological evaluation of selective CXCR4 antagonists containing alkene dipeptide isosteres. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 616-621.	2.8	71
75	Maximizing Functional Photoreceptor Differentiation From Adult Human Retinal Stem Cells. <i>Stem Cells</i> , 2010, 28, 489-500.	3.2	70
76	Multi-Step Aberrant CpG Island Hyper-Methylation Is Associated with the Progression of Adult T-Cell Leukemia/Lymphoma. <i>American Journal of Pathology</i> , 2010, 176, 402-415.	3.8	68
77	HBZ and its roles in HTLV-1 oncogenesis. <i>Frontiers in Microbiology</i> , 2012, 3, 247.	3.5	68
78	HTLV-1 bZIP Factor Impairs Anti-viral Immunity by Inducing Co-inhibitory Molecule, T Cell Immunoglobulin and ITIM Domain (TIGIT). <i>PLoS Pathogens</i> , 2016, 12, e1005372.	4.7	67
79	HTLV-1 bZIP factor dysregulates the Wnt pathways to support proliferation and migration of adult T-cell leukemia cells. <i>Oncogene</i> , 2013, 32, 4222-4230.	5.9	65
80	Human T-cell leukaemia virus type 1: parasitism and pathogenesis. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2017, 372, 20160272.	4.0	65
81	HTLV-1 bZIP factor: the key viral gene for pathogenesis. <i>Retrovirology</i> , 2020, 17, 2.	2.0	65
82	Preferential selection of human T-cell leukemia virus type I provirus integration sites in leukemic versus carrier states. <i>Blood</i> , 2005, 106, 1048-1053.	1.4	64
83	HTLV-1 bZIP factor impairs cell-mediated immunity by suppressing production of Th1 cytokines. <i>Blood</i> , 2012, 119, 434-444.	1.4	64
84	HBZ is an immunogenic protein, but not a target antigen for human T-cell leukemia virus type 1-specific cytotoxic T lymphocytes. <i>Journal of General Virology</i> , 2009, 90, 1806-1811.	2.9	63
85	HTLV-1 bZIP Factor Suppresses Apoptosis by Attenuating the Function of FoxO3a and Altering Its Localization. <i>Cancer Research</i> , 2014, 74, 188-200.	0.9	62
86	Protective effect of cytotoxic T lymphocytes targeting HTLV-1 bZIP factor. <i>Blood</i> , 2015, 126, 1095-1105.	1.4	62
87	The 3' enhancer region determines the B/T specificity and pro-B/pre-B specificity of immunoglobulin V _H -J _H joining. <i>Cell</i> , 1995, 83, 1113-1123.	28.9	60
88	Donor-Derived T-Cell Leukemia after Bone Marrow Transplantation. <i>New England Journal of Medicine</i> , 2006, 354, 1758-1759.	27.0	60
89	Gpr176 is a G _z -linked orphan G-protein-coupled receptor that sets the pace of circadian behaviour. <i>Nature Communications</i> , 2016, 7, 10583.	12.8	60
90	HTLV-1 Viral Factor HBZ Induces CCR4 to Promote T-cell Migration and Proliferation. <i>Cancer Research</i> , 2016, 76, 5068-5079.	0.9	60

#	ARTICLE	IF	CITATIONS
91	40 years of the human T-cell leukemia virus: past, present, and future. <i>F1000Research</i> , 2019, 8, 228.	1.6	60
92	Electrostatically constrained α -helical peptide inhibits replication of HIV-1 resistant to enfuvirtide. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 891-899.	2.8	59
93	Loss of interleukin-2-dependency in HTLV-I-infected T cells on gene silencing of thioredoxin-binding protein-2. <i>Oncogene</i> , 2006, 25, 2181-2191.	5.9	56
94	Allogeneic Hematopoietic Stem Cell Transplantation Using Reduced-Intensity Conditioning for Adult T Cell Leukemia/Lymphoma: Impact of Antithymocyte Globulin on Clinical Outcome. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 702-708.	2.0	56
95	Human T-cell leukemia virus type 1 infects multiple lineage hematopoietic cells in vivo. <i>PLoS Pathogens</i> , 2017, 13, e1006722.	4.7	56
96	Design of a Novel HIV-1 Fusion Inhibitor That Displays a Minimal Interface for Binding Affinity. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 388-391.	6.4	55
97	Interferon- α -induced G1 phase arrest through up-regulated expression of CDK inhibitors, p19Ink4D and p21Cip1 in mouse macrophages. <i>Oncogene</i> , 1998, 16, 2075-2086.	5.9	53
98	Human T-Cell Leukemia Virus Type 1 (HTLV-1) bZIP Factor Requires Cellular Transcription Factor JunD To Upregulate HTLV-1 Antisense Transcription from the 3' Long Terminal Repeat. <i>Journal of Virology</i> , 2012, 86, 9070-9078.	3.4	52
99	Rapid quantification of HTLV-I provirus load: Detection of monoclonal proliferation of HTLV-I-infected cells among blood donors. , 1999, 81, 859-864.		50
100	De Novo Human T-Cell Leukemia Virus Type 1 Infection of Human Lymphocytes in NOD-SCID, Common β -Chain Knockout Mice. <i>Journal of Virology</i> , 2006, 80, 10683-10691.	3.4	49
101	2'-Deoxy-4'-Ethyne-2-Fluoroadenosine: A Nucleoside Reverse Transcriptase Inhibitor with Highly Potent Activity Against Wide Spectrum of HIV-1 Strains, Favorable Toxic Profiles, and Stability in Plasma. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007, 26, 1543-1546.	1.1	49
102	HIV-1 Vpr Accelerates Viral Replication during Acute Infection by Exploitation of Proliferating CD4+ T Cells In Vivo. <i>PLoS Pathogens</i> , 2013, 9, e1003812.	4.7	49
103	Constitutive overexpression of the L-selectin gene in fresh leukemic cells of adult T-cell leukemia that can be transactivated by human T-cell lymphotropic virus type 1 Tax. <i>Blood</i> , 1995, 86, 3109-3117.	1.4	48
104	Sea urchin insulator protects lentiviral vector from silencing by maintaining active chromatin structure. <i>Gene Therapy</i> , 2004, 11, 819-828.	4.5	48
105	T3 surface molecules on adult T cell leukemia cells are modulated in vivo. <i>Blood</i> , 1986, 67, 1070-1076.	1.4	47
106	HTLV-1 bZIP Factor Enhances T-Cell Proliferation by Impeding the Suppressive Signaling of Co-inhibitory Receptors. <i>PLoS Pathogens</i> , 2017, 13, e1006120.	4.7	46
107	Provirus Load in Patients with Human T-Cell Leukemia Virus Type 1 Uveitis Correlates with Precedent Graves' Disease and Disease Activities. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 608-614.	1.7	45
108	Phase II Study of Cladribine (2-Chlorodeoxyadenosine) in Relapsed or Refractory Adult T-Cell Leukemia-Lymphoma. <i>International Journal of Hematology</i> , 2003, 77, 512-517.	1.6	44

#	ARTICLE	IF	CITATIONS
109	Design, Efficient Synthesis, and Anti-HIV Activity of 4-Cyano- and 4-Ethynyl-2-deoxy Purine Nucleosides, Nucleotides and Nucleic Acids, 2004, 23, 671-690.	1.1	44
110	Whole-genome landscape of adult T-cell leukemia/lymphoma. <i>Blood</i> , 2022, 139, 967-982.	1.4	44
111	Heptad Repeat-Derived Peptides Block Protease-Mediated Direct Entry from the Cell Surface of Severe Acute Respiratory Syndrome Coronavirus but Not Entry via the Endosomal Pathway. <i>Journal of Virology</i> , 2008, 82, 588-592.	3.4	42
112	Design of Peptide-based Inhibitors for Human Immunodeficiency Virus Type 1 Strains Resistant to T-20*. <i>Journal of Biological Chemistry</i> , 2009, 284, 4914-4920.	3.4	41
113	Human T-Cell Leukemia Virus Type I at Age 25: A Progress Report: Figure 1.. <i>Cancer Research</i> , 2005, 65, 4467-4470.	0.9	40
114	The noncanonical role of EZH2 in cancer. <i>Cancer Science</i> , 2021, 112, 1376-1382.	3.9	40
115	Synthesis and Application of Fluorescein- and Biotin- Labeled Molecular Probes for the Chemokine Receptor CXCR4. <i>ChemBioChem</i> , 2008, 9, 1154-1158.	2.6	39
116	Clinical relevance of substitutions in the connection subdomain and RNase H domain of HIV-1 reverse transcriptase from a cohort of antiretroviral treatment-naïve patients. <i>Antiviral Research</i> , 2009, 82, 115-121.	4.1	38
117	Resistance Profiles of Novel Electrostatically Constrained HIV-1 Fusion Inhibitors. <i>Journal of Biological Chemistry</i> , 2010, 285, 39471-39480.	3.4	37
118	HTLV-2 APH-2 Expression Is Correlated With Proviral Load but APH-2 Does Not Promote Lymphocytosis. <i>Journal of Infectious Diseases</i> , 2012, 205, 82-86.	4.0	37
119	Polymorphism of the 5' Flanking Region of the Tumor Necrosis Factor (TNF) α Gene and Susceptibility to Human T-cell Lymphotropic Virus Type I (HTLV-I) Uveitis. <i>Journal of Infectious Diseases</i> , 1999, 180, 880-883.	4.0	36
120	Genetic Evidence of Transmission of Human T Cell Lymphotropic Virus Type 1 between Spouses. <i>Journal of Infectious Diseases</i> , 2002, 185, 691-695.	4.0	36
121	Characterization of simian T-cell leukemia virus type 1 in naturally infected Japanese macaques as a model of HTLV-1 infection. <i>Retrovirology</i> , 2013, 10, 118.	2.0	36
122	Mutation of CD95 (Fas/Apo-1) gene in adult T-cell leukemia cells. <i>Blood</i> , 1998, 91, 3935-42.	1.4	36
123	Leukaemogenic mechanism of human T-cell leukaemia virus type I. <i>Reviews in Medical Virology</i> , 2007, 17, 301-311.	8.3	35
124	DNA double strand break repair enzymes function at multiple steps in retroviral infection. <i>Retrovirology</i> , 2009, 6, 114.	2.0	35
125	HTLV-1 and the Host Immune System : How the Virus Disrupts Immune Regulation, Leading to HTLV-1 Associated Diseases. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2010, 50, 1-8.	0.8	35
126	Central nervous system lesions in adult T-cell leukaemia: MRI and pathology. <i>Neuroradiology</i> , 2002, 44, 559-567.	2.2	34

#	ARTICLE	IF	CITATIONS
127	Potent CXCR4 Antagonists Containing Amidine Type Peptide Bond Isosteres. ACS Medicinal Chemistry Letters, 2011, 2, 477-480.	2.8	33
128	HTLV-1 bZIP factor protein targets the Rb/E2F-1 pathway to promote proliferation and apoptosis of primary CD4+ T cells. Oncogene, 2016, 35, 4509-4517.	5.9	32
129	Immunoglobulin V gene replacement is caused by the intramolecular DNA deletion mechanism.. EMBO Journal, 1992, 11, 611-618.	7.8	31
130	Structural Basis for the Interaction of CCR5 with a Small Molecule, Functionally Selective CCR5 Agonist. Journal of Immunology, 2006, 177, 3116-3122.	0.8	31
131	Interferon- β Promotes Inflammation and Development of T-Cell Lymphoma in HTLV-1 bZIP Factor Transgenic Mice. PLoS Pathogens, 2015, 11, e1005120.	4.7	31
132	Oncogenic spiral by infectious pathogens: Cooperation of multiple factors in cancer development. Cancer Science, 2018, 109, 24-32.	3.9	31
133	HTLV-1 induces T cell malignancy and inflammation by viral antisense factor-mediated modulation of the cytokine signaling. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 13740-13749.	7.1	31
134	Soluble interleukin 2 receptors in sera of Japanese patients with adult T cell leukemia mark activity of disease. Blood, 1988, 71, 1021-1026.	1.4	31
135	Characterization of the human gene for Gx alpha, a pertussis toxin-insensitive regulatory GTP-binding protein. Journal of Biological Chemistry, 1990, 265, 13215-20.	3.4	31
136	Identification of novel non-peptide CXCR4 antagonists by ligand-based design approach. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 4124-4129.	2.2	29
137	Circadian clock regulates hepatic polyploidy by modulating Mkp1-Erk1/2 signaling pathway. Nature Communications, 2017, 8, 2238.	12.8	28
138	Development of T cell lymphoma in HTLV-1 bZIP factor and Tax double transgenic mice. Archives of Virology, 2014, 159, 1849-1856.	2.1	27
139	Regulation of Latency in the Human T Cell Leukemia Virus, HTLV-1. Annual Review of Virology, 2019, 6, 365-385.	6.7	27
140	Tumor necrosis factor, tumor necrosis factor receptors type 1 and 2, lymphotoxin- β , and HLA-DRB1 gene polymorphisms in human T-Cell lymphotropic virus type I associated myelopathy. Human Immunology, 2000, 61, 1262-1269.	2.4	26
141	HTLV-1 bZIP factor gene: Its roles in HTLV-1 pathogenesis. Molecular Aspects of Medicine, 2010, 31, 359-366.	6.4	26
142	Random integration of HTLV-I provirus; increasing chromosomal instability. Cancer Letters, 1998, 132, 203-212.	7.2	25
143	Association between interleukin-6 gene polymorphism and human T-Cell leukemia virus type I associated myelopathy. Human Immunology, 2002, 63, 696-700.	2.4	25
144	Identification of minimal sequence for HIV-1 fusion inhibitors. Bioorganic and Medicinal Chemistry, 2008, 16, 9184-9187.	3.0	25

#	ARTICLE	IF	CITATIONS
145	Synonymous mutations in stem-loop III of Rev responsive elements enhance HIV-1 replication impaired by primary mutations for resistance to enfuvirtide. <i>Antiviral Research</i> , 2009, 82, 67-72.	4.1	25
146	Structure-activity relationship study of pyrimido[1,2-c][1,3]benzothiazin-6-imine derivatives for potent anti-HIV agents. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 6434-6441.	3.0	25
147	A Critical Role for IL-17RB Signaling in HTLV-1 Tax-Induced NF- κ B Activation and T-Cell Transformation. <i>PLoS Pathogens</i> , 2014, 10, e1004418.	4.7	25
148	TCF1 and LEF1 act as T-cell intrinsic HTLV-1 antagonists by targeting Tax. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2216-2221.	7.1	25
149	Stat3 inhibitor abrogates the expression of PD-1 ligands on lymphoma cell lines. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2017, 57, 21-25.	0.8	25
150	HTLV-1 Alters T Cells for Viral Persistence and Transmission. <i>Frontiers in Microbiology</i> , 2018, 9, 461.	3.5	25
151	Studies of non-nucleoside HIV-1 reverse transcriptase inhibitors. Part 2: Synthesis and structure-activity relationships of 2-cyano and 2-hydroxy thiazolidenebenzenesulfonamide derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 949-961.	3.0	24
152	Concise synthesis and anti-HIV activity of pyrimido[1,2-c][1,3]benzothiazin-6-imines and related tricyclic heterocycles. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 6792.	2.8	24
153	Long Noncoding RNA ANRIL Supports Proliferation of Adult T-Cell Leukemia Cells through Cooperation with EZH2. <i>Journal of Virology</i> , 2018, 92, .	3.4	24
154	Human retroviral antisense mRNAs are retained in the nuclei of infected cells for viral persistence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	23
155	Structure-activity relationship study of phenylpyrazole derivatives as a novel class of anti-HIV agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 4557-4561.	2.2	22
156	Sequential Change of Virus Markers in Seroconverters with Community-Acquired Infection of Human T Lymphotropic Virus Type I. <i>Journal of Infectious Diseases</i> , 2001, 183, 1031-1037.	4.0	21
157	HTLV-1 bZIP factor supports proliferation of adult T cell leukemia cells through suppression of C/EBP β signaling. <i>Retrovirology</i> , 2013, 10, 159.	2.0	20
158	HTLV-1 subgroups associated with the risk of HAM/TSP are related to viral and host gene expression in peripheral blood mononuclear cells, independent of the transactivation functions of the viral factors. <i>Journal of NeuroVirology</i> , 2016, 22, 416-430.	2.1	20
159	CADM1 is a diagnostic marker in early-stage mycosis fungoides: Multicenter study of 58 cases. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 1039-1046.	1.2	20
160	Hematopoietic stem cells acquire survival advantage by loss of RUNX1 methylation identified in familial leukemia. <i>Blood</i> , 2020, 136, 1919-1932.	1.4	20
161	GANP suppresses DNA recombination, measured by direct-repeat β -galactosidase gene construct, but does not suppress the type of recombination applying to immunoglobulin genes in mammalian cells. <i>Genes To Cells</i> , 2007, 12, 1205-1213.	1.2	19
162	Identification of anti-HIV agents with a novel benzo[4,5]isothiazolo[2,3-a]pyrimidine scaffold. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 1447-1452.	3.0	19

#	ARTICLE	IF	CITATIONS
163	Lysine Demethylase 5A Is Required for MYC-Driven Transcription in Multiple Myeloma. <i>Blood Cancer Discovery</i> , 2021, 2, 370-387.	5.0	19
164	Synthetic peptide-based electrochemiluminescence immunoassay for anti-Borna disease virus p40 and p24 antibodies in rat and horse serum. <i>Annals of Clinical Biochemistry</i> , 2001, 38, 348-355.	1.6	18
165	2-Deoxy-4-C-ethynyl-2-fluoroadenosine: A nucleoside reverse transcriptase inhibitor with highly potent activity against all HIV-1 strains, favorable toxic profiles and stability in plasma. <i>Nucleic Acids Symposium Series</i> , 2006, 50, 1-2.	0.3	18
166	Phenotypic and Genotypic Comparisons of Human T-Cell Leukemia Virus Type 1 Reverse Transcriptases from Infected T-Cell Lines and Patient Samples. <i>Journal of Virology</i> , 2007, 81, 4422-4428.	3.4	18
167	Adult T-cell leukemia-lymphoma as a viral disease: Subtypes based on viral aspects. <i>Cancer Science</i> , 2021, 112, 1688-1694.	3.9	18
168	Leukemogenesis of Adult T-Cell Leukemia. <i>International Journal of Hematology</i> , 2003, 78, 312-320.	1.6	17
169	Influence of cytokine and mannose binding protein gene polymorphisms on human t-cell leukemia virus type i (hTLV-i) provirus load in HTLV-I asymptomatic carriers. <i>Human Immunology</i> , 2003, 64, 453-457.	2.4	17
170	Characterization of HIV-1 resistance to a fusion inhibitor, N36, derived from the gp41 amino-terminal heptad repeat. <i>Antiviral Research</i> , 2010, 87, 179-186.	4.1	17
171	Molecular and Cellular Mechanism of Leukemogenesis of ATL: Emergent Evidence of a Significant Role for HBZ in HTLV-1-Induced Pathogenesis. <i>Leukemia Research and Treatment</i> , 2012, 2012, 1-8.	2.0	17
172	Virological and immunological mechanisms in the pathogenesis of human T-cell leukemia virus type 1. <i>Reviews in Medical Virology</i> , 2013, 23, 269-280.	8.3	17
173	Enhancement of anti-STLV-1/HTLV-1 immune responses through multimodal effects of anti-CCR4 antibody. <i>Scientific Reports</i> , 2016, 6, 27150.	3.3	17
174	TIM-3 expression in lymphoma cells predicts chemoresistance in patients with adult T-cell leukemia/lymphoma. <i>Oncology Letters</i> , 2016, 12, 1519-1524.	1.8	17
175	Potential anti-lymphoma effect of M-CSFR inhibitor in adult T-cell leukemia/lymphoma. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2018, 58, 152-160.	0.8	17
176	Novel patterns of nevirapine resistance-associated mutations of human immunodeficiency virus type 1 in treatment-naïve patients. <i>Virology</i> , 2004, 327, 215-224.	2.4	16
177	Studies of nonnucleoside HIV-1 reverse transcriptase inhibitors. Part 1: Design and synthesis of thiazolidenebenzenesulfonamides. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 6171-6182.	3.0	16
178	HTLV-1 proviral integration sites differ between asymptomatic carriers and patients with HAM/TSP. <i>Virology Journal</i> , 2014, 11, 172.	3.4	16
179	Human T-cell leukemia virus type 1 and Foxp3 expression: viral strategy in vivo. <i>International Immunology</i> , 2014, 26, 419-425.	4.0	16
180	Distinct gene expression signatures induced by viral transactivators of different HTLV-1 subgroups that confer a different risk of HAM/TSP. <i>Retrovirology</i> , 2018, 15, 72.	2.0	16

#	ARTICLE	IF	CITATIONS
181	Expression of tac antigen on human immature B-cell lineage leukemic cells. <i>Leukemia Research</i> , 1986, 10, 597-603.	0.8	15
182	The possible involvement of CXCR4 in the inhibition of HIV-1 infection mediated by DP178/gp41. <i>FEBS Letters</i> , 2000, 487, 185-188.	2.8	15
183	Halogenated Thymidine Analogues Restore the Expression of Silenced Genes without Demethylation. <i>Cancer Research</i> , 2005, 65, 6927-6933.	0.9	15
184	Implication of the HTLV-I bZIP Factor Gene in the Leukemogenesis of Adult T-Cell Leukemia. <i>International Journal of Hematology</i> , 2007, 86, 107-112.	1.6	15
185	X-ray Crystallographic Study of an HIV-1 Fusion Inhibitor with the gp41 S138A Substitution. <i>Journal of Molecular Biology</i> , 2009, 392, 657-665.	4.2	15
186	Detection of HTLV-1 by means of HBZ gene <i>in situ</i> hybridization in formalin-fixed and paraffin-embedded tissues. <i>Cancer Science</i> , 2011, 102, 1432-1436.	3.9	15
187	Human T-cell leukemia virus type 1 tax oncoprotein represses the expression of the BCL11 tumor suppressor in T-cells. <i>Cancer Science</i> , 2015, 106, 461-465.	3.9	15
188	Design and synthesis of biotin- or alkyne-conjugated photoaffinity probes for studying the target molecules of PD 404182. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 2079-2087.	3.0	14
189	Investigations of possible prodrug structures for 2-(2-mercaptophenyl)tetrahydropyrimidines: reductive conversion from anti-HIV agents with pyrimidobenzothiazine and isothiazolopyrimidine scaffolds. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 4706-4713.	2.8	14
190	TUBB1 dysfunction in inherited thrombocytopenia causes genome instability. <i>British Journal of Haematology</i> , 2019, 185, 888-902.	2.5	14
191	HTLV-1 bZIP factor suppresses TDP1 expression through inhibition of NRF-1 in adult T-cell leukemia. <i>Scientific Reports</i> , 2017, 7, 12849.	3.3	13
192	Safety of mogamulizumab for relapsed ATL after allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 338-342.	2.4	13
193	Expression of IL-34 correlates with macrophage infiltration and prognosis of diffuse large B-cell lymphoma. <i>Clinical and Translational Immunology</i> , 2019, 8, e1074.	3.8	13
194	Ars Insulator Identified in Sea Urchin Possesses an Activity to Ensure the Transgene Expression in Mouse Cells. <i>Journal of Biochemistry</i> , 2006, 139, 705-714.	1.7	12
195	IL-2/IL-2 Receptor Pathway Plays a Crucial Role in the Growth and Malignant Transformation of HTLV-1-Infected T Cells to Develop Adult T-Cell Leukemia. <i>Frontiers in Microbiology</i> , 2020, 11, 356.	3.5	12
196	Immunoglobulin V gene replacement is caused by the intramolecular DNA deletion mechanism. <i>EMBO Journal</i> , 1992, 11, 611-8.	7.8	12
197	Bioorganic synthesis of a recombinant HIV-1 fusion inhibitor, SC35EK, with an N-terminal pyroglutamate capping group. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 7964-7970.	3.0	11
198	Binding of Multivalent Anionic Porphyrins to V3 Loop Fragments of an HIV-1 Envelope and Their Antiviral Activity. <i>Chemistry - an Asian Journal</i> , 2010, 5, 825-834.	3.3	11

#	ARTICLE	IF	CITATIONS
199	FOXP3 ⁺ regulatory and TIA-1 ⁺ cytotoxic T lymphocytes in HIV-associated Hodgkin lymphoma. <i>Pathology International</i> , 2012, 62, 77-83.	1.3	11
200	The Roles of Coinhibitory Receptors in Pathogenesis of Human Retroviral Infections. <i>Frontiers in Immunology</i> , 2018, 9, 2755.	4.8	11
201	Evaluating the origin and virulence of a <i>Helicobacter pylori</i> cagA-positive strain isolated from a non-human primate. <i>Scientific Reports</i> , 2018, 8, 15981.	3.3	11
202	A Small Molecule, ACAi-028, with Anti-HIV-1 Activity Targets a Novel Hydrophobic Pocket on HIV-1 Capsid. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, e0103921.	3.2	11
203	T3 surface molecules on adult T cell leukemia cells are modulated in vivo. <i>Blood</i> , 1986, 67, 1070-6.	1.4	11
204	Enhanced antibody-mediated neutralization of HIV-1 variants that are resistant to fusion inhibitors. <i>Retrovirology</i> , 2016, 13, 70.	2.0	10
205	HTLV-1 activates YAP via NF- κ B/p65 to promote oncogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	10
206	Beneficial impact of first-line mogamulizumab-containing chemotherapy in adult T-cell leukaemia-lymphoma. <i>British Journal of Haematology</i> , 2022, 198, 983-987.	2.5	10
207	Natural antibodies in sera from Japanese individuals infected with HTLV- I do not recognize HTLV-III. <i>Blood</i> , 1985, 66, 745-747.	1.4	9
208	The Development of Sleep and Wakefulness Cycle in Early Infancy and Its Relationship to Feeding Habit.. <i>Tohoku Journal of Experimental Medicine</i> , 1991, 165, 147-154.	1.2	9
209	Chromosomal abnormalities in non-hodgkin lymphoma with peripheral t-cell type: Effect of HTLV-I infection. <i>Hematological Oncology</i> , 2006, 5, 157-166.	1.7	9
210	A Novel Colorimetric Assay for CXCR4 and CCR5 Tropic Human Immunodeficiency Viruses. <i>Antiviral Chemistry and Chemotherapy</i> , 2006, 17, 215-223.	0.6	9
211	A simple, rapid, and sensitive system for the evaluation of anti-viral drugs in rats. <i>Biochemical and Biophysical Research Communications</i> , 2012, 424, 257-261.	2.1	9
212	Reevaluation of confirmatory tests for human T-cell leukemia virus type 1 using a luciferase immunoprecipitation system in blood donors. <i>Transfusion</i> , 2015, 55, 880-889.	1.6	9
213	Impact of HIV-1 infection pathways on susceptibility to antiviral drugs and on virus spread. <i>Virology</i> , 2015, 484, 364-376.	2.4	9
214	Isolated Pancreatic Myeloid Sarcoma Associated with t(8;21) and RUNX1-RUNX1T1 Rearrangement. <i>Internal Medicine</i> , 2018, 57, 563-568.	0.7	9
215	IL-7R-Dependent Phosphatidylinositol 3-Kinase Competes with the STAT5 Signal to Modulate T Cell Development and Homeostasis. <i>Journal of Immunology</i> , 2020, 204, 844-857.	0.8	9
216	In vivo dynamics and adaptation of HTLV-1-infected clones under different clinical conditions. <i>PLoS Pathogens</i> , 2021, 17, e1009271.	4.7	9

#	ARTICLE	IF	CITATIONS
217	Genome wide association study of HTLV-1-associated myelopathy/tropical spastic paraparesis in the Japanese population. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	9
218	A novel PDK1 inhibitor, JX06, inhibits glycolysis and induces apoptosis in multiple myeloma cells. <i>Biochemical and Biophysical Research Communications</i> , 2022, 587, 153-159.	2.1	9
219	Identification of Human Autoantibodies to the Transcriptional Repressor ZF5. <i>Journal of Autoimmunity</i> , 2000, 15, 75-80.	6.5	8
220	Development of adult T-cell leukemia in donor-derived human T-cell leukemia virus type I-infected T cells after allogeneic bone marrow transplantation. <i>Leukemia</i> , 2007, 21, 1594-1596.	7.2	8
221	Novel screening systems for HIV-1 fusion mediated by two extra-virion heptad repeats of gp41. <i>Antiviral Research</i> , 2008, 80, 71-76.	4.1	8
222	Bioorganic synthesis of end-capped anti-HIV peptides by simultaneous cyanocysteine-mediated cleavages of recombinant proteins. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 7487-7492.	3.0	8
223	Controlling leucine-zipper partner recognition in cells through modification of π - π interactions. <i>Chemical Communications</i> , 2014, 50, 6364-6367.	4.1	8
224	Pentosan Polysulfate Demonstrates Anti-human T-Cell Leukemia Virus Type 1 Activities <i>In Vitro</i> and <i>In Vivo</i> . <i>Journal of Virology</i> , 2019, 93, .	3.4	8
225	Mutation of CD95 (Fas/Apo-1) Gene in Adult T-Cell Leukemia Cells. <i>Blood</i> , 1998, 91, 3935-3942.	1.4	8
226	RNase S complex bearing arginine-rich peptide and anti-HIV activity. <i>Journal of Molecular Recognition</i> , 2005, 18, 169-174.	2.1	7
227	Involvement of double-stranded RNA-dependent protein kinase and antisense viral RNA in the constitutive NF κ B activation in adult T-cell leukemia/lymphoma cells. <i>Leukemia</i> , 2015, 29, 1425-1429.	7.2	7
228	A Conformational Escape Reaction of HIV-1 against an Allosteric Integrase Inhibitor. <i>Journal of Virology</i> , 2020, 94, .	3.4	7
229	Germinal epimutation of Fragile Histidine Triad (FHIT) gene is associated with progression to acute and chronic adult T-cell leukemia diseases. <i>Molecular Cancer</i> , 2021, 20, 86.	19.2	7
230	Analysis of the Expression of Seven G Protein β Subunit Genes in Hematopoietic Cells. <i>American Journal of the Medical Sciences</i> , 1993, 306, 89-93.	1.1	7
231	Analysis of anti-HTLV-I antibody by strip radioimmunoassay comparison with indirect immunofluorescence assay, enzyme-linked immunosorbent assay and membrane immunofluorescence assay. <i>Leukemia Research</i> , 1986, 10, 605-610.	0.8	6
232	Deregulated c-fos Modulates B Cell Responses to Switch Mediators. <i>Cellular Immunology</i> , 1993, 149, 82-90.	3.0	6
233	Rev-derived peptides inhibit HIV-1 replication by antagonism of Rev and a co-receptor, CXCR4. <i>International Journal of Biochemistry and Cell Biology</i> , 2010, 42, 1482-1488.	2.8	6
234	Mechanism of resistance to S138A substituted enfuvirtide and its application to peptide design. <i>International Journal of Biochemistry and Cell Biology</i> , 2013, 45, 908-915.	2.8	6

#	ARTICLE	IF	CITATIONS
235	HIV-1 Resistance Mechanism to an Electrostatically Constrained Peptide Fusion Inhibitor That Is Active against T-20-Resistant Strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4035-4038.	3.2	6
236	Comprehensive <i>In Vitro</i> Analysis of Simian Retrovirus Type 4 Susceptibility to Antiretroviral Agents. <i>Journal of Virology</i> , 2013, 87, 4322-4329.	3.4	6
237	Cell adhesion molecule-1 (CADM1) expressed on adult T-cell leukemia/lymphoma cells is not involved in the interaction with macrophages.. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2017, 57, 15-20.	0.8	6
238	Pancytopenia and Myelodysplastic Changes in Aceruloplasminemia: A Case with a Novel Pathogenic Variant in the Ceruloplasmin Gene. <i>Internal Medicine</i> , 2018, 57, 1905-1910.	0.7	6
239	Blocking cholesterol efflux mechanism is a potential target for antilymphoma therapy. <i>Cancer Science</i> , 2022, , .	3.9	6
240	Functional and Pathogenic Roles of Retroviral Antisense Transcripts. <i>Frontiers in Immunology</i> , 2022, 13, 875211.	4.8	6
241	T Cell $\hat{3}$ Chain Gene Rearrangement without T Cell Receptor $\hat{2}$ Chain Gene Rearrangement in Two Cases of Non-Hodgkin's Lymphoma. <i>Acta Haematologica</i> , 1987, 77, 172-176.	1.4	5
242	Sea Urchin Arylsulfatase Insulator Exerts its Anti-silencing Effect without Interacting with the Nuclear Matrix. <i>Journal of Molecular Biology</i> , 2006, 357, 18-27.	4.2	5
243	A Potential Link between Alternative Splicing of the <i>NBS1</i> Gene and DNA Damage/Environmental Stress. <i>Radiation Research</i> , 2008, 170, 33-40.	1.5	5
244	Design and synthesis of membrane fusion inhibitors against the feline immunodeficiency virus. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 4916-4920.	3.0	5
245	Experimental evaluation of the zoonotic infection potency of simian retrovirus type 4 using humanized mouse model. <i>Scientific Reports</i> , 2015, 5, 14040.	3.3	5
246	Frequent horizontal and mother-to-child transmission may contribute to high prevalence of STLV-1 infection in Japanese macaques. <i>Retrovirology</i> , 2020, 17, 15.	2.0	5
247	A regulatory element in the 3' untranslated region of <i>CEBPA</i> is associated with myeloid/NK cell leukemia. <i>European Journal of Haematology</i> , 2021, 106, 327-339.	2.2	5
248	Impact of the SCF signaling pathway on leukemia stem cell-mediated ATL initiation and progression in an HBZ transgenic mouse model. <i>Oncotarget</i> , 2016, 7, 51027-51043.	1.8	5
249	Synthesis of 4'-C-Ethynyl and 4'-C-Cyano Purine Nucleosides from Natural Nucleosides and Their Anti-HIV Activity. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 887-889.	1.1	4
250	Dual-Reporter Phenotypic Assay for Human Immunodeficiency Viruses. <i>Journal of Clinical Microbiology</i> , 2008, 46, 792-795.	3.9	4
251	Development and application of fluorescent SDF-1 derivatives. <i>Future Medicinal Chemistry</i> , 2012, 4, 837-844.	2.3	4
252	DNA Diagnosis of HTLV-I. <i>Intervirology</i> , 1996, 39, 158-164.	2.8	4

#	ARTICLE	IF	CITATIONS
253	M-Sec induced by HTLV-1 mediates an efficient viral transmission. <i>PLoS Pathogens</i> , 2021, 17, e1010126.	4.7	4
254	HTLV-III Infection and Epitope Recognition by OKT4 Monoclonal Antibody. <i>New England Journal of Medicine</i> , 1985, 313, 1543-1544.	27.0	3
255	A B-CELL LINE HAVING CHROMOSOME 14 ABERRATION AT BREAK BAND q11 DERIVED FROM AN ADULT T-CELL LEUKEMIA PATIENT. <i>Japanese Journal of Cancer Research</i> , 1988, 79, 12-16.	1.7	3
256	Attempt to Reduce Cytotoxicity by Synthesizing the L-Enantiomer of 4â€²-C-Ethynyl-2â€²-Deoxyuridine Nucleosides as Antiviral Agents against HIV and HBV. <i>Antiviral Chemistry and Chemotherapy</i> , 2004, 15, 161-167.	0.6	3
257	Human T-Cell Leukemia Virus Type I. , 2006, , 464-475.		3
258	Affinity selection and sequence-activity relationships of HIV-1 membrane fusion inhibitors directed at the drug-resistant variants. <i>MedChemComm</i> , 2010, 1, 276.	3.4	3
259	Potent Anti-HIV-1 Activity of N-HR-Derived Peptides Including a Deep Pocket-Forming Region without Antagonistic Effects on T-20. <i>Antiviral Chemistry and Chemotherapy</i> , 2011, 22, 51-55.	0.6	3
260	Epsteinâ€”Barr Viral Load is Associated to Response in AIDS-Related Lymphomas. <i>Indian Journal of Hematology and Blood Transfusion</i> , 2014, 30, 191-4.	0.6	3
261	Synergistic inhibition of cell-to-cell HIV-1 infection by combinations of single chain variable fragments and fusion inhibitors. <i>Biochemistry and Biophysics Reports</i> , 2019, 20, 100687.	1.3	3
262	Constitutive overexpression of the L-selectin gene in fresh leukemic cells of adult T-cell leukemia that can be transactivated by human T- cell lymphotropic virus type 1 Tax. <i>Blood</i> , 1995, 86, 3109-3117.	1.4	3
263	Adult T-Cell Leukemia/Lymphoma. , 0, , 211-229.		3
264	Prevention of acute graft-versus-host disease in adult T-cell leukemiaâ€”lymphoma patients who received mogamulizumab before allogeneic hematopoietic cell transplantation. <i>International Journal of Hematology</i> , 2022, 115, 435-439.	1.6	3
265	Binding Modes of Two Novel Non-Nucleoside Reverse Transcriptase Inhibitors, YM-215389 and YM-228855, to HIV Type-1 Reverse Transcriptase. <i>Antiviral Chemistry and Chemotherapy</i> , 2008, 19, 133-141.	0.6	2
266	STLV-1-infected Japanese macaque as a model of HTLV-1 infection. <i>Retrovirology</i> , 2014, 11, O12.	2.0	2
267	HTLV-1-mediated dysregulation of the Wnt pathways: roles of Tax and HBZ. <i>Retrovirology</i> , 2014, 11, P91.	2.0	2
268	ASSESSMENT OF POOR MOBILIZATION USING PERIPHERAL BLOOD STEM CELLS BY AN AUTOMATED HEMATOLOGY ANALYZER. <i>Japanese Journal of Transfusion and Cell Therapy</i> , 2018, 64, 510-515.	0.2	2
269	Systematic clustering algorithm for chromatin accessibility data and its application to hematopoietic cells. <i>PLoS Computational Biology</i> , 2020, 16, e1008422.	3.2	2
270	HTLV-1's Foxy Strategy for Survival and Transmission. <i>Frontiers in Virology</i> , 2022, 1, .	1.4	2

#	ARTICLE	IF	CITATIONS
271	Daratumumab, lenalidomide and dexamethasone in newly diagnosed systemic light chain amyloidosis patients associated with multiple myeloma. <i>British Journal of Haematology</i> , 2022, 198, .	2.5	2
272	The structure and genomic integration site of the HTLV-1 provirus determine selective clonal expansion and transformation to adult T cell leukaemia/lymphoma. <i>Retrovirology</i> , 2014, 11, .	2.0	1
273	Integration site analysis in Japanese HTLV-1 infected asymptomatic carriers and HAM/TSP patients. <i>Retrovirology</i> , 2014, 11, .	2.0	1
274	The phase-I study of a therapeutic vaccine to ATL patients with autologous dendritic cells pulsed with peptides corresponding to Tax-specific CTL epitopes. <i>Retrovirology</i> , 2014, 11, .	2.0	1
275	Clinical potential of dual-energy cardiac CT in cardiac amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 91-92.	3.0	1
276	Development of a Novel Fusion Inhibitor against T-20-resistant HIV-1. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 389-391.	1.6	1
277	HTLV-1 Dysregulates IL-6 and IL-10-JAK/STAT Signaling and Induces Leukemia/Lymphoma of Mature CD4+ T Cells with Regulatory T-Cell-like Signatures. <i>Blood</i> , 2019, 134, 1516-1516.	1.4	1
278	Targeting Nicotinamide Adenine Dinucleotide (NAD) Glycohydase Activity of CD38 Exerts Anti-Myeloma Effect Accompanying Intracellular NAD Elevation. <i>Blood</i> , 2019, 134, 1810-1810.	1.4	1
279	Relationship between Serum Bortezomib Concentration and Emergence of Diarrhea in Patients with Multiple Myeloma and/or AL Amyloidosis. <i>Cancers</i> , 2021, 13, 5674.	3.7	1
280	Predictive impact of soluble interleukin-2 receptor and number of extranodal sites for identification of patients at very high risk of CNS relapse in diffuse large B-cell lymphoma. <i>EJHaem</i> , 2022, 3, 385-393.	1.0	1
281	Expression of the HT462 antigen on fresh leukemic T cells and on cells of HTLV-I infected lines. <i>Leukemia Research</i> , 1987, 11, 251-257.	0.8	0
282	Guest editorial: a new era of ATL and HTLV-1 research. <i>International Journal of Hematology</i> , 2011, 94, 429-429.	1.6	0
283	II. Leukemogenesis and Mechanisms of HTLV-1 Replication and Infection. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2017, 106, 1376-1382.	0.0	0
284	The HTLV-1 proviral status is a potential prognostic biomarker for adult T-cell leukemia-lymphoma treated with allogeneic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2021, 56, 2027-2030.	2.4	0
285	A case of primary nonleukemic myeloid sarcoma of the spleen, successfully treated by surgery and hematopoietic stem cell transplantation. <i>Surgical Case Reports</i> , 2021, 7, 180.	0.6	0
286	Aberrantly Hypermethylated Genes in Adult T-Cell Leukemia Cells: The Implications in the Leukemogenesis.. <i>Blood</i> , 2004, 104, 3493-3493.	1.4	0
287	Methylation Profile of B-Chronic Lymphocytic Leukemia Cells.. <i>Blood</i> , 2005, 106, 2951-2951.	1.4	0
288	Establishment of Novel Disease Models for Human Acute Type ATL and HTLV-I Carrier Using NOD-scid/IL2r ^{gnull} Mouse.. <i>Blood</i> , 2007, 110, 2797-2797.	1.4	0

#	ARTICLE	IF	CITATIONS
289	Human T-Cell Leukemia Virus Type 1: Pathogenesis and Host Immune Response. , 2014, , 229-262.		0
290	Oncofetal Protein SALL4 Is Highly Expressed in Myelodysplastic Syndrome Alongside with NAT10 and P53. Blood, 2020, 136, 34-34.	1.4	0
291	Whole-Genome Analysis of Adult T-Cell Leukemia/Lymphoma. Blood, 2020, 136, 29-30.	1.4	0
292	Targeting vulnerabilities of adult T-cell leukemia. Blood, 2022, 139, 1435-1435.	1.4	0
293	Title is missing!. , 2020, 16, e1008422.		0
294	Title is missing!. , 2020, 16, e1008422.		0
295	Title is missing!. , 2020, 16, e1008422.		0
296	Title is missing!. , 2020, 16, e1008422.		0
297	Title is missing!. , 2020, 16, e1008422.		0
298	Title is missing!. , 2020, 16, e1008422.		0
299	Title is missing!. , 2020, 16, e1008422.		0