

GastÃ³n AndrÃ©s MorÃ©

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2622171/publications.pdf>

Version: 2024-02-01

66
papers

1,230
citations

331670

21
h-index

414414

32
g-index

68
all docs

68
docs citations

68
times ranked

991
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of <i>Sarcocystis</i> spp. in Argentinean cattle. <i>Veterinary Parasitology</i> , 2011, 177, 162-165.	1.8	94
2	Diagnosis of <i>Sarcocystis cruzi</i> , <i>Neospora caninum</i> , and <i>Toxoplasma gondii</i> infections in cattle. <i>Parasitology Research</i> , 2008, 102, 671-675.	1.6	81
3	Development of a multiplex real time PCR to differentiate <i>Sarcocystis</i> spp. affecting cattle. <i>Veterinary Parasitology</i> , 2013, 197, 85-94.	1.8	60
4	Quantitative real time polymerase chain reaction assays for the sensitive detection of <i>Besnoitia besnoiti</i> infection in cattle. <i>Veterinary Parasitology</i> , 2011, 178, 208-216.	1.8	49
5	Hemagglutinating Encephalomyelitis Coronavirus Infection in Pigs, Argentina. <i>Emerging Infectious Diseases</i> , 2008, 14, 484-486.	4.3	48
6	Frequency of horizontal and vertical transmission for <i>Sarcocystis cruzi</i> and <i>Neospora caninum</i> in dairy cattle. <i>Veterinary Parasitology</i> , 2009, 160, 51-54.	1.8	44
7	<i>Sarcocystis sinensis</i> is the most prevalent thick-walled <i>Sarcocystis</i> species in beef on sale for consumers in Germany. <i>Parasitology Research</i> , 2014, 113, 2223-2230.	1.6	44
8	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infections in goat abortions from Argentina. <i>Parasitology International</i> , 2014, 63, 865-867.	1.3	42
9	Toxoplasmosis in captive Bennett's wallabies (<i>Macropus rufogriseus</i>) in Argentina. <i>Veterinary Parasitology</i> , 2007, 144, 157-161.	1.8	39
10	Toxoplasmosis and genotyping of <i>Toxoplasma gondii</i> in <i>Macropus rufus</i> and <i>Macropus giganteus</i> in Argentina. <i>Veterinary Parasitology</i> , 2010, 169, 57-61.	1.8	35
11	Seroprevalence of <i>Neospora caninum</i> , <i>Toxoplasma gondii</i> and <i>Sarcocystis</i> sp. in llamas (<i>Lama glama</i>) from Jujuy, Argentina. <i>Veterinary Parasitology</i> , 2008, 155, 158-160.	1.8	34
12	<i>Toxoplasma gondii</i> infection in sentinel and free-range chickens from Argentina. <i>Veterinary Parasitology</i> , 2012, 184, 116-121.	1.8	34
13	First report of <i>Rangelia vitalii</i> infection (canine rangelirosis) in Argentina. <i>Parasitology International</i> , 2014, 63, 729-734.	1.3	31
14	Molecular characterization of the ITS-2 fragment of <i>Paramphistomum leydeni</i> (Trematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td	1.8	28
15	<i>Neospora caninum</i> is a cause of perinatal mortality in axis deer (<i>Axis axis</i>). <i>Veterinary Parasitology</i> , 2014, 199, 255-258.	1.8	27
16	Anti- <i>Neospora caninum</i> and anti- <i>Sarcocystis</i> spp. specific antibodies cross-react with <i>Besnoitia besnoiti</i> and influence the serological diagnosis of bovine besnoitiosis. <i>Veterinary Parasitology</i> , 2015, 214, 49-54.	1.8	27
17	Evaluation of an in-house TgSAG1 (P30) IgG ELISA for diagnosis of naturally acquired <i>Toxoplasma gondii</i> infection in pigs. <i>Veterinary Parasitology</i> , 2012, 189, 204-210.	1.8	25
18	<i>Sarcocystis rommeli</i> , n. sp. (Apicomplexa: Sarcocystidae) from Cattle (<i>Bos taurus</i>) and its Differentiation from <i>Sarcocystis hominis</i> . <i>Journal of Eukaryotic Microbiology</i> , 2016, 63, 62-68.	1.7	25

#	ARTICLE	IF	CITATIONS
19	Population structure of <i>Toxoplasma gondii</i> in Argentina. <i>Infection, Genetics and Evolution</i> , 2018, 65, 72-79.	2.3	24
20	Isolation and molecular characterization of <i>Toxoplasma gondii</i> from captive slender-tailed meerkats (<i>Suricata suricatta</i>) with fatal toxoplasmosis in Argentina. <i>Veterinary Parasitology</i> , 2009, 161, 201-206.	1.8	23
21	<i>Sarcocystis masoni</i> , n. sp. (Apicomplexa: Sarcocystidae), and redescription of <i>Sarcocystis aucheniae</i> from llama (<i>Lama glama</i>), guanaco (<i>Lama guanicoe</i>) and alpaca (<i>Vicugna</i>) Tj ETQq1 1.0.784314 rgBT /Overlock 10 Tf 5	1.5	13
22	Molecular identification of <i>Sarcocystis</i> spp. in foxes (<i>Vulpes vulpes</i>) and raccoon dogs (<i>Nyctereutes</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.8	23
23	Isolation and molecular characterization of <i>Toxoplasma gondii</i> in a colony of captive black-capped squirrel monkeys (<i>Saimiri boliviensis</i>). <i>Parasitology International</i> , 2015, 64, 587-590.	1.3	21
24	Congenital human toxoplasmosis caused by non-clonal <i>Toxoplasma gondii</i> genotypes in Argentina. <i>Parasitology International</i> , 2019, 68, 48-52.	1.3	21
25	First detection and molecular analysis of SARS-CoV-2 from a naturally infected cat from Argentina. <i>Veterinary Microbiology</i> , 2021, 260, 109179.	1.9	21
26	Seropositivity to <i>Sarcocystis</i> infection of llamas correlates with breeding practices. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2017, 10, 65-70.	0.5	20
27	Sarcocystosis in wild red deer (<i>Cervus elaphus</i>) in Patagonia, Argentina. <i>Parasitology Research</i> , 2016, 115, 1773-1778.	1.6	16
28	Seroprevalence of <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infections in goats from two Argentinean provinces. <i>Open Veterinary Journal</i> , 2017, 7, 319.	0.7	16
29	Evaluation of frequency of antibodies against <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> and <i>Sarcocystis</i> spp. and transmission routes in sheep from Humid Pampa, Argentina. <i>Acta Parasitologica</i> , 2018, 63, 416-421.	1.1	16
30	An Ibero-American inter-laboratory trial to evaluate serological tests for the detection of anti- <i>Neospora caninum</i> antibodies in cattle. <i>Tropical Animal Health and Production</i> , 2018, 50, 75-84.	1.4	15
31	<i>Toxoplasma gondii</i> and <i>Trichinella</i> infections in wild boars (<i>Sus scrofa</i>) from Northeastern Patagonia, Argentina. <i>Preventive Veterinary Medicine</i> , 2019, 168, 75-80.	1.9	15
32	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infections in synanthropic rodents from Argentina. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 113-118.	0.7	15
33	Fatal <i>Sarcocystis cruzi</i> induced eosinophilic myocarditis in a heifer in Uruguay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2019, 31, 656-660.	1.1	14
34	Serologic profiles for <i>Sarcocystis</i> sp. and <i>Neospora caninum</i> and productive performance in naturally infected beef calves. <i>Parasitology Research</i> , 2010, 106, 689-693.	1.6	13
35	Molecular identification of <i>Sarcocystis</i> spp. helped to define the origin of green pythons (<i>Morelia</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	1.5	13
36	Evaluation and comparison of serological methods for the detection of bovine neosporosis in Argentina. <i>Revista Argentina De Microbiologia</i> , 2015, 47, 295-301.	0.7	13

#	ARTICLE	IF	CITATIONS
37	<i>Toxoplasma gondii</i> isolates from chickens in an area with human toxoplasmic retinochoroiditis. <i>Experimental Parasitology</i> , 2016, 166, 16-20.	1.2	13
38	<i>Neospora caninum</i> NC-6 Argentina induces fetopathy in both serologically positive and negative experimentally inoculated pregnant dams. <i>Parasitology Research</i> , 2013, 112, 2585-2592.	1.6	12
39	Pampas fox (<i>Lycalopex gymnocercus</i>) new intermediate host of <i>Sarcocystis svanaei</i> (Apicomplexa: Tj ETQq1 1 0.784314 rgBT / Overl	1.3	12
40	Microsatellite pattern analysis of <i>Neospora caninum</i> from a naturally infected goat fetus. <i>Veterinary Parasitology</i> , 2018, 255, 58-60.	1.8	11
41	Seroprevalence of <i>Sarcocystis neurona</i> and Its Association With Neurologic Disorders in Argentinean Horses. <i>Journal of Equine Veterinary Science</i> , 2014, 34, 1051-1054.	0.9	9
42	Chicken line-dependent mortality after experimental infection with three type IIxIII recombinant <i>Toxoplasma gondii</i> clones. <i>Experimental Parasitology</i> , 2017, 180, 101-111.	1.2	9
43	Molecular characterization of <i>Sarcocystis</i> spp. in intestine mucosal scrapings and fecal samples of Pampas fox (<i>Lycalopex gymnocercus</i>). <i>Parasitology International</i> , 2017, 66, 622-626.	1.3	7
44	Evaluation of biological behavior of <i>Toxoplasma gondii</i> atypical isolates # 14 and # 163. <i>Experimental Parasitology</i> , 2020, 211, 107860.	1.2	7
45	ROP18 and ROP5 alleles combinations are related with virulence of <i>T. gondii</i> isolates from Argentina. <i>Parasitology International</i> , 2021, 83, 102328.	1.3	7
46	Fatal sarcocystosis in psittacine birds from Argentina. <i>Parasitology Research</i> , 2022, 121, 491-497.	1.6	7
47	Low prevalence of infection by <i>Sarcocystis neurona</i> in horses from the State of Alagoas, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 298-302.	0.7	6
48	<i>Sarcocystis neurona</i> and related <i>Sarcocystis</i> spp. shed by opossums (<i>Didelphis</i> spp.) in South America. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e006521.	0.7	5
49	<i>Cryptosporidium varanii</i> infection in leopard geckos (<i>Eublepharis macularius</i>) in Argentina. <i>Open Veterinary Journal</i> , 2016, 6, 98.	0.7	4
50	Molecular characterization of <i>Cryptosporidium</i> spp. from domestic pigs in Argentina. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 22, 100473.	0.5	4
51	<i>Neospora caninum</i> and <i>Toxoplasma gondii</i> infections and their relationship with reproductive losses in farmed red deer (<i>Cervus elaphus</i>). <i>Parasitology Research</i> , 2021, 120, 1851-1860.	1.6	4
52	Epidemic abortions due to <i>Neospora caninum</i> infection in farmed red deer (<i>Cervus elaphus</i>). <i>Parasitology Research</i> , 2022, 121, 1475-1485.	1.6	4
53	<i>Sarcocystis</i> spp. infection in South American deer huemul (<i>Hippocamelus bisulcus</i>) and pudu (<i>Pudu</i>) Tj ETQq1 1 0.784314 rgBT / Overl	1.6	3
54	<i>Toxoplasma</i> . , 2018, , 149-168.		2

#	ARTICLE	IF	CITATIONS
55	Isolation of <i>Neospora caninum</i> from a beef cattle fetus from Argentina: Immunopathological and molecular studies. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 21, 100438.	0.5	2
56	Pampas fox (<i>Lycalopex gymnocercus</i>) of the Argentine Pampas as intermediate host for <i>Neospora caninum</i> . <i>Parasitology International</i> , 2022, 88, 102549.	1.3	2
57	Morfología de estructuras parasitarias de <i>Rangelia vitalii</i> en muestras de perros naturalmente infectados. <i>Analecta Veterinaria</i> , 2017, 37, 017.	0.2	1
58	Evidencias sobre una nueva especie del género <i>Dirofilaria</i> en perros de Neuquén, Argentina. <i>Analecta Veterinaria</i> , 2017, 37, 010.	0.2	1
59	Descripción de un caso de mieloencefalitis equina por protozoos (EPM) en Argentina. <i>Analecta Veterinaria</i> , 2019, 39, 035.	0.2	1
60	Interferon- β and IL-10 Release Assay for Patients with Ocular Toxoplasmosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 103, 2239-2243.	1.4	1
61	Eleven years of <i>Toxoplasma gondii</i> serological follow-up in a goat herd and association of toxoplasmosis with reproductive losses. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021, 25, 100599.	0.5	0
62	Comparación de 3 kits de real time RT-PCR para detección de SARS-CoV-2. <i>FAVE Sección Ciencias Veterinarias</i> , 2021, 20, 3-8.	0.2	0
63	Impacto de la pandemia de la COVID-19 en la cantidad de publicaciones. <i>Analecta Veterinaria</i> , 2021, 41, 054.	0.2	0
64	Detección y caracterización molecular del SARS-CoV-2 en animales. <i>Innovación Y Desarrollo Tecnológico Y Social</i> , 2020, 2, 15-24.	0.0	0
65	Resultados del primer bimestre de trabajo de la unidad de diagnóstico COVID-19 de la Facultad de Ciencias Veterinarias-UNLP. <i>Analecta Veterinaria</i> , 2020, 40, 050.	0.2	0
66	Publicar o perecer en el siglo XXI. <i>Analecta Veterinaria</i> , 2020, 40, 051.	0.2	0