

# GastÃ³n AndrÃ©s MorÃ©

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2622171/publications.pdf>

Version: 2024-02-01

66  
papers

1,230  
citations

331670

21  
h-index

414414

32  
g-index

68  
all docs

68  
docs citations

68  
times ranked

991  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fatal sarcocystosis in psittacine birds from Argentina. <i>Parasitology Research</i> , 2022, 121, 491-497.	1.6	7
2	Pampas fox ( <i>Lycalopex gymnocercus</i> ) of the Argentine Pampas as intermediate host for <i>Neospora caninum</i> . <i>Parasitology International</i> , 2022, 88, 102549.	1.3	2
3	Epidemic abortions due to <i>Neospora caninum</i> infection in farmed red deer ( <i>Cervus elaphus</i> ). <i>Parasitology Research</i> , 2022, 121, 1475-1485.	1.6	4
4	<i>Sarcocystis neurona</i> and related <i>Sarcocystis</i> spp. shed by opossums ( <i>Didelphis</i> spp.) in South America. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e006521.	0.7	5
5	<i>Neospora caninum</i> and <i>Toxoplasma gondii</i> infections and their relationship with reproductive losses in farmed red deer ( <i>Cervus elaphus</i> ). <i>Parasitology Research</i> , 2021, 120, 1851-1860.	1.6	4
6	Eleven years of <i>Toxoplasma gondii</i> serological follow-up in a goat herd and association of toxoplasmosis with reproductive losses. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021, 25, 100599.	0.5	0
7	Comparación de 3 kits de real time RT-PCR para detección de SARS-CoV-2. <i>FAVE Sección Ciencias Veterinarias</i> , 2021, 20, 3-8.	0.2	0
8	Impacto de la pandemia de la COVID-19 en la cantidad de publicaciones. <i>Analecta Veterinaria</i> , 2021, 41, 054.	0.2	0
9	ROP18 and ROP5 alleles combinations are related with virulence of <i>T. gondii</i> isolates from Argentina. <i>Parasitology International</i> , 2021, 83, 102328.	1.3	7
10	First detection and molecular analysis of SARS-CoV-2 from a naturally infected cat from Argentina. <i>Veterinary Microbiology</i> , 2021, 260, 109179.	1.9	21
11	Isolation of <i>Neospora caninum</i> from a beef cattle fetus from Argentina: Immunopathological and molecular studies. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 21, 100438.	0.5	2
12	<i>Sarcocystis</i> spp. infection in South American deer huemul ( <i>Hippocamelus bisulcus</i> ) and pudu ( <i>Pudu</i> ) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	0.6	3
13	Molecular characterization of <i>Cryptosporidium</i> spp. from domestic pigs in Argentina. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 22, 100473.	0.5	4
14	Evaluation of biological behavior of <i>Toxoplasma gondii</i> atypical isolates # 14 and # 163. <i>Experimental Parasitology</i> , 2020, 211, 107860.	1.2	7
15	Interferon- $\beta$ and IL-10 Release Assay for Patients with Ocular Toxoplasmosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 103, 2239-2243.	1.4	1
16	Detección y caracterización molecular del SARS-CoV-2 en animales. <i>Innovación Y Desarrollo Tecnológico Y Social</i> , 2020, 2, 15-24.	0.0	0
17	Resultados del primer bimestre de trabajo de la unidad de diagnóstico COVID-19 de la Facultad de Ciencias Veterinarias-UNLP. <i>Analecta Veterinaria</i> , 2020, 40, 050.	0.2	0
18	Publicar o perecer en el siglo XXI. <i>Analecta Veterinaria</i> , 2020, 40, 051.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Low prevalence of infection by <i>Sarcocystis neurona</i> in horses from the State of Alagoas, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 298-302.	0.7	6
20	Fatal <i>Sarcocystis cruzi</i> -induced eosinophilic myocarditis in a heifer in Uruguay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2019, 31, 656-660.	1.1	14
21	<i>Toxoplasma gondii</i> and <i>Trichinella</i> infections in wild boars ( <i>Sus scrofa</i> ) from Northeastern Patagonia, Argentina. <i>Preventive Veterinary Medicine</i> , 2019, 168, 75-80.	1.9	15
22	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infections in synanthropic rodents from Argentina. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 113-118.	0.7	15
23	Congenital human toxoplasmosis caused by non-clonal <i>Toxoplasma gondii</i> genotypes in Argentina. <i>Parasitology International</i> , 2019, 68, 48-52.	1.3	21
24	Descripción de un caso de mieloencefalitis equina por protozoos (EPM) en Argentina. <i>Analecta Veterinaria</i> , 2019, 39, 035.	0.2	1
25	<i>Toxoplasma</i> . , 2018, , 149-168.		2
26	Evaluation of frequency of antibodies against <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> and <i>Sarcocystis</i> spp. and transmission routes in sheep from Humid Pampa, Argentina. <i>Acta Parasitologica</i> , 2018, 63, 416-421.	1.1	16
27	Microsatellite pattern analysis of <i>Neospora caninum</i> from a naturally infected goat fetus. <i>Veterinary Parasitology</i> , 2018, 255, 58-60.	1.8	11
28	An Ibero-American inter-laboratory trial to evaluate serological tests for the detection of anti- <i>Neospora caninum</i> antibodies in cattle. <i>Tropical Animal Health and Production</i> , 2018, 50, 75-84.	1.4	15
29	Population structure of <i>Toxoplasma gondii</i> in Argentina. <i>Infection, Genetics and Evolution</i> , 2018, 65, 72-79.	2.3	24
30	Pampas fox ( <i>Lycalopex gymnocercus</i> ) new intermediate host of <i>Sarcocystis svanaei</i> (Apicomplexa: Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50	1.3	12
31	Chicken line-dependent mortality after experimental infection with three type II/III recombinant <i>Toxoplasma gondii</i> clones. <i>Experimental Parasitology</i> , 2017, 180, 101-111.	1.2	9
32	Seropositivity to <i>Sarcocystis</i> infection of llamas correlates with breeding practices. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2017, 10, 65-70.	0.5	20
33	Molecular characterization of <i>Sarcocystis</i> spp. in intestine mucosal scrapings and fecal samples of Pampas fox ( <i>Lycalopex gymnocercus</i> ). <i>Parasitology International</i> , 2017, 66, 622-626.	1.3	7
34	Seroprevalence of <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infections in goats from two Argentinean provinces. <i>Open Veterinary Journal</i> , 2017, 7, 319.	0.7	16
35	Morfología de estructuras parasitarias de <i>Rangelia vitalii</i> en muestras de perros naturalmente infectados. <i>Analecta Veterinaria</i> , 2017, 37, 017.	0.2	1
36	Evidencias sobre una nueva especie del género <i>Dirofilaria</i> en perros de Neuquén, Argentina. <i>Analecta Veterinaria</i> , 2017, 37, 010.	0.2	1

#	ARTICLE	IF	CITATIONS
37	<i>Cryptosporidium varanii</i> infection in leopard geckos ( <i>Eublepharis macularius</i> ) in Argentina. Open Veterinary Journal, 2016, 6, 98.	0.7	4
38	<i>Sarcocystis masoni</i> , n. sp. (Apicomplexa: Sarcocystidae), and redescription of <i>Sarcocystis aucheniae</i> from llama ( <i>Lama glama</i> ), guanaco ( <i>Lama guanicoe</i> ) and alpaca ( <i>Vicugna</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	1.5	13
39	<i>Sarcocystis rommeli</i> , n. sp. (Apicomplexa: Sarcocystidae) from Cattle ( <i>Bos taurus</i> ) and its Differentiation from <i>Sarcocystis hominis</i> . Journal of Eukaryotic Microbiology, 2016, 63, 62-68.	1.7	25
40	Sarcocystosis in wild red deer ( <i>Cervus elaphus</i> ) in Patagonia, Argentina. Parasitology Research, 2016, 115, 1773-1778.	1.6	16
41	Molecular identification of <i>Sarcocystis</i> spp. in foxes ( <i>Vulpes vulpes</i> ) and raccoon dogs ( <i>Nyctereutes</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 23	1.8	23
42	<i>Toxoplasma gondii</i> isolates from chickens in an area with human toxoplasmic retinochoroiditis. Experimental Parasitology, 2016, 166, 16-20.	1.2	13
43	Evaluation and comparison of serological methods for the detection of bovine neosporosis in Argentina. Revista Argentina De Microbiologia, 2015, 47, 295-301.	0.7	13
44	Anti-Neospora caninum and anti-Sarcocystis spp. specific antibodies cross-react with <i>Besnoitia besnoiti</i> and influence the serological diagnosis of bovine besnoitiosis. Veterinary Parasitology, 2015, 214, 49-54.	1.8	27
45	Isolation and molecular characterization of <i>Toxoplasma gondii</i> in a colony of captive black-capped squirrel monkeys ( <i>Saimiri boliviensis</i> ). Parasitology International, 2015, 64, 587-590.	1.3	21
46	Molecular identification of <i>Sarcocystis</i> spp. helped to define the origin of green pythons ( <i>Morelia</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	1.5	13
47	<i>Sarcocystis sinensis</i> is the most prevalent thick-walled <i>Sarcocystis</i> species in beef on sale for consumers in Germany. Parasitology Research, 2014, 113, 2223-2230.	1.6	44
48	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infections in goat abortions from Argentina. Parasitology International, 2014, 63, 865-867.	1.3	42
49	Seroprevalence of <i>Sarcocystis neurona</i> and Its Association With Neurologic Disorders in Argentinean Horses. Journal of Equine Veterinary Science, 2014, 34, 1051-1054.	0.9	9
50	First report of <i>Rangelia vitalii</i> infection (canine rangelirosis) in Argentina. Parasitology International, 2014, 63, 729-734.	1.3	31
51	<i>Neospora caninum</i> is a cause of perinatal mortality in axis deer ( <i>Axis axis</i> ). Veterinary Parasitology, 2014, 199, 255-258.	1.8	27
52	<i>Neospora caninum</i> NC-6 Argentina induces fetopathy in both serologically positive and negative experimentally inoculated pregnant dams. Parasitology Research, 2013, 112, 2585-2592.	1.6	12
53	Development of a multiplex real time PCR to differentiate <i>Sarcocystis</i> spp. affecting cattle. Veterinary Parasitology, 2013, 197, 85-94.	1.8	60
54	Evaluation of an in-house TgSAG1 (P30) IgG ELISA for diagnosis of naturally acquired <i>Toxoplasma gondii</i> infection in pigs. Veterinary Parasitology, 2012, 189, 204-210.	1.8	25

#	ARTICLE	IF	CITATIONS
55	Toxoplasma gondii infection in sentinel and free-range chickens from Argentina. Veterinary Parasitology, 2012, 184, 116-121.	1.8	34
56	Molecular characterization of the ITS-2 fragment of Paramphistomum leydeni (Trematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf, 50 702 Td	1.8	28
57	Prevalence of Sarcocystis spp. in Argentinean cattle. Veterinary Parasitology, 2011, 177, 162-165.	1.8	94
58	Quantitative real time polymerase chain reaction assays for the sensitive detection of Besnoitia besnoiti infection in cattle. Veterinary Parasitology, 2011, 178, 208-216.	1.8	49
59	Serologic profiles for Sarcocystis sp. and Neospora caninum and productive performance in naturally infected beef calves. Parasitology Research, 2010, 106, 689-693.	1.6	13
60	Toxoplasmosis and genotyping of Toxoplasma gondii in Macropus rufus and Macropus giganteus in Argentina. Veterinary Parasitology, 2010, 169, 57-61.	1.8	35
61	Frequency of horizontal and vertical transmission for Sarcocystis cruzi and Neospora caninum in dairy cattle. Veterinary Parasitology, 2009, 160, 51-54.	1.8	44
62	Isolation and molecular characterization of Toxoplasma gondii from captive slender-tailed meerkats (Suricata suricatta) with fatal toxoplasmosis in Argentina. Veterinary Parasitology, 2009, 161, 201-206.	1.8	23
63	Diagnosis of Sarcocystis cruzi, Neospora caninum, and Toxoplasma gondii infections in cattle. Parasitology Research, 2008, 102, 671-675.	1.6	81
64	Seroprevalence of Neospora caninum, Toxoplasma gondii and Sarcocystis sp. in llamas (Lama glama) from Jujuy, Argentina. Veterinary Parasitology, 2008, 155, 158-160.	1.8	34
65	Hemagglutinating Encephalomyelitis Coronavirus Infection in Pigs, Argentina. Emerging Infectious Diseases, 2008, 14, 484-486.	4.3	48
66	Toxoplasmosis in captive Bennett's wallabies (Macropus rufogriseus) in Argentina. Veterinary Parasitology, 2007, 144, 157-161.	1.8	39